University of Groningen

Vanadium (beta-(dimethylamino)ethyl)cyclopentadienyl complexes with diphenylacetylene ligands

Liu, Guohua; Lu, Xiaoquan; Gagliardo, Marcella; Beetstra, Dirk J.; Meetsma, Auke; Hessen, Bart; Liu, Gaifen

Published in:
 Organometallics

DOI:
[10.1021/om8000718](https://doi.org/10.1021/om8000718)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
 Publisher's PDF, also known as Version of record

Publication date:
 2008

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Liu, G., Lu, X., Gagliardo, M., Beetstra, D. J., Meetsma, A., Hessen, B., & Liu, G. (2008). Vanadium (beta-(dimethylamino)ethyl)cyclopentadienyl complexes with diphenylacetylene ligands. *Organometallics*, 27(10), 2316-2320. <https://doi.org/10.1021/om8000718>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

```

_audit_creation_method          SHELXL-97
_chemical_name_systematic
; ?
;
_chemical_name_common           ?
_chemical_melting_point         ?
_chemical_formula_moiety        'C23 H24 Cl N V'
_chemical_formula_sum           'C23 H24 Cl N V'
_chemical_formula_weight        400.82

```

```

loop_
  _atom_type_symbol
  _atom_type_description
  _atom_type_scatter_dispersion_real
  _atom_type_scatter_dispersion_imag
  _atom_type_scatter_source
V   V   0.3005   0.5294
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'
N   N   0.0061   0.0033
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'
Cl  Cl   0.1484   0.1585
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'
H   H   0.0000   0.0000
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'
C   C   0.0033   0.0016
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'

```

```

_symmetry_cell_setting          Trigonol
_symmetry_space_group_name_Hall '-R 3'
_symmetry_space_group_name_H-M  'R -3'
_symmetry_Int_Tables_number     148

```

```

loop_
  _symmetry_equiv_pos_site_id
  _symmetry_equiv_pos_as_xyz
1  x,y,z
2  -y,x-y,z
3  -x+y,-x,z
4  -x,-y,-z
5  y,-x+y,-z
6  x-y,x,-z
7  1/3+x,2/3+y,2/3+z
8  1/3-y,2/3+x-y,2/3+z
9  1/3-x+y,2/3-x,2/3+z
10 1/3-x,2/3-y,2/3-z
11 1/3+y,2/3-x+y,2/3-z
12 1/3+x-y,2/3+x,2/3-z
13 2/3+x,1/3+y,1/3+z
14 2/3-y,1/3+x-y,1/3+z
15 2/3-x+y,1/3-x,1/3+z
16 2/3-x,1/3-y,1/3-z
17 2/3+y,1/3-x+y,1/3-z
18 2/3+x-y,1/3+x,1/3-z

```

```

_cell_length_a                  31.948(2)
_cell_length_b                  31.948(2)
_cell_length_c                  11.0765(7)
_cell_angle_alpha               90

```

_cell_angle_beta	90
_cell_angle_gamma	120
_cell_volume	9790.9(11)
_cell_formula_units_Z	18
_cell_measurement_temperature	100(1)
_cell_measurement_reflns_used	7157
_cell_measurement_theta_min	2.21
_cell_measurement_theta_max	28.01
_exptl_crystal_description	block
_exptl_crystal_colour	red
_exptl_crystal_size_max	0.370
_exptl_crystal_size_mid	0.210
_exptl_crystal_size_min	0.170
_exptl_crystal_density_meas	?
_exptl_crystal_density_diffn	1.224
_exptl_crystal_density_method	'not measured'
_exptl_crystal_F_000	3762
_exptl_absorpt_coefficient_mu	0.584
_exptl_absorpt_correction_type	empirical
_exptl_absorpt_correction_T_min	0.8638
_exptl_absorpt_correction_T_max	0.9054
_exptl_absorpt_process_details	'SADABS (Bruker, 1998)'
_exptl_special_details	
;	
?	
;	
_diffn_ambient_temperature	100(1)
_diffn_radiation_wavelength	0.71073
_diffn_radiation_type	MoK\alpha
_diffn_radiation_source	'fine-focus sealed tube'
_diffn_radiation_monochromator	graphite
_diffn_measurement_device_type	'CCD area detector'
_diffn_measurement_method	'phi and omega scans'
_diffn_detector_area_resol_mean	?
_diffn_standards_number	?
_diffn_standards_interval_count	?
_diffn_standards_interval_time	?
_diffn_standards_decay_%	?
_diffn_reflns_number	3762
_diffn_reflns_av_R_equivalents	0.0455
_diffn_reflns_av_sigmaI/netI	0.0423
_diffn_reflns_limit_h_min	-42
_diffn_reflns_limit_h_max	42
_diffn_reflns_limit_k_min	-39
_diffn_reflns_limit_k_max	42
_diffn_reflns_limit_l_min	-14
_diffn_reflns_limit_l_max	14
_diffn_reflns_theta_min	2.21
_diffn_reflns_theta_max	28.28
_reflns_number_total	5403
_reflns_number_gt	4160
_reflns_threshold_expression	>4sigma(I)
_computing_data_collection	'Bruker SMART'
_computing_cell_refinement	'Bruker SMART'
_computing_data_reduction	'Bruker SAINT'
_computing_structure_solution	'SHELXS-97 (Sheldrick, 1997)'

```

_computing_structure_refinement 'SHELXL-97 (Sheldrick, 1997)'
_computing_molecular_graphics 'Bruker SHELXTL'
_computing_publication_material 'Bruker SHELXTL'

_refine_special_details
;
Refinement of F2 against ALL reflections. The weighted R-factor wR and
goodness of fit S are based on F2, conventional R-factors R are based
on F, with F set to zero for negative F2. The threshold expression of
F2 > 2sigma(F2) is used only for calculating R-factors(gt) etc. and is
not relevant to the choice of reflections for refinement. R-factors based
on F2 are statistically about twice as large as those based on F, and R-
factors based on ALL data will be even larger.
;

_refine_ls_structure_factor_coef Fsqd
_refine_ls_matrix_type full
_refine_ls_weighting_scheme calc
_refine_ls_weighting_details
'calc w=1/[s2(Fo2)+(0.0589P)2+14.4307P] where P=(Fo2+2Fc2)/3'
_atom_sites_solution_primary direct
_atom_sites_solution_secondary difmap
_atom_sites_solution_hydrogens geom
_refine_ls_hydrogen_treatment constr
_refine_ls_number_reflns 5403
_refine_ls_number_parameters 331
_refine_ls_number_restraints 0
_refine_ls_R_factor_all 0.0445
_refine_ls_R_factor_gt 0.0391
_refine_ls_wR_factor_ref 0.1257
_refine_ls_wR_factor_gt 0.1044
_refine_ls_goodness_of_fit_ref 1.158
_refine_ls_restrained_S_all 1.158
_refine_ls_shift/su_max 0.000
_refine_ls_shift/su_mean 0.000

loop_
_atom_site_label
_atom_site_type_symbol
_atom_site_thermal_displace_type
_atom_site_fract_x
_atom_site_fract_y
_atom_site_fract_z
_atom_site_occupancy
_atom_site_U_iso_or_equiv
_atom_site_calc_flag
_atom_site_refinement_flags
V V Uani 0.17014(1) 0.26531(1) 0.05282(3) 1.000 0.0165(11) . .
Cl Cl Uani 0.13373(2) 0.22855(2) -0.12984(4) 1.000 0.0241(16) . .
N N Uani 0.17751(8) 0.20036(8) 0.10452(17) 1.000(4) 0.0274(6) . .
C1 C Uani 0.24031(8) 0.31703(9) 0.14132(2) 1.000(4) 0.0251(7) . .
C2 C Uani 0.22343(8) 0.34547(9) 0.08376(2) 1.000 0.0257(7) . .
C3 C Uani 0.22404(8) 0.33874(8) -0.04188(2) 1.000 0.0242(7) . .
C4 C Uani 0.24190(8) 0.30673(8) -0.06130(2) 1.000 0.0218(7) . .
C5 C Uani 0.25210(8) 0.29333(9) 0.05073(15) 1.000 0.0228(6) . .
C6 C Uani 0.26497(9) 0.25478(10) 0.06965(2) 1.000 0.0291(8) . .
C7 C Uani 0.22136(10) 0.20627(10) 0.03869(2) 1.000 0.0295(8) . .
C8 C Uani 0.13566(12) 0.15337(10) 0.06903(3) 1.000 0.0377(9) . .
C9 C Uani 0.18543(12) 0.19781(13) 0.23668(2) 1.000 0.0382(10) . .

```

C10 C Uani 0.07218(8) 0.31264(9) 0.20955(19) 1.000 0.0230(6) . .
 C11 C Uani 0.05630(9) 0.34589(10) 0.21528(2) 1.000 0.0284(7) . .
 C12 C Uani 0.07693(9) 0.38656(9) 0.14167(2) 1.000 0.0275(7) . .
 C13 C Uani 0.11240(9) 0.39327(9) 0.05901(2) 1.000 0.0250(7) . .
 C14 C Uani 0.12748(8) 0.35943(8) 0.05112(19) 1.000 0.0207(6) . .
 C15 C Uani 0.10840(8) 0.31905(8) 0.12764(18) 1.000 0.0186(6) . .
 C16 C Uani 0.12506(7) 0.28403(8) 0.12172(18) 1.000 0.0180(6) . .
 C17 C Uani 0.11902(8) 0.24560(8) 0.17975(18) 1.000 0.0195(6) . .
 C18 C Uani 0.09061(8) 0.21539(8) 0.28163(19) 1.000 0.0218(6) . .
 C19 C Uani 0.10995(10) 0.22542(9) 0.39845(2) 1.000 0.0275(7) . .
 C20 C Uani 0.08299(12) 0.19711(10) 0.49544(2) 1.000 0.0367(9) . .
 C21 C Uani 0.03704(12) 0.15848(11) 0.47796(3) 1.000 0.0423(10) . .
 C22 C Uani 0.01762(11) 0.14791(12) 0.36269(3) 1.000 0.0446(9) . .
 C23 C Uani 0.04416(9) 0.17589(10) 0.26485(2) 1.000 0.0344(8) . .
 H1 H Uiso 0.24347(-) 0.31322(-) 0.22344(-) 1.000 0.0313(10) . .
 H2 H Uiso 0.21390(-) 0.36730(-) 0.12484(-) 1.000 0.0309(10) . .
 H3 H Uiso 0.21387(-) 0.35410(-) -0.10219(-) 1.000 0.0448(11) . .
 H4 H Uiso 0.24469(-) 0.29538(-) -0.13457(-) 1.000 0.0229(9) . .
 H6 H Uiso 0.29163(-) 0.26086(-) 0.02153(-) 1.000 0.0282(10) . .
 H6' H Uiso 0.27566(-) 0.25600(-) 0.15572(-) 1.000 0.0374(10) . .
 H7 H Uiso 0.21493(-) 0.20569(-) -0.05076(-) 1.000 0.0365(10) . .
 H7' H Uiso 0.22746(-) 0.17998(-) 0.06271(-) 1.000 0.0353(10) . .
 H8 H Uiso 0.12930(-) 0.15429(-) -0.01613(-) 1.000 0.0288(10) . .
 H8' H Uiso 0.10905(-) 0.14987(-) 0.10798(-) 1.000 0.0401(12) . .
 H8'' H Uiso 0.14219(-) 0.12843(-) 0.09112(-) 1.000 0.0417(11) . .
 H9 H Uiso 0.19843(-) 0.17632(-) 0.24959(-) 1.000 0.0414(11) . .
 H9' H Uiso 0.21031(-) 0.23032(-) 0.26554(-) 1.000 0.0588(14) . .
 H9'' H Uiso 0.15309(-) 0.18522(-) 0.28252(-) 1.000 0.0343(10) . .
 H10 H Uiso 0.05818(-) 0.28409(-) 0.26028(-) 1.000 0.0299(10) . .
 H11 H Uiso 0.03095(-) 0.34013(-) 0.26559(-) 1.000 0.0323(10) . .
 H12 H Uiso 0.06483(-) 0.40916(-) 0.14750(-) 1.000 0.0396(11) . .
 H13 H Uiso 0.12718(-) 0.42164(-) 0.00843(-) 1.000 0.0197(9) . .
 H14 H Uiso 0.15198(-) 0.36436(-) -0.00557(-) 1.000 0.0316(10) . .
 H19 H Uiso 0.14159(-) 0.25076(-) 0.41563(-) 1.000 0.0344(11) . .
 H20 H Uiso 0.09810(-) 0.20524(-) 0.57270(-) 1.000 0.0446(12) . .
 H21 H Uiso 0.01797(-) 0.14062(-) 0.54280(-) 1.000 0.0487(12) . .
 H22 H Uiso -0.01592(-) 0.12384(-) 0.35035(-) 1.000 0.0547(14) . .
 H23 H Uiso 0.03122(-) 0.16699(-) 0.18732(-) 1.000 0.0442(11) . .

loop_

_atom_site_aniso_label
 _atom_site_aniso_U_11
 _atom_site_aniso_U_22
 _atom_site_aniso_U_33
 _atom_site_aniso_U_23
 _atom_site_aniso_U_13
 _atom_site_aniso_U_12

V 0.0177(19) 0.0206(2) 0.0128(17) -0.0013(13) 0.0001(13) 0.0108(15)
 C1 0.0231(3) 0.0298(3) 0.0162(2) -0.0050(2) -0.0013(19) 0.0110(2)
 N 0.0375(12) 0.0306(11) 0.0224(9) 0.0045(8) 0.0087(8) 0.0232(10)
 C1 0.0208(11) 0.0335(13) 0.0212(10) -0.0099(9) -0.0059(9) 0.0137(10)
 C2 0.0176(11) 0.0238(12) 0.0337(12) -0.0083(10) -0.0013(9) 0.0089(9)
 C3 0.0170(11) 0.0244(12) 0.0296(12) 0.0048(9) 0.0034(9) 0.0092(9)
 C4 0.0178(10) 0.0265(12) 0.0204(10) -0.0012(9) 0.0016(8) 0.0105(9)
 C5 0.0174(10) 0.0313(12) 0.0218(10) -0.0053(9) -0.0020(8) 0.0138(10)
 C6 0.0321(13) 0.0473(16) 0.0207(11) -0.0004(10) 0.0011(10) 0.0295(12)
 C7 0.0413(15) 0.0371(14) 0.0252(11) 0.0047(10) 0.0095(10) 0.0308(13)
 C8 0.0457(17) 0.0270(14) 0.0450(16) 0.0066(12) 0.0156(14) 0.0217(13)
 C9 0.0576(19) 0.0573(19) 0.0242(12) 0.0157(12) 0.0130(12) 0.0472(18)
 C10 0.0250(12) 0.0322(12) 0.0146(9) -0.0013(9) 0.0002(8) 0.0165(10)
 C11 0.0326(13) 0.0464(15) 0.0182(10) -0.0053(10) -0.0010(9) 0.0289(12)

```

C12 0.0352(13) 0.0379(14) 0.0219(10) -0.0077(10) -0.0075(9) 0.0276(12)
C13 0.0281(12) 0.0285(12) 0.0217(10) -0.0021(9) -0.0060(9) 0.0168(10)
C14 0.0190(1) 0.0268(12) 0.0171(9) -0.0023(8) -0.0019(8) 0.0121(9)
C15 0.0189(10) 0.0244(11) 0.0142(9) -0.0041(8) -0.0044(8) 0.0121(9)
C16 0.0159(10) 0.0228(11) 0.0145(9) -0.0027(8) -0.0012(7) 0.0091(9)
C17 0.0196(10) 0.0238(11) 0.0153(9) -0.0030(8) -0.0010(8) 0.0109(9)
C18 0.0258(11) 0.0249(11) 0.0202(10) 0.0020(8) 0.0047(9) 0.0169(10)
C19 0.0362(14) 0.0302(13) 0.0183(10) -0.0022(9) 0.0021(10) 0.0182(12)
C20 0.0597(19) 0.0405(15) 0.0181(11) 0.0031(10) 0.0098(11) 0.0312(14)
C21 0.0556(19) 0.0410(16) 0.0329(14) 0.0153(12) 0.0240(13) 0.0261(15)
C22 0.0333(15) 0.0412(16) 0.0476(17) 0.0153(14) 0.0118(13) 0.0098(14)
C23 0.0280(13) 0.0365(14) 0.0305(13) 0.0068(11) -0.0003(10) 0.0101(11)

```

_geom_special_details

;

Bond distances, angles etc. have been calculated using the rounded fractional coordinates. All su's are estimated from the variances of the (full) variance-covariance matrix. The cell esds are taken into account in the estimation of distances, angles and torsion angles

;

loop_

_geom_bond_atom_site_label_1

_geom_bond_atom_site_label_2

_geom_bond_distance

_geom_bond_site_symmetry_1

_geom_bond_site_symmetry_2

_geom_bond_publ_flag

V	C1	2.3366(6)	.	.	yes		
V	N	2.276(3)	.	.	.	.	yes
V	C1	2.239(3)	.	.	.	.	yes
V	C2	2.284(3)	.	.	.	.	yes
V	C3	2.351(2)	.	.	.	.	yes
V	C4	2.360(3)	.	.	.	.	yes
V	C5	2.305(3)	.	.	.	.	yes
V	C16	1.969(3)	.	.	.	.	yes
V	C17	2.003(2)	.	.	.	.	yes
N	C7	1.505(4)	.	.	.	.	yes
N	C8	1.479(4)	.	.	.	.	yes
N	C9	1.495(2)	.	.	.	.	yes
C1	C2	1.419(4)	.	.	.	.	no
C1	C5	1.417(3)	.	.	.	.	no
C2	C3	1.410(1)	.	.	.	.	no
C3	C4	1.415(4)	.	.	.	.	no
C4	C5	1.403(3)	.	.	.	.	no
C5	C6	1.496(4)	.	.	.	.	no
C6	C7	1.517(4)	.	.	.	.	no
C10	C11	1.389(4)	.	.	.	.	no
C10	C15	1.403(4)	.	.	.	.	no
C11	C12	1.390(4)	.	.	.	.	no
C12	C13	1.388(4)	.	.	.	.	no
C13	C14	1.389(4)	.	.	.	.	no
C14	C15	1.403(3)	.	.	.	.	no
C15	C16	1.461(4)	.	.	.	.	no
C16	C17	1.312(3)	.	.	.	.	no
C17	C18	1.467(3)	.	.	.	.	no
C18	C19	1.400(3)	.	.	.	.	no
C18	C23	1.399(4)	.	.	.	.	no
C19	C20	1.391(4)	.	.	.	.	no

C20	C21	1.380 (5)	.	.	no
C21	C22	1.386 (2)	.	.	no
C22	C23	1.391 (4)	.	.	no
C1	H1	0.9300 (-)	.	.	no
C2	H2	1.0000 (-)	.	.	no
C3	H3	0.9800 (-)	.	.	no
C4	H4	0.9100 (-)	.	.	no
C6	H6	0.9400 (-)	.	.	no
C6	H6'	1.0100 (-)	.	.	no
C7	H7	1.0100 (-)	.	.	no
C7	H7'	0.9900 (-)	.	.	no
C8	H8	0.9700 (-)	.	.	no
C8	H8'	0.9100 (-)	.	.	no
C8	H8''	0.9500 (-)	.	.	no
C9	H9	0.9700 (-)	.	.	no
C9	H9'	0.9900 (-)	.	.	no
C9	H9''	1.0400 (-)	.	.	no
C10	H10	0.9700 (-)	.	.	no
C11	H11	0.9200 (-)	.	.	no
C12	H12	0.9800 (-)	.	.	no
C13	H13	0.9600 (-)	.	.	no
C14	H14	0.9500 (-)	.	.	no
C19	H19	0.9500 (-)	.	.	no
C20	H20	0.9500 (-)	.	.	no
C21	H21	0.9300 (-)	.	.	no
C22	H22	0.9700 (-)	.	.	no
C23	H23	0.9300 (-)	.	.	no

loop_

_geom_angle_atom_site_label_1

_geom_angle_atom_site_label_2

_geom_angle_atom_site_label_3

_geom_angle

_geom_angle_site_symmetry_1

_geom_angle_site_symmetry_2

_geom_angle_site_symmetry_3

_geom_angle_publ_flag

C1	V	N	90.69 (5)	.	.	.	yes
C1	V	C1	144.41 (7)	.	.	.	yes
C1	V	C2	126.74 (6)	.	.	.	yes
C1	V	C3	92.71 (6)	.	.	.	yes
C1	V	C4	85.29 (6)	.	.	.	yes
C1	V	C5	111.71 (6)	.	.	.	yes
C1	V	C16	103.43 (7)	.	.	.	yes
C1	V	C17	109.09 (7)	.	.	.	yes
N	V	C1	92.34 (9)	.	.	.	yes
N	V	C2	128.75 (10)	.	.	.	yes
N	V	C3	131.6 (1)	.	.	.	yes
N	V	C4	97.57 (9)	.	.	.	yes
N	V	C5	75.01 (9)	.	.	.	yes
N	V	C16	127.19 (9)	.	.	.	yes
N	V	C17	88.66 (9)	.	.	.	yes
C1	V	C2	36.55 (10)	.	.	.	yes
C1	V	C3	59.70 (8)	.	.	.	yes
C1	V	C4	59.16 (8)	.	.	.	yes
C1	V	C5	36.29 (9)	.	.	.	yes
C1	V	C16	102.76 (10)	.	.	.	yes
C1	V	C17	106.43 (9)	.	.	.	yes
C2	V	C3	35.38 (3)	.	.	.	yes
C2	V	C4	58.74 (9)	.	.	.	yes
C2	V	C5	60.05 (10)	.	.	.	yes

C2	V	C16	81.35 (10)	.	.	.	yes
C2	V	C17	106.30 (9)	.	.	.	yes
C3	V	C4	34.94 (9)	.	.	.	yes
C3	V	C5	59.01 (9)	.	.	.	yes
C3	V	C16	98.73 (9)	.	.	.	yes
C3	V	C17	134.58 (9)	.	.	.	yes
C4	V	C5	34.98 (8)	.	.	.	yes
C4	V	C16	133.65 (9)	.	.	.	yes
C4	V	C17	164.34 (8)	.	.	.	yes
C5	V	C16	138.36 (9)	.	.	.	yes
C5	V	C17	135.92 (9)	.	.	.	yes
C16	V	C17	38.56 (9)	.	.	.	yes
V	N	C7	106.13 (15)	.	.	.	yes
V	N	C8	113.9 (2)	.	.	.	yes
V	N	C9	113.18 (19)	.	.	.	yes
C7	N	C8	108.1 (2)	.	.	.	yes
C7	N	C9	108.0 (3)	.	.	.	yes
C8	N	C9	107.3 (2)	.	.	.	yes
V	C1	C2	73.44 (15)	.	.	.	yes
V	C1	C5	74.40 (15)	.	.	.	yes
C2	C1	C5	108.2 (2)	.	.	.	no
V	C2	C1	70.01 (14)	.	.	.	yes
V	C2	C3	74.94 (14)	.	.	.	yes
C1	C2	C3	107.9 (2)	.	.	.	no
V	C3	C2	69.68 (14)	.	.	.	yes
V	C3	C4	72.87 (13)	.	.	.	yes
C2	C3	C4	107.6 (2)	.	.	.	no
V	C4	C3	72.19 (14)	.	.	.	yes
V	C4	C5	70.36 (15)	.	.	.	yes
C3	C4	C5	109.0 (2)	.	.	.	no
V	C5	C1	69.31 (16)	.	.	.	yes
V	C5	C4	74.66 (16)	.	.	.	yes
V	C5	C6	113.92 (18)	.	.	.	yes
C1	C5	C4	107.4 (2)	.	.	.	no
C1	C5	C6	126.6 (2)	.	.	.	no
C4	C5	C6	125.2 (2)	.	.	.	no
C5	C6	C7	108.6 (3)	.	.	.	no
N	C7	C6	109.9 (2)	.	.	.	yes
C11	C10	C15	120.6 (2)	.	.	.	no
C10	C11	C12	120.3 (3)	.	.	.	no
C11	C12	C13	120.0 (3)	.	.	.	no
C12	C13	C14	119.7 (2)	.	.	.	no
C13	C14	C15	121.2 (2)	.	.	.	no
C10	C15	C14	118.2 (2)	.	.	.	no
C10	C15	C16	120.5 (2)	.	.	.	no
C14	C15	C16	121.3 (2)	.	.	.	no
V	C16	C15	148.42 (17)	.	.	.	yes
V	C16	C17	72.13 (16)	.	.	.	yes
C15	C16	C17	139.1 (2)	.	.	.	no
V	C17	C16	69.31 (14)	.	.	.	yes
V	C17	C18	152.3 (2)	.	.	.	yes
C16	C17	C18	138.2 (3)	.	.	.	no
C17	C18	C19	120.2 (2)	.	.	.	no
C17	C18	C23	121.3 (2)	.	.	.	no
C19	C18	C23	118.5 (2)	.	.	.	no
C18	C19	C20	120.4 (3)	.	.	.	no
C19	C20	C21	120.7 (3)	.	.	.	no
C20	C21	C22	119.6 (3)	.	.	.	no
C21	C22	C23	120.4 (3)	.	.	.	no
C18	C23	C22	120.5 (2)	.	.	.	no
V	C1	H1	118.00 (-)	.	.	.	no

C2	C1	H1	129.00 (-)	.	.	.	no
C5	C1	H1	123.00 (-)	.	.	.	no
V	C2	H2	122.00 (-)	.	.	.	no
C1	C2	H2	126.00 (-)	.	.	.	no
C3	C2	H2	126.00 (-)	.	.	.	no
V	C3	H3	123.00 (-)	.	.	.	no
C2	C3	H3	124.00 (-)	.	.	.	no
C4	C3	H3	128.00 (-)	.	.	.	no
V	C4	H4	121.00 (-)	.	.	.	no
C3	C4	H4	125.00 (-)	.	.	.	no
C5	C4	H4	126.00 (-)	.	.	.	no
C5	C6	H6	110.00 (-)	.	.	.	no
C5	C6	H6'	109.00 (-)	.	.	.	no
C7	C6	H6	111.00 (-)	.	.	.	no
C7	C6	H6'	112.00 (-)	.	.	.	no
H6	C6	H6'	106.00 (-)	.	.	.	no
N	C7	H7	108.00 (-)	.	.	.	no
N	C7	H7'	109.00 (-)	.	.	.	no
C6	C7	H7	108.00 (-)	.	.	.	no
C6	C7	H7'	110.00 (-)	.	.	.	no
H7	C7	H7'	112.00 (-)	.	.	.	no
N	C8	H8	109.00 (-)	.	.	.	no
N	C8	H8'	108.00 (-)	.	.	.	no
N	C8	H8''	108.00 (-)	.	.	.	no
H8	C8	H8'	106.00 (-)	.	.	.	no
H8	C8	H8''	114.00 (-)	.	.	.	no
H8'	C8	H8''	111.00 (-)	.	.	.	no
N	C9	H9	109.00 (-)	.	.	.	no
N	C9	H9'	109.00 (-)	.	.	.	no
N	C9	H9''	110.00 (-)	.	.	.	no
H9	C9	H9'	107.00 (-)	.	.	.	no
H9	C9	H9''	110.00 (-)	.	.	.	no
H9'	C9	H9''	112.00 (-)	.	.	.	no
C11	C10	H10	121.00 (-)	.	.	.	no
C15	C10	H10	118.00 (-)	.	.	.	no
C10	C11	H11	120.00 (-)	.	.	.	no
C12	C11	H11	120.00 (-)	.	.	.	no
C11	C12	H12	118.00 (-)	.	.	.	no
C13	C12	H12	122.00 (-)	.	.	.	no
C12	C13	H13	120.00 (-)	.	.	.	no
C14	C13	H13	120.00 (-)	.	.	.	no
C13	C14	H14	119.00 (-)	.	.	.	no
C15	C14	H14	120.00 (-)	.	.	.	no
C18	C19	H19	123.00 (-)	.	.	.	no
C20	C19	H19	117.00 (-)	.	.	.	no
C19	C20	H20	117.00 (-)	.	.	.	no
C21	C20	H20	123.00 (-)	.	.	.	no
C20	C21	H21	121.00 (-)	.	.	.	no
C22	C21	H21	119.00 (-)	.	.	.	no
C21	C22	H22	120.00 (-)	.	.	.	no
C23	C22	H22	119.00 (-)	.	.	.	no
C18	C23	H23	120.00 (-)	.	.	.	no
C22	C23	H23	119.00 (-)	.	.	.	no

```

loop_
_geom_hbond_atom_site_label_D
_geom_hbond_atom_site_label_H
_geom_hbond_atom_site_label_A
_geom_hbond_distance_DH
_geom_hbond_distance_HA

```

_geom_hbond_distance_DA
_geom_hbond_angle_DHA
_geom_hbond_site_symmetry_A
_geom_hbond_publ_flag

#

#D H A D - H H...A D...A D - H...A symm(A)

#

C8 H8 Cl 0.9700 2.6300 3.282(2) 125.00 . yes

_diffraction_measured_fraction_theta_max 2.21

_diffraction_reflns_theta_full 28.28

_diffraction_measured_fraction_theta_full 1.876

_refine_diff_density_max 0.430

_refine_diff_density_min -0.280

###END