University of Groningen

Surface modification of semiconductor nanocrystals by a methanofullerene carboxylic acid

Szendrei, Krisztina; Jarzab, Dorota; Yarema, Maksym; Sytnyk, Mikhael; Pichler, Stefan; Hummelen, Jan C.; Heiss, Wolfgang; Loi, Maria A.

Published in:
Journal of Materials Chemistry

DOI:
[10.1039/c0jm02347g](https://doi.org/10.1039/c0jm02347g)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2010

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Szendrei, K., Jarzab, D., Yarema, M., Sytnyk, M., Pichler, S., Hummelen, J. C., Heiss, W., & Loi, M. A. (2010). Surface modification of semiconductor nanocrystals by a methanofullerene carboxylic acid. *Journal of Materials Chemistry*, 20(39), 8470-8473. <https://doi.org/10.1039/c0jm02347g>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Supporting information

Figure S1. Room-temperature OD of a) dPCBA-PbS NCs and b) dPCBA-CdSe NCs compared to the OD of dPCBA and o-PbS NCs or o-CdSe NCs, respectively.

Figure S2. Steady-state PL maxima of a) oleate and dPCBA capped PbS NCs and the PbS:PCBM and b) oleylamine and dPCBA capped CdSe NCs and the CdSe:PCBM reference blend in solutions, respectively.

10

15

20

25