University of Groningen

Condition-based production and maintenance decisions

uit het Broek, Michiel

DOI:
[10.33612/diss.118424026](https://doi.org/10.33612/diss.118424026)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2020

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):
uit het Broek, M. (2020). *Condition-based production and maintenance decisions*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen, SOM research school.
<https://doi.org/10.33612/diss.118424026>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Condition-based production and maintenance decisions

Michiel A. J. uit het Broek

Publisher: University of Groningen
Groningen, The Netherlands

Printed by: Ipskamp Printing
Enschede, The Netherlands

ISBN: 978-94-034-2281-7 (printed version)
978-94-034-2282-4 (electronic version)

© 2020, Michiel A. J. uit het Broek

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system of any nature, or transmitted in any form or by any means, electronic, mechanical, now known or hereafter invented, including photocopying or recording, without prior written permission from the copyright owner.

university of
 groningen

Condition-based production and maintenance decisions

PhD thesis

to obtain the degree of PhD at the
 University of Groningen
 on the authority of the
 Rector Magnificus Prof. C. Wijmenga
 and in accordance with
 the decision by the College of Deans.

This thesis will be defended in public on

Thursday 12 March 2020 at 16.15 hours

by

Michiel Aloysius Johannes uit het Broek

born on 26 April 1992
 in Almelo

Supervisor

Prof. R.H. Teunter

Co-supervisors

Dr. B. de Jonge

Dr. J. Veldman

Assessment committee

Prof. G.J.J.A.N. van Houtum

Prof. P.A. Scarf

Prof. I.F.A. Vis

Contents

1	Introduction	1
1.1	Thesis outline	3
1.2	List of manuscripts	8
2	Condition-based production: balancing output and failure risk	11
2.1	Introduction	12
2.2	Literature	13
2.3	Problem description	15
2.4	Deterministic deterioration	17
2.4.1	Prespecified decision moments	19
2.4.2	Optimal policy with unavoidable failure	20
2.4.3	Optimal policy with maximum deterioration constraint	22
2.4.4	Optimal policy with deliberate failure	27
2.4.5	Illustrative example	28
2.5	Stochastic deterioration	29
2.5.1	Markov decision process	29
2.5.2	Base system	30
2.5.3	Structure of optimal policy	31
2.5.4	Cost savings by condition-based production	32
2.5.5	Parameter sensitivity	34
2.5.6	Heuristics based on deterministic deterioration	36
2.6	Conclusion	40
	Appendices	42
2.A	Proofs of lemmas	42
2.B	Additional policy comparisons	46

3	Joint condition-based maintenance and condition-based production	51
3.1	Introduction	52
3.2	Literature review	54
3.3	Problem description	56
3.3.1	Control strategies	57
3.4	Markov decision process formulation	58
3.4.1	Discretization	59
3.4.2	MDP for block-based maintenance	59
3.4.3	MDP for condition-based maintenance	60
3.5	Numerical analysis	61
3.5.1	Deterioration process	62
3.5.2	Base case system	63
3.5.3	Cost savings for the base case system	63
3.5.4	Parameter sensitivity	67
3.5.5	Parameter estimation errors	71
3.6	Conclusion	73
4	Joint condition-based maintenance and load-sharing optimization for multi-unit systems with economic dependency	77
4.1	Introduction	78
4.2	Literature review	79
4.3	Problem description	81
4.4	Markov decision process formulation	83
4.4.1	Discretization	83
4.4.2	The value functions	84
4.4.3	Modified policy iteration	86
4.5	Setup numerical experiments	87
4.5.1	Deterioration process	88
4.5.2	Base systems	88
4.6	Results contract type I	90
4.6.1	Optimal policy for the base system	90
4.6.2	Parameter sensitivity	93
4.7	Results contract type II	97
4.7.1	Effect volatility deterioration process	97
4.7.2	Effect maintenance setup cost	98

4.8	Conclusion	99
Appendices		102
4.A	The modified policy iteration algorithm	102
5	Evaluating jack-up sharing for offshore wind farm maintenance	105
5.1	Introduction	106
5.2	Literature review	107
5.3	Simulation model	110
5.3.1	Setting and resource sharing policies	110
5.3.2	Order of events	112
5.3.3	Output	114
5.3.4	Weather and failure simulation	114
5.4	Results	116
5.4.1	Implementation and model parameters	116
5.4.2	Results of the base case	118
5.4.3	Sensitivity analysis	121
5.4.4	Case study	128
5.5	Discussion	130
5.5.1	Main findings	130
5.5.2	Practical implications	131
5.5.3	Limitations and future research	132
6	Energy-saving policies for temperature-controlled production	135
6.1	Introduction	136
6.2	Model formulation	138
6.3	Deterministic fluid queue approximation	140
6.3.1	System dynamics under wait-heat-clear policies	141
6.3.2	The optimal policy structure	142
6.3.3	Costs under wait-heat-clear policies	143
6.4	Wait-heat-clear policies for the $M/G/1$ queue	144
6.4.1	Expected cost and time for heating and clearing	145
6.4.2	Exact costs of Q - and X -policies	147
6.4.3	Approximate costs of B -policies	149
6.4.4	Improvement heuristic for B -policies	151

6.4.5	Markov decision process formulation	152
6.5	Numerical Results	153
6.5.1	Real-life case	153
6.5.2	Optimal policy structure	154
6.5.3	Full-factorial experiment	156
6.6	Conclusion	159
Appendices		161
6.A	Proofs of lemmas	161
6.B	Implementation details	164
6.C	Real-life case parameter estimates	165
7	Valid inequalities and a branch-and-cut algorithm for asymmetric multi-depot routing problems	167
7.1	Introduction	168
7.2	Problem formulation	171
7.2.1	Compact formulation	172
7.2.2	Basic formulation	173
7.3	Model constraints and valid inequalities	175
7.3.1	Model constraints	175
7.3.2	Valid inequalities	179
7.3.3	Specialized model constraints for the A-MDmTSP	183
7.4	Separation algorithms	185
7.4.1	D_k^+ and D_k^- depot fixing constraints	186
7.4.2	Separating path-elimination constraints	188
7.4.3	Comb inequalities	189
7.5	Branch-and-cut algorithm	190
7.5.1	A novel and easy to implement upper bound procedure	190
7.5.2	Branch-and-cut implementation	191
7.6	Numerical experiments	193
7.6.1	Comparison to Bektaş et al. (2017)	194
7.6.2	New benchmark instances	194
7.6.3	Valid inequalities and effect on root node	196
7.6.4	Effectiveness of the upper bound procedure	198
7.6.5	Performance of the branch-and-cut framework	198

7.7 Conclusion	202
Appendices	204
8 Summary and conclusion	213
Bibliography	225
Samenvatting (in Dutch)	239
Acknowledgements	241
Curriculum Vitæ	243