University of Groningen

Erratum: Modification of the omega-Meson Lifetime in Nuclear Matter (vol 100, 192302, 2008)

Kotulla, M.; Trnka, D.; Muehlich, P.; Anton, G.; Bacelar, J. C. S.; Bartholomy, O.; Bayadilov, D.; Beloglazov, Y. A.; Bogendoerfer, R.; Castelijns, R.

Published in:
Physical Review Letters

DOI:
[10.1103/PhysRevLett.114.199903](https://doi.org/10.1103/PhysRevLett.114.199903)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2015

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Kotulla, M., Trnka, D., Muehlich, P., Anton, G., Bacelar, J. C. S., Bartholomy, O., Bayadilov, D., Beloglazov, Y. A., Bogendoerfer, R., Castelijns, R., Crede, V., Dutz, H., Ehmanns, A., Elsner, D., Ewald, R., Fabry, I., Fuchs, M., Essig, K., Funke, C., ... CBELSA-TAPS Collaboration (2015). Erratum: Modification of the omega-Meson Lifetime in Nuclear Matter (vol 100, 192302, 2008). *Physical Review Letters*, 114(19), [199903]. <https://doi.org/10.1103/PhysRevLett.114.199903>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Erratum: Modification of the ω -Meson Lifetime in Nuclear Matter [Phys. Rev. Lett. 100, 192302 (2008)]

M. Kotulla, D. Trnka, P. Mühlich, G. Anton, J. C. S. Bacelar, O. Bartholomy, D. Bayadilov, Y. A. Beloglazov, R. Bogendörfer, R. Castelijns, V. Crede, H. Dutz, A. Ehmanns, D. Elsner, R. Ewald, I. Fabry, M. Fuchs, K. Essig, Ch. Funke, R. Gothe, R. Gregor, A. B. Gridnev, E. Gutz, S. Höffgen, P. Hoffmeister, I. Horn, J. Hössl, I. Jaegle, J. Junkersfeld, H. Kalinowsky, Frank Klein, Fritz Klein, E. Klempt, M. Konrad, B. Kopf, B. Krusche, J. Langheinrich, H. Löhner, I. V. Lopatin, J. Lotz, S. Lugert, D. Menze, J. G. Messchendorp, T. Mertens, V. Metag, U. Mosel, M. Novova, R. Novotny, M. Ostrick, L. M. Pant, H. van Pee, M. Pfeiffer, A. Roy, A. Radkov, S. Schadmand, Ch. Schmidt, H. Schmieden, B. Schoch, S. Shende, G. Suft, V. V. Sumachev, T. Szczepanek, A. Süle, U. Thoma, R. Varma, D. Walther, Ch. Weinheimer, and Ch. Wendel

(CBELSA/TAPS Collaboration)

(Received 22 April 2015; published 15 May 2015)

DOI: [10.1103/PhysRevLett.114.199903](https://doi.org/10.1103/PhysRevLett.114.199903)

PACS numbers: 13.60.Le, 14.40.-n, 25.20.Lj, 99.10.Cd

We reported the measurement of the transparency ratio for ω mesons as a function of the nuclear mass number. The dependence of the transparency ratio as a function of the ω momentum was studied as well. In Fig. 4 the resulting momentum dependence of the in-medium ω width and the inelastic ωN cross section was shown. In a reanalysis of the data it was noted that the widths were erroneously given in the eigenframe of the ω meson and not in the nucleus rest frame as stated in the figure caption. As a consequence, the in-medium ω width and the inelastic ωN cross sections reported in Fig. 4 have to be divided by the relativistic factor $\gamma = \sqrt{1 - \beta^2}$, which relates the ω width in the eigenframe to the width in the nuclear rest frame. The revised version of Fig. 4 is shown below. All other results remain unchanged.

FIG. 4 (color online). Upper part: the inelastic ωN cross section extracted from the Glauber analysis (data) in comparison to the inelastic cross section used in the BUU simulation [1,2]. Lower part: width of the ω meson in the nuclear medium in the nuclear rest frame as a function of the ω momentum in a Glauber analysis (squares), from the Giessen BUU model with the inelastic cross section from the upper figure (red dashed line), and after fits to the data of Fig. 2 with the BUU simulation (red solid line) and the Valencia Monte Carlo simulation (blue circle) [3], respectively. Only statistical errors are shown.

- [1] P. Mühlich, T. Falter, and U. Mosel, [Eur. Phys. J. A **20**, 499 \(2004\)](#).
- [2] P. Mühlich (private communication).
- [3] M. Kaskulov, E. Hernandez, and E. Oset, [Eur. Phys. J. A **31**, 245 \(2007\)](#).