University of Groningen

The resolved stellar populations of M32

Monachesi, Antonela

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2011

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Monachesi, A. (2011). *The resolved stellar populations of M32*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

rijksuniversiteit
 groningen

The resolved stellar populations of M32

Proefschrift

ter verkrijging van het doctoraat in de
Wiskunde en Natuurwetenschappen
aan de Rijksuniversiteit Groningen
op gezag van de
Rector Magnificus, dr. E. Sterken,
in het openbaar te verdedigen op
maandag 23 mei 2011
om 13.15 uur

door

Antonela Monachesi

geboren op 10 oktober 1980
te Bahía Blanca, Argentinië

Promotor:

Prof. dr. S. C. Trager

Beoordelingscommissie:

Prof. dr. A. Aparicio

Prof. dr. R. F. Peletier

Prof. dr. E. Tolstoy

ISBN 978-90-367-4856-8

ISBN 978-90-367-4855-1 (electronic version)

*“...Caminante, no hay camino, se
hace camino al andar. Al andar
se hace camino, y al volver la
vista atrás se ve la senda que
nunca se ha de volver a pisar.
Caminante no hay camino, sino
estelas en la mar.”*

–Antonio Machado

Cover: A portion of an optical color image of a field of M32, obtained after combining 32 observations (per filter) taken with the High Resolution Channel (HRC) of the Advanced Camera for Surveys (ACS) at the *Hubble Space Telescope* (HST). The observations were taken in a field at $\sim 2'$ from the center of M32. *Backside:* As above but for our background field in M31. The field is located at $\sim 5'.8$ from the center of M32. Each image represents an area of $\sim 20'' \times 12''$ on the sky.

Contents

1	Introduction	9
1.1	Elliptical galaxies	10
1.1.1	Formation and evolution	11
1.2	Stellar populations	14
1.2.1	Unresolved stellar populations	14
1.2.2	Resolved stellar populations: Color-Magnitude diagram analysis	16
1.3	M32: a unique window on the stellar populations of elliptical galaxies .	19
1.3.1	Results from spectroscopic studies	20
1.3.2	Results from resolved stars studies	21
1.4	This Thesis	22
1.4.1	Outline of the thesis	23
2	The deepest HST Color-Magnitude Diagram of M32	25
2.1	Introduction	26
2.1.1	M32: A window on the stellar populations of elliptical galaxies .	27
2.1.2	Integrated light studies of M32	28
2.1.3	Resolved stars studies of M32	29
2.2	Observations and Data reduction	30
2.2.1	Field Selection and Observational Strategy	30
2.2.2	Image Reduction, Stacking, and Upsampling	32
2.3	Photometry	35
2.3.1	DECONVOLVED IMAGE photometry	35
2.3.2	DAOPHOT photometry	37
2.3.3	Comparison of the two photometric methods	38
2.3.4	Completeness tests and error analysis	42
2.4	M32 field decontamination	48
2.4.1	M31 contamination	48
2.4.2	Galactic foreground stars	49
2.5	The Stellar Populations of M32	50

2.5.1	Intermediate-age ($2 \leq \text{Age} \leq 8$ Gyr) and old ($8 < \text{Age} \leq 10$ Gyr) populations	53
2.5.2	Young populations?: Ages < 2 Gyr	63
2.5.3	Ancient population: Ages > 10 Gyr	70
2.5.4	The Luminosity function of M32	70
2.6	The Distance to M32 and M31	73
2.7	M31 stellar populations in F2	74
2.7.1	Differentiating the F1 and F2 CMDs	75
2.7.2	M31 inner disk and bulge stellar populations	77
2.8	Summary	79
	Appendix 2.A BP in WFPC2 archival observations	82
3	The star formation history of M32	87
3.1	Introduction	88
3.2	Observations and Photometry	89
3.2.1	Crowding tests	90
3.3	The IAC Method to resolve the SFH	90
3.4	Results of the SFH Analysis	96
3.4.1	The SFH of F1 and F2	97
3.4.2	Uniqueness of the SFH solution	103
3.4.3	The SFH of M32 as revealed by the IAC method	104
3.5	The Star formation history of M32	109
3.5.1	On the formation of M32	110
3.6	The disk and spheroid population of M31 in F2	112
3.7	Summary and Conclusions	113
4	RR Lyrae variables in M32 and M31	117
4.1	Introduction	118
4.2	Observations and Data reduction	119
4.2.1	Field Selection, Observational Strategy and Data Reduction	119
4.2.2	Photometry of the RR Lyrae Variables	122
4.3	Searching for variable stars and their periods	122
4.4	Have We Detected M32 RR Lyrae Variable Stars?	132
4.4.1	M32 RR Lyrae Population Inferred from F1 and F2	134
4.4.2	M32 RR Lyrae Population Inferred from F1–F4	135
4.4.3	Specific Frequency of M32 RR Lyrae stars	138
4.4.4	Comparison with Alonso-García et al. (2004)	139
4.5	RR Lyrae Properties	142
4.5.1	RR Lyrae Star Colors and the Pulsation Instability Strip	142
4.5.2	Mean Periods, Amplitudes and Oosterhoff Types	145
4.5.3	RR Lyrae Pulsation Relations	148
4.6	What Have We Learned About M32, and What Do We Still Not Know?	152

5 Conclusions and future prospects	155
5.1 Results of this thesis	155
5.2 Future prospects	158
5.2.1 Calibration of stellar population synthesis models with M32 . . .	158
5.2.2 M32 as a possible progenitor of substructures in the halo of M31	164
5.2.3 The rare oldest and youngest stars of M32	165
Bibliography	167
Nederlandse Samenvatting	181
Resumen en Castellano	187
Summary	193
Acknowledgements	199