University of Groningen

The quest for function in systems with two dynamic covalent bonds

Marić, Ivana

DOI:
[10.33612/diss.167788912](https://doi.org/10.33612/diss.167788912)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2021

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Marić, I. (2021). *The quest for function in systems with two dynamic covalent bonds: supramolecular self-assembly, self-replication and hydrogels for biomedical applications*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen. <https://doi.org/10.33612/diss.167788912>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

The Quest

for Function in Systems with Two Dynamic Covalent Bonds:

Supramolecular Self-Assembly, Self-Replication and
Hydrogels for Biomedical Applications

Ivana Marić

The front cover art puts in focus the main protagonists of each research chapter (Chapters 3-6): the peptide building block (a drop), assemblies (a wave), hydrogels (a sea), and finally, cells cultured on hydrogels (a ship sailing over the sea).

The work described in this thesis was carried out at the Stratingh Institute for Chemistry, University of Groningen, The Netherlands.

This work was financially supported by Dutch Polymer Institute (DPI, P.O. Box 902, 5600 AX Eindhoven, the Netherlands) and the Netherlands Organization for Scientific Research (NWO).

This research forms part of the research programme of DPI, project nr.: 731.015.504.

Cover art and layout by D-design d.o.o.

Printed by Ipskamp Drukkers BV, Enschede, The Netherlands.

university of
groningen

The Quest for Function in Systems with Two Dynamic Covalent Bonds:

Supramolecular Self-Assembly, Self-Replication and Hydrogels
for Biomedical Applications

PhD thesis

to obtain the degree of PhD at the
University of Groningen
on the authority of the
Rector Magnificus Prof. C. Wijmenga
and in accordance with
the decision by the College of Deans.

This thesis will be defended in public on

Friday 23 April 2021 at 16.15 hours

by

Ivana Marić

born on 30 October 1991
in Belgrade, Serbia

Supervisors

Prof. S. Otto

Prof. P. van Rijn

Assessment Committee

Prof. S. Harutyunyan

Prof. P.Y.W. Dankers

Prof. S. Matile

Mojim bakama i dedama.

(To my grandmothers and grandfathers.)

Preface	10
1. Functional Systems That Use One or More Dynamic Covalent Bonds	16
1.1 Systems Chemistry	18
1.2 Dynamic Combinatorial Chemistry	19
1.3 Dynamic Combinatorial Library	21
1.4 Systems with Multiple Dynamic Covalent Bonds	22
1.5 Covalent Post-Assembly Modification	35
1.6 Conclusion	38
1.7 Acknowledgments	39
1.8 References	40
2. Synthetic Cell-Compatible Materials for Biomedical Applications	44
2.1 Introduction	46
2.2 Extracellular Matrix (ECM) as an Inspiration for Biomimetic Materials	46
2.3 Naturally Derived Models of ECM	48
2.4 Synthetic Approaches to Fabrication of Materials That Can Mimic the ECM	50
2.5 Conclusion	61
2.6 Acknowledgments	61
2.7 References	62
3. Self-Assembly and Constitutional Post-Modification of Supramolecular Polymers: Towards Acquiring Functionality	66
3.1 Introduction	68
3.2 Results and Discussion	70
3.3 Ideas for Future Experiments	84
3.4 Conclusion	86
3.5 Acknowledgments	87
3.6 Materials and Methods	88
3.7 Synthesis and Characterization	92
3.8 UPLC and UPLC/MS Analyses	94
3.9 Transmission Electron Microscopy Images	156
3.10 References	158

4. New Hydrazone Peptide Building Blocks: to Fold or not to Fold, Therefore Self-Replicate?	162
4.1 Introduction	164
4.2 Results and Discussion	166
4.3 Conclusion	174
4.4 Acknowledgments	175
4.5 Materials and Methods	176
4.6 UPLC and UPLC/MS Analyses	178
4.7 References	197
5. Hydrogels That Use Two Reversible Chemistries	200
5.1 Introduction	202
5.2 Results and Discussion	203
5.3 Conclusion	212
5.4 Acknowledgments	213
5.5 Materials and Methods	214
5.6 Synthesis and Characterization of Cross-linkers 6 and 8	217
5.7 UPLC and UPLC/MS Analyses	219
5.8 Determination of Critical Gelation Concentration (CGC)	221
5.9 Rheological Measurements	222
5.10 References	226
6. Tailorable Supramolecular-Based Hydrogels for Cell Culture	228
6.1 Introduction	230
6.2 Results and Discussion	232
6.3 Conclusion	241
6.4 Acknowledgments	242
6.5 Materials and Methods	243
6.6 UPLC and UPLC/MS Analyses	249
6.7 Histograms for Fiber Length Distribution	254
6.8 Supporting Images of Fluorescent Visualization of Cells	255
6.9 References	256

7. Conclusion and Perspectives	258
Summary	266
Summary	268
Samenvatting	271
Rezime	274
Appendices	278
Acknowledgments	280
About the Author	285
List of Publications	286

| Preface

The Aim and Outline of this Dissertation

The work on which my research initiated was based and proposed in earlier publications¹⁻³ of our group. Although the long-term goals remained constant, the topics investigated went beyond the original plan: new ideas were developed, fueled by the scientific surroundings, fruitful conversations and conferences, current state of the art, but also my growing understanding. All of the above gave a fresh direction to the research presented on the following pages.

I aimed to discover and introduce new functions into molecular systems with orthogonal dynamic covalent bonds. The focus on this adventurous chemistry allowed me to learn about, and address questions relevant to fundamental science, particularly the process of self-replication in the context of how the machinery of life might come to be. Contemporaneously, applicational aspects were also explored concerning bioinspired functional biomaterials.

As beautifully outlined in the review article by Matile *et al.*,⁴ functional molecular networks that operate with one or more types of dynamic covalent bonds often deal with highly challenging, interesting, and original concepts. The diverse collection of functions investigated thus far nicely outlines the potential of such systems. With this perspective, embarking on a journey to new behavior and processes appeared prosperous and exciting. We envisioned to expand on the idea of previously described self-replicators⁵ by making them a part of increasingly complex systems through an ingredients-approach, to observe additional functions. Thus, the objective was to extend from their monofunctionality⁶ towards multifunctionality with multiple reversible covalent bonds at work, simultaneously or independently.

This dissertation begins with two separate introductory sections to acquaint the reader with the essential concepts, ideas, and goals studied in the research chapters.

In **Chapter 1** the main tools to construct dynamic reaction networks and functional molecular and supramolecular systems are presented. A few relevant applications have been selected and discussed out of the remarkably rich set of functions attained using (multiple) dynamic covalent bonds. This overview ends with the section about the post-assembly modification of systems that are not necessarily based on dynamic covalent reactions but showcases this approach's utility for late-stage derivatization of self-assembled complexes.

Chapter 2 deals with recent advances in the field of biomimetic materials. Several types of naturally and synthetically derived biomaterials for cell-culture are discussed, emphasizing design principles. The complexity and dynamic character of extracellular matrix (ECM) were also considered, as it has motivated the development of many simplified, yet functional hydrogels for biomedical application.

The work described in **Chapters 3 and 4**, firmly rooted in concepts of dynamic combinatorial chemistry, slowly translates into a prospective application in **Chapter 5**. It finally reaches its (full, in years to come) realization in **Chapter 6**, which requires the broader perspective given by the summary of proceedings in the field of biomaterials. Inspired by the elegant ways of nature to expand the functional repertoire of proteins by chemical alterations, **Chapter 3** focuses on developing a self-assembling system that can undergo constitutional post-modification. We describe a building block which uses two dynamic covalent bonds to form a supramolecular polymer and engages in further functionalization. Our results show that both post-modification of and exchange within the supramolecular structure can be accomplished. The new research lines that are directed towards modification for obtaining particular functions are proposed to illustrate the potential of such a system.

The work in **Chapter 4** expands further on the molecule design discussed in Chapter 3, by introducing new hydrazide-functionalized peptide building blocks and investigating their behavior. Contradicting our initial hypotheses (and expectations), these molecules yielded self-replicating species, thus we devoted some time to examine whether the system can be directed towards the foldamer formation. This led to new findings about the relationship between self-replication and folding processes in fully synthetic systems.

In **Chapter 5**, the supramolecular polymer synthesized and studied in Chapter 3 is taken as a component for soft material fabrication. Here, the idea of post-modification for a specific outcome was exploited to achieve hydrogel formation by (reversible) covalent reaction of hydrazide-moieties of fibrous assemblies and carbonyl groups of cross-linkers. Hydrogels are formed at remarkably low critical gelation concentrations (CGCs) and exhibit short gelation times (2 – 10 min). These materials were then characterized by cryo-EM, SEM and rheological measurements.

In **Chapter 6**, the material explored in Chapter 5 is further investigated as a substrate for cell growth. We show that our material is biocompatible but can also incorporate biologically relevant ligands, highlighting the value of our approach towards tailor-made

and on-demand biomimetic soft surfaces. Surprisingly, materials “decorated” with cell adhesion motives (RGD and LDV) did not exhibit improvement when it comes to cell morphology, as the visualization of cells revealed that cells in the original substrate’s presence already display extended morphologies, characteristic for cell spreading and adhesion.

Finally, in **Chapter 7** the main achievements of preceding chapters are put in a broader perspective, emphasizing the importance of research along these directions.

References and notes

- 1 A. Pal, M. Malakoutikhah, G. Leonetti, M. Tezcan, M. Colomb-Delsuc, V. D. Nguyen, J. van der Gucht, S. Otto, *Angew. Chem. Int. Ed.* **2015**, *54*, 7852-7856.
- 2 V. D. Nguyen, A. Pal, F. Snijkers, M. Colomb-Delsuc, G. Leonetti, S. Otto, J. van der Gucht, *Soft Matter* **2016**, *12*, 432-440.
- 3 J. Li, J. M. A. Carnall, M. C. A. Stuart, S. Otto, *Angew. Chem. Int. Ed.* **2011**, *50*, 8384-8386.
- 4 A. Wilson, G. Gasparini, S. Matile, *Chem. Soc. Rev.* **2014**, *43*, 1928-1962.
- 5 a) J. M. A. Carnall, C. A. Waudby, A. M. Belen-guer, M. C. A. Stuart, J. J.-P. Peyralans, S. Otto, *Science*, **2010**, *327*, 1502-1506; b) M. Malak-outikhah, J. J.-P. Peyralans, M. Colomb-Delsuc, H. Fanlo-Virgos, M. C. A. Stuart, S. Otto, *J. Am. Chem. Soc.* **2013**, *135*, 18406-18417; c) M. Colomb-Delsuc, E. Mattia, J. W. Sadownik, S. Otto, *Nat. Commun.* **2015**, *6*, 7427.
- 6 By monofunctionality, the ability of the system to only self-replicate is meant. Recently, an example of a self-replicator that can catalyze the retro-aldol reaction has been reported: J. Ottel, A. S. Hussain, C. Mayer, S. Otto, *Nat. Catal.* **2020**, *3*, 547-553.