University of Groningen

Response to Comment by Filardo et al.

Janssen, Maarten P F; Boymans, Tim A E J; Welting, Tim J M; van Rhijn, Lodewijk W; Bulstra, Sjoerd K; Emans, Peter J

Published in:
Cartilage

DOI:
[10.1177/1947603520979850](https://doi.org/10.1177/1947603520979850)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2021

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Janssen, M. P. F., Boymans, T. A. E. J., Welting, T. J. M., van Rhijn, L. W., Bulstra, S. K., & Emans, P. J. (2021). Response to Comment by Filardo et al. *Cartilage*, 13(Suppl 1), 1829S-1829S.
<https://doi.org/10.1177/1947603520979850>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Response to Comment by Andriolo *et al.*

CARTILAGE
2021, Vol. 13(Suppl 1) 1829S
© The Author(s) 2020
Article reuse guidelines:
sagepub.com/journals-permissions
DOI: 10.1177/1947603520979850
journals.sagepub.com/home/CAR

Dear Editor,

We would like to thank the authors for their response to our article.¹ Our main objective was to report the risk for major revision surgery after a long-term follow-up of perichondrium transplantation and to evaluate the influence of patient characteristics. As such, major revision surgery was defined as failure. The authors agree that, depending on the objective, multiple outcomes can be used for the definition of failure.

To be able to compare our results to other publications that report mid- to long-term outcome, we chose to use the IKDC (International Knee Documentation Committee) score. This score is currently one of the best validated questionnaires and is often used because of its simplicity.² Another advantage of the IKDC score is the possibility to adjust for age, an important factor in our long-term follow-up, as we elaborated on in our discussion.³

The described MCID (minimal clinically important difference) and PASS (patient acceptable symptomatic state) values for microfracture are calculated for a follow-up of maximum 24 months.⁴ It is unclear what values would be expected after a longer-term follow-up like our 22-year follow-up and therefore difficult to apply to our results.

However, we support the need for critical evaluation of cartilage repair in general through broader failure definitions, such as psychometric measures like MCID and PASS.

It would be interesting if these definitions can not only unravel the potential of cartilage treatments, as suggested in the comment, but also further unravel the influence of patient characteristics leading to improved treatment algorithms for better outcome of cartilage repair strategies on the short- and mid-term and as such preventing major prosthetic revision surgery.

Maarten P.F. Janssen
*Maastricht University Medical Centre,
Maastricht, Netherlands*

Esther G.M. van der Linden
*Maastricht University Medical Centre,
Maastricht, Netherlands*

Tim A.E.J. Boymans
*Maastricht University Medical Centre,
Maastricht, Netherlands*

Tim J.M. Welting
*Maastricht University Medical Centre,
Maastricht, Netherlands*

Lodewijk W. van Rhijn
*Maastricht University Medical Centre,
Maastricht, Netherlands*

Sjoerd K. Bulstra
*University Medical Centre Groningen,
Groningen, Netherlands*

Peter J. Emans
*Maastricht University Medical Centre,
Maastricht, Netherlands*

Authors' Note

The authors' declarations of personal and financial interests are unchanged from those in the original article.¹

References

1. Janssen MPF, van der Linden EGM, Boymans TAEJ, Welting TJM, van Rhijn LW, Bulstra SK, *et al.* Twenty-two-year outcome of cartilage repair surgery by perichondrium transplantation. *Cartilage*. Published online September 15, 2020. doi:10.1177/1947603520958146
2. Roos EM, Engelhart L, Ranstam J, Anderson AF, Irrgang JJ, Marx RG, *et al.* ICRS recommendation document: patient-reported outcome instruments for use in patients with articular cartilage defects. *Cartilage*. 2011;2(2):122-36.
3. Anderson AF, Irrgang JJ, Kocher MS, Mann BJ, Harrast JJ; International Knee Documentation Committee. The International Knee Documentation Committee Subjective Knee Evaluation Form: normative data. *Am J Sports Med*. 2006;34(1):128-35.
4. Chahla J, Kunze KN, Tauro T, Wright-Chisem J, Williams BT, Beletsky A, *et al.* Defining the minimal clinically important difference and patient acceptable symptom state for microfracture of the knee: a psychometric analysis at short-term follow-up. *Am J Sports Med*. 2020;48(4):876-83.