University of Groningen

Breeding plumage honestly signals likelihood of tapeworm infestation in females of a long-distance migrating shorebird, the bar-tailed godwit

Piersma, T; Mendes, L; Hennekens, J; Ratiarison, S; Groenewold, S; Jukema, J

Published in:
Zoology-Analysis of Complex Systems

DOI:
[10.1078/0944-2006-00003](https://doi.org/10.1078/0944-2006-00003)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2001

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Piersma, T., Mendes, L., Hennekens, J., Ratiarison, S., Groenewold, S., & Jukema, J. (2001). Breeding plumage honestly signals likelihood of tapeworm infestation in females of a long-distance migrating shorebird, the bar-tailed godwit. *Zoology-Analysis of Complex Systems*, 104(1), 41-48.
<https://doi.org/10.1078/0944-2006-00003>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Erratum

T. Piersma, L. Mendes, J. Hennekens, S. Ratarison, S. Groenewold and J. Jukema, 2001: Breeding plumage honestly signals likelihood of tapeworm infestation in females of a long-distance migrating shorebird, the bar-tailed godwit. *Zoology* **104** (2001): 41–48.

In figure 3, the codes for ‘Cestodes present’ have been inadvertently transposed. The boxes on the left side should read ‘Yes’ and the boxes on the right side should read ‘No’. Female bar-tailed godwits with cestodes (left side of bottom panel) showed a lesser extent of breeding plumage than female without cestodes (right side). In males (top panel) such a difference is absent.