University of Groningen

Synthesis of dense poly(acrylic acid) brushes and their interaction with amine-functional silsesquioxane nanoparticles

Retsch, Markus; Walther, Andreas; Loos, Katja; Mueller, Axel H. E.; Müller, Axel H.E.

Published in:
Langmuir

DOI:
[10.1021/la8009767](https://doi.org/10.1021/la8009767)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2008

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Retsch, M., Walther, A., Loos, K., Mueller, A. H. E., & Müller, A. H. E. (2008). Synthesis of dense poly(acrylic acid) brushes and their interaction with amine-functional silsesquioxane nanoparticles. *Langmuir*, 24(17), 9421-9429. <https://doi.org/10.1021/la8009767>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Synthesis of Dense Poly(acrylic acid) brushes and Their Interaction with Amine-Functional Silsesquioxane Nanoparticles

by Markus Retsch, Andreas Walther, Katja Loos, and Axel H. E. Müller

Figure S1. Water contact angle evolution during the monopod monolayer formation.

Figure S2. Water contact angle evolution during the tripod monolayer formation.

Figure S3. XPS data of the monopod monolayer formation for blank gold (solid line) and the ATRP initiator monolayer (I) (dashed line). Left: The insets show a pronounced increase in the C 1s and the O 1s signal after the initiator deposition. Right: The high resolution measurement of the C 1s peak reveals the different carbon-species, which are present in the initiator.

Figure S4. XPS data of the tripod monolayer formation for blank gold (solid line), the monolayer of 3-MPol (dashed line) and the immobilised ATRP initiator (II) (dotted line) Left: The C 1s and O 1s signal increases with increasing material deposition. Right: A peak at the Si 2p region evolves after initiator (II) immobilization.

Figure S5. PM-IRRAS measurement of the tripod monolayer for blank gold (solid line), the monolayer of 3-MPol (dashed line) and the immobilised ATRP initiator (II) (dotted line). The immobilisation of the initiator is clearly seen by the evolution of characteristic Si-O, Si-H (residues of the initiator synthesis) and C=O bands.

Figure S6. PM-IRRAS measurement of the crosslinked monolayer for blank gold (solid line), the monolayer of 3-MPTMS (dashed line), the hydrolysed monolayer of 3-MPTMS (dotted line) and the immobilised initiator (II) (dash-dotted line). The evolution of the Si-O and C=O bands indicate the immobilisation of the initiator on top of the crosslinked monolayer.