University of Groningen

Early prosthetic joint infection after primary total joint arthroplasty

Löwik, Claudia Aline Maria

DOI:
[10.33612/diss.97641504](https://doi.org/10.33612/diss.97641504)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2019

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):
Löwik, C. A. M. (2019). *Early prosthetic joint infection after primary total joint arthroplasty: risk factors and treatment strategies*. [Thesis fully internal (DIV), University of Groningen]. Rijksuniversiteit Groningen.
<https://doi.org/10.33612/diss.97641504>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Early prosthetic joint infection after primary total joint arthroplasty

Risk factors and treatment strategies

Claudia Aline Maria Löwik

The research published in this thesis was kindly supported by a grant from ZonMw and the Nederlandse Orthopaedische Vereniging (NOV). Publication of this thesis was financially supported by kind contributions from the University of Groningen (RUG), University Medical Center Groningen (UMCG), Research Institute SHARE and Anna Fonds | NOREF.

C.A.M. Löwik

Early prosthetic joint infection after primary total joint arthroplasty: risk factors and treatment strategies

ISBN: 978-94-034-1841-4 (printed version)

ISBN: 978-94-034-1840-7 (electronic version)

Cover: Ferdinand van Nispen, *my-thesis.nl*

Lay-out: Ferdinand van Nispen, *my-thesis.nl*

Printing: GVO drukkers en vormgevers, Ede

© 2019, Claudia Löwik, Groningen, The Netherlands

All rights reserved. No part of this publication may be reproduced or transmitted in any form by any means, electronical, or mechanical, including photocopying, recording or otherwise, without the prior written permission of the copyright owner.

**rijksuniversiteit
 groningen**

Early prosthetic joint infection after primary total joint arthroplasty

Risk factors and treatment strategies

Proefschrift

ter verkrijging van de graad van doctor aan de
Rijksuniversiteit Groningen
op gezag van de
rector magnificus prof. dr. C. Wijmenga
en volgens besluit van het College voor Promoties.

De openbare verdediging zal plaatsvinden op

maandag 25 november 2019 om 16.15 uur

door

Claudia Aline Maria Löwik

geboren op 5 augustus 1989
te Zwolle

Promotores

Prof. dr. S.K. Bulstra

Dr. M. Stevens

Copromotor

Dr. P.C. Jutte

Beoordelingscommissie

Prof. dr. A.W. Friedrich

Prof. dr. R.G.H.H. Nelissen

Prof. dr. ir. H.J. Busscher

Paranimfen

Marco Löwik

Annet Wijnen

Contents

Chapter 1	General introduction and outline of this thesis	9
Chapter 2	Persistent wound drainage after total joint arthroplasty: a narrative review	21
Chapter 3	Periprosthetic joint infection in orthopaedic surgical oncology	39
Chapter 4	Obese patients have higher rates of polymicrobial and Gram-negative early periprosthetic joint infections of the hip than non-obese patients	53
Chapter 5	Predicting failure in early acute prosthetic joint infection treated with debridement, antibiotics, and implant retention: external validation of the KLIC score	71
Chapter 6	Use of gentamicin-impregnated beads or sponges in the treatment of early acute periprosthetic joint infection: a propensity score analysis	87
Chapter 7	Debridement, antibiotics and implant retention is a viable treatment option for early periprosthetic joint infection presenting more than four weeks after index arthroplasty	103
Chapter 8	Managing persistent wound leakage after total knee and hip arthroplasty. Results of a nationwide survey among Dutch orthopaedic surgeons	119
Chapter 9	LEAK study: design of a nationwide randomized controlled trial to find the best way to treat wound leakage after primary hip and knee arthroplasty	135
Chapter 10	General discussion and future perspectives	153

Summary	181
Nederlandse samenvatting	185
Dankwoord	190
Curriculum vitae	194
SHARE: previous dissertations	195