University of Groningen

Modeling of excitonic properties in tubular molecular aggregates

Bondarenko, Anna

DOI:
[10.33612/diss.98528598](https://doi.org/10.33612/diss.98528598)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2019

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):
Bondarenko, A. (2019). *Modeling of excitonic properties in tubular molecular aggregates*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen. <https://doi.org/10.33612/diss.98528598>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Modeling of Excitonic Properties in Tubular Molecular Aggregates

university of
 groningen

faculty of science
 and engineering

zernike institute for
 advanced materials

Zernike Institute PhD thesis series 2019-26

ISSN: 1570-1530

ISBN: 978-94-034-1939-8 (printed version)

ISBN: 978-94-034-1938-1 (electronic version)

The work described in this thesis was performed in the research group Theory of Condensed Matter of the Zernike Institute for Advanced Materials at the University of Groningen, the Netherlands.

Cover image: Artistic representation (triangulated image) of an exciton wavefunction of the tubular aggregate studied in this thesis.

Printed by ProefschriftMaken.

Copyright © 2019 Anna Bondarenko

university of
 groningen

Modeling of Excitonic Properties in Tubular Molecular Aggregates

PhD thesis

to obtain the degree of PhD at the
University of Groningen
on the authority of the
Rector Magnificus Prof. C. Wijmenga
and in accordance with
the decision by the College of Deans.

This thesis will be defended in public on

Friday 11 October 2019 at 11.00 hours

by

Anna Bondarenko

born on 28 December 1987
in Kharkiv, Ukraine

Supervisor

Prof. J. Knoester

Co-supervisor

Dr. T.L.C. Jansen

Assessment Committee

Prof. J. Cao

Prof. R.M. Hildner

Prof. P.H.M. van Loosdrecht

Contents

1	General introduction	1
1.1	Supramolecular systems	1
1.2	Collective excited states in molecular aggregates	2
1.3	Disorder and localization	6
1.4	Excitation energy transfer	8
1.5	Multiscale modeling	10
1.6	Tubular cyanine dye aggregates	11
1.7	Aim and outline of this thesis	12
2	Unraveling optical signatures of tubular aggregates altered with halogen exchange	15
2.1	Introduction	16
2.2	Experimental details	17
2.3	Theoretical modeling.	19
2.4	The influence of the tube radius on the absorption spectrum	22
2.5	Conclusions.	24
2.6	Appendix: Theoretical calculations and modeling	25
2.6.1	Electronic structure calculations	25
2.6.2	Extended Herringbone (EHB) model	25
2.6.3	Model Hamiltonian.	27
2.6.4	Linear absorption spectrum	28
2.6.5	Linear dichroism spectrum	29
2.6.6	Parametrization and fitting procedure.	29
2.6.7	Couplings in C8S3-Cl and C8S3-Br aggregates	30
3	Nano-confinement of excitons in tubular molecular aggregates	33
3.1	Introduction	34
3.2	Model and Approach.	36

3.3	Results and Discussion	40
3.3.1	Absorption spectra	40
3.3.2	Degree of localization: participation number	44
3.3.3	Extent of the wave function from its autocorrelation function	47
3.3.4	Fractal character of the wave function	50
3.4	Conclusions	50
3.5	Appendix: Additional Information	53
3.5.1	Modeled structures	53
4	Multiscale modeling of complex molecular aggregates	55
4.1	Introduction	56
4.2	Results and discussions	58
4.3	Methods	66
4.4	Appendix: Additional information	68
4.4.1	Obtaining the preassembled structures	68
4.4.2	MD Simulations on the preassembled structures	70
4.4.3	Probing the energetic disorder	72
4.4.4	Absorption spectra calculation	75
5	Comparison of methods to study exciton dynamics	79
5.1	Introduction	80
5.2	Model system	83
5.3	Methods for calculating the EET rate	84
5.3.1	General considerations	84
5.3.2	Treatment of the thermal bath	86
5.3.3	MC-FRET	88
5.3.4	NISE	90
5.3.5	HSR	91
5.3.6	HEOM	92
5.4	Results and discussion	92
5.4.1	High-temperature and fast-modulation limit	93
5.4.2	High-temperature and slow-modulation limit	96
5.4.3	Intermediate regime	100
5.5	Conclusions	105
5.6	Appendix	107

Bibliography	109
Summary	129
Samenvatting	133
List of publications	137
Acknowledgments	139