

University of Groningen

## Low-valent pentafulvene titanium dinitrogen complex as a precursor for cationic titanium complexes

Scherer, Axel; Haase, Detlev; Saak, Wolfgang; Beckhaus, Ruediger; Meetsma, Auke; Bouwkamp, Marco W.; Beckhaus, Rüdiger

*Published in:*  
Organometallics

*DOI:*  
[10.1021/om900875e](https://doi.org/10.1021/om900875e)

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*  
Publisher's PDF, also known as Version of record

*Publication date:*  
2009

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Scherer, A., Haase, D., Saak, W., Beckhaus, R., Meetsma, A., Bouwkamp, M. W., & Beckhaus, R. (2009). Low-valent pentafulvene titanium dinitrogen complex as a precursor for cationic titanium complexes. *Organometallics*, 28(24), 6969-6974. <https://doi.org/10.1021/om900875e>

### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

*Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.*

data\_global

# 0. AUDIT DETAILS

\_audit\_creation\_date '2004-02-06 08:25:40'

\_audit\_creation\_method

;

PLATON <TABLE ACC> option  
SHELXL97-2 & Manual Editing

;

\_audit\_update\_record

;

?

2009-09-28 # Formatted by publCIF

;

# 1. SUBMISSION DETAILS

\_publ\_contact\_author\_name # Name of author for correspondence

;

Drs. A. Meetsma

;

\_publ\_contact\_author\_address # Address of author for correspondence

;

Crystal Structure Center, Chemical Physics,  
Zernike Institute for Advanced Materials,  
University of Groningen,  
Nijenborgh 4,  
NL-9747 AG Groningen, The Netherlands.

;

\_publ\_contact\_author\_email A.Meetsma@rug.nl

\_publ\_contact\_author\_fax '+31 50 3634441'

\_publ\_contact\_author\_phone '+31 50 3634368'

\_publ\_requested\_journal 'Organometallics'

# Publication choice FI FM FO CI CM CO

\_publ\_requested\_category ?

\_publ\_requested\_coeditor\_name ?

\_publ\_contact\_letter # Include date of submission

;

Date of submission : 2009-09-28 11:45:40

Consider this CIF submission for deposition of the first  
X-ray structure of a manuscript to be submitted to : Organometallics.  
(Our Compound\_Identification\_Code : CP870)

;

# 2. PROCESSING SUMMARY (JOURNAL OFFICE ONLY)

\_journal\_date\_recd\_electronic ?

\_journal\_date\_to\_coeditor ?

```

_journal_date_from_coeditor      ?
_journal_date_accepted          ?

_journal_date_printers_first     ?
_journal_date_printers_final     ?
_journal_date_proofs_out        ?
_journal_date_proofs_in         ?

_journal_coeditor_name          ?
_journal_coeditor_code         ?
_journal_coeditor_notes
; ?
;

_journal_techeditor_code        ?
_journal_techeditor_notes
; ?
;

_journal_coden_ASTM            ?
_journal_name_full             ?
_journal_year                  ?
_journal_volume                ?
_journal_issue                 ?
_journal_page_first            ?
_journal_page_last             ?

_journal_suppl_publ_number     ?
_journal_suppl_publ_pages      ?

```

#=====

# 3. TITLE AND AUTHOR LIST

```

_publ_section_title
;
Title (type here to add)
;
_publ_section_title_footnote
.

```

# The loop structure below should contain the names and addresses of all  
# authors, in the required order of publication. Repeat as necessary.

```

loop_
_publ_author_name
_publ_author_footnote
_publ_author_address

    'Meetsma, Auke'
;
? # author related footnote
;
;
Crystal Structure Center, Chemical Physics,
Zernike Institute for Advanced Materials,
University of Groningen,
Nijenborgh 4,

```

```

NL-9747 AG Groningen, The Netherlands.
;
#=====
# 4. TEXT
_publ_section_synopsis
.
_publ_section_abstract
;
(type here to add abstract)
;
# Insert blank lines between paragraphs
_publ_section_comment
;
(type here to add)
;
_publ_section_exptl_prep
;
(type here to add preparation details)
;
_publ_section_exptl_refinement
;
Some atoms of the solvent molecules showed unrealistic displacement parameters
when allowed to vary anisotropically, suggesting dynamic disorder (dynamic
means that the smeared electron density is due to fluctuations of the atomic
positions within each unit cell).
;
# Insert blank lines between references
_publ_section_references
;
Beurskens, P.T., Beurskens, G., Gelder, R. de Garc'ia-Granda, S. Gould, R.O.
Isra"el, R. & Smits, J.M.M. (1999). The <i>DIRDIF99</i> program system,
Technical Report of the Crystallography Laboratory, University of Nijmegen,
The Netherlands.

Bruker, (2001). <i>SMART</i>, <i>SAINT</i>, <i>SADABS</i>, <i>XPREP</i>
and <i>SHELXTL</i>/NT. Software Reference Manual Bruker AXS Inc. Madison,
Wisconsin, USA.

International Tables for Crystallography (1983). <i>Vol. A. Space-group
symmetry</i>, edited by T. Hahn. Dordrecht: Reidel. (Present distributor
Kluwer Academic Publishers, Dordrecht).

Meetsma, A. (2003). Extended version of the program <i>PLUTO</i>. Groningen
University, The Netherlands. (unpublished).

Sheldrick, G.M. <i>SHELXL97</i>. Program for Crystal Structure Refinement.
University of G"ottingen, Germany, 1997.

Spek, A. L. (2003). <i>J. Appl. Cryst.</i> 36, 7--13.
;
_publ_section_figure_captions

```

;  
Fig. 1. Perspective *PLUTO* drawing of the molecule illustrating the configuration and the adopted numbering scheme.

Fig. 2. Molecular packing viewed down unit cell axes.

Fig. 3. Perspective *ORTEP* drawing of the title compound. Displacement ellipsoids for non-H are represented at the 50% probability level. The H-atoms have been omitted to improve clarity.

;

#####

# 5. CHEMICAL DATA

\_chemical\_name\_systematic

; ?

;

\_chemical\_name\_common ?

\_chemical\_melting\_point ?

\_chemical\_formula\_moiety

'C<sub>29</sub> H<sub>41</sub> O Ti, C<sub>24</sub> H<sub>20</sub> B, 0.5(C<sub>6</sub> H<sub>12</sub>), 2(C<sub>4</sub> H<sub>8</sub> O)'

# Ex: 'C<sub>12</sub> H<sub>16</sub> N<sub>2</sub> O<sub>6</sub>, H<sub>2</sub> O' and '(Cd<sup>2+</sup>)<sub>3</sub>, (C<sub>6</sub> N<sub>6</sub> Cr<sup>3-</sup>)<sub>2</sub>, 2(H<sub>2</sub> O)'

\_chemical\_formula\_structural ?

\_chemical\_formula\_sum

'C<sub>64</sub> H<sub>83</sub> B O<sub>3</sub> Ti'

\_chemical\_formula\_iupac ?

\_chemical\_formula\_weight 958.98

\_chemical\_compound\_source 'see text'

loop\_

\_atom\_type\_symbol

\_atom\_type\_description

\_atom\_type\_scatter\_dispersion\_real

\_atom\_type\_scatter\_dispersion\_imag

\_atom\_type\_scatter\_source

Ti Ti 0.2776 0.4457

'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'

O O 0.0106 0.0060

'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'

B B 0.0013 0.0007

'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'

H H 0.0000 0.0000

'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'

C C 0.0033 0.0016

'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'

#####

# 6. CRYSTAL DATA

\_symmetry\_cell\_setting Monoclinic

\_symmetry\_space\_group\_name\_Hall '-P 2yn'

\_symmetry\_space\_group\_name\_H-M 'P 21/n'

\_symmetry\_Int-Tables\_number 14

loop\_

\_symmetry\_equiv\_pos\_as\_xyz

x, y, z

1/2-x, 1/2+y, 1/2-z

-x, -y, -z

1/2+x,1/2-y,1/2+z

_cell_length_a	11.7758(8)
_cell_length_b	22.193(2)
_cell_length_c	21.726(2)
_cell_angle_alpha	90
_cell_angle_beta	99.080(1)
_cell_angle_gamma	90
_cell_volume	5606.7(8)
_cell_formula_units_Z	4

_cell_measurement_temperature	200(1)
_cell_measurement_reflms_used	6207
_cell_measurement_theta_min	2.54
_cell_measurement_theta_max	21.02
_cell_special_details	

;

The final unit cell was obtained from the xyz centroids of 6207 reflections after integration using the SAINT software package (Bruker, 2001).

Reduced cell calculations did not indicate any higher metric lattice symmetry and examination of the final atomic coordinates of the structure did not yield extra symmetry elements (Spek, 1988; Le Page 1987, 1988)

;

_exptl_crystal_description	'block'
_exptl_crystal_colour	'orange'
_exptl_crystal_size_max	0.48
_exptl_crystal_size_mid	0.22
_exptl_crystal_size_min	0.21
_exptl_crystal_size_rad	?
_exptl_crystal_density_meas	?
_exptl_crystal_density_diffn	1.136
_exptl_crystal_density_method	'not measured'
_exptl_crystal_F_000	2072
_exptl_absorpt_coefficient_mu	0.196
_exptl_absorpt_correction_type	'Multi-Scan'
_exptl_absorpt_process_details	'(SADABS, (Bruker, 2001))'
_exptl_absorpt_correction_T_min	0.8176
_exptl_absorpt_correction_T_max	0.9599

#=====

## # 7. EXPERIMENTAL DATA

\_exptl\_special\_details

; ?

;

_diffn_ambient_temperature	200(1)
_diffn_radiation_wavelength	0.71073
_diffn_radiation_type	'MoK\alpha'
_diffn_radiation_source	'fine focus sealed Siemens Mo tube '
_diffn_radiation_monochromator	'parallel mounted graphite'
_diffn_radiation_detector	

;

CCD area-detector

;

\_diffn\_measurement\_device\_type

;

Bruker Smart Apex

```

;
_diffrn_measurement_method          'phi and omega scans'
_diffrn_special_details
;
  Crystal into the cold nitrogen stream of the low-temperature unit
  (KRYOFLEX, (Bruker, 2001)).
;
_diffrn_detector_area_resol_mean    66.06

_diffrn_standards_number            ?
_diffrn_standards_interval_count    ?
_diffrn_standards_interval_time     ?

loop_
_diffrn_standard_refl_index_h
_diffrn_standard_refl_index_k
_diffrn_standard_refl_index_l
  ? ? ?

# number of measured reflections (redundant set)
_diffrn_reflns_number               39473
_diffrn_reflns_av_R_equivalents     0.0517
_diffrn_reflns_av_sigmaI/netI      0.0701
_diffrn_reflns_limit_h_min          -14
_diffrn_reflns_limit_h_max          14
_diffrn_reflns_limit_k_min          -26
_diffrn_reflns_limit_k_max          26
_diffrn_reflns_limit_l_min          -25
_diffrn_reflns_limit_l_max          25
_diffrn_reflns_theta_min            2.31
_diffrn_reflns_theta_max            25.03
_diffrn_measured_fraction_theta_max 0.999
_diffrn_reflns_theta_full            25.00
_diffrn_measured_fraction_theta_full 0.999

_diffrn_reflns_reduction_process
;
  Intensity data were corrected for Lorentz and polarization
  effects, decay and absorption and reduced to  $F_o^2$ 
  using SAINT-Plus & SADABS (Bruker, 2001)
;

# number of unique reflections
_reflns_number_total                9881
_reflns_number_gt                    6372
_reflns_threshold_expression         I>2\s(I)

_computing_data_collection           'SMART, (Bruker, 2001)'
_computing_cell_refinement           'SAINT-Plus, (Bruker, 2001)'
_computing_data_reduction            'SAINT-Pus'
_computing_structure_solution
;
  DIRDIF-99 (Beurskens et al., 1999)
;
_computing_structure_refinement      'SHELXL-97 (Sheldrick, 1997)'
_computing_molecular_graphics
;
  PLUTO (Meetsma, 2003)
  PLATON (Spek, 2003)
;

```

\_computing\_publication\_material 'PLATON (Spek, 2003)'

#=====

# 8. REFINEMENT DATA

\_refine\_special\_details

;

Refinement of  $F^2$  against ALL reflections. The weighted R-factor wR and goodness of fit S are based on  $F^2$ , conventional R-factors R are based on F, with F set to zero for negative  $F^2$ . The threshold expression of  $F^2 > 2\sigma(F^2)$  is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on  $F^2$  are statistically about twice as large as those based on F, and R-factors based on ALL data will be even larger.

;

\_refine\_ls\_structure\_factor\_coef Fsqd  
\_refine\_ls\_matrix\_type full  
\_refine\_ls\_weighting\_scheme calc  
\_refine\_ls\_weighting\_details  
'calc w=1/[\s^2^(Fo^2^)+(0.0628P)^2^+3.5283P] where P=(Fo^2^+2Fc^2^)/3'  
\_atom\_sites\_solution\_primary heavy  
\_atom\_sites\_solution\_secondary direct  
\_atom\_sites\_solution\_hydrogens geom  
\_refine\_ls\_hydrogen\_treatment constr  
\_refine\_ls\_extinction\_method none  
\_refine\_ls\_extinction\_coef ?  
\_refine\_ls\_abs\_structure\_details ?  
\_chemical\_absolute\_configuration ?  
  
\_refine\_ls\_abs\_structure\_Flack ?  
\_refine\_ls\_number\_reflns 9881  
\_refine\_ls\_number\_parameters 627  
\_refine\_ls\_number\_restraints 0  
\_refine\_ls\_number\_constraints ?  
\_refine\_ls\_R\_factor\_all 0.1015  
\_refine\_ls\_R\_factor\_gt 0.0588  
\_refine\_ls\_wR\_factor\_ref 0.1699  
\_refine\_ls\_wR\_factor\_gt 0.1473  
\_refine\_ls\_goodness\_of\_fit\_ref 1.022  
\_refine\_ls\_restrained\_S\_all 1.022  
\_refine\_ls\_shift/su\_max 0.001  
\_refine\_ls\_shift/su\_mean 0.000  
\_refine\_diff\_density\_max 0.302  
\_refine\_diff\_density\_min -0.292  
\_refine\_diff\_density\_rms 0.043  
  
\_vrn\_publ\_code\_void\_volume 106.4  
\_vrn\_publ\_code\_frame\_time\_sec 10.0  
\_vrn\_publ\_code\_meas\_time\_hour 8.0

#=====

# 9. ATOMIC COORDINATES AND DISPLACEMENT PARAMETERS

loop\_

\_atom\_site\_label

\_atom\_site\_type\_symbol

\_atom\_site\_thermal\_displace\_type



```

_atom_site_fract_x
_atom_site_fract_y
_atom_site_fract_z
_atom_site_occupancy
_atom_site_U_iso_or_equiv
_atom_site_calc_flag
_atom_site_refinement_flags
Ti1 Ti Uani 0.17496(4) 0.24274(3) 0.39936(2) 1.000 0.0454(2) . .
O1 O Uani 0.20983(17) 0.17255(10) 0.46714(10) 1.000 0.0572(8) . .
C11 C Uani 0.2285(3) 0.34716(16) 0.39325(15) 1.000 0.0586(11) . .
C12 C Uani 0.3048(3) 0.31435(15) 0.36176(14) 1.000 0.0550(11) . .
C13 C Uani 0.3723(3) 0.27561(17) 0.40587(15) 1.000 0.0614(13) . .
C14 C Uani 0.3363(3) 0.28530(18) 0.46482(15) 1.000 0.0641(13) . .
C15 C Uani 0.2449(3) 0.32796(17) 0.45642(15) 1.000 0.0606(11) . .
C16 C Uani 0.1570(3) 0.40012(16) 0.36595(19) 1.000 0.0768(16) . .
C17 C Uani 0.3280(3) 0.32963(17) 0.29714(15) 1.000 0.0668(14) . .
C18 C Uani 0.4741(3) 0.2383(2) 0.39430(18) 1.000 0.0808(16) . .
C19 C Uani 0.3951(3) 0.2612(2) 0.52681(18) 1.000 0.0953(19) . .
C110 C Uani 0.1885(4) 0.3550(2) 0.50812(19) 1.000 0.0879(17) . .
C111 C Uani 0.2936(3) 0.1232(2) 0.47020(18) 1.000 0.0869(17) . .
C112 C Uani 0.2864(4) 0.08945(17) 0.52779(18) 1.000 0.0785(16) . .
C113 C Uani 0.2174(3) 0.12762(18) 0.56569(16) 1.000 0.0709(14) . .
C114 C Uani 0.1438(3) 0.16513(19) 0.51874(16) 1.000 0.0713(14) . .
C115 C Uani 0.0093(2) 0.18631(15) 0.37635(14) 1.000 0.0500(11) . .
C116 C Uani -0.0294(2) 0.23532(15) 0.40786(15) 1.000 0.0525(11) . .
C117 C Uani -0.0134(2) 0.28759(15) 0.37416(15) 1.000 0.0529(11) . .
C118 C Uani 0.0348(2) 0.27156(14) 0.32131(14) 1.000 0.0471(10) . .
C119 C Uani 0.0531(2) 0.20745(14) 0.32168(14) 1.000 0.0460(10) . .
C120 C Uani 0.1474(3) 0.17985(14) 0.29911(14) 1.000 0.0507(11) . .
C121 C Uani 0.1800(3) 0.20059(14) 0.23717(14) 1.000 0.0505(10) . .
C122 C Uani 0.0963(3) 0.16949(15) 0.18450(16) 1.000 0.0647(12) . .
C123 C Uani 0.1076(4) 0.10093(17) 0.1900(2) 1.000 0.0815(16) . .
C124 C Uani 0.0809(4) 0.08043(17) 0.2537(2) 1.000 0.0867(16) . .
C125 C Uani 0.1651(3) 0.11195(16) 0.30621(18) 1.000 0.0687(14) . .
C126 C Uani 0.3031(3) 0.18170(16) 0.23074(16) 1.000 0.0625(12) . .
C127 C Uani 0.3161(4) 0.11388(18) 0.23657(19) 1.000 0.0775(17) . .
C128 C Uani 0.2322(4) 0.08307(18) 0.1847(2) 1.000 0.0939(18) . .
C129 C Uani 0.2901(3) 0.09466(18) 0.30102(19) 1.000 0.0816(16) . .
C21 C Uani 0.3134(2) 0.29727(13) 0.06284(13) 1.000 0.0420(9) . .
C22 C Uani 0.4173(2) 0.27094(14) 0.09073(14) 1.000 0.0476(10) . .
C23 C Uani 0.4452(3) 0.21102(16) 0.08167(16) 1.000 0.0583(11) . .
C24 C Uani 0.3697(3) 0.17371(16) 0.04397(17) 1.000 0.0646(14) . .
C25 C Uani 0.2663(3) 0.19797(16) 0.01540(17) 1.000 0.0640(12) . .
C26 C Uani 0.2395(3) 0.25776(14) 0.02465(16) 1.000 0.0542(11) . .
C27 C Uani 0.1777(2) 0.37266(12) 0.11962(13) 1.000 0.0392(9) . .
C28 C Uani 0.1014(2) 0.32596(13) 0.12810(13) 1.000 0.0420(9) . .
C29 C Uani 0.0128(2) 0.33317(14) 0.16322(13) 1.000 0.0468(10) . .
C210 C Uani -0.0026(2) 0.38743(14) 0.19136(14) 1.000 0.0487(10) . .
C211 C Uani 0.0720(3) 0.43417(14) 0.18508(15) 1.000 0.0533(11) . .
C212 C Uani 0.1600(3) 0.42649(14) 0.14978(14) 1.000 0.0493(11) . .
C213 C Uani 0.2150(2) 0.39299(12) 0.00245(13) 1.000 0.0408(9) . .
C214 C Uani 0.1088(2) 0.42342(13) -0.01009(14) 1.000 0.0455(10) . .
C215 C Uani 0.0621(3) 0.44290(14) -0.06931(15) 1.000 0.0515(11) . .
C216 C Uani 0.1192(3) 0.43297(15) -0.11942(15) 1.000 0.0567(11) . .
C217 C Uani 0.2247(3) 0.40331(15) -0.10913(14) 1.000 0.0544(11) . .
C218 C Uani 0.2703(2) 0.38445(14) -0.04943(14) 1.000 0.0471(10) . .
C219 C Uani 0.3850(2) 0.41034(12) 0.10107(13) 1.000 0.0407(9) . .
C220 C Uani 0.4277(2) 0.45863(13) 0.07056(14) 1.000 0.0467(10) . .
C221 C Uani 0.5193(3) 0.49468(15) 0.09847(16) 1.000 0.0558(11) . .
C222 C Uani 0.5720(3) 0.48287(15) 0.15849(16) 1.000 0.0572(11) . .
C223 C Uani 0.5324(3) 0.43552(15) 0.19112(15) 1.000 0.0565(11) . .

```

C224 C Uani 0.4409(2) 0.40056(14) 0.16300(14) 1.000 0.0490(10) . .  
B2 B Uani 0.2745(3) 0.36800(15) 0.07188(15) 1.000 0.0399(10) . .  
C51 C Uani 0.431(2) 0.4802(9) 0.4530(7) 1.000 0.336(10) . .  
C52 C Uani 0.515(2) 0.4434(4) 0.4852(12) 1.000 0.333(14) . .  
C53 C Uani 0.3996(18) 0.5165(18) 0.5022(15) 1.000 0.51(2) . .  
O3 O Uani 0.7527(3) 0.2447(2) 0.1809(2) 1.000 0.1295(19) . .  
C31 C Uani 0.7273(4) 0.2918(3) 0.2192(3) 1.000 0.110(2) . .  
C32 C Uani 0.6564(5) 0.2678(3) 0.2637(3) 1.000 0.144(3) . .  
C33 C Uani 0.6515(6) 0.2045(4) 0.2543(4) 1.000 0.169(4) . .  
C34 C Uani 0.7403(5) 0.1916(3) 0.2139(3) 1.000 0.138(3) . .  
O4 O Uani 0.8221(15) 0.4433(5) 0.3702(12) 1.000 0.385(12) . .  
C41 C Uani 0.8958(12) 0.4731(10) 0.4137(4) 1.000 0.269(11) . .  
C42 C Uani 0.7871(15) 0.4852(13) 0.3240(8) 1.000 0.392(16) . .  
C43 C Uani 0.9270(9) 0.5303(6) 0.3801(9) 1.000 0.266(8) . .  
C44 C Uani 0.886(2) 0.5154(6) 0.3205(10) 1.000 0.312(12) . .

H110' H Uiso 0.11202 0.37020 0.49069 1.000 0.1318 . .  
H110" H Uiso 0.23581 0.38820 0.52771 1.000 0.1318 . .  
H111' H Uiso 0.27503 0.09653 0.43342 1.000 0.1042 . .  
H112' H Uiso 0.24803 0.05014 0.51788 1.000 0.0939 . .  
H113' H Uiso 0.26840 0.15318 0.59554 1.000 0.0849 . .  
H114' H Uiso 0.12814 0.20474 0.53661 1.000 0.0856 . .  
H122' H Uiso 0.11382 0.18262 0.14347 1.000 0.0773 . .  
H124' H Uiso 0.00058 0.09099 0.25745 1.000 0.1041 . .  
H126' H Uiso 0.35836 0.20154 0.26359 1.000 0.0747 . .  
H128' H Uiso 0.24997 0.09540 0.14346 1.000 0.1125 . .  
H129' H Uiso 0.30060 0.05060 0.30631 1.000 0.0976 . .  
H16 H Uiso 0.20718 0.43490 0.36310 1.000 0.1150 . .  
H16' H Uiso 0.10021 0.41017 0.39281 1.000 0.1150 . .  
H16" H Uiso 0.11725 0.38964 0.32424 1.000 0.1150 . .  
H17 H Uiso 0.25507 0.33804 0.26996 1.000 0.0999 . .  
H17' H Uiso 0.36622 0.29553 0.28036 1.000 0.0999 . .  
H17" H Uiso 0.37764 0.36524 0.29917 1.000 0.0999 . .  
H18 H Uiso 0.54429 0.26261 0.40315 1.000 0.1215 . .  
H18' H Uiso 0.46284 0.22529 0.35066 1.000 0.1215 . .  
H18" H Uiso 0.48120 0.20291 0.42156 1.000 0.1215 . .  
H19 H Uiso 0.44787 0.29178 0.54756 1.000 0.1430 . .  
H19' H Uiso 0.43847 0.22478 0.51999 1.000 0.1430 . .  
H19" H Uiso 0.33720 0.25151 0.55308 1.000 0.1430 . .  
H110 H Uiso 0.18111 0.32399 0.53939 1.000 0.1318 . .  
H111 H Uiso 0.37212 0.13938 0.47107 1.000 0.1042 . .  
H112 H Uiso 0.36424 0.08204 0.55122 1.000 0.0939 . .  
H113 H Uiso 0.16989 0.10216 0.58908 1.000 0.0849 . .  
H114 H Uiso 0.06967 0.14474 0.50416 1.000 0.0856 . .  
H115 H Uiso 0.00715 0.14539 0.38896 1.000 0.0599 . .  
H116 H Uiso -0.06098 0.23346 0.44545 1.000 0.0631 . .  
H117 H Uiso -0.03203 0.32737 0.38523 1.000 0.0632 . .  
H118 H Uiso 0.05252 0.29866 0.29033 1.000 0.0564 . .  
H121 H Uiso 0.17211 0.24535 0.23330 1.000 0.0606 . .  
H122 H Uiso 0.01633 0.18153 0.18729 1.000 0.0773 . .  
H123 H Uiso 0.05313 0.08125 0.15593 1.000 0.0980 . .  
H124 H Uiso 0.08941 0.03616 0.25757 1.000 0.1041 . .  
H125 H Uiso 0.14728 0.09893 0.34771 1.000 0.0823 . .  
H126 H Uiso 0.32064 0.19486 0.18972 1.000 0.0747 . .  
H127 H Uiso 0.39669 0.10229 0.23268 1.000 0.0928 . .  
H128 H Uiso 0.24084 0.03879 0.18830 1.000 0.1125 . .  
H129 H Uiso 0.34379 0.11506 0.33420 1.000 0.0976 . .  
H22 H Uiso 0.47103 0.29519 0.11702 1.000 0.0570 . .  
H23 H Uiso 0.51688 0.19553 0.10157 1.000 0.0699 . .  
H24 H Uiso 0.38820 0.13270 0.03789 1.000 0.0775 . .

H25 H Uiso 0.21319 0.17334 -0.01085 1.000 0.0769 . .  
H26 H Uiso 0.16784 0.27285 0.00425 1.000 0.0649 . .  
H28 H Uiso 0.11043 0.28800 0.10924 1.000 0.0504 . .  
H29 H Uiso -0.03720 0.30041 0.16770 1.000 0.0561 . .  
H210 H Uiso -0.06361 0.39264 0.21475 1.000 0.0582 . .  
H211 H Uiso 0.06332 0.47169 0.20487 1.000 0.0640 . .  
H212 H Uiso 0.21013 0.45938 0.14611 1.000 0.0591 . .  
H214 H Uiso 0.06756 0.43086 0.02336 1.000 0.0546 . .  
H215 H Uiso -0.00972 0.46327 -0.07556 1.000 0.0617 . .  
H216 H Uiso 0.08692 0.44613 -0.16004 1.000 0.0683 . .  
H217 H Uiso 0.26536 0.39603 -0.14285 1.000 0.0652 . .  
H218 H Uiso 0.34280 0.36471 -0.04343 1.000 0.0565 . .  
H220 H Uiso 0.39316 0.46748 0.02903 1.000 0.0560 . .  
H221 H Uiso 0.54515 0.52730 0.07596 1.000 0.0670 . .  
H222 H Uiso 0.63482 0.50685 0.17736 1.000 0.0688 . .  
H223 H Uiso 0.56776 0.42707 0.23260 1.000 0.0676 . .  
H224 H Uiso 0.41453 0.36867 0.18629 1.000 0.0588 . .  
H51 H Uiso 0.36494 0.45637 0.43214 1.000 0.4004 . .  
H51' H Uiso 0.46198 0.50505 0.42166 1.000 0.4004 . .  
H52 H Uiso 0.49178 0.42686 0.52361 1.000 0.3977 . .  
H52' H Uiso 0.53581 0.40995 0.45888 1.000 0.3977 . .  
H53 H Uiso 0.32530 0.53707 0.48843 1.000 0.6134 . .  
H53' H Uiso 0.39309 0.49168 0.53927 1.000 0.6134 . .  
H31 H Uiso 0.68490 0.32402 0.19367 1.000 0.1320 . .  
H31' H Uiso 0.79925 0.30919 0.24199 1.000 0.1320 . .  
H32 H Uiso 0.69171 0.27737 0.30706 1.000 0.1730 . .  
H32' H Uiso 0.57822 0.28545 0.25582 1.000 0.1730 . .  
H33 H Uiso 0.57423 0.19207 0.23334 1.000 0.2032 . .  
H33' H Uiso 0.66938 0.18281 0.29449 1.000 0.2032 . .  
H34 H Uiso 0.81419 0.18023 0.23966 1.000 0.1657 . .  
H34' H Uiso 0.71496 0.15809 0.18480 1.000 0.1657 . .  
H41 H Uiso 0.96514 0.44848 0.42799 1.000 0.3205 . .  
H41' H Uiso 0.85865 0.48342 0.45016 1.000 0.3205 . .  
H42 H Uiso 0.75694 0.46534 0.28393 1.000 0.4688 . .  
H42' H Uiso 0.72743 0.51237 0.33582 1.000 0.4688 . .  
H43 H Uiso 0.88823 0.56634 0.39376 1.000 0.3192 . .  
H43' H Uiso 1.01108 0.53708 0.38635 1.000 0.3192 . .  
H44 H Uiso 0.86998 0.55196 0.29434 1.000 0.3729 . .  
H44' H Uiso 0.94068 0.48957 0.30263 1.000 0.3729 . .

loop\_

\_atom\_site\_aniso\_label  
\_atom\_site\_aniso\_U\_11  
\_atom\_site\_aniso\_U\_22  
\_atom\_site\_aniso\_U\_33  
\_atom\_site\_aniso\_U\_23  
\_atom\_site\_aniso\_U\_13  
\_atom\_site\_aniso\_U\_12

Ti1 0.0372(3) 0.0602(4) 0.0400(3) 0.0146(3) 0.0103(2) 0.0015(2)  
O1 0.0495(12) 0.0762(15) 0.0504(13) 0.0256(11) 0.0222(10) 0.0152(11)  
C11 0.0522(18) 0.070(2) 0.054(2) 0.0076(17) 0.0092(16) -0.0120(17)  
C12 0.0489(17) 0.073(2) 0.0426(18) 0.0137(16) 0.0054(14) -0.0167(16)  
C13 0.0378(16) 0.095(3) 0.052(2) 0.0194(19) 0.0090(14) -0.0090(17)  
C14 0.0470(18) 0.100(3) 0.0438(19) 0.0176(19) 0.0028(15) -0.0173(19)  
C15 0.0556(19) 0.081(2) 0.047(2) -0.0004(17) 0.0133(16) -0.0187(18)  
C16 0.089(3) 0.058(2) 0.082(3) 0.007(2) 0.009(2) -0.008(2)  
C17 0.073(2) 0.081(3) 0.048(2) 0.0167(18) 0.0145(17) -0.0220(19)  
C18 0.0417(18) 0.133(4) 0.069(2) 0.031(2) 0.0129(17) 0.006(2)  
C19 0.066(2) 0.165(5) 0.051(2) 0.032(3) -0.0029(18) -0.023(3)  
C110 0.093(3) 0.107(3) 0.069(3) -0.019(2) 0.029(2) -0.028(3)  
C111 0.089(3) 0.109(3) 0.068(3) 0.036(2) 0.029(2) 0.054(2)

C112 0.101(3) 0.064(2) 0.071(3) 0.020(2) 0.015(2) 0.011(2)  
C113 0.069(2) 0.093(3) 0.053(2) 0.024(2) 0.0167(18) -0.009(2)  
C114 0.064(2) 0.101(3) 0.057(2) 0.029(2) 0.0350(18) 0.010(2)  
C115 0.0419(16) 0.0543(19) 0.056(2) 0.0083(15) 0.0148(14) -0.0023(14)  
C116 0.0367(15) 0.067(2) 0.056(2) 0.0005(17) 0.0144(14) 0.0014(14)  
C117 0.0386(16) 0.061(2) 0.059(2) 0.0027(17) 0.0072(14) 0.0066(14)  
C118 0.0429(16) 0.0520(19) 0.0443(18) 0.0065(14) 0.0009(14) 0.0031(14)  
C119 0.0412(15) 0.0523(19) 0.0445(17) 0.0074(14) 0.0067(13) -0.0002(14)  
C120 0.0547(18) 0.0508(19) 0.0500(19) 0.0133(15) 0.0187(15) 0.0065(14)  
C121 0.0602(18) 0.0494(18) 0.0442(18) 0.0091(14) 0.0153(15) 0.0025(15)  
C122 0.084(2) 0.060(2) 0.051(2) 0.0008(17) 0.0136(18) -0.0017(18)  
C123 0.110(3) 0.060(2) 0.081(3) -0.009(2) 0.035(2) -0.014(2)  
C124 0.119(3) 0.047(2) 0.107(3) 0.001(2) 0.058(3) -0.008(2)  
C125 0.087(3) 0.058(2) 0.071(2) 0.0238(19) 0.043(2) 0.0162(19)  
C126 0.068(2) 0.071(2) 0.055(2) 0.0131(17) 0.0301(17) 0.0079(18)  
C127 0.093(3) 0.075(3) 0.075(3) 0.017(2) 0.046(2) 0.027(2)  
C128 0.146(4) 0.054(2) 0.098(3) 0.004(2) 0.070(3) 0.013(3)  
C129 0.103(3) 0.069(2) 0.085(3) 0.032(2) 0.053(2) 0.037(2)  
C21 0.0366(14) 0.0483(17) 0.0442(17) 0.0058(14) 0.0157(12) 0.0021(13)  
C22 0.0422(16) 0.057(2) 0.0460(18) 0.0055(14) 0.0144(13) 0.0047(14)  
C23 0.0567(19) 0.065(2) 0.057(2) 0.0135(18) 0.0205(16) 0.0188(18)  
C24 0.074(2) 0.049(2) 0.078(3) 0.0064(18) 0.034(2) 0.0122(18)  
C25 0.065(2) 0.054(2) 0.075(2) -0.0125(18) 0.0170(19) -0.0071(17)  
C26 0.0462(17) 0.0493(19) 0.067(2) -0.0038(16) 0.0086(16) 0.0026(14)  
C27 0.0369(14) 0.0421(16) 0.0386(16) 0.0078(13) 0.0057(12) 0.0024(12)  
C28 0.0395(15) 0.0449(17) 0.0417(17) 0.0059(13) 0.0070(12) 0.0004(13)  
C29 0.0378(15) 0.057(2) 0.0460(18) 0.0109(15) 0.0083(13) -0.0052(14)  
C210 0.0421(16) 0.063(2) 0.0440(18) 0.0086(16) 0.0163(13) 0.0073(15)  
C211 0.0585(19) 0.0489(19) 0.057(2) -0.0006(15) 0.0228(16) 0.0065(15)  
C212 0.0493(17) 0.0453(18) 0.058(2) 0.0025(15) 0.0231(15) -0.0033(14)  
C213 0.0390(15) 0.0390(16) 0.0454(17) 0.0005(13) 0.0101(13) -0.0030(12)  
C214 0.0410(15) 0.0473(18) 0.0494(19) 0.0026(14) 0.0109(13) 0.0006(13)  
C215 0.0465(16) 0.0530(19) 0.053(2) 0.0061(15) 0.0019(15) 0.0039(14)  
C216 0.060(2) 0.062(2) 0.0447(19) 0.0071(16) -0.0023(16) -0.0033(17)  
C217 0.0557(19) 0.066(2) 0.0433(19) -0.0014(16) 0.0137(15) -0.0094(16)  
C218 0.0413(15) 0.0562(19) 0.0451(18) 0.0010(15) 0.0109(13) 0.0021(14)  
C219 0.0399(14) 0.0441(17) 0.0411(17) 0.0003(13) 0.0156(12) 0.0013(13)  
C220 0.0494(16) 0.0485(18) 0.0444(17) 0.0018(14) 0.0142(14) -0.0037(14)  
C221 0.0583(19) 0.054(2) 0.059(2) -0.0010(16) 0.0216(16) -0.0135(16)  
C222 0.0490(18) 0.064(2) 0.060(2) -0.0159(17) 0.0134(16) -0.0118(16)  
C223 0.0539(18) 0.072(2) 0.0438(19) -0.0064(17) 0.0085(15) -0.0026(17)  
C224 0.0498(17) 0.0557(19) 0.0431(18) 0.0010(14) 0.0123(14) -0.0036(14)  
B2 0.0371(16) 0.0440(19) 0.0407(19) 0.0028(15) 0.0131(14) 0.0001(14)  
C51 0.40(2) 0.253(15) 0.268(14) 0.055(12) -0.211(15) -0.177(16)  
C52 0.40(3) 0.088(7) 0.51(3) 0.000(10) 0.07(2) 0.013(10)  
C53 0.204(17) 0.72(5) 0.64(4) -0.19(4) 0.15(2) 0.10(2)  
O3 0.112(3) 0.146(4) 0.145(3) 0.001(3) 0.065(3) -0.012(2)  
C31 0.083(3) 0.135(5) 0.122(4) 0.022(4) 0.048(3) 0.002(3)  
C32 0.116(4) 0.189(7) 0.145(5) 0.042(5) 0.074(4) -0.010(4)  
C33 0.140(5) 0.162(7) 0.222(8) 0.107(6) 0.078(5) 0.013(5)  
C34 0.109(4) 0.121(5) 0.182(7) 0.035(5) 0.015(4) 0.016(4)  
O4 0.40(2) 0.189(8) 0.58(3) 0.079(13) 0.118(19) 0.002(10)  
C41 0.217(12) 0.49(3) 0.106(6) 0.144(11) 0.046(7) 0.148(14)  
C42 0.296(18) 0.58(4) 0.241(17) -0.04(2) -0.138(15) -0.13(3)  
C43 0.226(10) 0.287(16) 0.307(16) -0.221(15) 0.110(11) -0.097(10)  
C44 0.53(3) 0.163(10) 0.316(19) 0.050(11) 0.29(2) 0.067(13)

#=====

# 10. MOLECULAR GEOMETRY

\_geom\_special\_details

;

Bond distances, angles etc. have been calculated using the rounded fractional coordinates. All su's are estimated from the variances of the (full) variance-covariance matrix. The cell esds are taken into account in the estimation of distances, angles and torsion angles

;

loop\_

\_geom\_bond\_atom\_site\_label\_1

\_geom\_bond\_atom\_site\_label\_2

\_geom\_bond\_distance

\_geom\_bond\_site\_symmetry\_1

\_geom\_bond\_site\_symmetry\_2

\_geom\_bond\_publ\_flag

Ti1	O1	2.138(2)	.	.	yes
Ti1	C11	2.411(4)	.	.	yes
Ti1	C12	2.434(3)	.	.	yes
Ti1	C13	2.418(4)	.	.	yes
Ti1	C14	2.382(4)	.	.	yes
Ti1	C15	2.339(4)	.	.	yes
Ti1	C115	2.306(3)	.	.	yes
Ti1	C116	2.448(2)	.	.	yes
Ti1	C117	2.414(3)	.	.	yes
Ti1	C118	2.264(3)	.	.	yes
Ti1	C119	2.181(3)	.	.	yes
O1	C111	1.468(5)	.	.	yes
O1	C114	1.471(4)	.	.	yes
O3	C34	1.399(8)	.	.	yes
O3	C31	1.398(8)	.	.	yes
O4	C42	1.38(3)	.	.	yes
O4	C41	1.35(3)	.	.	yes
C11	C16	1.512(5)	.	.	no
C11	C12	1.414(5)	.	.	no
C11	C15	1.421(5)	.	.	no
C12	C13	1.431(5)	.	.	no
C12	C17	1.511(5)	.	.	no
C13	C14	1.428(5)	.	.	no
C13	C18	1.510(5)	.	.	no
C14	C15	1.423(5)	.	.	no
C14	C19	1.512(5)	.	.	no
C15	C110	1.516(6)	.	.	no
C111	C112	1.472(6)	.	.	no
C112	C113	1.506(6)	.	.	no
C113	C114	1.485(5)	.	.	no
C115	C116	1.399(4)	.	.	no
C115	C119	1.446(4)	.	.	no
C16	H16'	0.9801	.	.	no
C116	C117	1.400(5)	.	.	no
C16	H16"	0.9801	.	.	no
C16	H16	0.9800	.	.	no
C17	H17	0.9803	.	.	no
C117	C118	1.405(4)	.	.	no
C17	H17"	0.9798	.	.	no
C17	H17'	0.9798	.	.	no
C118	C119	1.439(4)	.	.	no
C18	H18"	0.9793	.	.	no
C18	H18'	0.9799	.	.	no
C18	H18	0.9803	.	.	no
C19	H19"	0.9796	.	.	no

C19	H19	0.9806	.	.	no
C19	H19'	0.9798	.	.	no
C119	C120	1.422(4)	.	.	no
C120	C125	1.526(5)	.	.	no
C120	C121	1.528(4)	.	.	no
C121	C122	1.550(5)	.	.	no
C121	C126	1.536(5)	.	.	no
C122	C123	1.530(5)	.	.	no
C123	C124	1.536(6)	.	.	no
C123	C128	1.542(7)	.	.	no
C124	C125	1.555(6)	.	.	no
C125	C129	1.542(5)	.	.	no
C126	C127	1.516(5)	.	.	no
C127	C129	1.540(6)	.	.	no
C127	C128	1.537(6)	.	.	no
C110	H110'	0.9801	.	.	no
C110	H110	0.9805	.	.	no
C110	H110"	0.9796	.	.	no
C111	H111	0.9893	.	.	no
C111	H111'	0.9907	.	.	no
C112	H112	0.9895	.	.	no
C112	H112'	0.9904	.	.	no
C113	H113	0.9901	.	.	no
C113	H113'	0.9900	.	.	no
C114	H114	0.9899	.	.	no
C114	H114'	0.9900	.	.	no
C115	H115	0.9501	.	.	no
C116	H116	0.9502	.	.	no
C117	H117	0.9498	.	.	no
C118	H118	0.9501	.	.	no
C121	H121	1.0000	.	.	no
C21	B2	1.656(4)	.	.	yes
C21	C26	1.410(4)	.	.	no
C21	C22	1.404(4)	.	.	no
C122	H122'	0.9900	.	.	no
C22	C23	1.391(5)	.	.	no
C122	H122	0.9899	.	.	no
C23	C24	1.385(5)	.	.	no
C123	H123	1.0001	.	.	no
C124	H124	0.9898	.	.	no
C124	H124'	0.9902	.	.	no
C24	C25	1.385(5)	.	.	no
C25	C26	1.386(5)	.	.	no
C125	H125	1.0001	.	.	no
C126	H126	0.9901	.	.	no
C126	H126'	0.9900	.	.	no
C27	B2	1.661(4)	.	.	yes
C127	H127	0.9996	.	.	no
C27	C212	1.394(4)	.	.	no
C27	C28	1.403(4)	.	.	no
C128	H128'	0.9903	.	.	no
C128	H128	0.9898	.	.	no
C28	C29	1.396(4)	.	.	no
C129	H129	0.9902	.	.	no
C129	H129'	0.9900	.	.	no
C29	C210	1.375(4)	.	.	no
C22	H22	0.9498	.	.	no
C23	H23	0.9499	.	.	no
C24	H24	0.9499	.	.	no
C25	H25	0.9501	.	.	no
C26	H26	0.9501	.	.	no

C28	H28	0.9501	.	.	no
C29	H29	0.9502	.	.	no
C210	C211	1.380(4)	.	.	no
C211	C212	1.394(5)	.	.	no
C213	C214	1.410(4)	.	.	no
C213	C218	1.401(4)	.	.	no
C213	B2	1.655(4)	.	.	yes
C214	C215	1.386(4)	.	.	no
C215	C216	1.385(5)	.	.	no
C216	C217	1.393(5)	.	.	no
C217	C218	1.388(4)	.	.	no
C219	C224	1.418(4)	.	.	no
C219	B2	1.649(4)	.	.	yes
C219	C220	1.395(4)	.	.	no
C220	C221	1.402(4)	.	.	no
C221	C222	1.378(5)	.	.	no
C222	C223	1.389(5)	.	.	no
C223	C224	1.389(4)	.	.	no
C51	C52	1.38(3)	.	.	no
C51	C53	1.43(4)	.	.	no
C52	C53	1.34(4)	.	3_666	no
C210	H210	0.9503	.	.	no
C211	H211	0.9500	.	.	no
C212	H212	0.9500	.	.	no
C214	H214	0.9501	.	.	no
C215	H215	0.9496	.	.	no
C216	H216	0.9501	.	.	no
C217	H217	0.9501	.	.	no
C218	H218	0.9501	.	.	no
C220	H220	0.9499	.	.	no
C221	H221	0.9502	.	.	no
C222	H222	0.9502	.	.	no
C223	H223	0.9499	.	.	no
C224	H224	0.9502	.	.	no
C51	H51'	0.9896	.	.	no
C51	H51	0.9894	.	.	no
C52	H52	0.9889	.	.	no
C52	H52'	0.9911	.	.	no
C53	H53	0.9904	.	.	no
C53	H53'	0.9886	.	.	no
C31	C32	1.473(9)	.	.	no
C32	C33	1.419(11)	.	.	no
C33	C34	1.495(10)	.	.	no
C31	H31	0.9904	.	.	no
C31	H31'	0.9897	.	.	no
C32	H32'	0.9902	.	.	no
C32	H32	0.9909	.	.	no
C33	H33	0.9903	.	.	no
C33	H33'	0.9902	.	.	no
C34	H34'	0.9911	.	.	no
C34	H34	0.9901	.	.	no
C41	C43	1.54(2)	.	.	no
C42	C44	1.36(3)	.	.	no
C43	C44	1.35(3)	.	.	no
C41	H41	0.9908	.	.	no
C41	H41'	0.9903	.	.	no
C42	H42	0.9903	.	.	no
C42	H42'	0.9901	.	.	no
C43	H43	0.9895	.	.	no
C43	H43'	0.9894	.	.	no
C44	H44	0.9915	.	.	no

C44 H44' 0.9863 . . no

loop\_

\_geom\_angle\_atom\_site\_label\_1

\_geom\_angle\_atom\_site\_label\_2

\_geom\_angle\_atom\_site\_label\_3

\_geom\_angle

\_geom\_angle\_site\_symmetry\_1

\_geom\_angle\_site\_symmetry\_2

\_geom\_angle\_site\_symmetry\_3

\_geom\_angle\_publ\_flag

O1	Ti1	C11	135.62(10)	.	.	.	yes
O1	Ti1	C12	130.11(10)	.	.	.	yes
O1	Ti1	C13	95.81(10)	.	.	.	yes
O1	Ti1	C14	80.17(11)	.	.	.	yes
O1	Ti1	C15	102.17(10)	.	.	.	yes
O1	Ti1	C115	79.49(10)	.	.	.	yes
O1	Ti1	C116	89.04(10)	.	.	.	yes
O1	Ti1	C117	121.75(9)	.	.	.	yes
O1	Ti1	C118	139.44(10)	.	.	.	yes
O1	Ti1	C119	107.62(10)	.	.	.	yes
C11	Ti1	C12	33.94(11)	.	.	.	yes
C11	Ti1	C13	57.05(12)	.	.	.	yes
C11	Ti1	C14	57.37(12)	.	.	.	yes
C11	Ti1	C15	34.77(11)	.	.	.	yes
C11	Ti1	C115	136.88(12)	.	.	.	yes
C11	Ti1	C116	109.73(12)	.	.	.	yes
C11	Ti1	C117	80.22(11)	.	.	.	yes
C11	Ti1	C118	81.56(11)	.	.	.	yes
C11	Ti1	C119	116.64(12)	.	.	.	yes
C12	Ti1	C13	34.31(11)	.	.	.	yes
C12	Ti1	C14	57.13(11)	.	.	.	yes
C12	Ti1	C15	57.49(11)	.	.	.	yes
C12	Ti1	C115	146.79(11)	.	.	.	yes
C12	Ti1	C116	138.27(11)	.	.	.	yes
C12	Ti1	C117	104.95(11)	.	.	.	yes
C12	Ti1	C118	89.23(11)	.	.	.	yes
C12	Ti1	C119	110.26(11)	.	.	.	yes
C13	Ti1	C14	34.59(11)	.	.	.	yes
C13	Ti1	C15	58.02(12)	.	.	.	yes
C13	Ti1	C115	161.59(12)	.	.	.	yes
C13	Ti1	C116	164.33(12)	.	.	.	yes
C13	Ti1	C117	136.80(12)	.	.	.	yes
C13	Ti1	C118	122.60(11)	.	.	.	yes
C13	Ti1	C119	131.48(11)	.	.	.	yes
C14	Ti1	C15	35.09(13)	.	.	.	yes
C14	Ti1	C115	155.90(11)	.	.	.	yes
C14	Ti1	C116	133.06(11)	.	.	.	yes
C14	Ti1	C117	126.14(12)	.	.	.	yes
C14	Ti1	C118	138.93(12)	.	.	.	yes
C14	Ti1	C119	165.94(11)	.	.	.	yes
C15	Ti1	C115	140.29(12)	.	.	.	yes
C15	Ti1	C116	106.41(12)	.	.	.	yes
C15	Ti1	C117	91.20(12)	.	.	.	yes
C15	Ti1	C118	108.83(12)	.	.	.	yes
C15	Ti1	C119	146.54(12)	.	.	.	yes
C115	Ti1	C116	34.07(11)	.	.	.	yes
C115	Ti1	C117	57.25(11)	.	.	.	yes
C115	Ti1	C118	59.95(11)	.	.	.	yes
C115	Ti1	C119	37.47(10)	.	.	.	yes
C116	Ti1	C117	33.47(11)	.	.	.	yes



C116	Ti1	C118	57.75(10)	.	.	.	yes
C116	Ti1	C119	59.98(10)	.	.	.	yes
C117	Ti1	C118	34.76(10)	.	.	.	yes
C117	Ti1	C119	60.25(11)	.	.	.	yes
C118	Ti1	C119	37.72(11)	.	.	.	yes
Ti1	O1	C111	129.0(2)	.	.	.	yes
Ti1	O1	C114	122.6(2)	.	.	.	yes
C111	O1	C114	108.3(3)	.	.	.	yes
C31	O3	C34	106.0(5)	.	.	.	yes
C41	O4	C42	105.3(15)	.	.	.	yes
Ti1	C11	C15	69.8(2)	.	.	.	yes
Ti1	C11	C12	73.9(2)	.	.	.	yes
C12	C11	C16	124.6(3)	.	.	.	no
Ti1	C11	C16	129.4(2)	.	.	.	yes
C12	C11	C15	108.2(3)	.	.	.	no
C15	C11	C16	126.5(3)	.	.	.	no
Ti1	C12	C13	72.2(2)	.	.	.	yes
Ti1	C12	C17	132.4(2)	.	.	.	yes
C11	C12	C17	123.8(3)	.	.	.	no
C13	C12	C17	126.5(3)	.	.	.	no
C11	C12	C13	108.3(3)	.	.	.	no
Ti1	C12	C11	72.1(2)	.	.	.	yes
Ti1	C13	C14	71.3(2)	.	.	.	yes
Ti1	C13	C18	127.3(3)	.	.	.	yes
C12	C13	C18	126.1(3)	.	.	.	no
C14	C13	C18	126.0(3)	.	.	.	no
Ti1	C13	C12	73.5(2)	.	.	.	yes
C12	C13	C14	107.3(3)	.	.	.	no
Ti1	C14	C19	127.0(3)	.	.	.	yes
Ti1	C14	C13	74.1(2)	.	.	.	yes
Ti1	C14	C15	70.8(2)	.	.	.	yes
C15	C14	C19	125.5(3)	.	.	.	no
C13	C14	C15	108.1(3)	.	.	.	no
C13	C14	C19	125.9(3)	.	.	.	no
Ti1	C15	C14	74.1(2)	.	.	.	yes
Ti1	C15	C110	123.6(3)	.	.	.	yes
C11	C15	C110	126.0(3)	.	.	.	no
C14	C15	C110	125.4(3)	.	.	.	no
C11	C15	C14	107.9(3)	.	.	.	no
Ti1	C15	C11	75.4(2)	.	.	.	yes
O1	C111	C112	106.8(3)	.	.	.	yes
C111	C112	C113	106.7(3)	.	.	.	no
C112	C113	C114	104.3(3)	.	.	.	no
O1	C114	C113	105.4(3)	.	.	.	yes
Ti1	C115	C119	66.58(15)	.	.	.	yes
Ti1	C115	C116	78.55(17)	.	.	.	yes
C116	C115	C119	109.6(3)	.	.	.	no
Ti1	C116	C117	71.93(14)	.	.	.	yes
Ti1	C116	C115	67.38(14)	.	.	.	yes
C11	C16	H16	109.46	.	.	.	no
C11	C16	H16'	109.48	.	.	.	no
C11	C16	H16"	109.48	.	.	.	no
H16	C16	H16'	109.47	.	.	.	no
H16	C16	H16"	109.47	.	.	.	no
C115	C116	C117	107.9(3)	.	.	.	no
H16'	C16	H16"	109.47	.	.	.	no
C12	C17	H17'	109.48	.	.	.	no
C12	C17	H17"	109.47	.	.	.	no
H17	C17	H17'	109.46	.	.	.	no
H17	C17	H17"	109.47	.	.	.	no
H17'	C17	H17"	109.51	.	.	.	no

Ti1	C117	C116	74.60(16)	.	.	.	yes
Ti1	C117	C118	66.77(15)	.	.	.	yes
C116	C117	C118	108.8(3)	.	.	.	no
C12	C17	H17	109.44	.	.	.	no
C13	C18	H18	109.42	.	.	.	no
C13	C18	H18"	109.47	.	.	.	no
Ti1	C118	C117	78.47(17)	.	.	.	yes
C13	C18	H18'	109.44	.	.	.	no
C117	C118	C119	109.0(3)	.	.	.	no
H18	C18	H18"	109.51	.	.	.	no
Ti1	C118	C119	68.01(16)	.	.	.	yes
H18	C18	H18'	109.46	.	.	.	no
H18'	C18	H18"	109.54	.	.	.	no
H19	C19	H19'	109.44	.	.	.	no
C118	C119	C120	123.3(3)	.	.	.	no
C14	C19	H19'	109.48	.	.	.	no
C14	C19	H19"	109.49	.	.	.	no
Ti1	C119	C115	75.95(17)	.	.	.	yes
H19'	C19	H19"	109.53	.	.	.	no
C115	C119	C118	104.7(2)	.	.	.	no
C115	C119	C120	122.9(3)	.	.	.	no
C14	C19	H19	109.43	.	.	.	no
H19	C19	H19"	109.45	.	.	.	no
Ti1	C119	C120	88.12(18)	.	.	.	yes
Ti1	C119	C118	74.27(17)	.	.	.	yes
C119	C120	C121	119.5(3)	.	.	.	no
C119	C120	C125	119.5(3)	.	.	.	no
C121	C120	C125	109.7(3)	.	.	.	no
C122	C121	C126	108.1(3)	.	.	.	no
C120	C121	C122	107.3(3)	.	.	.	no
C120	C121	C126	111.7(3)	.	.	.	no
C121	C122	C123	110.4(3)	.	.	.	no
C124	C123	C128	108.9(4)	.	.	.	no
C122	C123	C124	109.7(3)	.	.	.	no
C122	C123	C128	108.8(3)	.	.	.	no
C123	C124	C125	109.3(3)	.	.	.	no
C120	C125	C129	110.8(3)	.	.	.	no
C120	C125	C124	108.0(3)	.	.	.	no
C124	C125	C129	109.9(3)	.	.	.	no
C121	C126	C127	110.3(3)	.	.	.	no
C126	C127	C128	109.6(3)	.	.	.	no
C128	C127	C129	110.3(3)	.	.	.	no
C126	C127	C129	108.6(3)	.	.	.	no
C123	C128	C127	109.9(3)	.	.	.	no
C125	C129	C127	109.1(3)	.	.	.	no
C15	C110	H110	109.43	.	.	.	no
C15	C110	H110'	109.47	.	.	.	no
C15	C110	H110"	109.51	.	.	.	no
H110"	C110	H110	109.48	.	.	.	no
H110'	C110	H110"	109.51	.	.	.	no
H110'	C110	H110	109.43	.	.	.	no
C112	C111	H111'	110.28	.	.	.	no
C112	C111	H111	110.33	.	.	.	no
O1	C111	H111	110.44	.	.	.	no
H111'	C111	H111	108.60	.	.	.	no
O1	C111	H111'	110.36	.	.	.	no
C111	C112	H112'	110.42	.	.	.	no
C111	C112	H112	110.42	.	.	.	no
C113	C112	H112	110.38	.	.	.	no
H112'	C112	H112	108.62	.	.	.	no
C113	C112	H112'	110.33	.	.	.	no

C112	C113	H113	110.92	.	.	.	no
C114	C113	H113'	110.90	.	.	.	no
H113'	C113	H113	108.92	.	.	.	no
C114	C113	H113	110.89	.	.	.	no
C112	C113	H113'	110.90	.	.	.	no
O1	C114	H114'	110.68	.	.	.	no
C113	C114	H114	110.68	.	.	.	no
H114'	C114	H114	108.78	.	.	.	no
O1	C114	H114	110.66	.	.	.	no
C113	C114	H114'	110.67	.	.	.	no
C116	C115	H115	125.20	.	.	.	no
Ti1	C115	H115	121.12	.	.	.	no
C119	C115	H115	125.19	.	.	.	no
C115	C116	H116	126.06	.	.	.	no
C117	C116	H116	126.06	.	.	.	no
Ti1	C116	H116	126.19	.	.	.	no
C116	C117	H117	125.60	.	.	.	no
Ti1	C117	H117	124.51	.	.	.	no
C118	C117	H117	125.57	.	.	.	no
C117	C118	H118	125.53	.	.	.	no
Ti1	C118	H118	119.59	.	.	.	no
C119	C118	H118	125.49	.	.	.	no
C122	C121	H121	109.91	.	.	.	no
C126	C121	H121	109.87	.	.	.	no
C22	C21	B2	125.6(3)	.	.	.	yes
C26	C21	B2	120.2(2)	.	.	.	yes
C120	C121	H121	109.91	.	.	.	no
C22	C21	C26	114.2(3)	.	.	.	no
C121	C122	H122	109.57	.	.	.	no
C123	C122	H122'	109.57	.	.	.	no
C123	C122	H122	109.60	.	.	.	no
H122'	C122	H122	108.13	.	.	.	no
C121	C122	H122'	109.58	.	.	.	no
C21	C22	C23	123.1(3)	.	.	.	no
C22	C23	C24	120.8(3)	.	.	.	no
C122	C123	H123	109.80	.	.	.	no
C128	C123	H123	109.83	.	.	.	no
C124	C123	H123	109.82	.	.	.	no
C125	C124	H124'	109.88	.	.	.	no
C123	C124	H124	109.77	.	.	.	no
C125	C124	H124	109.88	.	.	.	no
H124'	C124	H124	108.25	.	.	.	no
C23	C24	C25	118.0(3)	.	.	.	no
C123	C124	H124'	109.76	.	.	.	no
C24	C25	C26	120.8(3)	.	.	.	no
C124	C125	H125	109.35	.	.	.	no
C129	C125	H125	109.42	.	.	.	no
C120	C125	H125	109.38	.	.	.	no
C121	C126	H126	109.58	.	.	.	no
C21	C26	C25	123.2(3)	.	.	.	no
C127	C126	H126	109.60	.	.	.	no
C127	C126	H126'	109.58	.	.	.	no
H126'	C126	H126	108.12	.	.	.	no
C121	C126	H126'	109.59	.	.	.	no
C129	C127	H127	109.46	.	.	.	no
C212	C27	B2	121.0(2)	.	.	.	yes
C126	C127	H127	109.45	.	.	.	no
C28	C27	C212	115.2(3)	.	.	.	no
C128	C127	H127	109.42	.	.	.	no
C28	C27	B2	123.6(2)	.	.	.	yes
C123	C128	H128	109.67	.	.	.	no

C123	C128	H128'	109.64	.	.	.	no
C127	C128	H128	109.73	.	.	.	no
C27	C28	C29	122.5(3)	.	.	.	no
C127	C128	H128'	109.71	.	.	.	no
H128'	C128	H128	108.19	.	.	.	no
C127	C129	H129	109.85	.	.	.	no
H129'	C129	H129	108.26	.	.	.	no
C127	C129	H129'	109.88	.	.	.	no
C28	C29	C210	120.4(3)	.	.	.	no
C125	C129	H129'	109.90	.	.	.	no
C125	C129	H129	109.88	.	.	.	no
C23	C22	H22	118.48	.	.	.	no
C21	C22	H22	118.43	.	.	.	no
C24	C23	H23	119.62	.	.	.	no
C22	C23	H23	119.62	.	.	.	no
C23	C24	H24	121.02	.	.	.	no
C25	C24	H24	120.98	.	.	.	no
C26	C25	H25	119.64	.	.	.	no
C24	C25	H25	119.61	.	.	.	no
C21	C26	H26	118.41	.	.	.	no
C25	C26	H26	118.40	.	.	.	no
C27	C28	H28	118.74	.	.	.	no
C29	C28	H28	118.79	.	.	.	no
C210	C29	H29	119.81	.	.	.	no
C28	C29	H29	119.81	.	.	.	no
C29	C210	C211	118.9(3)	.	.	.	no
C210	C211	C212	120.2(3)	.	.	.	no
C27	C212	C211	122.9(3)	.	.	.	no
C214	C213	C218	114.9(3)	.	.	.	no
C214	C213	B2	124.9(2)	.	.	.	yes
C218	C213	B2	120.3(2)	.	.	.	yes
C213	C214	C215	122.6(3)	.	.	.	no
C214	C215	C216	120.6(3)	.	.	.	no
C215	C216	C217	118.7(3)	.	.	.	no
C216	C217	C218	119.8(3)	.	.	.	no
C213	C218	C217	123.4(3)	.	.	.	no
C220	C219	B2	125.2(2)	.	.	.	yes
C220	C219	C224	114.9(2)	.	.	.	no
C224	C219	B2	119.9(2)	.	.	.	yes
C219	C220	C221	122.9(3)	.	.	.	no
C220	C221	C222	120.1(3)	.	.	.	no
C221	C222	C223	119.3(3)	.	.	.	no
C222	C223	C224	119.9(3)	.	.	.	no
C219	C224	C223	122.9(3)	.	.	.	no
C52	C51	C53	101.7(18)	.	.	.	no
C51	C52	C53	99.5(18)	.	.	3_666	no
C51	C53	C52	105(2)	.	.	3_666	no
C29	C210	H210	120.54	.	.	.	no
C211	C210	H210	120.55	.	.	.	no
C212	C211	H211	119.92	.	.	.	no
C210	C211	H211	119.90	.	.	.	no
C211	C212	H212	118.56	.	.	.	no
C27	C212	H212	118.56	.	.	.	no
C215	C214	H214	118.68	.	.	.	no
C213	C214	H214	118.71	.	.	.	no
C214	C215	H215	119.68	.	.	.	no
C216	C215	H215	119.70	.	.	.	no
C215	C216	H216	120.58	.	.	.	no
C217	C216	H216	120.69	.	.	.	no
C216	C217	H217	120.13	.	.	.	no
C218	C217	H217	120.11	.	.	.	no

C217	C218	H218	118.30	.	.	.	no
C213	C218	H218	118.28	.	.	.	no
C219	C220	H220	118.54	.	.	.	no
C221	C220	H220	118.54	.	.	.	no
C220	C221	H221	119.96	.	.	.	no
C222	C221	H221	119.93	.	.	.	no
C221	C222	H222	120.36	.	.	.	no
C223	C222	H222	120.32	.	.	.	no
C222	C223	H223	120.10	.	.	.	no
C224	C223	H223	120.04	.	.	.	no
C223	C224	H224	118.55	.	.	.	no
C219	C224	H224	118.52	.	.	.	no
C53	C51	H51	111.43	.	.	.	no
H51	C51	H51'	109.35	.	.	.	no
C52	C51	H51	111.32	.	.	.	no
C52	C51	H51'	111.40	.	.	.	no
C53	C51	H51'	111.50	.	.	.	no
C53	C52	H52	111.82	3_666	.	.	no
C51	C52	H52'	111.86	.	.	.	no
H52	C52	H52'	109.59	.	.	.	no
C53	C52	H52'	111.76	3_666	.	.	no
C51	C52	H52	112.01	.	.	.	no
C52	C53	H53	110.78	3_666	.	.	no
C52	C53	H53'	110.87	3_666	.	.	no
C51	C53	H53'	110.90	.	.	.	no
H53	C53	H53'	108.94	.	.	.	no
C51	C53	H53	110.70	.	.	.	no
O3	C31	C32	108.5(5)	.	.	.	yes
C31	C32	C33	106.1(6)	.	.	.	no
C32	C33	C34	104.9(6)	.	.	.	no
O3	C34	C33	106.2(6)	.	.	.	yes
O3	C31	H31'	110.05	.	.	.	no
C32	C31	H31'	109.98	.	.	.	no
H31	C31	H31'	108.35	.	.	.	no
C32	C31	H31	109.92	.	.	.	no
O3	C31	H31	110.06	.	.	.	no
C31	C32	H32'	110.56	.	.	.	no
H32	C32	H32'	108.59	.	.	.	no
C33	C32	H32'	110.55	.	.	.	no
C31	C32	H32	110.50	.	.	.	no
C33	C32	H32	110.51	.	.	.	no
C32	C33	H33	110.82	.	.	.	no
C32	C33	H33'	110.86	.	.	.	no
C34	C33	H33	110.71	.	.	.	no
C34	C33	H33'	110.70	.	.	.	no
H33	C33	H33'	108.79	.	.	.	no
O3	C34	H34'	110.51	.	.	.	no
C33	C34	H34'	110.49	.	.	.	no
H34	C34	H34'	108.58	.	.	.	no
C33	C34	H34	110.53	.	.	.	no
O3	C34	H34	110.54	.	.	.	no
O4	C41	C43	104.3(12)	.	.	.	yes
O4	C42	C44	102.3(16)	.	.	.	yes
C41	C43	C44	100.2(12)	.	.	.	no
C42	C44	C43	104.3(17)	.	.	.	no
C43	C41	H41	110.93	.	.	.	no
O4	C41	H41'	110.90	.	.	.	no
O4	C41	H41	110.85	.	.	.	no
C43	C41	H41'	110.96	.	.	.	no
H41	C41	H41'	108.85	.	.	.	no
O4	C42	H42	111.31	.	.	.	no

C44	C42	H42	111.26	.	.	.	no
C44	C42	H42'	111.37	.	.	.	no
H42	C42	H42'	109.17	.	.	.	no
O4	C42	H42'	111.33	.	.	.	no
C41	C43	H43'	111.67	.	.	.	no
C44	C43	H43	111.94	.	.	.	no
C41	C43	H43	111.65	.	.	.	no
H43	C43	H43'	109.57	.	.	.	no
C44	C43	H43'	111.57	.	.	.	no
C42	C44	H44'	110.77	.	.	.	no
C43	C44	H44	110.87	.	.	.	no
H44	C44	H44'	109.08	.	.	.	no
C43	C44	H44'	111.29	.	.	.	no
C42	C44	H44	110.44	.	.	.	no
C213	B2	C219	110.8(2)	.	.	.	yes
C21	B2	C27	111.3(2)	.	.	.	yes
C21	B2	C213	107.2(2)	.	.	.	yes
C21	B2	C219	111.7(2)	.	.	.	yes
C27	B2	C213	108.3(2)	.	.	.	yes
C27	B2	C219	107.6(2)	.	.	.	yes

loop\_

\_geom\_torsion\_atom\_site\_label\_1  
 \_geom\_torsion\_atom\_site\_label\_2  
 \_geom\_torsion\_atom\_site\_label\_3  
 \_geom\_torsion\_atom\_site\_label\_4  
 \_geom\_torsion  
 \_geom\_torsion\_site\_symmetry\_1  
 \_geom\_torsion\_site\_symmetry\_2  
 \_geom\_torsion\_site\_symmetry\_3  
 \_geom\_torsion\_site\_symmetry\_4  
 \_geom\_torsion\_publ\_flag

C11	Ti1	O1	C111	-99.6(3)	.	.	.	no
C11	Ti1	O1	C114	84.0(3)	.	.	.	no
C12	Ti1	O1	C111	-53.2(3)	.	.	.	no
C12	Ti1	O1	C114	130.4(2)	.	.	.	no
C13	Ti1	O1	C111	-52.2(3)	.	.	.	no
C13	Ti1	O1	C114	131.3(2)	.	.	.	no
C14	Ti1	O1	C111	-83.2(3)	.	.	.	no
C14	Ti1	O1	C114	100.4(2)	.	.	.	no
C15	Ti1	O1	C111	-110.7(3)	.	.	.	no
C15	Ti1	O1	C114	72.9(2)	.	.	.	no
C115	Ti1	O1	C111	109.8(3)	.	.	.	no
C115	Ti1	O1	C114	-66.7(2)	.	.	.	no
C116	Ti1	O1	C111	142.7(3)	.	.	.	no
C116	Ti1	O1	C114	-33.7(2)	.	.	.	no
C117	Ti1	O1	C111	150.2(3)	.	.	.	no
C117	Ti1	O1	C114	-26.3(3)	.	.	.	no
C118	Ti1	O1	C111	109.9(3)	.	.	.	no
C118	Ti1	O1	C114	-66.6(3)	.	.	.	no
C119	Ti1	O1	C111	84.7(3)	.	.	.	no
C119	Ti1	O1	C114	-91.7(2)	.	.	.	no
O1	Ti1	C11	C12	97.5(2)	.	.	.	no
O1	Ti1	C11	C15	-19.4(3)	.	.	.	no
O1	Ti1	C11	C16	-140.6(3)	.	.	.	no
C12	Ti1	C11	C15	-116.9(3)	.	.	.	no
C12	Ti1	C11	C16	121.9(4)	.	.	.	no
C13	Ti1	C11	C12	36.89(18)	.	.	.	no
C13	Ti1	C11	C15	-80.0(2)	.	.	.	no
C13	Ti1	C11	C16	158.8(3)	.	.	.	no
C14	Ti1	C11	C12	78.3(2)	.	.	.	no

C14	Ti1	C11	C15	-38.6(2)	.	.	.	.	no
C14	Ti1	C11	C16	-159.8(4)	.	.	.	.	no
C15	Ti1	C11	C12	116.9(3)	.	.	.	.	no
C15	Ti1	C11	C16	-121.2(4)	.	.	.	.	no
C115	Ti1	C11	C12	-127.3(2)	.	.	.	.	no
C115	Ti1	C11	C15	115.8(2)	.	.	.	.	no
C115	Ti1	C11	C16	-5.4(4)	.	.	.	.	no
C116	Ti1	C11	C12	-152.52(18)	.	.	.	.	no
C116	Ti1	C11	C15	90.6(2)	.	.	.	.	no
C116	Ti1	C11	C16	-30.7(3)	.	.	.	.	no
C117	Ti1	C11	C12	-136.5(2)	.	.	.	.	no
C117	Ti1	C11	C15	106.6(2)	.	.	.	.	no
C117	Ti1	C11	C16	-14.6(3)	.	.	.	.	no
C118	Ti1	C11	C12	-101.30(19)	.	.	.	.	no
C118	Ti1	C11	C15	141.8(2)	.	.	.	.	no
C118	Ti1	C11	C16	20.6(3)	.	.	.	.	no
C119	Ti1	C11	C12	-87.0(2)	.	.	.	.	no
C119	Ti1	C11	C15	156.05(19)	.	.	.	.	no
C119	Ti1	C11	C16	34.8(3)	.	.	.	.	no
O1	Ti1	C12	C11	-115.0(2)	.	.	.	.	no
O1	Ti1	C12	C13	1.7(2)	.	.	.	.	no
O1	Ti1	C12	C17	125.3(3)	.	.	.	.	no
C11	Ti1	C12	C13	116.7(3)	.	.	.	.	no
C11	Ti1	C12	C17	-119.8(4)	.	.	.	.	no
C13	Ti1	C12	C11	-116.7(3)	.	.	.	.	no
C13	Ti1	C12	C17	123.5(4)	.	.	.	.	no
C14	Ti1	C12	C11	-79.1(2)	.	.	.	.	no
C14	Ti1	C12	C13	37.6(2)	.	.	.	.	no
C14	Ti1	C12	C17	161.2(4)	.	.	.	.	no
C15	Ti1	C12	C11	-37.08(19)	.	.	.	.	no
C15	Ti1	C12	C13	79.6(2)	.	.	.	.	no
C15	Ti1	C12	C17	-156.9(4)	.	.	.	.	no
C115	Ti1	C12	C11	96.7(2)	.	.	.	.	no
C115	Ti1	C12	C13	-146.6(2)	.	.	.	.	no
C115	Ti1	C12	C17	-23.1(4)	.	.	.	.	no
C116	Ti1	C12	C11	40.7(3)	.	.	.	.	no
C116	Ti1	C12	C13	157.42(19)	.	.	.	.	no
C116	Ti1	C12	C17	-79.0(4)	.	.	.	.	no
C117	Ti1	C12	C11	44.6(2)	.	.	.	.	no
C117	Ti1	C12	C13	161.29(19)	.	.	.	.	no
C117	Ti1	C12	C17	-75.2(3)	.	.	.	.	no
C118	Ti1	C12	C11	75.95(19)	.	.	.	.	no
C118	Ti1	C12	C13	-167.4(2)	.	.	.	.	no
C118	Ti1	C12	C17	-43.8(3)	.	.	.	.	no
C119	Ti1	C12	C11	107.93(19)	.	.	.	.	no
C119	Ti1	C12	C13	-135.39(19)	.	.	.	.	no
C119	Ti1	C12	C17	-11.9(3)	.	.	.	.	no
O1	Ti1	C13	C12	-178.68(18)	.	.	.	.	no
O1	Ti1	C13	C14	-63.3(2)	.	.	.	.	no
O1	Ti1	C13	C18	58.2(3)	.	.	.	.	no
C11	Ti1	C13	C12	-36.47(18)	.	.	.	.	no
C11	Ti1	C13	C14	78.9(2)	.	.	.	.	no
C11	Ti1	C13	C18	-159.6(3)	.	.	.	.	no
C12	Ti1	C13	C14	115.4(3)	.	.	.	.	no
C12	Ti1	C13	C18	-123.1(4)	.	.	.	.	no
C14	Ti1	C13	C12	-115.4(3)	.	.	.	.	no
C14	Ti1	C13	C18	121.5(4)	.	.	.	.	no
C15	Ti1	C13	C12	-77.9(2)	.	.	.	.	no
C15	Ti1	C13	C14	37.5(2)	.	.	.	.	no
C15	Ti1	C13	C18	158.9(3)	.	.	.	.	no
C117	Ti1	C13	C12	-26.9(3)	.	.	.	.	no

C117	Ti1	C13	C14	88.5(2)	.	.	.	.	no
C117	Ti1	C13	C18	-150.0(3)	.	.	.	.	no
C118	Ti1	C13	C12	15.1(2)	.	.	.	.	no
C118	Ti1	C13	C14	130.5(2)	.	.	.	.	no
C118	Ti1	C13	C18	-108.1(3)	.	.	.	.	no
C119	Ti1	C13	C12	61.6(2)	.	.	.	.	no
C119	Ti1	C13	C14	177.0(2)	.	.	.	.	no
C119	Ti1	C13	C18	-61.5(3)	.	.	.	.	no
O1	Ti1	C14	C13	115.6(2)	.	.	.	.	no
O1	Ti1	C14	C15	-128.2(2)	.	.	.	.	no
O1	Ti1	C14	C19	-7.8(3)	.	.	.	.	no
C11	Ti1	C14	C13	-77.9(2)	.	.	.	.	no
C11	Ti1	C14	C15	38.25(19)	.	.	.	.	no
C11	Ti1	C14	C19	158.7(4)	.	.	.	.	no
C12	Ti1	C14	C13	-37.3(2)	.	.	.	.	no
C12	Ti1	C14	C15	78.9(2)	.	.	.	.	no
C12	Ti1	C14	C19	-160.7(4)	.	.	.	.	no
C13	Ti1	C14	C15	116.2(3)	.	.	.	.	no
C13	Ti1	C14	C19	-123.4(4)	.	.	.	.	no
C15	Ti1	C14	C13	-116.2(3)	.	.	.	.	no
C15	Ti1	C14	C19	120.5(4)	.	.	.	.	no
C115	Ti1	C14	C13	148.4(3)	.	.	.	.	no
C115	Ti1	C14	C15	-95.5(3)	.	.	.	.	no
C115	Ti1	C14	C19	25.0(5)	.	.	.	.	no
C116	Ti1	C14	C13	-165.1(2)	.	.	.	.	no
C116	Ti1	C14	C15	-48.9(3)	.	.	.	.	no
C116	Ti1	C14	C19	71.6(4)	.	.	.	.	no
C117	Ti1	C14	C13	-122.1(2)	.	.	.	.	no
C117	Ti1	C14	C15	-5.9(2)	.	.	.	.	no
C117	Ti1	C14	C19	114.6(3)	.	.	.	.	no
C118	Ti1	C14	C13	-77.3(3)	.	.	.	.	no
C118	Ti1	C14	C15	38.8(3)	.	.	.	.	no
C118	Ti1	C14	C19	159.3(3)	.	.	.	.	no
O1	Ti1	C15	C11	166.27(19)	.	.	.	.	no
O1	Ti1	C15	C14	52.4(2)	.	.	.	.	no
O1	Ti1	C15	C110	-69.9(3)	.	.	.	.	no
C11	Ti1	C15	C14	-113.9(3)	.	.	.	.	no
C11	Ti1	C15	C110	123.8(4)	.	.	.	.	no
C12	Ti1	C15	C11	36.2(2)	.	.	.	.	no
C12	Ti1	C15	C14	-77.7(2)	.	.	.	.	no
C12	Ti1	C15	C110	160.0(3)	.	.	.	.	no
C13	Ti1	C15	C11	77.0(2)	.	.	.	.	no
C13	Ti1	C15	C14	-36.92(19)	.	.	.	.	no
C13	Ti1	C15	C110	-159.2(3)	.	.	.	.	no
C14	Ti1	C15	C11	113.9(3)	.	.	.	.	no
C14	Ti1	C15	C110	-122.3(4)	.	.	.	.	no
C115	Ti1	C15	C11	-105.6(2)	.	.	.	.	no
C115	Ti1	C15	C14	140.5(2)	.	.	.	.	no
C115	Ti1	C15	C110	18.2(4)	.	.	.	.	no
C116	Ti1	C15	C11	-101.1(2)	.	.	.	.	no
C116	Ti1	C15	C14	144.97(19)	.	.	.	.	no
C116	Ti1	C15	C110	22.7(3)	.	.	.	.	no
C117	Ti1	C15	C11	-70.9(2)	.	.	.	.	no
C117	Ti1	C15	C14	175.2(2)	.	.	.	.	no
C117	Ti1	C15	C110	53.0(3)	.	.	.	.	no
C118	Ti1	C15	C11	-40.3(2)	.	.	.	.	no
C118	Ti1	C15	C14	-154.19(19)	.	.	.	.	no
C118	Ti1	C15	C110	83.6(3)	.	.	.	.	no
C119	Ti1	C15	C11	-41.1(3)	.	.	.	.	no
C119	Ti1	C15	C14	-155.1(2)	.	.	.	.	no
C119	Ti1	C15	C110	82.7(4)	.	.	.	.	no



O1	Ti1	C115	C116	104.12(19)	.	.	.	.	no
O1	Ti1	C115	C119	-138.43(18)	.	.	.	.	no
C11	Ti1	C115	C116	-45.8(3)	.	.	.	.	no
C11	Ti1	C115	C119	71.7(2)	.	.	.	.	no
C12	Ti1	C115	C116	-100.0(2)	.	.	.	.	no
C12	Ti1	C115	C119	17.5(3)	.	.	.	.	no
C14	Ti1	C115	C116	71.3(4)	.	.	.	.	no
C14	Ti1	C115	C119	-171.3(3)	.	.	.	.	no
C15	Ti1	C115	C116	7.7(3)	.	.	.	.	no
C15	Ti1	C115	C119	125.1(2)	.	.	.	.	no
C116	Ti1	C115	C119	117.5(3)	.	.	.	.	no
C117	Ti1	C115	C116	-34.97(18)	.	.	.	.	no
C117	Ti1	C115	C119	82.48(19)	.	.	.	.	no
C118	Ti1	C115	C116	-75.8(2)	.	.	.	.	no
C118	Ti1	C115	C119	41.63(17)	.	.	.	.	no
C119	Ti1	C115	C116	-117.5(3)	.	.	.	.	no
O1	Ti1	C116	C115	-72.49(19)	.	.	.	.	no
O1	Ti1	C116	C117	168.45(19)	.	.	.	.	no
C11	Ti1	C116	C115	148.63(18)	.	.	.	.	no
C11	Ti1	C116	C117	29.6(2)	.	.	.	.	no
C12	Ti1	C116	C115	125.9(2)	.	.	.	.	no
C12	Ti1	C116	C117	6.8(3)	.	.	.	.	no
C14	Ti1	C116	C115	-148.1(2)	.	.	.	.	no
C14	Ti1	C116	C117	92.9(2)	.	.	.	.	no
C15	Ti1	C116	C115	-174.89(19)	.	.	.	.	no
C15	Ti1	C116	C117	66.0(2)	.	.	.	.	no
C115	Ti1	C116	C117	-119.1(3)	.	.	.	.	no
C117	Ti1	C116	C115	119.1(3)	.	.	.	.	no
C118	Ti1	C116	C115	82.9(2)	.	.	.	.	no
C118	Ti1	C116	C117	-36.19(19)	.	.	.	.	no
C119	Ti1	C116	C115	38.57(19)	.	.	.	.	no
C119	Ti1	C116	C117	-80.5(2)	.	.	.	.	no
O1	Ti1	C117	C116	-13.6(2)	.	.	.	.	no
O1	Ti1	C117	C118	-132.47(17)	.	.	.	.	no
C11	Ti1	C117	C116	-151.9(2)	.	.	.	.	no
C11	Ti1	C117	C118	89.27(19)	.	.	.	.	no
C12	Ti1	C117	C116	-175.32(18)	.	.	.	.	no
C12	Ti1	C117	C118	65.83(19)	.	.	.	.	no
C13	Ti1	C117	C116	-160.01(19)	.	.	.	.	no
C13	Ti1	C117	C118	81.2(2)	.	.	.	.	no
C14	Ti1	C117	C116	-115.4(2)	.	.	.	.	no
C14	Ti1	C117	C118	125.80(19)	.	.	.	.	no
C15	Ti1	C117	C116	-118.7(2)	.	.	.	.	no
C15	Ti1	C117	C118	122.41(19)	.	.	.	.	no
C115	Ti1	C117	C116	35.60(18)	.	.	.	.	no
C115	Ti1	C117	C118	-83.2(2)	.	.	.	.	no
C116	Ti1	C117	C118	-118.9(3)	.	.	.	.	no
C118	Ti1	C117	C116	118.9(3)	.	.	.	.	no
C119	Ti1	C117	C116	79.6(2)	.	.	.	.	no
C119	Ti1	C117	C118	-39.24(18)	.	.	.	.	no
O1	Ti1	C118	C117	74.7(2)	.	.	.	.	no
O1	Ti1	C118	C119	-41.4(2)	.	.	.	.	no
C11	Ti1	C118	C117	-84.98(19)	.	.	.	.	no
C11	Ti1	C118	C119	158.89(17)	.	.	.	.	no
C12	Ti1	C118	C117	-118.17(19)	.	.	.	.	no
C12	Ti1	C118	C119	125.69(16)	.	.	.	.	no
C13	Ti1	C118	C117	-126.59(19)	.	.	.	.	no
C13	Ti1	C118	C119	117.28(17)	.	.	.	.	no
C14	Ti1	C118	C117	-85.5(2)	.	.	.	.	no
C14	Ti1	C118	C119	158.39(18)	.	.	.	.	no
C15	Ti1	C118	C117	-63.1(2)	.	.	.	.	no

C15	Ti1	C118	C119	-179.23(16)	.	.	.	.	no
C115	Ti1	C118	C117	74.79(19)	.	.	.	.	no
C115	Ti1	C118	C119	-41.35(16)	.	.	.	.	no
C116	Ti1	C118	C117	34.83(18)	.	.	.	.	no
C116	Ti1	C118	C119	-81.30(17)	.	.	.	.	no
C117	Ti1	C118	C119	-116.1(2)	.	.	.	.	no
C119	Ti1	C118	C117	116.1(2)	.	.	.	.	no
O1	Ti1	C119	C115	43.20(18)	.	.	.	.	no
O1	Ti1	C119	C118	153.16(15)	.	.	.	.	no
O1	Ti1	C119	C120	-81.43(19)	.	.	.	.	no
C11	Ti1	C119	C115	-133.45(18)	.	.	.	.	no
C11	Ti1	C119	C118	-23.49(19)	.	.	.	.	no
C11	Ti1	C119	C120	101.9(2)	.	.	.	.	no
C12	Ti1	C119	C115	-169.91(17)	.	.	.	.	no
C12	Ti1	C119	C118	-59.95(17)	.	.	.	.	no
C12	Ti1	C119	C120	65.5(2)	.	.	.	.	no
C13	Ti1	C119	C115	158.19(18)	.	.	.	.	no
C13	Ti1	C119	C118	-91.9(2)	.	.	.	.	no
C13	Ti1	C119	C120	33.6(3)	.	.	.	.	no
C15	Ti1	C119	C115	-108.6(2)	.	.	.	.	no
C15	Ti1	C119	C118	1.3(3)	.	.	.	.	no
C15	Ti1	C119	C120	126.7(2)	.	.	.	.	no
C115	Ti1	C119	C118	110.0(2)	.	.	.	.	no
C115	Ti1	C119	C120	-124.6(3)	.	.	.	.	no
C116	Ti1	C119	C115	-35.04(17)	.	.	.	.	no
C116	Ti1	C119	C118	74.92(17)	.	.	.	.	no
C116	Ti1	C119	C120	-159.7(2)	.	.	.	.	no
C117	Ti1	C119	C115	-73.83(18)	.	.	.	.	no
C117	Ti1	C119	C118	36.13(15)	.	.	.	.	no
C117	Ti1	C119	C120	161.5(2)	.	.	.	.	no
C118	Ti1	C119	C115	-110.0(2)	.	.	.	.	no
C118	Ti1	C119	C120	125.4(3)	.	.	.	.	no
Ti1	O1	C114	C113	-160.7(2)	.	.	.	.	no
C111	O1	C114	C113	22.2(4)	.	.	.	.	no
Ti1	O1	C111	C112	177.3(2)	.	.	.	.	no
C114	O1	C111	C112	-5.9(4)	.	.	.	.	no
C34	O3	C31	C32	-22.2(6)	.	.	.	.	no
C31	O3	C34	C33	29.3(6)	.	.	.	.	no
C42	O4	C41	C43	-15.9(18)	.	.	.	.	no
C41	O4	C42	C44	40(2)	.	.	.	.	no
Ti1	C11	C15	C110	-121.2(4)	.	.	.	.	no
C15	C11	C12	C13	-1.8(4)	.	.	.	.	no
C15	C11	C12	C17	-168.7(3)	.	.	.	.	no
C16	C11	C12	Ti1	-127.2(3)	.	.	.	.	no
C16	C11	C12	C13	169.2(3)	.	.	.	.	no
C16	C11	C15	C110	3.5(6)	.	.	.	.	no
Ti1	C11	C12	C13	-63.7(2)	.	.	.	.	no
Ti1	C11	C12	C17	129.5(3)	.	.	.	.	no
C15	C11	C12	Ti1	61.8(2)	.	.	.	.	no
Ti1	C11	C15	C14	67.5(3)	.	.	.	.	no
C12	C11	C15	Ti1	-64.5(3)	.	.	.	.	no
C12	C11	C15	C14	3.1(4)	.	.	.	.	no
C16	C11	C12	C17	2.4(5)	.	.	.	.	no
C12	C11	C15	C110	174.3(4)	.	.	.	.	no
C16	C11	C15	C14	-167.7(3)	.	.	.	.	no
C16	C11	C15	Ti1	124.7(4)	.	.	.	.	no
C17	C12	C13	C18	-5.6(6)	.	.	.	.	no
C17	C12	C13	C14	166.3(3)	.	.	.	.	no
C11	C12	C13	C18	-172.0(4)	.	.	.	.	no
C17	C12	C13	Ti1	-130.0(3)	.	.	.	.	no
C11	C12	C13	C14	-0.1(4)	.	.	.	.	no

Ti1	C12	C13	C18	124.4(4)	.	.	.	.	no
Ti1	C12	C13	C14	-63.7(3)	.	.	.	.	no
C11	C12	C13	Ti1	63.6(2)	.	.	.	.	no
Ti1	C13	C14	C15	-63.1(3)	.	.	.	.	no
C18	C13	C14	C19	1.5(6)	.	.	.	.	no
Ti1	C13	C14	C19	124.5(4)	.	.	.	.	no
C12	C13	C14	Ti1	65.1(2)	.	.	.	.	no
C18	C13	C14	Ti1	-123.0(4)	.	.	.	.	no
C18	C13	C14	C15	173.9(4)	.	.	.	.	no
C12	C13	C14	C15	2.0(4)	.	.	.	.	no
C12	C13	C14	C19	-170.4(4)	.	.	.	.	no
C19	C14	C15	Ti1	-122.3(4)	.	.	.	.	no
C13	C14	C15	C110	-174.5(4)	.	.	.	.	no
C19	C14	C15	C11	169.3(4)	.	.	.	.	no
C13	C14	C15	C11	-3.2(4)	.	.	.	.	no
C19	C14	C15	C110	-2.0(6)	.	.	.	.	no
Ti1	C14	C15	C110	120.3(4)	.	.	.	.	no
Ti1	C14	C15	C11	-68.4(3)	.	.	.	.	no
C13	C14	C15	Ti1	65.3(3)	.	.	.	.	no
O1	C111	C112	H112	-132.62	.	.	.	.	no
O1	C111	C112	H112'	107.25	.	.	.	.	no
H111	C111	C112	H112	-12.53	.	.	.	.	no
H111'	C111	C112	H112'	-12.70	.	.	.	.	no
H111'	C111	C112	C113	-132.61	.	.	.	.	no
H111	C111	C112	H112'	-132.67	.	.	.	.	no
H111	C111	C112	C113	107.43	.	.	.	.	no
H111'	C111	C112	H112	107.43	.	.	.	.	no
C111	C112	C113	H113'	-93.36	.	.	.	.	no
H112'	C112	C113	C114	-93.91	.	.	.	.	no
C111	C112	C113	H113	145.47	.	.	.	.	no
H112	C112	C113	H113'	26.62	.	.	.	.	no
H112	C112	C113	H113	-94.55	.	.	.	.	no
H112	C112	C113	C114	146.03	.	.	.	.	no
H112'	C112	C113	H113	25.51	.	.	.	.	no
H112'	C112	C113	H113'	146.67	.	.	.	.	no
H113	C113	C114	H114'	91.59	.	.	.	.	no
H113'	C113	C114	O1	90.11	.	.	.	.	no
H113	C113	C114	H114	-29.09	.	.	.	.	no
H113'	C113	C114	H114'	-29.56	.	.	.	.	no
C112	C113	C114	H114	90.35	.	.	.	.	no
H113'	C113	C114	H114	-150.24	.	.	.	.	no
H113	C113	C114	O1	-148.74	.	.	.	.	no
C112	C113	C114	H114'	-148.97	.	.	.	.	no
H115	C115	C119	C120	-34.22	.	.	.	.	no
H115	C115	C116	C117	-179.02	.	.	.	.	no
H115	C115	C116	Ti1	120.16	.	.	.	.	no
C119	C115	C116	H116	-179.03	.	.	.	.	no
H115	C115	C119	C118	178.18	.	.	.	.	no
H115	C115	C116	H116	0.95	.	.	.	.	no
Ti1	C115	C116	H116	-119.21	.	.	.	.	no
H115	C115	C119	Ti1	-112.56	.	.	.	.	no
C115	C116	C117	H117	-179.68	.	.	.	.	no
H116	C116	C117	H117	0.35	.	.	.	.	no
H116	C116	C117	C118	-179.69	.	.	.	.	no
H116	C116	C117	Ti1	122.06	.	.	.	.	no
Ti1	C116	C117	H117	-121.70	.	.	.	.	no
H117	C117	C118	H118	-1.46	.	.	.	.	no
H117	C117	C118	C119	178.50	.	.	.	.	no
C116	C117	C118	H118	178.58	.	.	.	.	no
H117	C117	C118	Ti1	116.81	.	.	.	.	no
Ti1	C117	C118	H118	-118.27	.	.	.	.	no

H118	C118	C119	Ti1	111.48	.	.	.	.	no
H118	C118	C119	C120	34.51	.	.	.	.	no
H118	C118	C119	C115	-178.05	.	.	.	.	no
C121	C120	C125	H125	177.28	.	.	.	.	no
C119	C120	C125	H125	-39.19	.	.	.	.	no
C125	C120	C121	H121	-177.29	.	.	.	.	no
C119	C120	C121	H121	39.20	.	.	.	.	no
C122	C121	C126	H126'	179.16	.	.	.	.	no
H121	C121	C122	H122	-59.19	.	.	.	.	no
C120	C121	C126	H126'	-63.02	.	.	.	.	no
C120	C121	C126	H126	178.49	.	.	.	.	no
C26	C21	B2	C219	-163.9(3)	.	.	.	.	no
C122	C121	C126	H126	60.67	.	.	.	.	no
H121	C121	C126	C127	179.98	.	.	.	.	no
H121	C121	C122	H122'	59.29	.	.	.	.	no
H121	C121	C122	C123	-179.96	.	.	.	.	no
C126	C121	C122	H122'	-60.62	.	.	.	.	no
C126	C121	C122	H122	-179.11	.	.	.	.	no
C26	C21	B2	C213	-42.4(4)	.	.	.	.	no
C26	C21	C22	C23	-0.1(4)	.	.	.	.	no
B2	C21	C22	C23	179.7(3)	.	.	.	.	no
C22	C21	C26	C25	0.2(5)	.	.	.	.	no
H121	C121	C126	H126'	59.22	.	.	.	.	no
H121	C121	C126	H126	-59.27	.	.	.	.	no
C26	C21	B2	C27	75.8(3)	.	.	.	.	no
C22	C21	B2	C213	137.8(3)	.	.	.	.	no
C22	C21	B2	C219	16.4(4)	.	.	.	.	no
C120	C121	C122	H122'	178.77	.	.	.	.	no
C120	C121	C122	H122	60.28	.	.	.	.	no
C22	C21	B2	C27	-103.9(3)	.	.	.	.	no
B2	C21	C26	C25	-179.5(3)	.	.	.	.	no
H122'	C122	C123	H123	-59.43	.	.	.	.	no
H122	C122	C123	C128	179.28	.	.	.	.	no
C121	C122	C123	H123	179.82	.	.	.	.	no
H122	C122	C123	C124	-61.71	.	.	.	.	no
H122'	C122	C123	C124	179.80	.	.	.	.	no
H122'	C122	C123	C128	60.78	.	.	.	.	no
C21	C22	C23	C24	-0.2(5)	.	.	.	.	no
H122	C122	C123	H123	59.07	.	.	.	.	no
C128	C123	C124	H124	-60.15	.	.	.	.	no
H123	C123	C128	H128	-59.97	.	.	.	.	no
C128	C123	C124	H124'	-179.01	.	.	.	.	no
C122	C123	C124	H124	-179.09	.	.	.	.	no
H123	C123	C124	H124'	-58.72	.	.	.	.	no
C124	C123	C128	H128	60.32	.	.	.	.	no
H123	C123	C124	C125	-179.29	.	.	.	.	no
C122	C123	C124	H124'	62.05	.	.	.	.	no
H123	C123	C124	H124	60.14	.	.	.	.	no
C122	C123	C128	H128	179.84	.	.	.	.	no
C124	C123	C128	H128'	178.96	.	.	.	.	no
C122	C123	C128	H128'	-61.51	.	.	.	.	no
H123	C123	C128	H128'	58.68	.	.	.	.	no
H123	C123	C128	C127	179.34	.	.	.	.	no
C22	C23	C24	C25	0.4(5)	.	.	.	.	no
H124	C124	C125	C129	60.07	.	.	.	.	no
H124'	C124	C125	C129	179.07	.	.	.	.	no
C123	C124	C125	H125	179.46	.	.	.	.	no
H124	C124	C125	C120	-178.97	.	.	.	.	no
H124'	C124	C125	H125	58.96	.	.	.	.	no
H124	C124	C125	H125	-60.04	.	.	.	.	no
C23	C24	C25	C26	-0.3(5)	.	.	.	.	no

H124'	C124	C125	C120	-59.97	.	.	.	.	no
H125	C125	C129	H129'	58.52	.	.	.	.	no
C120	C125	C129	H129'	179.20	.	.	.	.	no
H125	C125	C129	C127	179.03	.	.	.	.	no
C124	C125	C129	H129	179.43	.	.	.	.	no
C124	C125	C129	H129'	-61.54	.	.	.	.	no
H125	C125	C129	H129	-60.51	.	.	.	.	no
C24	C25	C26	C21	-0.1(5)	.	.	.	.	no
C120	C125	C129	H129	60.16	.	.	.	.	no
C121	C126	C127	H127	-179.50	.	.	.	.	no
H126	C126	C127	H127	59.74	.	.	.	.	no
H126	C126	C127	C128	-60.27	.	.	.	.	no
H126'	C126	C127	C129	60.72	.	.	.	.	no
H126	C126	C127	C129	179.20	.	.	.	.	no
H126'	C126	C127	C128	-178.76	.	.	.	.	no
H126'	C126	C127	H127	-58.74	.	.	.	.	no
C126	C127	C128	H128	179.71	.	.	.	.	no
C126	C127	C128	H128'	60.98	.	.	.	.	no
C126	C127	C129	H129'	-178.16	.	.	.	.	no
B2	C27	C28	C29	-172.9(3)	.	.	.	.	no
C129	C127	C128	H128'	-179.51	.	.	.	.	no
C28	C27	B2	C213	90.4(3)	.	.	.	.	no
C28	C27	B2	C219	-149.8(3)	.	.	.	.	no
C28	C27	B2	C21	-27.2(4)	.	.	.	.	no
H127	C127	C129	H129	60.29	.	.	.	.	no
H127	C127	C128	H128	59.68	.	.	.	.	no
C212	C27	B2	C219	36.4(4)	.	.	.	.	no
H127	C127	C128	H128'	-59.05	.	.	.	.	no
C212	C27	B2	C213	-83.4(3)	.	.	.	.	no
C126	C127	C129	H129	-59.16	.	.	.	.	no
C212	C27	B2	C21	159.1(3)	.	.	.	.	no
C129	C127	C128	H128	-60.78	.	.	.	.	no
C212	C27	C28	C29	1.2(4)	.	.	.	.	no
H127	C127	C129	C125	-179.23	.	.	.	.	no
H127	C127	C129	H129'	-58.71	.	.	.	.	no
H127	C127	C128	C123	-179.66	.	.	.	.	no
C28	C27	C212	C211	-1.0(4)	.	.	.	.	no
C128	C127	C129	H129'	61.72	.	.	.	.	no
C128	C127	C129	H129	-179.28	.	.	.	.	no
B2	C27	C212	C211	173.3(3)	.	.	.	.	no
C27	C28	C29	C210	-0.2(4)	.	.	.	.	no
C28	C29	C210	C211	-1.0(4)	.	.	.	.	no
C29	C210	C211	C212	1.2(5)	.	.	.	.	no
C210	C211	C212	C27	-0.1(5)	.	.	.	.	no
C218	C213	B2	C27	-168.9(2)	.	.	.	.	no
C214	C213	B2	C219	-106.7(3)	.	.	.	.	no
C218	C213	B2	C21	-48.7(3)	.	.	.	.	no
C218	C213	C214	C215	0.6(4)	.	.	.	.	no
C214	C213	B2	C21	131.2(3)	.	.	.	.	no
B2	C213	C218	C217	178.9(3)	.	.	.	.	no
C218	C213	B2	C219	73.4(3)	.	.	.	.	no
C214	C213	B2	C27	11.0(4)	.	.	.	.	no
C214	C213	C218	C217	-1.0(4)	.	.	.	.	no
B2	C213	C214	C215	-179.3(3)	.	.	.	.	no
C213	C214	C215	C216	0.0(5)	.	.	.	.	no
C214	C215	C216	C217	-0.3(5)	.	.	.	.	no
C215	C216	C217	C218	0.0(5)	.	.	.	.	no
C216	C217	C218	C213	0.7(5)	.	.	.	.	no
C224	C219	B2	C213	173.5(2)	.	.	.	.	no
C224	C219	C220	C221	0.4(4)	.	.	.	.	no
C224	C219	B2	C27	55.2(3)	.	.	.	.	no

C220	C219	C224	C223	-1.0(4)	.	.	.	.	no
C220	C219	B2	C213	-3.5(4)	.	.	.	.	no
B2	C219	C220	C221	177.5(3)	.	.	.	.	no
C224	C219	B2	C21	-67.2(3)	.	.	.	.	no
C220	C219	B2	C21	115.9(3)	.	.	.	.	no
B2	C219	C224	C223	-178.2(3)	.	.	.	.	no
C220	C219	B2	C27	-121.7(3)	.	.	.	.	no
C219	C220	C221	C222	0.5(5)	.	.	.	.	no
C220	C221	C222	C223	-0.9(5)	.	.	.	.	no
C221	C222	C223	C224	0.3(5)	.	.	.	.	no
C222	C223	C224	C219	0.7(5)	.	.	.	.	no
C53	C51	C52	C53	-73(3)	.	.	.	3_666	no
C52	C51	C53	C52	77(3)	.	.	.	3_666	no
C51	C52	C53	C51	75(3)	.	.	3_666	3_666	no
O3	C31	C32	C33	5.9(7)	.	.	.	.	no
C31	C32	C33	C34	11.7(7)	.	.	.	.	no
C32	C33	C34	O3	-25.6(7)	.	.	.	.	no
O4	C41	C43	C44	-13.3(17)	.	.	.	.	no
O4	C42	C44	C43	-50(2)	.	.	.	.	no
C41	C43	C44	C42	38.1(18)	.	.	.	.	no

loop\_

\_geom\_contact\_atom\_site\_label\_1

\_geom\_contact\_atom\_site\_label\_2

\_geom\_contact\_distance

\_geom\_contact\_site\_symmetry\_1

\_geom\_contact\_site\_symmetry\_2

\_geom\_contact\_publ\_flag

Ti1	C121	3.655(3)	.	.	.	.	.	no
Ti1	C125	3.530(4)	.	.	.	.	.	no
Ti1	H121	3.6031	.	.	.	.	.	no
Ti1	H125	3.3817	.	.	.	.	.	no
O1	C13	3.386(4)	.	.	.	.	.	no
O1	C14	2.916(4)	.	.	.	.	.	no
O1	C19	3.069(5)	.	.	.	.	.	no
O1	C115	2.844(3)	.	.	.	.	.	no
O1	C116	3.223(3)	.	.	.	.	.	no
O1	H19"	2.8147	.	.	.	.	.	no
O1	H115	2.7686	.	.	.	.	.	no
O3	H29	2.8206	.	.	1_655	.	.	no
C11	C14	2.300(5)	.	.	.	.	.	no
C11	C17	2.580(5)	.	.	.	.	.	no
C11	C110	2.618(5)	.	.	.	.	.	no
C11	C117	3.108(4)	.	.	.	.	.	no
C11	C118	3.055(4)	.	.	.	.	.	no
C11	C13	2.306(5)	.	.	.	.	.	no
C12	C118	3.302(4)	.	.	.	.	.	no
C12	C16	2.591(5)	.	.	.	.	.	no
C12	C14	2.303(4)	.	.	.	.	.	no
C12	C15	2.297(5)	.	.	.	.	.	no
C12	C18	2.623(5)	.	.	.	.	.	no
C13	C11	2.306(5)	.	.	.	.	.	no
C13	C15	2.308(5)	.	.	.	.	.	no
C13	O1	3.386(4)	.	.	.	.	.	no
C13	C19	2.618(5)	.	.	.	.	.	no
C13	C17	2.627(5)	.	.	.	.	.	no
C14	C12	2.303(4)	.	.	.	.	.	no
C14	C110	2.612(6)	.	.	.	.	.	no
C14	O1	2.916(4)	.	.	.	.	.	no
C14	C11	2.300(5)	.	.	.	.	.	no
C14	C18	2.618(5)	.	.	.	.	.	no

C15	C117	3.396(4)	.	.	no
C15	C16	2.619(5)	.	.	no
C15	C12	2.297(5)	.	.	no
C15	C13	2.308(5)	.	.	no
C15	C19	2.609(5)	.	.	no
C17	C121	3.496(5)	.	.	no
C17	C126	3.579(5)	.	.	no
C19	C28	3.578(5)	.	4_555	no
C19	C111	3.443(6)	.	.	no
C22	C224	3.268(4)	.	.	no
C22	C114	3.590(5)	.	4_554	no
C26	C28	3.338(4)	.	.	no
C26	C218	3.288(4)	.	.	no
C28	C19	3.578(5)	.	4_454	no
C28	C26	3.338(4)	.	.	no
C11	H51	2.9565	.	.	no
C11	H117	3.0768	.	.	no
C11	H118	2.9984	.	.	no
C111	C19	3.443(6)	.	.	no
C114	C22	3.590(5)	.	4_455	no
C115	C117	2.263(5)	.	.	no
C115	C114	3.279(5)	.	.	no
C115	C120	2.519(4)	.	.	no
C115	C118	2.283(4)	.	.	no
C115	O1	2.844(3)	.	.	no
C16	H17	2.8881	.	.	no
C16	H41	3.0057	.	1_455	no
C116	O1	3.223(3)	.	.	no
C116	C118	2.281(4)	.	.	no
C116	C119	2.325(4)	.	.	no
C16	H110'	2.9188	.	.	no
C116	C114	3.292(5)	.	.	no
C16	H117	2.8340	.	.	no
C16	H51	2.9173	.	.	no
C16	H118	2.9403	.	.	no
C17	H18'	2.9415	.	.	no
C117	C120	3.597(4)	.	.	no
C17	H121	2.8264	.	.	no
C17	H224	2.8920	.	.	no
C117	C119	2.315(4)	.	.	no
C17	H126'	2.9702	.	.	no
C117	C115	2.263(5)	.	.	no
C117	C11	3.108(4)	.	.	no
C17	H16"	2.9565	.	.	no
C117	C15	3.396(4)	.	.	no
C117	C16	3.226(5)	.	.	no
C18	H126'	3.0604	.	.	no
C118	C16	3.273(5)	.	.	no
C118	C12	3.302(4)	.	.	no
C18	H26	3.0418	.	4_555	no
C118	C116	2.281(4)	.	.	no
C118	C115	2.283(4)	.	.	no
C18	H19'	2.8434	.	.	no
C18	H17'	2.8918	.	.	no
C118	C11	3.055(4)	.	.	no
C118	C120	2.517(4)	.	.	no
C19	H110	2.9298	.	.	no
C119	C116	2.325(4)	.	.	no
C19	H18"	2.9431	.	.	no
C119	C117	2.315(4)	.	.	no
C19	H111	2.9573	.	.	no

C19	H28	3.0653	.	4_555	no
C120	C128	3.546(5)	.	.	no
C121	Ti1	3.655(3)	.	.	no
C21	H28	2.7444	.	.	no
C121	C17	3.496(5)	.	.	no
C21	H218	2.8183	.	.	no
C22	H126	3.0894	.	.	no
C122	C129	3.543(5)	.	.	no
C22	H114'	2.9597	.	4_554	no
C22	H224	3.0062	.	.	no
C23	H126	2.9795	.	.	no
C124	C126	3.544(6)	.	.	no
C124	C222	3.557(6)	.	2_545	no
C125	Ti1	3.530(4)	.	.	no
C126	C124	3.544(6)	.	.	no
C26	H28	2.6495	.	.	no
C126	C17	3.579(5)	.	.	no
C27	H224	2.9341	.	.	no
C27	H214	2.6207	.	.	no
C128	C120	3.546(5)	.	.	no
C28	H121	2.9184	.	.	no
C28	H19'	3.0073	.	4_454	no
C29	H121	2.9554	.	.	no
C29	H113'	3.0333	.	4_454	no
C29	H118	2.8327	.	.	no
C129	C122	3.543(5)	.	.	no
C31	H113'	3.0584	.	4_554	no
C41	H16'	2.8802	.	1_655	no
C51	H51'	2.8333	.	3_666	no
C52	H52	2.8859	.	3_666	no
C53	H53'	2.7384	.	3_666	no
C110	H19"	2.9590	.	.	no
C110	H43	3.0027	.	3_666	no
C110	H16'	2.8345	.	.	no
C111	H125	2.9822	.	.	no
C111	H19'	2.9292	.	.	no
C212	C224	3.325(4)	.	.	no
C212	C214	3.431(4)	.	.	no
C113	H31	3.0603	.	4_455	no
C114	H116	3.0722	.	.	no
C214	C212	3.431(4)	.	.	no
C114	H19"	2.9803	.	.	no
C114	H115	3.0495	.	.	no
C115	H116	2.1038	.	.	no
C115	H125	2.6659	.	.	no
C115	H218	3.0401	.	4_455	no
C115	H114	2.9059	.	.	no
C116	H117	2.1003	.	.	no
C116	H218	2.9691	.	4_455	no
C116	H115	2.0959	.	.	no
C116	H114	3.0015	.	.	no
C117	H116	2.1047	.	.	no
C117	H118	2.1039	.	.	no
C117	H16'	3.0304	.	.	no
C117	H16"	3.0330	.	.	no
C218	C220	3.379(4)	.	.	no
C118	H117	2.1040	.	.	no
C118	H121	2.7541	.	.	no
C118	H16"	2.7919	.	.	no
C218	C26	3.288(4)	.	.	no
C119	H118	2.1354	.	.	no



C119	H115	2.1392	.	.	no
C119	H122	2.9401	.	.	no
C119	H124'	2.9559	.	.	no
C220	C218	3.379(4)	.	.	no
C121	H17'	3.0788	.	.	no
C121	H118	2.9785	.	.	no
C222	C124	3.557(6)	.	2_555	no
C224	C22	3.268(4)	.	.	no
C224	C212	3.325(4)	.	.	no
C125	H111'	2.8813	.	.	no
C125	H115	2.8806	.	.	no
C126	H17'	2.8006	.	.	no
C129	H111'	2.9101	.	.	no
C210	H16"	3.0071	.	.	no
C210	H118	2.9130	.	.	no
C211	H129'	2.9789	.	2_555	no
C212	H214	2.7919	.	.	no
C212	H129'	2.9278	.	2_555	no
C213	H220	2.6619	.	.	no
C213	H26	2.7250	.	.	no
C214	H111	3.0851	.	4_454	no
C217	H33'	2.8340	.	4_454	no
C218	H221	3.0473	.	3_665	no
C218	H26	3.0650	.	.	no
C218	H220	2.7597	.	.	no
C219	H212	2.6492	.	.	no
C219	H22	2.7507	.	.	no
C221	H113	2.8141	.	4_554	no
C222	H124	3.0711	.	2_555	no
C222	H113	2.7771	.	4_554	no
C223	H31	3.0528	.	.	no
C223	H124	2.9654	.	2_555	no
C223	H113	3.0608	.	4_554	no
C224	H22	2.5892	.	.	no
C224	H212	2.9848	.	.	no
H110'	C16	2.9188	.	.	no
H110'	H16'	2.2880	.	.	no
H111'	H129	2.4541	.	.	no
H111'	C125	2.8813	.	.	no
H111'	C129	2.9101	.	.	no
H111'	H125	2.2021	.	.	no
H112'	H220	2.5756	.	2_545	no
H113'	H31	2.5357	.	4_455	no
H113'	C31	3.0584	.	4_455	no
H113'	C29	3.0333	.	4_555	no
H113'	H19"	2.5506	.	.	no
H114'	C22	2.9597	.	4_455	no
H122'	H28	2.4525	.	.	no
H122'	H128'	2.5135	.	.	no
H122'	H126	2.4985	.	.	no
H124'	H122	2.5465	.	.	no
H124'	C119	2.9559	.	.	no
H126'	H17'	2.1170	.	.	no
H126'	C18	3.0604	.	.	no
H126'	C17	2.9702	.	.	no
H126'	H18'	2.1530	.	.	no
H126'	H129	2.4798	.	.	no
H128'	H122'	2.5135	.	.	no
H128'	H126	2.5122	.	.	no
H129'	C211	2.9789	.	2_545	no
H129'	H212	2.2856	.	2_545	no

H129'	H128	2.5628	.	.	no
H129'	C212	2.9278	.	2_545	no
H129'	H211	2.4118	.	2_545	no
H129'	H124	2.5647	.	.	no
H16	H51	2.2469	.	.	no
H16'	C117	3.0304	.	.	no
H16'	C41	2.8802	.	1_455	no
H16'	H41	2.0544	.	1_455	no
H16'	C110	2.8345	.	.	no
H16'	H117	2.3975	.	.	no
H16'	H110'	2.2880	.	.	no
H16"	H17	2.4372	.	.	no
H16"	C118	2.7919	.	.	no
H16"	C210	3.0071	.	.	no
H16"	C17	2.9565	.	.	no
H16"	H118	2.2413	.	.	no
H16"	C117	3.0330	.	.	no
H17	H121	2.3611	.	.	no
H17	H16"	2.4372	.	.	no
H17	C16	2.8881	.	.	no
H17'	C126	2.8006	.	.	no
H17'	H126'	2.1170	.	.	no
H17'	C121	3.0788	.	.	no
H17'	C18	2.8918	.	.	no
H17'	H18'	2.3471	.	.	no
H17"	H224	2.5584	.	.	no
H18	H26	2.5597	.	4_555	no
H18'	H126'	2.1530	.	.	no
H18'	H17'	2.3471	.	.	no
H18'	C17	2.9415	.	.	no
H18"	H19'	2.3241	.	.	no
H18"	C19	2.9431	.	.	no
H18"	H111	2.2871	.	.	no
H19'	C111	2.9292	.	.	no
H19'	H18"	2.3241	.	.	no
H19'	H28	2.5887	.	4_555	no
H19'	C18	2.8434	.	.	no
H19'	C28	3.0073	.	4_555	no
H19'	H111	2.2517	.	.	no
H19"	O1	2.8147	.	.	no
H19"	C110	2.9590	.	.	no
H19"	H110	2.4253	.	.	no
H19"	H113'	2.5506	.	.	no
H19"	C114	2.9803	.	.	no
H22	C219	2.7507	.	.	no
H22	H224	2.3839	.	.	no
H22	C224	2.5892	.	.	no
H23	H110	2.5646	.	4_554	no
H26	C18	3.0418	.	4_454	no
H26	H18	2.5597	.	4_454	no
H26	H28	2.5020	.	.	no
H26	C218	3.0650	.	.	no
H26	C213	2.7250	.	.	no
H28	H19'	2.5887	.	4_454	no
H28	H122'	2.4525	.	.	no
H28	C26	2.6495	.	.	no
H28	H26	2.5020	.	.	no
H28	C19	3.0653	.	4_454	no
H28	C21	2.7444	.	.	no
H29	O3	2.8206	.	1_455	no
H31	C223	3.0528	.	.	no

H31	C113	3.0603	.	4_554	no
H31	H113'	2.5357	.	4_554	no
H31'	H210	2.5865	.	1_655	no
H33'	H217	2.3888	.	4_555	no
H33'	C217	2.8340	.	4_555	no
H41	C16	3.0057	.	1_655	no
H41	H16'	2.0544	.	1_655	no
H42	H223	2.4787	.	.	no
H42'	H43	2.4192	.	.	no
H43	H42'	2.4192	.	.	no
H43	C110	3.0027	.	3_666	no
H51	C11	2.9565	.	.	no
H51	H16	2.2469	.	.	no
H51	C16	2.9173	.	.	no
H51'	H53'	1.7836	.	3_666	no
H51'	C51	2.8333	.	3_666	no
H51'	H123	2.3745	.	2_555	no
H51'	H52	1.9467	.	3_666	no
H52	H53'	1.9133	.	.	no
H52	H51'	1.9467	.	3_666	no
H52	C52	2.8859	.	3_666	no
H53'	H52	1.9133	.	.	no
H53'	C53	2.7373	.	3_666	no
H53'	H51'	1.7836	.	3_666	no
H110	H19"	2.4253	.	.	no
H110	H23	2.5646	.	4_455	no
H110	C19	2.9298	.	.	no
H111	C19	2.9573	.	.	no
H111	H18"	2.2871	.	.	no
H111	H19'	2.2517	.	.	no
H111	C214	3.0851	.	4_555	no
H112	H214	2.5765	.	4_555	no
H113	C221	2.8141	.	4_455	no
H113	C222	2.7771	.	4_455	no
H113	C223	3.0608	.	4_455	no
H114	H115	2.4950	.	.	no
H114	C115	2.9059	.	.	no
H114	C116	3.0015	.	.	no
H115	C125	2.8806	.	.	no
H115	H114	2.4950	.	.	no
H115	H125	2.2486	.	.	no
H115	C114	3.0495	.	.	no
H116	C114	3.0722	.	.	no
H116	H218	2.4850	.	4_455	no
H117	C16	2.8340	.	.	no
H117	H16'	2.3975	.	.	no
H118	H16"	2.2413	.	.	no
H118	C11	2.9984	.	.	no
H118	C29	2.8327	.	.	no
H118	C121	2.9785	.	.	no
H118	H121	2.3386	.	.	no
H118	C16	2.9403	.	.	no
H118	C210	2.9130	.	.	no
H121	C17	2.8264	.	.	no
H121	C28	2.9184	.	.	no
H121	H17	2.3611	.	.	no
H121	H118	2.3386	.	.	no
H121	Ti1	3.6031	.	.	no
H121	C29	2.9554	.	.	no
H121	C118	2.7541	.	.	no
H122	C119	2.9401	.	.	no

H122	H124'	2.5465	.	.	no
H123	H51'	2.3746	.	2_545	no
H124	H128	2.5090	.	.	no
H124	C222	3.0711	.	2_545	no
H124	C223	2.9654	.	2_545	no
H124	H129'	2.5647	.	.	no
H125	C115	2.6659	.	.	no
H125	H111'	2.2021	.	.	no
H125	C111	2.9822	.	.	no
H125	H115	2.2486	.	.	no
H125	Ti1	3.3817	.	.	no
H126	H122'	2.4985	.	.	no
H126	H128'	2.5122	.	.	no
H126	C22	3.0894	.	.	no
H126	C23	2.9795	.	.	no
H128	H129'	2.5628	.	.	no
H128	H124	2.5090	.	.	no
H129	H111'	2.4541	.	.	no
H129	H126'	2.4798	.	.	no
H210	H31'	2.5865	.	1_455	no
H211	H129'	2.4118	.	2_555	no
H212	C219	2.6492	.	.	no
H212	C224	2.9848	.	.	no
H212	H129'	2.2856	.	2_555	no
H214	C27	2.6207	.	.	no
H214	C212	2.7919	.	.	no
H214	H112	2.5765	.	4_454	no
H217	H33'	2.3888	.	4_454	no
H218	C21	2.8183	.	.	no
H218	C115	3.0401	.	4_554	no
H218	C116	2.9691	.	4_554	no
H218	H116	2.4850	.	4_554	no
H220	C213	2.6619	.	.	no
H220	C218	2.7597	.	.	no
H220	H112'	2.5756	.	2_555	no
H220	H221	2.5034	.	3_665	no
H221	C218	3.0474	.	3_665	no
H221	H220	2.5034	.	3_665	no
H223	H42	2.4787	.	.	no
H224	C17	2.8920	.	.	no
H224	C22	3.0062	.	.	no
H224	C27	2.9341	.	.	no
H224	H17"	2.5584	.	.	no
H224	H22	2.3839	.	.	no

#===END of Crystallographic Information File

data\_ADATICL

```

_audit_creation_method          SHELXL-97
_chemical_name_systematic
;
?
;
_chemical_name_common           ?
_chemical_melting_point         ?
_chemical_formula_moiety        ?
_chemical_formula_sum
'C25 H33 Cl Ti'
_chemical_formula_weight        416.86

```

```

loop_
  _atom_type_symbol
  _atom_type_description
  _atom_type_scatter_dispersion_real
  _atom_type_scatter_dispersion_imag
  _atom_type_scatter_source
  'C' 'C' 0.0033 0.0016
  'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'
  'H' 'H' 0.0000 0.0000
  'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'
  'Cl' 'Cl' 0.1484 0.1585
  'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'
  'Ti' 'Ti' 0.2776 0.4457
  'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'

_symmetry_cell_setting          triclinic
_symmetry_space_group_name_H-M P-1

loop_
  _symmetry_equiv_pos_as_xyz
  'x, y, z'
  '-x, -y, -z'

_cell_length_a                11.9442(4)
_cell_length_b                12.3237(5)
_cell_length_c                15.8577(6)
_cell_angle_alpha             112.906(4)
_cell_angle_beta              91.906(4)
_cell_angle_gamma             93.567(4)
_cell_volume                   2141.77(14)
_cell_formula_units_Z         4
_cell_measurement_temperature 193(2)
_cell_measurement_reflns_used ?
_cell_measurement_theta_min   ?
_cell_measurement_theta_max   ?

_exptl_crystal_description    block
_exptl_crystal_colour         yellow
_exptl_crystal_size_max       0.45
_exptl_crystal_size_mid       0.30
_exptl_crystal_size_min       0.23
_exptl_crystal_density_meas   ?
_exptl_crystal_density_diffn  1.293
_exptl_crystal_density_method 'not measured'
_exptl_crystal_F_000          888
_exptl_absorpt_coefficient_mu 0.532
_exptl_absorpt_correction_type numerical
_exptl_absorpt_correction_T_min 0.7959
_exptl_absorpt_correction_T_max 0.8875
_exptl_absorpt_process_details ?

_exptl_special_details
;
?
;

_diffn_ambient_temperature    193(2)
_diffn_radiation_wavelength    0.71073
_diffn_radiation_type          MoK\alpha
_diffn_radiation_source        'fine-focus sealed tube'
_diffn_radiation_monochromator graphite

```

```

_diffrn_measurement_device_type 'Stoe IPDS'
_diffrn_measurement_method ?
_diffrn_detector_area_resol_mean ?
_diffrn_standards_number ?
_diffrn_standards_interval_count ?
_diffrn_standards_interval_time ?
_diffrn_standards_decay_% ?
_diffrn_reflns_number 27472
_diffrn_reflns_av_R_equivalents 0.0424
_diffrn_reflns_av_sigmaI/netI 0.0380
_diffrn_reflns_limit_h_min -14
_diffrn_reflns_limit_h_max 14
_diffrn_reflns_limit_k_min -15
_diffrn_reflns_limit_k_max 15
_diffrn_reflns_limit_l_min -19
_diffrn_reflns_limit_l_max 19
_diffrn_reflns_theta_min 2.14
_diffrn_reflns_theta_max 26.01
_reflns_number_total 7851
_reflns_number_gt 6138
_reflns_threshold_expression >2sigma(I)

_computing_data_collection 'IPDS (Stoe, 1999)'
_computing_cell_refinement 'IPDS (Stoe, 1999)'
_computing_data_reduction 'XRED (Stoe, 1997)'
_computing_structure_solution 'SHELXS-97 (Sheldrick, 1990)'
_computing_structure_refinement 'SHELXL-97 (Sheldrick, 1997)'
_computing_molecular_graphics 'Ortep-3 for Windows (Farrugia, 1997)'
_computing_publication_material 'SHELX-97 (Sheldrick, 1997)'

```

\_refine\_special\_details

```

;
Refinement of F2 against ALL reflections. The weighted R-factor wR and
goodness of fit S are based on F2, conventional R-factors R are based
on F, with F set to zero for negative F2. The threshold expression of
F2 > 2sigma(F2) is used only for calculating R-factors(gt) etc. and is
not relevant to the choice of reflections for refinement. R-factors based
on F2 are statistically about twice as large as those based on F, and R-
factors based on ALL data will be even larger.
;

```

```

_refine_ls_structure_factor_coef Fsqd
_refine_ls_matrix_type full
_refine_ls_weighting_scheme calc
_refine_ls_weighting_details
'calc w=1/[\s^2^(Fo^2^)+(0.0474P)^2^+0.0000P] where P=(Fo^2^+2Fc^2^)/3'
_atom_sites_solution_primary direct
_atom_sites_solution_secondary difmap
_atom_sites_solution_hydrogens geom
_refine_ls_hydrogen_treatment mixed
_refine_ls_extinction_method none
_refine_ls_extinction_coef ?
_refine_ls_number_reflns 7851
_refine_ls_number_parameters 685
_refine_ls_number_restraints 0
_refine_ls_R_factor_all 0.0412
_refine_ls_R_factor_gt 0.0289
_refine_ls_wR_factor_ref 0.0727
_refine_ls_wR_factor_gt 0.0696
_refine_ls_goodness_of_fit_ref 0.939
_refine_ls_restrained_S_all 0.939

```

\_refine\_ls\_shift/su\_max 0.001  
\_refine\_ls\_shift/su\_mean 0.000

loop\_

\_atom\_site\_label  
\_atom\_site\_type\_symbol  
\_atom\_site\_fract\_x  
\_atom\_site\_fract\_y  
\_atom\_site\_fract\_z  
\_atom\_site\_U\_iso\_or\_equiv  
\_atom\_site\_adp\_type  
\_atom\_site\_occupancy  
\_atom\_site\_symmetry\_multiplicity  
\_atom\_site\_calc\_flag  
\_atom\_site\_refinement\_flags  
\_atom\_site\_disorder\_assembly  
\_atom\_site\_disorder\_group

Ti1 Ti 0.31108(2) 0.16513(2) 0.315649(19) 0.01803(8) Uani 1 1 d . . .  
C11 Cl 0.35448(4) 0.04525(4) 0.16503(3) 0.03995(13) Uani 1 1 d . . .  
C1 C 0.39649(15) 0.09825(15) 0.40748(12) 0.0252(4) Uani 1 1 d . . .  
C2 C 0.38293(16) 0.22208(15) 0.46310(13) 0.0288(4) Uani 1 1 d . . .  
H2 H 0.3286(18) 0.2515(17) 0.5127(14) 0.035 Uiso 1 1 d . . .  
C3 C 0.45149(17) 0.29239(17) 0.43082(15) 0.0370(5) Uani 1 1 d . . .  
H3 H 0.456(2) 0.374(2) 0.4523(15) 0.044 Uiso 1 1 d . . .  
C4 C 0.51020(17) 0.21863(19) 0.35807(17) 0.0394(5) Uani 1 1 d . . .  
H4 H 0.563(2) 0.243(2) 0.3211(16) 0.047 Uiso 1 1 d . . .  
C5 C 0.48014(16) 0.10014(18) 0.34461(15) 0.0322(4) Uani 1 1 d . . .  
H5 H 0.5041(19) 0.0330(19) 0.2995(15) 0.039 Uiso 1 1 d . . .  
C6 C 0.30584(14) 0.00798(14) 0.38291(11) 0.0220(3) Uani 1 1 d . . .  
C7 C 0.32561(16) -0.11704(15) 0.31555(12) 0.0264(4) Uani 1 1 d . . .  
H7 H 0.3729(18) -0.1111(17) 0.2673(14) 0.032 Uiso 1 1 d . . .  
C8 C 0.21383(17) -0.18918(16) 0.27399(13) 0.0308(4) Uani 1 1 d . . .  
H8A H 0.1755(18) -0.1519(18) 0.2383(14) 0.037 Uiso 1 1 d . . .  
H8B H 0.2315(18) -0.2666(19) 0.2313(15) 0.037 Uiso 1 1 d . . .  
C9 C 0.14190(17) -0.19724(15) 0.34999(13) 0.0299(4) Uani 1 1 d . . .  
H9 H 0.074(2) -0.2412(18) 0.3231(15) 0.036 Uiso 1 1 d . . .  
C10 C 0.11892(16) -0.07181(15) 0.41457(13) 0.0287(4) Uani 1 1 d . . .  
H10A H 0.0738(18) -0.0768(17) 0.4645(15) 0.034 Uiso 1 1 d . . .  
H10B H 0.0786(18) -0.0343(17) 0.3813(14) 0.034 Uiso 1 1 d . . .  
C11 C 0.23012(15) 0.00172(14) 0.45657(11) 0.0233(4) Uani 1 1 d . . .  
H11 H 0.2117(17) 0.0813(17) 0.4996(13) 0.028 Uiso 1 1 d . . .  
C12 C 0.29285(18) -0.05944(16) 0.51089(13) 0.0295(4) Uani 1 1 d . . .  
H12A H 0.360(2) -0.0140(18) 0.5402(15) 0.035 Uiso 1 1 d . . .  
H12B H 0.2464(19) -0.0615(18) 0.5593(15) 0.035 Uiso 1 1 d . . .  
C13 C 0.31653(16) -0.18488(15) 0.44623(13) 0.0295(4) Uani 1 1 d . . .  
H13 H 0.3565(18) -0.2245(18) 0.4791(14) 0.035 Uiso 1 1 d . . .  
C14 C 0.38859(17) -0.17846(17) 0.36965(14) 0.0310(4) Uani 1 1 d . . .  
H14A H 0.461(2) -0.1330(18) 0.3948(15) 0.037 Uiso 1 1 d . . .  
H14B H 0.4055(18) -0.2600(19) 0.3274(14) 0.037 Uiso 1 1 d . . .  
C15 C 0.20503(17) -0.25727(16) 0.40394(14) 0.0321(4) Uani 1 1 d . . .  
H15A H 0.1579(19) -0.2646(18) 0.4518(15) 0.039 Uiso 1 1 d . . .  
H15B H 0.2203(18) -0.3405(19) 0.3613(15) 0.039 Uiso 1 1 d . . .  
C16 C 0.17060(15) 0.21595(14) 0.22763(11) 0.0229(4) Uani 1 1 d . . .  
C17 C 0.23510(15) 0.32141(14) 0.28537(11) 0.0235(4) Uani 1 1 d . . .  
C18 C 0.21223(15) 0.34189(14) 0.37725(11) 0.0229(4) Uani 1 1 d . . .  
C19 C 0.13835(14) 0.24666(14) 0.37645(11) 0.0212(3) Uani 1 1 d . . .  
C20 C 0.11299(14) 0.16830(14) 0.28324(11) 0.0211(3) Uani 1 1 d . . .  
C21 C 0.1535(2) 0.17068(19) 0.12496(13) 0.0370(5) Uani 1 1 d . . .  
H21A H 0.138(2) 0.080(2) 0.0968(16) 0.044 Uiso 1 1 d . . .  
H21B H 0.095(2) 0.2102(19) 0.1093(15) 0.044 Uiso 1 1 d . . .  
H21C H 0.221(2) 0.1917(19) 0.1009(16) 0.044 Uiso 1 1 d . . .

C22 C 0.3065(2) 0.40054(19) 0.25265(17) 0.0385(5) Uani 1 1 d . . .  
H22A H 0.263(2) 0.457(2) 0.2381(15) 0.046 Uiso 1 1 d . . .  
H22B H 0.359(2) 0.446(2) 0.2987(17) 0.046 Uiso 1 1 d . . .  
H22C H 0.344(2) 0.359(2) 0.2001(17) 0.046 Uiso 1 1 d . . .  
C23 C 0.2452(2) 0.45406(17) 0.45999(14) 0.0372(5) Uani 1 1 d . . .  
H23A H 0.264(2) 0.4381(19) 0.5123(17) 0.045 Uiso 1 1 d . . .  
H23B H 0.181(2) 0.508(2) 0.4738(15) 0.045 Uiso 1 1 d . . .  
H23C H 0.308(2) 0.501(2) 0.4465(16) 0.045 Uiso 1 1 d . . .  
C24 C 0.08173(19) 0.24437(18) 0.45912(13) 0.0319(4) Uani 1 1 d . . .  
H24A H 0.046(2) 0.172(2) 0.4478(15) 0.038 Uiso 1 1 d . . .  
H24B H 0.1354(19) 0.2706(18) 0.5131(15) 0.038 Uiso 1 1 d . . .  
H24C H 0.0224(19) 0.2985(19) 0.4744(14) 0.038 Uiso 1 1 d . . .  
C25 C 0.02957(17) 0.06208(16) 0.24622(15) 0.0318(4) Uani 1 1 d . . .  
H25A H -0.0108(19) 0.0520(18) 0.2942(16) 0.038 Uiso 1 1 d . . .  
H25B H -0.026(2) 0.0693(18) 0.2071(15) 0.038 Uiso 1 1 d . . .  
H25C H 0.0646(19) -0.0107(19) 0.2135(15) 0.038 Uiso 1 1 d . . .  
Ti2 Ti 0.72052(2) 0.37933(2) 0.151618(18) 0.01728(8) Uani 1 1 d . . .  
Cl2 Cl 0.64173(4) 0.44572(4) 0.29594(3) 0.02709(10) Uani 1 1 d . . .  
C26 C 0.63584(14) 0.47102(14) 0.07805(11) 0.0213(3) Uani 1 1 d . . .  
C27 C 0.68466(17) 0.37405(15) 0.00744(11) 0.0280(4) Uani 1 1 d . . .  
H27 H 0.7469(19) 0.3836(18) -0.0232(15) 0.034 Uiso 1 1 d . . .  
C28 C 0.62725(18) 0.26701(16) 0.00029(13) 0.0353(5) Uani 1 1 d . . .  
H28 H 0.6413(19) 0.190(2) -0.0402(15) 0.042 Uiso 1 1 d . . .  
C29 C 0.54327(18) 0.29266(16) 0.06299(14) 0.0347(5) Uani 1 1 d . . .  
H29 H 0.495(2) 0.237(2) 0.0728(15) 0.042 Uiso 1 1 d . . .  
C30 C 0.54506(15) 0.41662(15) 0.10830(13) 0.0268(4) Uani 1 1 d . . .  
H30 H 0.4997(18) 0.4566(17) 0.1557(14) 0.032 Uiso 1 1 d . . .  
C31 C 0.70315(14) 0.57375(13) 0.14010(10) 0.0184(3) Uani 1 1 d . . .  
C32 C 0.79414(15) 0.63398(15) 0.10559(12) 0.0235(4) Uani 1 1 d . . .  
H32 H 0.8357(17) 0.5780(17) 0.0590(14) 0.028 Uiso 1 1 d . . .  
C33 C 0.73736(18) 0.71242(17) 0.06271(13) 0.0301(4) Uani 1 1 d . . .  
H33A H 0.7931(19) 0.7538(18) 0.0401(14) 0.036 Uiso 1 1 d . . .  
H33B H 0.6866(19) 0.6636(18) 0.0130(15) 0.036 Uiso 1 1 d . . .  
C34 C 0.67342(16) 0.80501(15) 0.13606(13) 0.0282(4) Uani 1 1 d . . .  
H34 H 0.6379(18) 0.8533(17) 0.1101(14) 0.034 Uiso 1 1 d . . .  
C35 C 0.58504(16) 0.74266(15) 0.17294(13) 0.0258(4) Uani 1 1 d . . .  
H35A H 0.5430(17) 0.8030(17) 0.2195(14) 0.031 Uiso 1 1 d . . .  
H35B H 0.5325(18) 0.6955(17) 0.1251(14) 0.031 Uiso 1 1 d . . .  
C36 C 0.64252(15) 0.66565(13) 0.21609(11) 0.0198(3) Uani 1 1 d . . .  
H36 H 0.5890(17) 0.6291(16) 0.2419(13) 0.024 Uiso 1 1 d . . .  
C37 C 0.72594(16) 0.74461(15) 0.29471(12) 0.0262(4) Uani 1 1 d . . .  
H37A H 0.7610(17) 0.6979(17) 0.3231(14) 0.031 Uiso 1 1 d . . .  
H37B H 0.6848(17) 0.8026(17) 0.3429(14) 0.031 Uiso 1 1 d . . .  
C38 C 0.81437(17) 0.80751(15) 0.25836(13) 0.0297(4) Uani 1 1 d . . .  
H38 H 0.8690(18) 0.8596(17) 0.3103(14) 0.036 Uiso 1 1 d . . .  
C39 C 0.87643(16) 0.71371(17) 0.18546(13) 0.0294(4) Uani 1 1 d . . .  
H39A H 0.9346(19) 0.7536(18) 0.1643(14) 0.035 Uiso 1 1 d . . .  
H39B H 0.9107(18) 0.6672(18) 0.2135(14) 0.035 Uiso 1 1 d . . .  
C40 C 0.75666(19) 0.88391(16) 0.21526(15) 0.0341(4) Uani 1 1 d . . .  
H40A H 0.7137(19) 0.943(2) 0.2623(15) 0.041 Uiso 1 1 d . . .  
H40B H 0.813(2) 0.9261(19) 0.1929(15) 0.041 Uiso 1 1 d . . .  
C41 C 0.92473(14) 0.37645(15) 0.13949(11) 0.0235(4) Uani 1 1 d . . .  
C42 C 0.90387(14) 0.38881(14) 0.23024(11) 0.0216(3) Uani 1 1 d . . .  
C43 C 0.83920(14) 0.28532(14) 0.22521(11) 0.0213(3) Uani 1 1 d . . .  
C44 C 0.81617(15) 0.21028(14) 0.13095(11) 0.0238(4) Uani 1 1 d . . .  
C45 C 0.87113(15) 0.26556(15) 0.07832(11) 0.0247(4) Uani 1 1 d . . .  
C46 C 1.00863(18) 0.4499(2) 0.11188(16) 0.0354(4) Uani 1 1 d . . .  
H46A H 1.035(2) 0.520(2) 0.1607(16) 0.042 Uiso 1 1 d . . .  
H46B H 0.982(2) 0.4727(19) 0.0641(16) 0.042 Uiso 1 1 d . . .  
H46C H 1.077(2) 0.4089(19) 0.0908(15) 0.042 Uiso 1 1 d . . .  
C47 C 0.95123(18) 0.48681(18) 0.31756(13) 0.0324(4) Uani 1 1 d . . .



H47A H 1.013(2) 0.4636(18) 0.3440(15) 0.039 Uiso 1 1 d . . .  
H47B H 0.9712(19) 0.5582(19) 0.3106(15) 0.039 Uiso 1 1 d . . .  
H47C H 0.896(2) 0.5072(19) 0.3591(16) 0.039 Uiso 1 1 d . . .  
C48 C 0.81053(18) 0.25725(19) 0.30638(13) 0.0300(4) Uani 1 1 d . . .  
H48A H 0.7790(18) 0.3201(19) 0.3536(15) 0.036 Uiso 1 1 d . . .  
H48B H 0.8807(19) 0.2470(18) 0.3351(14) 0.036 Uiso 1 1 d . . .  
H48C H 0.765(2) 0.190(2) 0.2899(14) 0.036 Uiso 1 1 d . . .  
C49 C 0.7560(2) 0.08799(16) 0.09419(15) 0.0366(5) Uani 1 1 d . . .  
H49A H 0.721(2) 0.0665(19) 0.0346(17) 0.044 Uiso 1 1 d . . .  
H49B H 0.807(2) 0.029(2) 0.0931(15) 0.044 Uiso 1 1 d . . .  
H49C H 0.696(2) 0.0846(19) 0.1324(16) 0.044 Uiso 1 1 d . . .  
C50 C 0.8902(2) 0.2081(2) -0.02238(13) 0.0385(5) Uani 1 1 d . . .  
H50A H 0.900(2) 0.265(2) -0.0474(16) 0.046 Uiso 1 1 d . . .  
H50B H 0.831(2) 0.149(2) -0.0538(17) 0.046 Uiso 1 1 d . . .  
H50C H 0.957(2) 0.171(2) -0.0311(15) 0.046 Uiso 1 1 d . . .

loop\_

\_atom\_site\_aniso\_label  
\_atom\_site\_aniso\_U\_11  
\_atom\_site\_aniso\_U\_22  
\_atom\_site\_aniso\_U\_33  
\_atom\_site\_aniso\_U\_23  
\_atom\_site\_aniso\_U\_13  
\_atom\_site\_aniso\_U\_12  
Ti1 0.01510(17) 0.02032(14) 0.02059(15) 0.00996(11) 0.00047(11) 0.00281(11)  
Cl1 0.0455(3) 0.0423(3) 0.0287(2) 0.00686(19) 0.0084(2) 0.0235(2)  
C1 0.0206(10) 0.0294(8) 0.0320(9) 0.0197(7) -0.0066(7) 0.0011(7)  
C2 0.0282(11) 0.0285(9) 0.0312(10) 0.0153(8) -0.0137(8) -0.0026(8)  
C3 0.0296(12) 0.0303(10) 0.0542(13) 0.0237(9) -0.0222(9) -0.0099(8)  
C4 0.0163(11) 0.0485(12) 0.0686(15) 0.0418(11) -0.0075(9) -0.0071(9)  
C5 0.0170(10) 0.0398(10) 0.0501(12) 0.0286(9) -0.0012(8) 0.0046(8)  
C6 0.0203(10) 0.0228(8) 0.0254(8) 0.0124(7) -0.0004(6) 0.0028(7)  
C7 0.0282(11) 0.0250(8) 0.0300(9) 0.0135(7) 0.0081(7) 0.0089(8)  
C8 0.0384(12) 0.0233(8) 0.0274(9) 0.0067(7) -0.0050(8) 0.0044(8)  
C9 0.0207(11) 0.0240(8) 0.0426(11) 0.0122(8) -0.0086(8) -0.0048(7)  
C10 0.0223(10) 0.0293(9) 0.0384(10) 0.0172(8) 0.0037(8) 0.0046(8)  
C11 0.0257(10) 0.0209(8) 0.0244(9) 0.0098(7) 0.0020(7) 0.0032(7)  
C12 0.0339(12) 0.0311(9) 0.0267(9) 0.0157(8) -0.0035(8) -0.0014(8)  
C13 0.0277(11) 0.0293(9) 0.0385(10) 0.0210(8) -0.0029(8) 0.0048(8)  
C14 0.0231(11) 0.0292(9) 0.0458(11) 0.0193(9) 0.0032(8) 0.0075(8)  
C15 0.0321(12) 0.0249(9) 0.0438(11) 0.0186(8) 0.0016(8) 0.0001(8)  
C16 0.0234(10) 0.0261(8) 0.0210(8) 0.0100(7) 0.0009(6) 0.0112(7)  
C17 0.0239(10) 0.0237(8) 0.0272(9) 0.0138(7) 0.0033(7) 0.0079(7)  
C18 0.0244(10) 0.0194(7) 0.0226(8) 0.0054(6) -0.0016(7) 0.0059(7)  
C19 0.0191(9) 0.0230(8) 0.0223(8) 0.0089(6) 0.0030(6) 0.0073(7)  
C20 0.0171(9) 0.0209(7) 0.0244(8) 0.0074(6) -0.0017(6) 0.0064(7)  
C21 0.0502(14) 0.0414(11) 0.0220(9) 0.0133(8) -0.0006(8) 0.0188(10)  
C22 0.0422(14) 0.0338(10) 0.0483(13) 0.0247(10) 0.0120(10) 0.0059(10)  
C23 0.0475(14) 0.0240(9) 0.0313(11) 0.0023(8) -0.0082(9) 0.0018(9)  
C24 0.0361(12) 0.0324(10) 0.0297(10) 0.0126(8) 0.0133(8) 0.0110(9)  
C25 0.0260(11) 0.0267(9) 0.0401(11) 0.0114(8) -0.0103(8) 0.0016(8)  
Ti2 0.01706(17) 0.01748(13) 0.01720(14) 0.00686(11) -0.00188(10) 0.00180(11)  
Cl2 0.0278(2) 0.0326(2) 0.0284(2) 0.01852(17) 0.00948(16) 0.00947(18)  
C26 0.0210(9) 0.0236(8) 0.0211(8) 0.0106(6) -0.0054(6) 0.0058(7)  
C27 0.0345(11) 0.0309(9) 0.0166(8) 0.0065(7) -0.0059(7) 0.0117(8)  
C28 0.0424(13) 0.0241(9) 0.0294(10) 0.0010(8) -0.0207(8) 0.0059(8)  
C29 0.0280(12) 0.0258(9) 0.0470(12) 0.0136(8) -0.0195(9) -0.0068(8)  
C30 0.0194(10) 0.0270(8) 0.0340(10) 0.0130(8) -0.0090(7) 0.0010(7)  
C31 0.0188(9) 0.0212(7) 0.0176(8) 0.0097(6) 0.0009(6) 0.0049(7)  
C32 0.0208(10) 0.0306(9) 0.0238(8) 0.0151(7) 0.0043(7) 0.0045(8)  
C33 0.0311(12) 0.0392(10) 0.0296(10) 0.0243(8) 0.0010(8) -0.0010(9)

C34 0.0300(11) 0.0259(8) 0.0358(10) 0.0205(8) -0.0061(8) 0.0013(8)  
 C35 0.0216(10) 0.0249(8) 0.0327(10) 0.0127(7) -0.0009(7) 0.0058(8)  
 C36 0.0206(10) 0.0188(7) 0.0221(8) 0.0099(6) 0.0046(6) 0.0033(7)  
 C37 0.0345(11) 0.0229(8) 0.0218(8) 0.0092(7) -0.0017(7) 0.0057(8)  
 C38 0.0303(11) 0.0248(8) 0.0333(10) 0.0129(8) -0.0115(8) -0.0048(8)  
 C39 0.0177(10) 0.0375(10) 0.0396(11) 0.0229(9) -0.0014(7) -0.0022(8)  
 C40 0.0361(12) 0.0251(9) 0.0451(12) 0.0199(9) -0.0084(9) -0.0049(8)  
 C41 0.0188(9) 0.0284(8) 0.0258(9) 0.0121(7) 0.0032(6) 0.0089(7)  
 C42 0.0161(9) 0.0253(8) 0.0227(8) 0.0080(7) -0.0009(6) 0.0060(7)  
 C43 0.0212(9) 0.0241(8) 0.0201(8) 0.0095(6) -0.0006(6) 0.0090(7)  
 C44 0.0280(10) 0.0209(8) 0.0221(8) 0.0074(6) -0.0028(7) 0.0087(7)  
 C45 0.0267(10) 0.0286(8) 0.0188(8) 0.0081(7) 0.0015(7) 0.0120(7)  
 C46 0.0247(11) 0.0443(11) 0.0463(12) 0.0255(10) 0.0132(9) 0.0108(9)  
 C47 0.0290(12) 0.0327(10) 0.0269(10) 0.0031(8) -0.0064(8) 0.0021(9)  
 C48 0.0315(12) 0.0377(10) 0.0286(10) 0.0201(8) 0.0029(8) 0.0114(9)  
 C49 0.0514(15) 0.0208(9) 0.0343(11) 0.0084(8) -0.0108(9) 0.0029(9)  
 C50 0.0463(14) 0.0463(12) 0.0212(10) 0.0087(9) 0.0052(8) 0.0211(11)

\_geom\_special\_details

;

All esds (except the esd in the dihedral angle between two l.s. planes)  
 are estimated using the full covariance matrix. The cell esds are taken  
 into account individually in the estimation of esds in distances, angles  
 and torsion angles; correlations between esds in cell parameters are only  
 used when they are defined by crystal symmetry. An approximate (isotropic)  
 treatment of cell esds is used for estimating esds involving l.s. planes.

;

loop\_

\_geom\_bond\_atom\_site\_label\_1  
 \_geom\_bond\_atom\_site\_label\_2  
 \_geom\_bond\_distance  
 \_geom\_bond\_site\_symmetry\_2  
 \_geom\_bond\_publ\_flag  
 Ti1 C1 2.1865(15) . ?  
 Ti1 C2 2.2828(17) . ?  
 Ti1 C5 2.3143(17) . ?  
 Ti1 C11 2.3637(5) . ?  
 Ti1 C17 2.3815(15) . ?  
 Ti1 C20 2.4103(16) . ?  
 Ti1 C16 2.4107(15) . ?  
 Ti1 C19 2.4149(16) . ?  
 Ti1 C18 2.4153(15) . ?  
 Ti1 C3 2.4181(19) . ?  
 Ti1 C4 2.428(2) . ?  
 Ti1 C6 2.5475(15) . ?  
 C1 C6 1.431(2) . ?  
 C1 C5 1.440(3) . ?  
 C1 C2 1.458(2) . ?  
 C2 C3 1.403(3) . ?  
 C3 C4 1.402(3) . ?  
 C4 C5 1.412(3) . ?  
 C6 C11 1.523(2) . ?  
 C6 C7 1.533(2) . ?  
 C7 C8 1.531(3) . ?  
 C7 C14 1.552(2) . ?  
 C8 C9 1.533(3) . ?  
 C9 C10 1.534(2) . ?  
 C9 C15 1.539(3) . ?  
 C10 C11 1.533(3) . ?  
 C11 C12 1.551(2) . ?

C12 C13 1.537(3) . ?  
C13 C15 1.532(3) . ?  
C13 C14 1.535(3) . ?  
C16 C20 1.410(2) . ?  
C16 C17 1.422(2) . ?  
C16 C21 1.503(2) . ?  
C17 C18 1.418(2) . ?  
C17 C22 1.506(3) . ?  
C18 C19 1.420(2) . ?  
C18 C23 1.508(2) . ?  
C19 C20 1.425(2) . ?  
C19 C24 1.504(2) . ?  
C20 C25 1.501(3) . ?  
Ti2 C26 2.1797(14) . ?  
Ti2 C27 2.2871(17) . ?  
Ti2 C30 2.3119(17) . ?  
Ti2 C44 2.3542(15) . ?  
Ti2 C12 2.3610(5) . ?  
Ti2 C45 2.3953(16) . ?  
Ti2 C43 2.4208(15) . ?  
Ti2 C29 2.4393(19) . ?  
Ti2 C28 2.4413(18) . ?  
Ti2 C41 2.4545(17) . ?  
Ti2 C42 2.4571(16) . ?  
Ti2 C31 2.4934(15) . ?  
C26 C30 1.432(3) . ?  
C26 C31 1.438(2) . ?  
C26 C27 1.453(2) . ?  
C27 C28 1.410(3) . ?  
C28 C29 1.399(3) . ?  
C29 C30 1.411(3) . ?  
C31 C32 1.512(2) . ?  
C31 C36 1.535(2) . ?  
C32 C39 1.538(3) . ?  
C32 C33 1.555(2) . ?  
C33 C34 1.540(3) . ?  
C34 C35 1.529(3) . ?  
C34 C40 1.535(3) . ?  
C35 C36 1.548(2) . ?  
C36 C37 1.532(2) . ?  
C37 C38 1.528(3) . ?  
C38 C39 1.531(3) . ?  
C38 C40 1.542(2) . ?  
C41 C42 1.419(2) . ?  
C41 C45 1.427(2) . ?  
C41 C46 1.496(3) . ?  
C42 C43 1.423(2) . ?  
C42 C47 1.502(2) . ?  
C43 C44 1.425(2) . ?  
C43 C48 1.502(2) . ?  
C44 C45 1.420(3) . ?  
C44 C49 1.510(3) . ?  
C45 C50 1.506(2) . ?

loop\_  
\_geom\_angle\_atom\_site\_label\_1  
\_geom\_angle\_atom\_site\_label\_2  
\_geom\_angle\_atom\_site\_label\_3  
\_geom\_angle  
\_geom\_angle\_site\_symmetry\_1  
\_geom\_angle\_site\_symmetry\_3

\_geom\_angle\_publ\_flag  
C1 Ti1 C2 38.00(6) . . ?  
C1 Ti1 C5 37.19(7) . . ?  
C2 Ti1 C5 60.11(7) . . ?  
C1 Ti1 C11 106.69(5) . . ?  
C2 Ti1 C11 139.38(5) . . ?  
C5 Ti1 C11 79.29(6) . . ?  
C1 Ti1 C17 151.28(6) . . ?  
C2 Ti1 C17 113.30(6) . . ?  
C5 Ti1 C17 141.78(7) . . ?  
C11 Ti1 C17 98.83(4) . . ?  
C1 Ti1 C20 129.80(6) . . ?  
C2 Ti1 C20 120.59(7) . . ?  
C5 Ti1 C20 160.69(6) . . ?  
C11 Ti1 C20 97.20(4) . . ?  
C17 Ti1 C20 57.39(6) . . ?  
C1 Ti1 C16 163.76(7) . . ?  
C2 Ti1 C16 140.45(6) . . ?  
C5 Ti1 C16 156.62(7) . . ?  
C11 Ti1 C16 79.54(4) . . ?  
C17 Ti1 C16 34.53(6) . . ?  
C20 Ti1 C16 34.02(6) . . ?  
C1 Ti1 C19 110.99(6) . . ?  
C2 Ti1 C19 88.12(6) . . ?  
C5 Ti1 C19 146.67(7) . . ?  
C11 Ti1 C19 131.35(4) . . ?  
C17 Ti1 C19 57.27(6) . . ?  
C20 Ti1 C19 34.36(5) . . ?  
C16 Ti1 C19 56.66(5) . . ?  
C1 Ti1 C18 120.41(6) . . ?  
C2 Ti1 C18 84.28(6) . . ?  
C5 Ti1 C18 137.86(7) . . ?  
C11 Ti1 C18 132.62(4) . . ?  
C17 Ti1 C18 34.37(6) . . ?  
C20 Ti1 C18 56.92(6) . . ?  
C16 Ti1 C18 56.66(5) . . ?  
C19 Ti1 C18 34.18(6) . . ?  
C1 Ti1 C3 60.32(6) . . ?  
C2 Ti1 C3 34.58(7) . . ?  
C5 Ti1 C3 57.62(7) . . ?  
C11 Ti1 C3 122.80(6) . . ?  
C17 Ti1 C3 94.83(6) . . ?  
C20 Ti1 C3 135.54(7) . . ?  
C16 Ti1 C3 129.35(6) . . ?  
C19 Ti1 C3 102.44(7) . . ?  
C18 Ti1 C3 80.33(6) . . ?  
C1 Ti1 C4 60.10(7) . . ?  
C2 Ti1 C4 57.85(8) . . ?  
C5 Ti1 C4 34.53(7) . . ?  
C11 Ti1 C4 89.73(6) . . ?  
C17 Ti1 C4 107.95(6) . . ?  
C20 Ti1 C4 164.51(6) . . ?  
C16 Ti1 C4 135.82(6) . . ?  
C19 Ti1 C4 135.75(7) . . ?  
C18 Ti1 C4 108.49(7) . . ?  
C3 Ti1 C4 33.63(8) . . ?  
C1 Ti1 C6 34.11(6) . . ?  
C2 Ti1 C6 63.08(6) . . ?  
C5 Ti1 C6 62.06(6) . . ?  
C11 Ti1 C6 98.33(4) . . ?  
C17 Ti1 C6 153.25(6) . . ?

C20 Ti1 C6 100.14(6) . . ?  
C16 Ti1 C6 131.29(6) . . ?  
C19 Ti1 C6 96.05(5) . . ?  
C18 Ti1 C6 123.11(6) . . ?  
C3 Ti1 C6 92.94(6) . . ?  
C4 Ti1 C6 92.49(6) . . ?  
C6 C1 C5 122.26(16) . . ?  
C6 C1 C2 122.85(16) . . ?  
C5 C1 C2 105.21(15) . . ?  
C6 C1 Ti1 86.91(10) . . ?  
C5 C1 Ti1 76.23(9) . . ?  
C2 C1 Ti1 74.58(9) . . ?  
C3 C2 C1 108.49(18) . . ?  
C3 C2 Ti1 78.00(11) . . ?  
C1 C2 Ti1 67.42(9) . . ?  
C4 C3 C2 108.89(17) . . ?  
C4 C3 Ti1 73.59(12) . . ?  
C2 C3 Ti1 67.42(10) . . ?  
C3 C4 C5 108.41(19) . . ?  
C3 C4 Ti1 72.78(12) . . ?  
C5 C4 Ti1 68.31(11) . . ?  
C4 C5 C1 108.88(18) . . ?  
C4 C5 Ti1 77.16(11) . . ?  
C1 C5 Ti1 66.58(9) . . ?  
C1 C6 C11 119.31(15) . . ?  
C1 C6 C7 118.76(15) . . ?  
C11 C6 C7 110.05(13) . . ?  
C1 C6 Ti1 58.99(8) . . ?  
C11 C6 Ti1 126.16(10) . . ?  
C7 C6 Ti1 115.41(11) . . ?  
C8 C7 C6 110.87(14) . . ?  
C8 C7 C14 108.67(15) . . ?  
C6 C7 C14 107.88(14) . . ?  
C7 C8 C9 110.22(15) . . ?  
C8 C9 C10 108.65(15) . . ?  
C8 C9 C15 109.72(16) . . ?  
C10 C9 C15 109.74(16) . . ?  
C11 C10 C9 110.02(14) . . ?  
C6 C11 C10 111.59(14) . . ?  
C6 C11 C12 107.58(14) . . ?  
C10 C11 C12 108.21(14) . . ?  
C13 C12 C11 109.98(14) . . ?  
C15 C13 C14 109.46(16) . . ?  
C15 C13 C12 109.33(16) . . ?  
C14 C13 C12 109.55(15) . . ?  
C13 C14 C7 109.51(15) . . ?  
C13 C15 C9 109.30(14) . . ?  
C20 C16 C17 108.62(14) . . ?  
C20 C16 C21 124.82(17) . . ?  
C17 C16 C21 126.09(17) . . ?  
C20 C16 Ti1 72.97(9) . . ?  
C17 C16 Ti1 71.61(9) . . ?  
C21 C16 Ti1 127.56(11) . . ?  
C18 C17 C16 107.48(15) . . ?  
C18 C17 C22 127.10(17) . . ?  
C16 C17 C22 125.23(16) . . ?  
C18 C17 Ti1 74.12(9) . . ?  
C16 C17 Ti1 73.86(9) . . ?  
C22 C17 Ti1 121.54(12) . . ?  
C17 C18 C19 108.24(14) . . ?  
C17 C18 C23 125.80(17) . . ?

C19 C18 C23 125.30(17) . . ?  
C17 C18 Ti1 71.51(9) . . ?  
C19 C18 Ti1 72.89(8) . . ?  
C23 C18 Ti1 128.70(13) . . ?  
C18 C19 C20 107.86(14) . . ?  
C18 C19 C24 124.18(16) . . ?  
C20 C19 C24 127.01(17) . . ?  
C18 C19 Ti1 72.93(9) . . ?  
C20 C19 Ti1 72.64(9) . . ?  
C24 C19 Ti1 128.87(12) . . ?  
C16 C20 C19 107.72(15) . . ?  
C16 C20 C25 123.72(16) . . ?  
C19 C20 C25 128.13(16) . . ?  
C16 C20 Ti1 73.00(9) . . ?  
C19 C20 Ti1 72.99(9) . . ?  
C25 C20 Ti1 125.53(11) . . ?  
C26 Ti2 C27 37.87(6) . . ?  
C26 Ti2 C30 37.03(7) . . ?  
C27 Ti2 C30 59.74(7) . . ?  
C26 Ti2 C44 143.17(6) . . ?  
C27 Ti2 C44 105.46(6) . . ?  
C30 Ti2 C44 136.17(6) . . ?  
C26 Ti2 C12 104.29(5) . . ?  
C27 Ti2 C12 139.69(5) . . ?  
C30 Ti2 C12 80.97(5) . . ?  
C44 Ti2 C12 109.41(4) . . ?  
C26 Ti2 C45 116.84(6) . . ?  
C27 Ti2 C45 81.69(6) . . ?  
C30 Ti2 C45 137.11(6) . . ?  
C44 Ti2 C45 34.77(6) . . ?  
C12 Ti2 C45 138.39(4) . . ?  
C26 Ti2 C43 171.76(6) . . ?  
C27 Ti2 C43 137.81(6) . . ?  
C30 Ti2 C43 151.13(7) . . ?  
C44 Ti2 C43 34.69(5) . . ?  
C12 Ti2 C43 81.57(4) . . ?  
C45 Ti2 C43 56.87(5) . . ?  
C26 Ti2 C29 59.99(6) . . ?  
C27 Ti2 C29 57.65(8) . . ?  
C30 Ti2 C29 34.42(6) . . ?  
C44 Ti2 C29 101.83(6) . . ?  
C12 Ti2 C29 95.35(6) . . ?  
C45 Ti2 C29 109.92(7) . . ?  
C43 Ti2 C29 125.90(6) . . ?  
C26 Ti2 C28 60.05(6) . . ?  
C27 Ti2 C28 34.51(7) . . ?  
C30 Ti2 C28 57.11(7) . . ?  
C44 Ti2 C28 86.93(6) . . ?  
C12 Ti2 C28 128.57(6) . . ?  
C45 Ti2 C28 80.67(6) . . ?  
C43 Ti2 C28 120.86(6) . . ?  
C29 Ti2 C28 33.30(7) . . ?  
C26 Ti2 C41 115.46(6) . . ?  
C27 Ti2 C41 94.57(7) . . ?  
C30 Ti2 C41 151.84(6) . . ?  
C44 Ti2 C41 57.37(6) . . ?  
C12 Ti2 C41 121.06(4) . . ?  
C45 Ti2 C41 34.20(6) . . ?  
C43 Ti2 C41 56.30(6) . . ?  
C29 Ti2 C41 141.68(7) . . ?  
C28 Ti2 C41 108.97(7) . . ?

C26 Ti2 C42 139.17(6) . . ?  
C27 Ti2 C42 128.06(7) . . ?  
C30 Ti2 C42 165.30(6) . . ?  
C44 Ti2 C42 57.27(6) . . ?  
C12 Ti2 C42 88.47(4) . . ?  
C45 Ti2 C42 56.51(5) . . ?  
C43 Ti2 C42 33.90(6) . . ?  
C29 Ti2 C42 158.59(6) . . ?  
C28 Ti2 C42 137.11(6) . . ?  
C41 Ti2 C42 33.59(5) . . ?  
C26 Ti2 C31 35.04(6) . . ?  
C27 Ti2 C31 63.74(5) . . ?  
C30 Ti2 C31 62.79(6) . . ?  
C44 Ti2 C31 152.43(6) . . ?  
C12 Ti2 C31 91.73(4) . . ?  
C45 Ti2 C31 118.17(6) . . ?  
C43 Ti2 C31 140.59(6) . . ?  
C29 Ti2 C31 93.29(6) . . ?  
C28 Ti2 C31 93.60(6) . . ?  
C41 Ti2 C31 96.84(5) . . ?  
C42 Ti2 C31 107.67(5) . . ?  
C30 C26 C31 121.85(15) . . ?  
C30 C26 C27 105.14(15) . . ?  
C31 C26 C27 122.15(16) . . ?  
C30 C26 Ti2 76.51(9) . . ?  
C31 C26 Ti2 84.49(9) . . ?  
C27 C26 Ti2 75.08(9) . . ?  
C28 C27 C26 108.48(18) . . ?  
C28 C27 Ti2 78.74(11) . . ?  
C26 C27 Ti2 67.06(9) . . ?  
C29 C28 C27 108.71(16) . . ?  
C29 C28 Ti2 73.27(11) . . ?  
C27 C28 Ti2 66.75(9) . . ?  
C28 C29 C30 108.14(19) . . ?  
C28 C29 Ti2 73.43(11) . . ?  
C30 C29 Ti2 67.84(10) . . ?  
C29 C30 C26 109.40(17) . . ?  
C29 C30 Ti2 77.74(10) . . ?  
C26 C30 Ti2 66.46(9) . . ?  
C26 C31 C32 120.89(14) . . ?  
C26 C31 C36 116.98(14) . . ?  
C32 C31 C36 110.49(13) . . ?  
C26 C31 Ti2 60.47(8) . . ?  
C32 C31 Ti2 123.23(10) . . ?  
C36 C31 Ti2 116.82(10) . . ?  
C31 C32 C39 110.33(14) . . ?  
C31 C32 C33 108.16(14) . . ?  
C39 C32 C33 108.56(14) . . ?  
C34 C33 C32 109.44(14) . . ?  
C35 C34 C40 109.20(16) . . ?  
C35 C34 C33 109.66(14) . . ?  
C40 C34 C33 109.31(16) . . ?  
C34 C35 C36 109.93(14) . . ?  
C37 C36 C31 110.95(14) . . ?  
C37 C36 C35 109.23(13) . . ?  
C31 C36 C35 107.29(13) . . ?  
C38 C37 C36 109.82(14) . . ?  
C37 C38 C39 108.37(14) . . ?  
C37 C38 C40 109.72(16) . . ?  
C39 C38 C40 109.68(16) . . ?  
C38 C39 C32 110.58(15) . . ?

C34 C40 C38 109.62(14) . . ?  
C42 C41 C45 107.65(15) . . ?  
C42 C41 C46 126.72(17) . . ?  
C45 C41 C46 124.21(16) . . ?  
C42 C41 Ti2 73.30(10) . . ?  
C45 C41 Ti2 70.63(10) . . ?  
C46 C41 Ti2 132.15(11) . . ?  
C41 C42 C43 108.08(14) . . ?  
C41 C42 C47 126.72(17) . . ?  
C43 C42 C47 124.90(16) . . ?  
C41 C42 Ti2 73.10(9) . . ?  
C43 C42 Ti2 71.65(9) . . ?  
C47 C42 Ti2 125.89(11) . . ?  
C42 C43 C44 108.26(14) . . ?  
C42 C43 C48 124.82(16) . . ?  
C44 C43 C48 126.70(16) . . ?  
C42 C43 Ti2 74.45(9) . . ?  
C44 C43 Ti2 70.10(8) . . ?  
C48 C43 Ti2 125.55(12) . . ?  
C45 C44 C43 107.48(15) . . ?  
C45 C44 C49 126.06(16) . . ?  
C43 C44 C49 126.11(16) . . ?  
C45 C44 Ti2 74.20(9) . . ?  
C43 C44 Ti2 75.22(9) . . ?  
C49 C44 Ti2 121.80(13) . . ?  
C44 C45 C41 108.48(14) . . ?  
C44 C45 C50 125.94(17) . . ?  
C41 C45 C50 124.53(18) . . ?  
C44 C45 Ti2 71.03(9) . . ?  
C41 C45 Ti2 75.17(9) . . ?  
C50 C45 Ti2 129.02(12) . . ?

loop\_

\_geom\_torsion\_atom\_site\_label\_1  
\_geom\_torsion\_atom\_site\_label\_2  
\_geom\_torsion\_atom\_site\_label\_3  
\_geom\_torsion\_atom\_site\_label\_4  
\_geom\_torsion  
\_geom\_torsion\_site\_symmetry\_1  
\_geom\_torsion\_site\_symmetry\_2  
\_geom\_torsion\_site\_symmetry\_3  
\_geom\_torsion\_site\_symmetry\_4  
\_geom\_torsion\_publ\_flag  
C2 Ti1 C1 C6 125.34(16) . . . . ?  
C5 Ti1 C1 C6 -124.31(16) . . . . ?  
C11 Ti1 C1 C6 -80.05(10) . . . . ?  
C17 Ti1 C1 C6 128.25(13) . . . . ?  
C20 Ti1 C1 C6 34.79(13) . . . . ?  
C16 Ti1 C1 C6 30.5(3) . . . . ?  
C19 Ti1 C1 C6 68.58(11) . . . . ?  
C18 Ti1 C1 C6 105.23(11) . . . . ?  
C3 Ti1 C1 C6 161.27(13) . . . . ?  
C4 Ti1 C1 C6 -159.79(13) . . . . ?  
C2 Ti1 C1 C5 -110.35(15) . . . . ?  
C11 Ti1 C1 C5 44.26(11) . . . . ?  
C17 Ti1 C1 C5 -107.44(16) . . . . ?  
C20 Ti1 C1 C5 159.10(10) . . . . ?  
C16 Ti1 C1 C5 154.8(2) . . . . ?  
C19 Ti1 C1 C5 -167.12(11) . . . . ?  
C18 Ti1 C1 C5 -130.46(11) . . . . ?  
C3 Ti1 C1 C5 -74.43(12) . . . . ?



C4 Ti1 C1 C5 -35.48(12) . . . . ?  
C6 Ti1 C1 C5 124.31(16) . . . . ?  
C5 Ti1 C1 C2 110.35(15) . . . . ?  
C11 Ti1 C1 C2 154.61(10) . . . . ?  
C17 Ti1 C1 C2 2.91(19) . . . . ?  
C20 Ti1 C1 C2 -90.55(12) . . . . ?  
C16 Ti1 C1 C2 -94.8(2) . . . . ?  
C19 Ti1 C1 C2 -56.77(12) . . . . ?  
C18 Ti1 C1 C2 -20.11(13) . . . . ?  
C3 Ti1 C1 C2 35.92(11) . . . . ?  
C4 Ti1 C1 C2 74.87(12) . . . . ?  
C6 Ti1 C1 C2 -125.34(16) . . . . ?  
C6 C1 C2 C3 -143.71(16) . . . . ?  
C5 C1 C2 C3 2.80(18) . . . . ?  
Ti1 C1 C2 C3 -67.88(12) . . . . ?  
C6 C1 C2 Ti1 -75.83(15) . . . . ?  
C5 C1 C2 Ti1 70.68(11) . . . . ?  
C1 Ti1 C2 C3 116.08(16) . . . . ?  
C5 Ti1 C2 C3 75.26(13) . . . . ?  
C11 Ti1 C2 C3 76.97(13) . . . . ?  
C17 Ti1 C2 C3 -62.40(13) . . . . ?  
C20 Ti1 C2 C3 -127.11(12) . . . . ?  
C16 Ti1 C2 C3 -89.88(15) . . . . ?  
C19 Ti1 C2 C3 -115.30(12) . . . . ?  
C18 Ti1 C2 C3 -81.25(12) . . . . ?  
C4 Ti1 C2 C3 34.82(11) . . . . ?  
C6 Ti1 C2 C3 146.95(13) . . . . ?  
C5 Ti1 C2 C1 -40.82(10) . . . . ?  
C11 Ti1 C2 C1 -39.11(14) . . . . ?  
C17 Ti1 C2 C1 -178.48(10) . . . . ?  
C20 Ti1 C2 C1 116.81(11) . . . . ?  
C16 Ti1 C2 C1 154.04(11) . . . . ?  
C19 Ti1 C2 C1 128.62(11) . . . . ?  
C18 Ti1 C2 C1 162.66(11) . . . . ?  
C3 Ti1 C2 C1 -116.08(16) . . . . ?  
C4 Ti1 C2 C1 -81.27(12) . . . . ?  
C6 Ti1 C2 C1 30.86(10) . . . . ?  
C1 C2 C3 C4 -1.3(2) . . . . ?  
Ti1 C2 C3 C4 -62.24(14) . . . . ?  
C1 C2 C3 Ti1 60.98(11) . . . . ?  
C1 Ti1 C3 C4 79.68(12) . . . . ?  
C2 Ti1 C3 C4 119.21(16) . . . . ?  
C5 Ti1 C3 C4 36.10(11) . . . . ?  
C11 Ti1 C3 C4 -11.80(13) . . . . ?  
C17 Ti1 C3 C4 -115.55(11) . . . . ?  
C20 Ti1 C3 C4 -162.22(10) . . . . ?  
C16 Ti1 C3 C4 -116.22(11) . . . . ?  
C19 Ti1 C3 C4 -173.07(11) . . . . ?  
C18 Ti1 C3 C4 -146.83(12) . . . . ?  
C6 Ti1 C3 C4 90.07(11) . . . . ?  
C1 Ti1 C3 C2 -39.53(11) . . . . ?  
C5 Ti1 C3 C2 -83.11(12) . . . . ?  
C11 Ti1 C3 C2 -131.02(11) . . . . ?  
C17 Ti1 C3 C2 125.23(12) . . . . ?  
C20 Ti1 C3 C2 78.57(13) . . . . ?  
C16 Ti1 C3 C2 124.56(11) . . . . ?  
C19 Ti1 C3 C2 67.71(12) . . . . ?  
C18 Ti1 C3 C2 93.96(12) . . . . ?  
C4 Ti1 C3 C2 -119.21(16) . . . . ?  
C6 Ti1 C3 C2 -29.14(12) . . . . ?  
C2 C3 C4 C5 -0.9(2) . . . . ?

Ti1 C3 C4 C5 -59.27(14) . . . . ?  
C2 C3 C4 Ti1 58.41(13) . . . . ?  
C1 Ti1 C4 C3 -80.39(12) . . . . ?  
C2 Ti1 C4 C3 -35.81(11) . . . . ?  
C5 Ti1 C4 C3 -118.63(18) . . . . ?  
C11 Ti1 C4 C3 170.10(11) . . . . ?  
C17 Ti1 C4 C3 70.90(12) . . . . ?  
C20 Ti1 C4 C3 53.2(3) . . . . ?  
C16 Ti1 C4 C3 95.49(14) . . . . ?  
C19 Ti1 C4 C3 9.72(15) . . . . ?  
C18 Ti1 C4 C3 34.66(12) . . . . ?  
C6 Ti1 C4 C3 -91.57(11) . . . . ?  
C1 Ti1 C4 C5 38.24(12) . . . . ?  
C2 Ti1 C4 C5 82.82(13) . . . . ?  
C11 Ti1 C4 C5 -71.27(13) . . . . ?  
C17 Ti1 C4 C5 -170.47(12) . . . . ?  
C20 Ti1 C4 C5 171.8(2) . . . . ?  
C16 Ti1 C4 C5 -145.88(12) . . . . ?  
C19 Ti1 C4 C5 128.35(13) . . . . ?  
C18 Ti1 C4 C5 153.29(12) . . . . ?  
C3 Ti1 C4 C5 118.63(18) . . . . ?  
C6 Ti1 C4 C5 27.06(13) . . . . ?  
C3 C4 C5 C1 2.7(2) . . . . ?  
Ti1 C4 C5 C1 -59.41(12) . . . . ?  
C3 C4 C5 Ti1 62.09(14) . . . . ?  
C6 C1 C5 C4 143.43(17) . . . . ?  
C2 C1 C5 C4 -3.33(19) . . . . ?  
Ti1 C1 C5 C4 66.16(14) . . . . ?  
C6 C1 C5 Ti1 77.27(14) . . . . ?  
C2 C1 C5 Ti1 -69.49(10) . . . . ?  
C1 Ti1 C5 C4 -117.42(18) . . . . ?  
C2 Ti1 C5 C4 -75.67(14) . . . . ?  
C11 Ti1 C5 C4 105.46(13) . . . . ?  
C17 Ti1 C5 C4 14.75(19) . . . . ?  
C20 Ti1 C5 C4 -173.41(18) . . . . ?  
C16 Ti1 C5 C4 80.0(2) . . . . ?  
C19 Ti1 C5 C4 -95.16(16) . . . . ?  
C18 Ti1 C5 C4 -39.45(17) . . . . ?  
C3 Ti1 C5 C4 -35.14(13) . . . . ?  
C6 Ti1 C5 C4 -149.04(15) . . . . ?  
C2 Ti1 C5 C1 41.75(11) . . . . ?  
C11 Ti1 C5 C1 -137.12(11) . . . . ?  
C17 Ti1 C5 C1 132.17(11) . . . . ?  
C20 Ti1 C5 C1 -56.0(2) . . . . ?  
C16 Ti1 C5 C1 -162.56(14) . . . . ?  
C19 Ti1 C5 C1 22.26(18) . . . . ?  
C18 Ti1 C5 C1 77.97(13) . . . . ?  
C3 Ti1 C5 C1 82.28(12) . . . . ?  
C4 Ti1 C5 C1 117.42(18) . . . . ?  
C6 Ti1 C5 C1 -31.62(10) . . . . ?  
C5 C1 C6 C11 171.54(14) . . . . ?  
C2 C1 C6 C11 -47.5(2) . . . . ?  
Ti1 C1 C6 C11 -116.88(13) . . . . ?  
C5 C1 C6 C7 32.4(2) . . . . ?  
C2 C1 C6 C7 173.35(15) . . . . ?  
Ti1 C1 C6 C7 103.95(13) . . . . ?  
C5 C1 C6 Ti1 -71.58(14) . . . . ?  
C2 C1 C6 Ti1 69.40(14) . . . . ?  
C2 Ti1 C6 C1 -34.28(11) . . . . ?  
C5 Ti1 C6 C1 34.41(11) . . . . ?  
C11 Ti1 C6 C1 107.54(10) . . . . ?

C17 Ti1 C6 C1 -123.03(14) . . . . ?  
C20 Ti1 C6 C1 -153.56(11) . . . . ?  
C16 Ti1 C6 C1 -169.10(10) . . . . ?  
C19 Ti1 C6 C1 -119.07(11) . . . . ?  
C18 Ti1 C6 C1 -96.60(11) . . . . ?  
C3 Ti1 C6 C1 -16.22(12) . . . . ?  
C4 Ti1 C6 C1 17.44(12) . . . . ?  
C1 Ti1 C6 C11 105.55(18) . . . . ?  
C2 Ti1 C6 C11 71.27(14) . . . . ?  
C5 Ti1 C6 C11 139.96(16) . . . . ?  
C11 Ti1 C6 C11 -146.92(13) . . . . ?  
C17 Ti1 C6 C11 -17.5(2) . . . . ?  
C20 Ti1 C6 C11 -48.01(14) . . . . ?  
C16 Ti1 C6 C11 -63.56(16) . . . . ?  
C19 Ti1 C6 C11 -13.53(14) . . . . ?  
C18 Ti1 C6 C11 8.95(16) . . . . ?  
C3 Ti1 C6 C11 89.32(15) . . . . ?  
C4 Ti1 C6 C11 122.99(15) . . . . ?  
C1 Ti1 C6 C7 -109.63(16) . . . . ?  
C2 Ti1 C6 C7 -143.91(14) . . . . ?  
C5 Ti1 C6 C7 -75.22(13) . . . . ?  
C11 Ti1 C6 C7 -2.09(12) . . . . ?  
C17 Ti1 C6 C7 127.34(14) . . . . ?  
C20 Ti1 C6 C7 96.82(12) . . . . ?  
C16 Ti1 C6 C7 81.27(13) . . . . ?  
C19 Ti1 C6 C7 131.30(12) . . . . ?  
C18 Ti1 C6 C7 153.77(11) . . . . ?  
C3 Ti1 C6 C7 -125.85(13) . . . . ?  
C4 Ti1 C6 C7 -92.19(13) . . . . ?  
C1 C6 C7 C8 -161.58(15) . . . . ?  
C11 C6 C7 C8 55.79(18) . . . . ?  
Ti1 C6 C7 C8 -94.53(15) . . . . ?  
C1 C6 C7 C14 79.54(19) . . . . ?  
C11 C6 C7 C14 -63.09(18) . . . . ?  
Ti1 C6 C7 C14 146.59(12) . . . . ?  
C6 C7 C8 C9 -58.87(18) . . . . ?  
C14 C7 C8 C9 59.53(18) . . . . ?  
C7 C8 C9 C10 60.17(18) . . . . ?  
C7 C8 C9 C15 -59.81(18) . . . . ?  
C8 C9 C10 C11 -59.49(19) . . . . ?  
C15 C9 C10 C11 60.5(2) . . . . ?  
C1 C6 C11 C10 161.95(14) . . . . ?  
C7 C6 C11 C10 -55.66(17) . . . . ?  
Ti1 C6 C11 C10 90.70(15) . . . . ?  
C1 C6 C11 C12 -79.51(17) . . . . ?  
C7 C6 C11 C12 62.89(17) . . . . ?  
Ti1 C6 C11 C12 -150.75(12) . . . . ?  
C9 C10 C11 C6 58.23(18) . . . . ?  
C9 C10 C11 C12 -59.94(19) . . . . ?  
C6 C11 C12 C13 -60.54(19) . . . . ?  
C10 C11 C12 C13 60.16(19) . . . . ?  
C11 C12 C13 C15 -60.6(2) . . . . ?  
C11 C12 C13 C14 59.4(2) . . . . ?  
C15 C13 C14 C7 60.75(19) . . . . ?  
C12 C13 C14 C7 -59.1(2) . . . . ?  
C8 C7 C14 C13 -59.95(19) . . . . ?  
C6 C7 C14 C13 60.3(2) . . . . ?  
C14 C13 C15 C9 -60.26(19) . . . . ?  
C12 C13 C15 C9 59.7(2) . . . . ?  
C8 C9 C15 C13 59.6(2) . . . . ?  
C10 C9 C15 C13 -59.8(2) . . . . ?

C1 Ti1 C16 C20 5.9(3) . . . . ?  
C2 Ti1 C16 C20 -68.58(14) . . . . ?  
C5 Ti1 C16 C20 145.49(16) . . . . ?  
C11 Ti1 C16 C20 120.08(9) . . . . ?  
C17 Ti1 C16 C20 -116.98(13) . . . . ?  
C19 Ti1 C16 C20 -37.67(9) . . . . ?  
C18 Ti1 C16 C20 -78.87(10) . . . . ?  
C3 Ti1 C16 C20 -115.80(11) . . . . ?  
C4 Ti1 C16 C20 -161.27(11) . . . . ?  
C6 Ti1 C16 C20 28.14(12) . . . . ?  
C1 Ti1 C16 C17 122.8(2) . . . . ?  
C2 Ti1 C16 C17 48.39(15) . . . . ?  
C5 Ti1 C16 C17 -97.53(18) . . . . ?  
C11 Ti1 C16 C17 -122.94(10) . . . . ?  
C20 Ti1 C16 C17 116.98(13) . . . . ?  
C19 Ti1 C16 C17 79.30(10) . . . . ?  
C18 Ti1 C16 C17 38.11(10) . . . . ?  
C3 Ti1 C16 C17 1.18(14) . . . . ?  
C4 Ti1 C16 C17 -44.29(14) . . . . ?  
C6 Ti1 C16 C17 145.11(10) . . . . ?  
C1 Ti1 C16 C21 -115.3(2) . . . . ?  
C2 Ti1 C16 C21 170.23(16) . . . . ?  
C5 Ti1 C16 C21 24.3(3) . . . . ?  
C11 Ti1 C16 C21 -1.11(17) . . . . ?  
C17 Ti1 C16 C21 121.8(2) . . . . ?  
C20 Ti1 C16 C21 -121.2(2) . . . . ?  
C19 Ti1 C16 C21 -158.86(19) . . . . ?  
C18 Ti1 C16 C21 159.9(2) . . . . ?  
C3 Ti1 C16 C21 123.01(18) . . . . ?  
C4 Ti1 C16 C21 77.5(2) . . . . ?  
C6 Ti1 C16 C21 -93.05(18) . . . . ?  
C20 C16 C17 C18 -3.01(17) . . . . ?  
C21 C16 C17 C18 169.40(16) . . . . ?  
Ti1 C16 C17 C18 -67.06(11) . . . . ?  
C20 C16 C17 C22 -178.41(16) . . . . ?  
C21 C16 C17 C22 -6.0(3) . . . . ?  
Ti1 C16 C17 C22 117.54(17) . . . . ?  
C20 C16 C17 Ti1 64.05(11) . . . . ?  
C21 C16 C17 Ti1 -123.54(17) . . . . ?  
C1 Ti1 C17 C18 -36.68(19) . . . . ?  
C2 Ti1 C17 C18 -34.73(13) . . . . ?  
C5 Ti1 C17 C18 -105.45(14) . . . . ?  
C11 Ti1 C17 C18 170.68(10) . . . . ?  
C20 Ti1 C17 C18 77.75(11) . . . . ?  
C16 Ti1 C17 C18 114.04(15) . . . . ?  
C19 Ti1 C17 C18 36.66(10) . . . . ?  
C3 Ti1 C17 C18 -65.04(12) . . . . ?  
C4 Ti1 C17 C18 -96.72(12) . . . . ?  
C6 Ti1 C17 C18 41.34(18) . . . . ?  
C1 Ti1 C17 C16 -150.72(13) . . . . ?  
C2 Ti1 C17 C16 -148.77(10) . . . . ?  
C5 Ti1 C17 C16 140.50(12) . . . . ?  
C11 Ti1 C17 C16 56.63(10) . . . . ?  
C20 Ti1 C17 C16 -36.30(9) . . . . ?  
C19 Ti1 C17 C16 -77.39(10) . . . . ?  
C18 Ti1 C17 C16 -114.04(15) . . . . ?  
C3 Ti1 C17 C16 -179.08(11) . . . . ?  
C4 Ti1 C17 C16 149.23(11) . . . . ?  
C6 Ti1 C17 C16 -72.70(16) . . . . ?  
C1 Ti1 C17 C22 87.5(2) . . . . ?  
C2 Ti1 C17 C22 89.42(16) . . . . ?

C5 Ti1 C17 C22 18.7(2) . . . . ?  
C11 Ti1 C17 C22 -65.17(15) . . . . ?  
C20 Ti1 C17 C22 -158.11(17) . . . . ?  
C16 Ti1 C17 C22 -121.81(19) . . . . ?  
C19 Ti1 C17 C22 160.80(18) . . . . ?  
C18 Ti1 C17 C22 124.1(2) . . . . ?  
C3 Ti1 C17 C22 59.11(16) . . . . ?  
C4 Ti1 C17 C22 27.42(17) . . . . ?  
C6 Ti1 C17 C22 165.49(14) . . . . ?  
C16 C17 C18 C19 2.78(17) . . . . ?  
C22 C17 C18 C19 178.07(16) . . . . ?  
Ti1 C17 C18 C19 -64.10(11) . . . . ?  
C16 C17 C18 C23 -168.25(17) . . . . ?  
C22 C17 C18 C23 7.0(3) . . . . ?  
Ti1 C17 C18 C23 124.87(18) . . . . ?  
C16 C17 C18 Ti1 66.89(10) . . . . ?  
C22 C17 C18 Ti1 -117.83(18) . . . . ?  
C1 Ti1 C18 C17 160.56(10) . . . . ?  
C2 Ti1 C18 C17 148.27(11) . . . . ?  
C5 Ti1 C18 C17 117.28(12) . . . . ?  
C11 Ti1 C18 C17 -12.56(13) . . . . ?  
C20 Ti1 C18 C17 -79.22(11) . . . . ?  
C16 Ti1 C18 C17 -38.29(10) . . . . ?  
C19 Ti1 C18 C17 -116.63(14) . . . . ?  
C3 Ti1 C18 C17 113.59(12) . . . . ?  
C4 Ti1 C18 C17 94.96(11) . . . . ?  
C6 Ti1 C18 C17 -159.21(10) . . . . ?  
C1 Ti1 C18 C19 -82.81(11) . . . . ?  
C2 Ti1 C18 C19 -95.10(10) . . . . ?  
C5 Ti1 C18 C19 -126.09(11) . . . . ?  
C11 Ti1 C18 C19 104.06(9) . . . . ?  
C17 Ti1 C18 C19 116.63(14) . . . . ?  
C20 Ti1 C18 C19 37.41(9) . . . . ?  
C16 Ti1 C18 C19 78.34(10) . . . . ?  
C3 Ti1 C18 C19 -129.78(10) . . . . ?  
C4 Ti1 C18 C19 -148.41(10) . . . . ?  
C6 Ti1 C18 C19 -42.58(11) . . . . ?  
C1 Ti1 C18 C23 39.1(2) . . . . ?  
C2 Ti1 C18 C23 26.79(18) . . . . ?  
C5 Ti1 C18 C23 -4.2(2) . . . . ?  
C11 Ti1 C18 C23 -134.05(16) . . . . ?  
C17 Ti1 C18 C23 -121.5(2) . . . . ?  
C20 Ti1 C18 C23 159.3(2) . . . . ?  
C16 Ti1 C18 C23 -159.8(2) . . . . ?  
C19 Ti1 C18 C23 121.9(2) . . . . ?  
C3 Ti1 C18 C23 -7.89(18) . . . . ?  
C4 Ti1 C18 C23 -26.53(19) . . . . ?  
C6 Ti1 C18 C23 79.30(19) . . . . ?  
C17 C18 C19 C20 -1.53(17) . . . . ?  
C23 C18 C19 C20 169.56(16) . . . . ?  
Ti1 C18 C19 C20 -64.73(10) . . . . ?  
C17 C18 C19 C24 -171.00(16) . . . . ?  
C23 C18 C19 C24 0.1(3) . . . . ?  
Ti1 C18 C19 C24 125.80(16) . . . . ?  
C17 C18 C19 Ti1 63.20(11) . . . . ?  
C23 C18 C19 Ti1 -125.71(17) . . . . ?  
C1 Ti1 C19 C18 113.59(10) . . . . ?  
C2 Ti1 C19 C18 82.58(10) . . . . ?  
C5 Ti1 C19 C18 99.40(14) . . . . ?  
C11 Ti1 C19 C18 -108.04(9) . . . . ?  
C17 Ti1 C19 C18 -36.86(9) . . . . ?

C20 Ti1 C19 C18 -115.61(13) . . . . ?  
C16 Ti1 C19 C18 -78.32(10) . . . . ?  
C3 Ti1 C19 C18 50.88(10) . . . . ?  
C4 Ti1 C19 C18 45.39(13) . . . . ?  
C6 Ti1 C19 C18 145.26(9) . . . . ?  
C1 Ti1 C19 C20 -130.80(10) . . . . ?  
C2 Ti1 C19 C20 -161.82(10) . . . . ?  
C5 Ti1 C19 C20 -145.00(12) . . . . ?  
C11 Ti1 C19 C20 7.56(11) . . . . ?  
C17 Ti1 C19 C20 78.74(10) . . . . ?  
C16 Ti1 C19 C20 37.29(9) . . . . ?  
C18 Ti1 C19 C20 115.61(13) . . . . ?  
C3 Ti1 C19 C20 166.49(10) . . . . ?  
C4 Ti1 C19 C20 160.99(10) . . . . ?  
C6 Ti1 C19 C20 -99.14(9) . . . . ?  
C1 Ti1 C19 C24 -6.88(18) . . . . ?  
C2 Ti1 C19 C24 -37.90(17) . . . . ?  
C5 Ti1 C19 C24 -21.1(2) . . . . ?  
C11 Ti1 C19 C24 131.48(15) . . . . ?  
C17 Ti1 C19 C24 -157.34(19) . . . . ?  
C20 Ti1 C19 C24 123.9(2) . . . . ?  
C16 Ti1 C19 C24 161.20(19) . . . . ?  
C18 Ti1 C19 C24 -120.5(2) . . . . ?  
C3 Ti1 C19 C24 -69.60(17) . . . . ?  
C4 Ti1 C19 C24 -75.09(18) . . . . ?  
C6 Ti1 C19 C24 24.78(17) . . . . ?  
C17 C16 C20 C19 2.07(17) . . . . ?  
C21 C16 C20 C19 -170.45(15) . . . . ?  
Ti1 C16 C20 C19 65.25(10) . . . . ?  
C17 C16 C20 C25 175.05(15) . . . . ?  
C21 C16 C20 C25 2.5(2) . . . . ?  
Ti1 C16 C20 C25 -121.77(15) . . . . ?  
C17 C16 C20 Ti1 -63.18(11) . . . . ?  
C21 C16 C20 Ti1 124.30(16) . . . . ?  
C18 C19 C20 C16 -0.34(17) . . . . ?  
C24 C19 C20 C16 168.75(16) . . . . ?  
Ti1 C19 C20 C16 -65.25(11) . . . . ?  
C18 C19 C20 C25 -172.91(15) . . . . ?  
C24 C19 C20 C25 -3.8(3) . . . . ?  
Ti1 C19 C20 C25 122.17(16) . . . . ?  
C18 C19 C20 Ti1 64.92(11) . . . . ?  
C24 C19 C20 Ti1 -125.99(16) . . . . ?  
C1 Ti1 C20 C16 -177.87(9) . . . . ?  
C2 Ti1 C20 C16 136.47(9) . . . . ?  
C5 Ti1 C20 C16 -137.2(2) . . . . ?  
C11 Ti1 C20 C16 -59.06(9) . . . . ?  
C17 Ti1 C20 C16 36.85(9) . . . . ?  
C19 Ti1 C20 C16 115.23(13) . . . . ?  
C18 Ti1 C20 C16 78.03(10) . . . . ?  
C3 Ti1 C20 C16 96.22(12) . . . . ?  
C4 Ti1 C20 C16 56.9(3) . . . . ?  
C6 Ti1 C20 C16 -158.90(9) . . . . ?  
C1 Ti1 C20 C19 66.90(12) . . . . ?  
C2 Ti1 C20 C19 21.24(11) . . . . ?  
C5 Ti1 C20 C19 107.6(2) . . . . ?  
C11 Ti1 C20 C19 -174.29(9) . . . . ?  
C17 Ti1 C20 C19 -78.38(10) . . . . ?  
C16 Ti1 C20 C19 -115.23(13) . . . . ?  
C18 Ti1 C20 C19 -37.20(9) . . . . ?  
C3 Ti1 C20 C19 -19.01(14) . . . . ?  
C4 Ti1 C20 C19 -58.3(3) . . . . ?

C6 Ti1 C20 C19 85.87(10) . . . . ?  
C1 Ti1 C20 C25 -58.19(18) . . . . ?  
C2 Ti1 C20 C25 -103.85(16) . . . . ?  
C5 Ti1 C20 C25 -17.5(3) . . . . ?  
C11 Ti1 C20 C25 60.62(15) . . . . ?  
C17 Ti1 C20 C25 156.52(17) . . . . ?  
C16 Ti1 C20 C25 119.68(19) . . . . ?  
C19 Ti1 C20 C25 -125.09(19) . . . . ?  
C18 Ti1 C20 C25 -162.30(18) . . . . ?  
C3 Ti1 C20 C25 -144.11(15) . . . . ?  
C4 Ti1 C20 C25 176.6(2) . . . . ?  
C6 Ti1 C20 C25 -39.23(16) . . . . ?  
C27 Ti2 C26 C30 109.99(15) . . . . ?  
C44 Ti2 C26 C30 103.18(13) . . . . ?  
C12 Ti2 C26 C30 -52.64(10) . . . . ?  
C45 Ti2 C26 C30 133.84(10) . . . . ?  
C43 Ti2 C26 C30 172.7(4) . . . . ?  
C29 Ti2 C26 C30 35.29(11) . . . . ?  
C28 Ti2 C26 C30 73.93(11) . . . . ?  
C41 Ti2 C26 C30 172.05(9) . . . . ?  
C42 Ti2 C26 C30 -157.28(10) . . . . ?  
C31 Ti2 C26 C30 -124.64(14) . . . . ?  
C27 Ti2 C26 C31 -125.37(16) . . . . ?  
C30 Ti2 C26 C31 124.64(14) . . . . ?  
C44 Ti2 C26 C31 -132.18(11) . . . . ?  
C12 Ti2 C26 C31 71.99(10) . . . . ?  
C45 Ti2 C26 C31 -101.52(10) . . . . ?  
C43 Ti2 C26 C31 -62.7(4) . . . . ?  
C29 Ti2 C26 C31 159.93(12) . . . . ?  
C28 Ti2 C26 C31 -161.44(13) . . . . ?  
C41 Ti2 C26 C31 -63.31(11) . . . . ?  
C42 Ti2 C26 C31 -32.64(14) . . . . ?  
C30 Ti2 C26 C27 -109.99(15) . . . . ?  
C44 Ti2 C26 C27 -6.81(17) . . . . ?  
C12 Ti2 C26 C27 -162.63(10) . . . . ?  
C45 Ti2 C26 C27 23.85(13) . . . . ?  
C43 Ti2 C26 C27 62.7(4) . . . . ?  
C29 Ti2 C26 C27 -74.70(12) . . . . ?  
C28 Ti2 C26 C27 -36.06(11) . . . . ?  
C41 Ti2 C26 C27 62.06(12) . . . . ?  
C42 Ti2 C26 C27 92.73(13) . . . . ?  
C31 Ti2 C26 C27 125.37(16) . . . . ?  
C30 C26 C27 C28 -2.61(17) . . . . ?  
C31 C26 C27 C28 142.04(15) . . . . ?  
Ti2 C26 C27 C28 68.59(12) . . . . ?  
C30 C26 C27 Ti2 -71.20(10) . . . . ?  
C31 C26 C27 Ti2 73.45(13) . . . . ?  
C26 Ti2 C27 C28 -115.80(17) . . . . ?  
C30 Ti2 C27 C28 -74.87(12) . . . . ?  
C44 Ti2 C27 C28 59.97(13) . . . . ?  
C12 Ti2 C27 C28 -89.24(12) . . . . ?  
C45 Ti2 C27 C28 85.59(12) . . . . ?  
C43 Ti2 C27 C28 75.14(15) . . . . ?  
C29 Ti2 C27 C28 -34.42(11) . . . . ?  
C41 Ti2 C27 C28 117.35(12) . . . . ?  
C42 Ti2 C27 C28 120.24(12) . . . . ?  
C31 Ti2 C27 C28 -147.26(13) . . . . ?  
C30 Ti2 C27 C26 40.93(10) . . . . ?  
C44 Ti2 C27 C26 175.77(10) . . . . ?  
C12 Ti2 C27 C26 26.56(15) . . . . ?  
C45 Ti2 C27 C26 -158.62(12) . . . . ?

C43 Ti2 C27 C26 -169.07(10) . . . . ?  
C29 Ti2 C27 C26 81.38(11) . . . . ?  
C28 Ti2 C27 C26 115.80(17) . . . . ?  
C41 Ti2 C27 C26 -126.85(11) . . . . ?  
C42 Ti2 C27 C26 -123.97(11) . . . . ?  
C31 Ti2 C27 C26 -31.46(10) . . . . ?  
C26 C27 C28 C29 0.61(19) . . . . ?  
Ti2 C27 C28 C29 61.56(13) . . . . ?  
C26 C27 C28 Ti2 -60.95(11) . . . . ?  
C26 Ti2 C28 C29 -79.96(11) . . . . ?  
C27 Ti2 C28 C29 -119.59(16) . . . . ?  
C30 Ti2 C28 C29 -36.40(11) . . . . ?  
C44 Ti2 C28 C29 117.10(11) . . . . ?  
C12 Ti2 C28 C29 4.59(13) . . . . ?  
C45 Ti2 C28 C29 151.52(12) . . . . ?  
C43 Ti2 C28 C29 109.54(11) . . . . ?  
C41 Ti2 C28 C29 170.98(10) . . . . ?  
C42 Ti2 C28 C29 148.52(11) . . . . ?  
C31 Ti2 C28 C29 -90.51(11) . . . . ?  
C26 Ti2 C28 C27 39.63(11) . . . . ?  
C30 Ti2 C28 C27 83.18(12) . . . . ?  
C44 Ti2 C28 C27 -123.32(12) . . . . ?  
C12 Ti2 C28 C27 124.17(11) . . . . ?  
C45 Ti2 C28 C27 -88.89(12) . . . . ?  
C43 Ti2 C28 C27 -130.87(11) . . . . ?  
C29 Ti2 C28 C27 119.59(16) . . . . ?  
C41 Ti2 C28 C27 -69.43(12) . . . . ?  
C42 Ti2 C28 C27 -91.90(13) . . . . ?  
C31 Ti2 C28 C27 29.08(12) . . . . ?  
C27 C28 C29 C30 1.7(2) . . . . ?  
Ti2 C28 C29 C30 59.23(12) . . . . ?  
C27 C28 C29 Ti2 -57.52(12) . . . . ?  
C26 Ti2 C29 C28 80.17(12) . . . . ?  
C27 Ti2 C29 C28 35.68(11) . . . . ?  
C30 Ti2 C29 C28 118.16(17) . . . . ?  
C44 Ti2 C29 C28 -65.26(11) . . . . ?  
C12 Ti2 C29 C28 -176.40(10) . . . . ?  
C45 Ti2 C29 C28 -30.03(12) . . . . ?  
C43 Ti2 C29 C28 -92.94(12) . . . . ?  
C41 Ti2 C29 C28 -13.83(16) . . . . ?  
C42 Ti2 C29 C28 -76.9(2) . . . . ?  
C31 Ti2 C29 C28 91.55(11) . . . . ?  
C26 Ti2 C29 C30 -37.99(12) . . . . ?  
C27 Ti2 C29 C30 -82.48(13) . . . . ?  
C44 Ti2 C29 C30 176.58(12) . . . . ?  
C12 Ti2 C29 C30 65.44(12) . . . . ?  
C45 Ti2 C29 C30 -148.19(12) . . . . ?  
C43 Ti2 C29 C30 148.89(11) . . . . ?  
C28 Ti2 C29 C30 -118.16(17) . . . . ?  
C41 Ti2 C29 C30 -131.99(12) . . . . ?  
C42 Ti2 C29 C30 164.96(16) . . . . ?  
C31 Ti2 C29 C30 -26.61(13) . . . . ?  
C28 C29 C30 C26 -3.4(2) . . . . ?  
Ti2 C29 C30 C26 59.35(11) . . . . ?  
C28 C29 C30 Ti2 -62.77(13) . . . . ?  
C31 C26 C30 C29 -141.11(15) . . . . ?  
C27 C26 C30 C29 3.68(18) . . . . ?  
Ti2 C26 C30 C29 -66.49(12) . . . . ?  
C31 C26 C30 Ti2 -74.62(13) . . . . ?  
C27 C26 C30 Ti2 70.17(10) . . . . ?  
C26 Ti2 C30 C29 117.74(17) . . . . ?



C27 Ti2 C30 C29 75.84(13) . . . . ?  
C44 Ti2 C30 C29 -4.84(17) . . . . ?  
C12 Ti2 C30 C29 -113.52(12) . . . . ?  
C45 Ti2 C30 C29 46.73(16) . . . . ?  
C43 Ti2 C30 C29 -60.09(19) . . . . ?  
C28 Ti2 C30 C29 35.20(12) . . . . ?  
C41 Ti2 C30 C29 102.39(16) . . . . ?  
C42 Ti2 C30 C29 -158.1(2) . . . . ?  
C31 Ti2 C30 C29 149.82(14) . . . . ?  
C27 Ti2 C30 C26 -41.90(10) . . . . ?  
C44 Ti2 C30 C26 -122.58(11) . . . . ?  
C12 Ti2 C30 C26 128.75(10) . . . . ?  
C45 Ti2 C30 C26 -71.01(13) . . . . ?  
C43 Ti2 C30 C26 -177.83(11) . . . . ?  
C29 Ti2 C30 C26 -117.74(17) . . . . ?  
C28 Ti2 C30 C26 -82.54(11) . . . . ?  
C41 Ti2 C30 C26 -15.35(18) . . . . ?  
C42 Ti2 C30 C26 84.2(3) . . . . ?  
C31 Ti2 C30 C26 32.08(9) . . . . ?  
C30 C26 C31 C32 -176.35(14) . . . . ?  
C27 C26 C31 C32 44.7(2) . . . . ?  
Ti2 C26 C31 C32 113.27(13) . . . . ?  
C30 C26 C31 C36 -36.7(2) . . . . ?  
C27 C26 C31 C36 -175.59(14) . . . . ?  
Ti2 C26 C31 C36 -107.06(12) . . . . ?  
C30 C26 C31 Ti2 70.38(13) . . . . ?  
C27 C26 C31 Ti2 -68.52(13) . . . . ?  
C27 Ti2 C31 C26 33.92(10) . . . . ?  
C30 Ti2 C31 C26 -33.86(10) . . . . ?  
C44 Ti2 C31 C26 106.31(14) . . . . ?  
C12 Ti2 C31 C26 -112.78(9) . . . . ?  
C45 Ti2 C31 C26 97.38(11) . . . . ?  
C43 Ti2 C31 C26 168.43(10) . . . . ?  
C29 Ti2 C31 C26 -17.32(11) . . . . ?  
C28 Ti2 C31 C26 16.05(11) . . . . ?  
C41 Ti2 C31 C26 125.66(10) . . . . ?  
C42 Ti2 C31 C26 158.28(10) . . . . ?  
C26 Ti2 C31 C32 -109.53(16) . . . . ?  
C27 Ti2 C31 C32 -75.61(13) . . . . ?  
C30 Ti2 C31 C32 -143.39(14) . . . . ?  
C44 Ti2 C31 C32 -3.2(2) . . . . ?  
C12 Ti2 C31 C32 137.69(12) . . . . ?  
C45 Ti2 C31 C32 -12.15(15) . . . . ?  
C43 Ti2 C31 C32 58.89(16) . . . . ?  
C29 Ti2 C31 C32 -126.85(14) . . . . ?  
C28 Ti2 C31 C32 -93.49(13) . . . . ?  
C41 Ti2 C31 C32 16.12(13) . . . . ?  
C42 Ti2 C31 C32 48.74(13) . . . . ?  
C26 Ti2 C31 C36 107.33(16) . . . . ?  
C27 Ti2 C31 C36 141.26(14) . . . . ?  
C30 Ti2 C31 C36 73.48(13) . . . . ?  
C44 Ti2 C31 C36 -146.36(13) . . . . ?  
C12 Ti2 C31 C36 -5.45(12) . . . . ?  
C45 Ti2 C31 C36 -155.29(11) . . . . ?  
C43 Ti2 C31 C36 -84.24(14) . . . . ?  
C29 Ti2 C31 C36 90.01(13) . . . . ?  
C28 Ti2 C31 C36 123.38(13) . . . . ?  
C41 Ti2 C31 C36 -127.01(12) . . . . ?  
C42 Ti2 C31 C36 -94.39(12) . . . . ?  
C26 C31 C32 C39 -162.08(14) . . . . ?  
C36 C31 C32 C39 55.93(17) . . . . ?

Ti2 C31 C32 C39 -89.21(15) . . . . ?  
C26 C31 C32 C33 79.31(18) . . . . ?  
C36 C31 C32 C33 -62.68(17) . . . . ?  
Ti2 C31 C32 C33 152.18(11) . . . . ?  
C31 C32 C33 C34 59.73(19) . . . . ?  
C39 C32 C33 C34 -60.0(2) . . . . ?  
C32 C33 C34 C35 -58.80(19) . . . . ?  
C32 C33 C34 C40 60.88(19) . . . . ?  
C40 C34 C35 C36 -59.96(18) . . . . ?  
C33 C34 C35 C36 59.79(18) . . . . ?  
C26 C31 C36 C37 159.95(13) . . . . ?  
C32 C31 C36 C37 -56.41(17) . . . . ?  
Ti2 C31 C36 C37 91.20(14) . . . . ?  
C26 C31 C36 C35 -80.80(17) . . . . ?  
C32 C31 C36 C35 62.83(17) . . . . ?  
Ti2 C31 C36 C35 -149.56(11) . . . . ?  
C34 C35 C36 C37 59.78(18) . . . . ?  
C34 C35 C36 C31 -60.56(18) . . . . ?  
C31 C36 C37 C38 58.69(17) . . . . ?  
C35 C36 C37 C38 -59.38(18) . . . . ?  
C36 C37 C38 C39 -60.06(17) . . . . ?  
C36 C37 C38 C40 59.68(18) . . . . ?  
C37 C38 C39 C32 60.41(18) . . . . ?  
C40 C38 C39 C32 -59.4(2) . . . . ?  
C31 C32 C39 C38 -58.90(18) . . . . ?  
C33 C32 C39 C38 59.46(19) . . . . ?  
C35 C34 C40 C38 59.8(2) . . . . ?  
C33 C34 C40 C38 -60.2(2) . . . . ?  
C37 C38 C40 C34 -59.7(2) . . . . ?  
C39 C38 C40 C34 59.2(2) . . . . ?  
C26 Ti2 C41 C42 142.93(9) . . . . ?  
C27 Ti2 C41 C42 175.89(10) . . . . ?  
C30 Ti2 C41 C42 153.10(12) . . . . ?  
C44 Ti2 C41 C42 -78.66(10) . . . . ?  
C12 Ti2 C41 C42 15.64(11) . . . . ?  
C45 Ti2 C41 C42 -116.17(14) . . . . ?  
C43 Ti2 C41 C42 -36.96(9) . . . . ?  
C29 Ti2 C41 C42 -143.98(11) . . . . ?  
C28 Ti2 C41 C42 -151.96(9) . . . . ?  
C31 Ti2 C41 C42 111.83(9) . . . . ?  
C26 Ti2 C41 C45 -100.90(10) . . . . ?  
C27 Ti2 C41 C45 -67.95(10) . . . . ?  
C30 Ti2 C41 C45 -90.73(15) . . . . ?  
C44 Ti2 C41 C45 37.51(9) . . . . ?  
C12 Ti2 C41 C45 131.81(8) . . . . ?  
C43 Ti2 C41 C45 79.21(10) . . . . ?  
C29 Ti2 C41 C45 -27.82(14) . . . . ?  
C28 Ti2 C41 C45 -35.80(11) . . . . ?  
C42 Ti2 C41 C45 116.17(14) . . . . ?  
C31 Ti2 C41 C45 -132.01(9) . . . . ?  
C26 Ti2 C41 C46 18.14(19) . . . . ?  
C27 Ti2 C41 C46 51.10(18) . . . . ?  
C30 Ti2 C41 C46 28.3(2) . . . . ?  
C44 Ti2 C41 C46 156.6(2) . . . . ?  
C12 Ti2 C41 C46 -109.15(17) . . . . ?  
C45 Ti2 C41 C46 119.0(2) . . . . ?  
C43 Ti2 C41 C46 -161.7(2) . . . . ?  
C29 Ti2 C41 C46 91.23(19) . . . . ?  
C28 Ti2 C41 C46 83.25(18) . . . . ?  
C42 Ti2 C41 C46 -124.8(2) . . . . ?  
C31 Ti2 C41 C46 -12.96(18) . . . . ?

C45 C41 C42 C43 0.87(17) . . . . ?  
C46 C41 C42 C43 -165.87(15) . . . . ?  
Ti2 C41 C42 C43 63.56(11) . . . . ?  
C45 C41 C42 C47 174.77(16) . . . . ?  
C46 C41 C42 C47 8.0(3) . . . . ?  
Ti2 C41 C42 C47 -122.54(17) . . . . ?  
C45 C41 C42 Ti2 -62.69(11) . . . . ?  
C46 C41 C42 Ti2 130.57(16) . . . . ?  
C26 Ti2 C42 C41 -56.35(13) . . . . ?  
C27 Ti2 C42 C41 -5.21(12) . . . . ?  
C30 Ti2 C42 C41 -122.7(2) . . . . ?  
C44 Ti2 C42 C41 79.01(10) . . . . ?  
C12 Ti2 C42 C41 -166.64(9) . . . . ?  
C45 Ti2 C42 C41 37.22(9) . . . . ?  
C43 Ti2 C42 C41 116.26(13) . . . . ?  
C29 Ti2 C42 C41 92.6(2) . . . . ?  
C28 Ti2 C42 C41 40.78(14) . . . . ?  
C31 Ti2 C42 C41 -75.31(10) . . . . ?  
C26 Ti2 C42 C43 -172.61(10) . . . . ?  
C27 Ti2 C42 C43 -121.47(10) . . . . ?  
C30 Ti2 C42 C43 121.0(2) . . . . ?  
C44 Ti2 C42 C43 -37.25(9) . . . . ?  
C12 Ti2 C42 C43 77.10(9) . . . . ?  
C45 Ti2 C42 C43 -79.04(10) . . . . ?  
C29 Ti2 C42 C43 -23.7(2) . . . . ?  
C28 Ti2 C42 C43 -75.48(13) . . . . ?  
C41 Ti2 C42 C43 -116.26(13) . . . . ?  
C31 Ti2 C42 C43 168.43(9) . . . . ?  
C26 Ti2 C42 C47 67.12(19) . . . . ?  
C27 Ti2 C42 C47 118.26(16) . . . . ?  
C30 Ti2 C42 C47 0.7(3) . . . . ?  
C44 Ti2 C42 C47 -157.52(18) . . . . ?  
C12 Ti2 C42 C47 -43.17(16) . . . . ?  
C45 Ti2 C42 C47 160.69(18) . . . . ?  
C43 Ti2 C42 C47 -120.3(2) . . . . ?  
C29 Ti2 C42 C47 -144.0(2) . . . . ?  
C28 Ti2 C42 C47 164.24(15) . . . . ?  
C41 Ti2 C42 C47 123.5(2) . . . . ?  
C31 Ti2 C42 C47 48.15(17) . . . . ?  
C41 C42 C43 C44 -2.15(18) . . . . ?  
C47 C42 C43 C44 -176.19(16) . . . . ?  
Ti2 C42 C43 C44 62.36(11) . . . . ?  
C41 C42 C43 C48 172.71(15) . . . . ?  
C47 C42 C43 C48 -1.3(3) . . . . ?  
Ti2 C42 C43 C48 -122.78(16) . . . . ?  
C41 C42 C43 Ti2 -64.51(11) . . . . ?  
C47 C42 C43 Ti2 121.45(16) . . . . ?  
C26 Ti2 C43 C42 35.9(4) . . . . ?  
C27 Ti2 C43 C42 90.23(12) . . . . ?  
C30 Ti2 C43 C42 -153.22(12) . . . . ?  
C44 Ti2 C43 C42 116.53(14) . . . . ?  
C12 Ti2 C43 C42 -99.92(9) . . . . ?  
C45 Ti2 C43 C42 77.86(10) . . . . ?  
C29 Ti2 C43 C42 169.57(10) . . . . ?  
C28 Ti2 C43 C42 129.87(10) . . . . ?  
C41 Ti2 C43 C42 36.61(9) . . . . ?  
C31 Ti2 C43 C42 -17.52(13) . . . . ?  
C26 Ti2 C43 C44 -80.6(4) . . . . ?  
C27 Ti2 C43 C44 -26.30(15) . . . . ?  
C30 Ti2 C43 C44 90.26(16) . . . . ?  
C12 Ti2 C43 C44 143.56(11) . . . . ?

C45 Ti2 C43 C44 -38.67(11) . . . . ?  
C29 Ti2 C43 C44 53.04(13) . . . . ?  
C28 Ti2 C43 C44 13.34(13) . . . . ?  
C41 Ti2 C43 C44 -79.91(11) . . . . ?  
C42 Ti2 C43 C44 -116.53(14) . . . . ?  
C31 Ti2 C43 C44 -134.05(11) . . . . ?  
C26 Ti2 C43 C48 157.9(4) . . . . ?  
C27 Ti2 C43 C48 -147.79(15) . . . . ?  
C30 Ti2 C43 C48 -31.2(2) . . . . ?  
C44 Ti2 C43 C48 -121.5(2) . . . . ?  
C12 Ti2 C43 C48 22.06(15) . . . . ?  
C45 Ti2 C43 C48 -160.17(18) . . . . ?  
C29 Ti2 C43 C48 -68.46(17) . . . . ?  
C28 Ti2 C43 C48 -108.16(16) . . . . ?  
C41 Ti2 C43 C48 158.59(17) . . . . ?  
C42 Ti2 C43 C48 121.97(19) . . . . ?  
C31 Ti2 C43 C48 104.45(17) . . . . ?  
C42 C43 C44 C45 2.59(18) . . . . ?  
C48 C43 C44 C45 -172.14(16) . . . . ?  
Ti2 C43 C44 C45 67.77(11) . . . . ?  
C42 C43 C44 C49 176.00(16) . . . . ?  
C48 C43 C44 C49 1.3(3) . . . . ?  
Ti2 C43 C44 C49 -118.82(18) . . . . ?  
C42 C43 C44 Ti2 -65.18(11) . . . . ?  
C48 C43 C44 Ti2 120.08(16) . . . . ?  
C26 Ti2 C44 C45 52.93(15) . . . . ?  
C27 Ti2 C44 C45 48.60(12) . . . . ?  
C30 Ti2 C44 C45 110.77(12) . . . . ?  
C12 Ti2 C44 C45 -151.96(9) . . . . ?  
C43 Ti2 C44 C45 -113.42(15) . . . . ?  
C29 Ti2 C44 C45 107.98(11) . . . . ?  
C28 Ti2 C44 C45 78.02(11) . . . . ?  
C41 Ti2 C44 C45 -36.87(10) . . . . ?  
C42 Ti2 C44 C45 -77.03(11) . . . . ?  
C31 Ti2 C44 C45 -13.89(17) . . . . ?  
C26 Ti2 C44 C43 166.35(11) . . . . ?  
C27 Ti2 C44 C43 162.02(11) . . . . ?  
C30 Ti2 C44 C43 -135.81(11) . . . . ?  
C12 Ti2 C44 C43 -38.54(11) . . . . ?  
C45 Ti2 C44 C43 113.42(15) . . . . ?  
C29 Ti2 C44 C43 -138.60(11) . . . . ?  
C28 Ti2 C44 C43 -168.56(12) . . . . ?  
C41 Ti2 C44 C43 76.55(11) . . . . ?  
C42 Ti2 C44 C43 36.39(10) . . . . ?  
C31 Ti2 C44 C43 99.53(14) . . . . ?  
C26 Ti2 C44 C49 -70.04(19) . . . . ?  
C27 Ti2 C44 C49 -74.38(16) . . . . ?  
C30 Ti2 C44 C49 -12.20(19) . . . . ?  
C12 Ti2 C44 C49 85.07(15) . . . . ?  
C45 Ti2 C44 C49 -122.97(19) . . . . ?  
C43 Ti2 C44 C49 123.6(2) . . . . ?  
C29 Ti2 C44 C49 -15.00(16) . . . . ?  
C28 Ti2 C44 C49 -44.96(15) . . . . ?  
C41 Ti2 C44 C49 -159.85(17) . . . . ?  
C42 Ti2 C44 C49 159.99(17) . . . . ?  
C31 Ti2 C44 C49 -136.86(15) . . . . ?  
C43 C44 C45 C41 -2.05(18) . . . . ?  
C49 C44 C45 C41 -175.47(16) . . . . ?  
Ti2 C44 C45 C41 66.41(11) . . . . ?  
C43 C44 C45 C50 166.57(17) . . . . ?  
C49 C44 C45 C50 -6.8(3) . . . . ?

Ti2 C44 C45 C50 -124.97(17) . . . . ?  
 C43 C44 C45 Ti2 -68.46(11) . . . . ?  
 C49 C44 C45 Ti2 118.12(18) . . . . ?  
 C42 C41 C45 C44 0.74(18) . . . . ?  
 C46 C41 C45 C44 167.89(15) . . . . ?  
 Ti2 C41 C45 C44 -63.71(11) . . . . ?  
 C42 C41 C45 C50 -168.08(16) . . . . ?  
 C46 C41 C45 C50 -0.9(3) . . . . ?  
 Ti2 C41 C45 C50 127.48(16) . . . . ?  
 C42 C41 C45 Ti2 64.44(11) . . . . ?  
 C46 C41 C45 Ti2 -128.40(16) . . . . ?  
 C26 Ti2 C45 C44 -147.59(10) . . . . ?  
 C27 Ti2 C45 C44 -133.06(11) . . . . ?  
 C30 Ti2 C45 C44 -107.93(12) . . . . ?  
 C12 Ti2 C45 C44 41.89(13) . . . . ?  
 C43 Ti2 C45 C44 38.57(10) . . . . ?  
 C29 Ti2 C45 C44 -81.97(11) . . . . ?  
 C28 Ti2 C45 C44 -98.14(11) . . . . ?  
 C41 Ti2 C45 C44 115.95(14) . . . . ?  
 C42 Ti2 C45 C44 79.41(10) . . . . ?  
 C31 Ti2 C45 C44 172.76(9) . . . . ?  
 C26 Ti2 C45 C41 96.46(10) . . . . ?  
 C27 Ti2 C45 C41 110.98(10) . . . . ?  
 C30 Ti2 C45 C41 136.11(10) . . . . ?  
 C44 Ti2 C45 C41 -115.95(14) . . . . ?  
 C12 Ti2 C45 C41 -74.06(11) . . . . ?  
 C43 Ti2 C45 C41 -77.38(10) . . . . ?  
 C29 Ti2 C45 C41 162.07(10) . . . . ?  
 C28 Ti2 C45 C41 145.91(10) . . . . ?  
 C42 Ti2 C45 C41 -36.55(9) . . . . ?  
 C31 Ti2 C45 C41 56.81(10) . . . . ?  
 C26 Ti2 C45 C50 -26.2(2) . . . . ?  
 C27 Ti2 C45 C50 -11.71(18) . . . . ?  
 C30 Ti2 C45 C50 13.4(2) . . . . ?  
 C44 Ti2 C45 C50 121.4(2) . . . . ?  
 C12 Ti2 C45 C50 163.25(16) . . . . ?  
 C43 Ti2 C45 C50 159.9(2) . . . . ?  
 C29 Ti2 C45 C50 39.4(2) . . . . ?  
 C28 Ti2 C45 C50 23.21(19) . . . . ?  
 C41 Ti2 C45 C50 -122.7(2) . . . . ?  
 C42 Ti2 C45 C50 -159.2(2) . . . . ?  
 C31 Ti2 C45 C50 -65.9(2) . . . . ?

\_diffn\_measured\_fraction\_theta\_max 0.931  
 \_diffn\_refl\_theta\_full 26.01  
 \_diffn\_measured\_fraction\_theta\_full 0.931  
 \_refine\_diff\_density\_max 0.366  
 \_refine\_diff\_density\_min -0.285  
 \_refine\_diff\_density\_rms 0.044

#===END of Crystallographic Information File

# CIF-file generated for C49H54BTi CP873  
 #=====
 data\_global
 #=====

# 0. AUDIT DETAILS

\_audit\_creation\_date '2004-02-11 11:30:33'  
 \_audit\_creation\_method

```

;
  PLATON <TABLE ACC> option
  SHELXL97-2 & Manual Editing
;
_audit_update_record
;
?

2009-09-28 # Formatted by publCIF
;

#=====

# 1. SUBMISSION DETAILS

_publ_contact_author_name          # Name of author for correspondence
;
  Drs. A. Meetsma
;
_publ_contact_author_address       # Address of author for correspondence
;
  Crystal Structure Center, Chemical Physics,
  Zernike Institute for Advanced Materials,
  University of Groningen,
  Nijenborgh 4,
  NL-9747 AG Groningen, The Netherlands.
;
_publ_contact_author_email         A.Meetsma@rug.nl
_publ_contact_author_fax           '+31 50 3634441'
_publ_contact_author_phone         '+31 50 3634368'

_publ_requested_journal             'Organometallics'
# Publication choise FI FM FO CI CM CO
_publ_requested_category            ?
_publ_requested_coeditor_name       ?

_publ_contact_letter               # Include date of submission
;
  Date of submission : 2009-09-28 11:55:33

  Consider this CIF submission for deposition of the second
  X-ray structure of a manuscript to be submitted to : Organometallics.
  (Our Compound_Identification_Code : CP873)
;

#=====

# 2. PROCESSING SUMMARY (JOURNAL OFFICE ONLY)

_journal_date_recd_electronic       ?

_journal_date_to_coeditor           ?
_journal_date_from_coeditor         ?
_journal_date_accepted              ?

_journal_date_printers_first        ?
_journal_date_printers_final        ?
_journal_date_proofs_out             ?
_journal_date_proofs_in             ?

_journal_coeditor_name              ?

```

```

_journal_coeditor_code           ?
_journal_coeditor_notes
; ?
;

_journal_techeditor_code         ?
_journal_techeditor_notes
; ?
;

_journal_coden_ASTM              ?
_journal_name_full               ?
_journal_year                    ?
_journal_volume                  ?
_journal_issue                   ?
_journal_page_first              ?
_journal_page_last               ?

_journal_suppl_publ_number       ?
_journal_suppl_publ_pages        ?

```

#=====

# 3. TITLE AND AUTHOR LIST

```

_publ_section_title
;
Title (type here to add)
;
_publ_section_title_footnote
.

```

# The loop structure below should contain the names and addresses of all  
# authors, in the required order of publication. Repeat as necessary.

```

loop_
  _publ_author_name
  _publ_author_footnote
  _publ_author_address

  'Meetsma, Auke'
;
? # author related footnote
;
;

```

```

Crystal Structure Center, Chemical Physics,
Zernike Institute for Advanced Materials,
University of Groningen,
Nijenborgh 4,
NL-9747 AG Groningen, The Netherlands.
;

```

#=====

# 4. TEXT

```

_publ_section_synopsis

```

```

.
_publ_section_abstract
;
(type here to add abstract)
;

# Insert blank lines between paragraphs

_publ_section_comment
;
(type here to add)
;
_publ_section_exptl_prep
;
(type here to add preparation details)
;
_publ_section_exptl_refinement
;
Refinement was frustrated by a disorder problem: from the solution it was clear
that the toluene solvent molecule was highly disordered over an inversion
center. The electron density appeared to be spread out, indicating
transformational disorder. No satisfactory discrete model could be fitted in
this density. The BYPASS procedure was used to take into account the
electron density in the potential solvent area, which resulted in an electron
count of 94 within a volume of 335.9 \AA^3 in the unit cell.
;

# Insert blank lines between references

_publ_section_references
;
Beurskens, P.T., Beurskens, G., Gelder, R. de Garc'ia-Granda, S. Gould, R.O.
Isra"el, R. & Smits, J.M.M. (1999). The <i>DIRDIF99</i> program system,
Technical Report of the Crystallography Laboratory, University of Nijmegen,
The Netherlands.

Bruker, (2001). <i>SMART</i>, <i>SAINT</i>, <i>SADABS</i>, <i>XPREP</i> and
<i>SHELXTL</i>/NT. Software Reference Manual Bruker AXS Inc. Madison,
Wisconsin, USA.

Meetsma, A. (2003). Extended version of the program <i>PLUTO</i>. Groningen
University, The Netherlands. (unpublished).

Sheldrick, G.M. <i>SHELXL97</i>. Program for Crystal Structure Refinement.
University of G"ottingen, Germany, 1997.

Spek, A. L. (2003). <i>J. Appl. Cryst.</i> 36, 7--13.
;

_publ_section_figure_captions
;
Fig. 1. Perspective <i>PLUTO</i> drawing of the molecule illustrating the
configuration and the adopted numbering scheme.

Fig. 2. Molecular packing viewed down unit cell axes.

Fig. 3. Perspective <i>ORTEP</i> drawing of the title compound. Displacement
ellipsoids for non-H are represented at the 50% probability level. The H-atoms
have been omitted to improve clarity.
;

```



#=====

# 5. CHEMICAL DATA

\_chemical\_name\_systematic  
; ?  
;  
\_chemical\_name\_common ?  
\_chemical\_melting\_point ?  
\_chemical\_formula\_moiety  
'C25 H34 Ti, C24 H20 B'  
# Ex: 'C12 H16 N2 O6, H2 O' and '(Cd 2+)3, (C6 N6 Cr 3-)2, 2(H2 O)'  
\_chemical\_formula\_structural ?  
\_chemical\_formula\_sum  
'C49 H54 B Ti'  
\_chemical\_formula\_iupac ?  
\_chemical\_formula\_weight 701.66  
\_chemical\_compound\_source 'see text'

loop\_  
\_atom\_type\_symbol  
\_atom\_type\_description  
\_atom\_type\_scatter\_dispersion\_real  
\_atom\_type\_scatter\_dispersion\_imag  
\_atom\_type\_scatter\_source  
Ti Ti 0.2776 0.4457  
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'  
B B 0.0013 0.0007  
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'  
H H 0.0000 0.0000  
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'  
C C 0.0033 0.0016  
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'

#=====

# 6. CRYSTAL DATA

\_symmetry\_cell\_setting Monoclinic  
\_symmetry\_space\_group\_name\_Hall '-P 2ybc'  
\_symmetry\_space\_group\_name\_H-M 'P 21/c'  
\_symmetry\_Int\_Tables\_number 14

loop\_  
\_symmetry\_equiv\_pos\_as\_xyz  
x, y, z  
-x, 1/2+y, 1/2-z  
-x, -y, -z  
x, 1/2-y, 1/2+z  
  
\_cell\_length\_a 11.0183(5)  
\_cell\_length\_b 19.4775(9)  
\_cell\_length\_c 18.3684(8)  
\_cell\_angle\_alpha 90  
\_cell\_angle\_beta 95.452(1)  
\_cell\_angle\_gamma 90  
\_cell\_volume 3924.2(3)  
\_cell\_formula\_units\_Z 4  
  
\_cell\_measurement\_temperature 100(1)

```
_cell_measurement_reflms_used      6844
_cell_measurement_theta_min        2.32
_cell_measurement_theta_max        26.30
_cell_special_details
```

```
;
```

The final unit cell was obtained from the xyz centroids of 6844 reflections after integration using the SAINT software package (Bruker, 2001).

```
;
```

```
_exptl_crystal_description        'platelet'
_exptl_crystal_colour              'green'
_exptl_crystal_size_max            0.25
_exptl_crystal_size_mid            0.25
_exptl_crystal_size_min            0.055
_exptl_crystal_size_rad            ?
_exptl_crystal_density_meas        ?
_exptl_crystal_density_diffn      1.188
_exptl_crystal_density_method      'not measured'
_exptl_crystal_F_000               1500
_exptl_absorpt_coefficient_mu       0.251
_exptl_absorpt_correction_type      'Multi-Scan'
_exptl_absorpt_process_details      'SADABS, (Bruker, 2001))'
_exptl_absorpt_correction_T_min     0.9341
_exptl_absorpt_correction_T_max     0.9863
```

```
#=====
```

```
# 7. EXPERIMENTAL DATA
```

```
_exptl_special_details
```

```
; ?
```

```
;
```

```
_diffrn_ambient_temperature        100(1)
_diffrn_radiation_wavelength        0.71073
_diffrn_radiation_type              'MoK\alpha'
_diffrn_radiation_source             'fine focus sealed Siemens Mo tube '
_diffrn_radiation_monochromator      'parallel mounted graphite'
```

```
;
```

```
  CCD area-detector
```

```
;
```

```
_diffrn_measurement_device_type
```

```
;
```

```
  Bruker Smart Apex
```

```
;
```

```
_diffrn_measurement_method          'phi and omega scans'
```

```
_diffrn_special_details
```

```
;
```

Crystal into the cold nitrogen stream of the low-temperature unit (KRYOFLEX, (Bruker, 2001)).

```
;
```

```
_diffrn_detector_area_resol_mean    66.06
```

```
_diffrn_standards_number            ?
```

```
_diffrn_standards_interval_count    ?
```

```
_diffrn_standards_interval_time     ?
```

```
loop_
```

```
_diffrn_standard_refl_index_h
```

```

_diffrn_standard_refl_index_k
_diffrn_standard_refl_index_l
? ? ?

# number of measured reflections (redundant set)
_diffrn_reflns_number      37685
_diffrn_reflns_av_R_equivalents  0.0471
_diffrn_reflns_av_sigmaI/netI    0.0582
_diffrn_reflns_limit_h_min    -14
_diffrn_reflns_limit_h_max     14
_diffrn_reflns_limit_k_min    -25
_diffrn_reflns_limit_k_max     25
_diffrn_reflns_limit_l_min    -25
_diffrn_reflns_limit_l_max     24
_diffrn_reflns_theta_min      2.32
_diffrn_reflns_theta_max      28.28
_diffrn_measured_fraction_theta_max  0.988
_diffrn_reflns_theta_full     25.00
_diffrn_measured_fraction_theta_full  0.992

_diffrn_reflns_reduction_process
;
Intensity data were corrected for Lorentz and polarization
effects, decay and absorption and reduced to  $F_o^2$ 
using SAINT-Plus & SADABS (Bruker, 2001)
;

# number of unique reflections
_reflns_number_total      9627
_reflns_number_gt        7339
_reflns_threshold_expression  I>2\s(I)

_computing_data_collection      'SMART, (Bruker, 2001)'
_computing_cell_refinement      'SAINT-Plus, (Bruker, 2001)'
_computing_data_reduction      'SAINT-Plus'
_computing_structure_solution
;
DIRDIF-99 (Beurskens et al., 1999)
;
_computing_structure_refinement  'SHELXL-97 (Sheldrick, 1997)'
_computing_molecular_graphics
;
PLUTO (Meetsma, 2003)
PLATON (Spek, 1994)
;
_computing_publication_material  'PLATON (Spek, 1990)'

#=====

# 8. REFINEMENT DATA

_refine_special_details
;
Refinement of  $F^2$  against ALL reflections. The weighted R-factor wR and
goodness of fit S are based on  $F^2$ , conventional R-factors R are based
on F, with F set to zero for negative  $F^2$ . The threshold expression of
 $F^2 > 2\sigma(F^2)$  is used only for calculating R-factors(gt) etc. and is
not relevant to the choice of reflections for refinement. R-factors based
on  $F^2$  are statistically about twice as large as those based on F, and R-

```

factors based on ALL data will be even larger.

;

```
_refine_ls_structure_factor_coef  Fsqd
_refine_ls_matrix_type            full
_refine_ls_weighting_scheme       calc
_refine_ls_weighting_details
'calc w=1/[\s^2^(Fo^2^)+(0.0756P)^2^+0.4366P] where P=(Fo^2^+2Fc^2^)/3'
_atom_sites_solution_primary      heavy
_atom_sites_solution_secondary    difmap
_atom_sites_solution_hydrogens    difmap
_refine_ls_hydrogen_treatment     reffall
_refine_ls_extinction_method      none
_refine_ls_extinction_coef        ?
_refine_ls_abs_structure_details  ?
_chemical_absolute_configuration  ?

_refine_ls_abs_structure_Flack    ?
_refine_ls_number_reflns          9627
_refine_ls_number_parameters      676
_refine_ls_number_restraints      0
_refine_ls_number_constraints     ?
_refine_ls_R_factor_all           0.0670
_refine_ls_R_factor_gt            0.0492
_refine_ls_wR_factor_ref          0.1323
_refine_ls_wR_factor_gt           0.1250
_refine_ls_goodness_of_fit_ref    1.033
_refine_ls_restrained_S_all       1.033
_refine_ls_shift/su_max           0.001
_refine_ls_shift/su_mean          0.000

_refine_diff_density_max          0.436
_refine_diff_density_min          -0.256
_refine_diff_density_rms          0.068

_vrn_publ_code_squeezed_elec      94
_vrn_publ_code_void_volume        335.9
_vrn_publ_code_frame_time_sec     10.0
_vrn_publ_code_meas_time_hour     8.0
```

#=====

#### # 9. ATOMIC COORDINATES AND DISPLACEMENT PARAMETERS

```
loop_
_atom_site_label
_atom_site_type_symbol
_atom_site_thermal_displace_type
_atom_site_fract_x
_atom_site_fract_y
_atom_site_fract_z
_atom_site_occupancy
_atom_site_U_iso_or_equiv
_atom_site_calc_flag
_atom_site_refinement_flags
Ti1 Ti Uani 0.17010(3) 0.19187(1) 0.35004(2) 1.000 0.0155(1) . .
C11 C Uani 0.26206(15) 0.08587(8) 0.32793(9) 1.000 0.0172(5) . .
C12 C Uani 0.16832(15) 0.07131(8) 0.37416(10) 1.000 0.0180(5) . .
C13 C Uani 0.19728(15) 0.10475(9) 0.44133(9) 1.000 0.0186(5) . .
C14 C Uani 0.31115(15) 0.13920(9) 0.43863(9) 1.000 0.0186(5) . .
```

C15 C Uani 0.34946(15) 0.12878(9) 0.36797(10) 1.000 0.0181(5) . .  
C16 C Uani 0.27747(17) 0.05248(9) 0.25612(10) 1.000 0.0214(5) . .  
C17 C Uani 0.06541(17) 0.02140(10) 0.35955(11) 1.000 0.0234(5) . .  
C18 C Uani 0.12563(18) 0.09646(11) 0.50636(10) 1.000 0.0242(5) . .  
C19 C Uani 0.38415(18) 0.17131(11) 0.50230(11) 1.000 0.0252(5) . .  
C110 C Uani 0.46622(17) 0.15447(11) 0.34150(12) 1.000 0.0249(6) . .  
C111 C Uani 0.06783(16) 0.29620(9) 0.33398(10) 1.000 0.0184(5) . .  
C112 C Uani 0.02855(17) 0.26315(9) 0.39631(10) 1.000 0.0218(5) . .  
C113 C Uani 0.12885(17) 0.25900(9) 0.44905(10) 1.000 0.0228(5) . .  
C114 C Uani 0.23058(17) 0.28957(9) 0.41997(10) 1.000 0.0204(5) . .  
C115 C Uani 0.19341(15) 0.31389(8) 0.34896(9) 1.000 0.0172(5) . .  
C116 C Uani 0.27218(15) 0.35089(9) 0.29803(10) 1.000 0.0189(5) . .  
C117 C Uani 0.38626(16) 0.38494(9) 0.33796(11) 1.000 0.0232(5) . .  
C118 C Uani 0.35040(18) 0.44425(10) 0.38640(11) 1.000 0.0258(6) . .  
C119 C Uani 0.27891(17) 0.49854(9) 0.33946(10) 1.000 0.0238(5) . .  
C120 C Uani 0.35837(18) 0.52645(9) 0.28160(11) 1.000 0.0240(5) . .  
C121 C Uani 0.39434(17) 0.46753(9) 0.23320(10) 1.000 0.0235(5) . .  
C122 C Uani 0.46565(17) 0.41341(10) 0.28056(12) 1.000 0.0274(6) . .  
C123 C Uani 0.28013(18) 0.43448(10) 0.19495(10) 1.000 0.0243(5) . .  
C124 C Uani 0.19972(16) 0.40625(9) 0.25177(10) 1.000 0.0201(5) . .  
C125 C Uani 0.16444(16) 0.46479(9) 0.30123(11) 1.000 0.0228(5) . .  
C21 C Uani 0.74433(14) 0.31010(8) 0.24100(9) 1.000 0.0164(4) . .  
C22 C Uani 0.79997(15) 0.37240(9) 0.26329(10) 1.000 0.0180(5) . .  
C23 C Uani 0.80579(16) 0.39537(10) 0.33508(10) 1.000 0.0219(5) . .  
C24 C Uani 0.75444(16) 0.35692(10) 0.38738(10) 1.000 0.0230(5) . .  
C25 C Uani 0.69914(16) 0.29515(10) 0.36766(10) 1.000 0.0222(5) . .  
C26 C Uani 0.69533(15) 0.27222(9) 0.29596(10) 1.000 0.0191(5) . .  
C27 C Uani 0.64874(14) 0.22448(8) 0.13070(9) 1.000 0.0155(4) . .  
C28 C Uani 0.52810(15) 0.22935(9) 0.14896(10) 1.000 0.0188(5) . .  
C29 C Uani 0.43639(16) 0.18567(9) 0.11944(10) 1.000 0.0219(5) . .  
C210 C Uani 0.46134(16) 0.13550(9) 0.06964(10) 1.000 0.0223(5) . .  
C211 C Uani 0.57904(16) 0.12975(9) 0.04968(10) 1.000 0.0217(5) . .  
C212 C Uani 0.66993(16) 0.17310(9) 0.08042(10) 1.000 0.0198(5) . .  
C213 C Uani 0.89037(15) 0.24576(8) 0.16771(9) 1.000 0.0153(4) . .  
C214 C Uani 0.90985(15) 0.18546(8) 0.20897(9) 1.000 0.0168(5) . .  
C215 C Uani 1.02506(16) 0.15871(9) 0.22850(9) 1.000 0.0187(5) . .  
C216 C Uani 1.12838(16) 0.19292(9) 0.20776(10) 1.000 0.0189(5) . .  
C217 C Uani 1.11243(15) 0.25204(9) 0.16570(10) 1.000 0.0190(5) . .  
C218 C Uani 0.99628(15) 0.27726(9) 0.14598(9) 1.000 0.0161(5) . .  
C219 C Uani 0.73817(14) 0.34092(8) 0.09522(9) 1.000 0.0165(4) . .  
C220 C Uani 0.78169(16) 0.33288(10) 0.02626(10) 1.000 0.0214(5) . .  
C221 C Uani 0.75726(18) 0.38036(11) -0.02957(11) 1.000 0.0278(6) . .  
C222 C Uani 0.68918(18) 0.43865(10) -0.01891(11) 1.000 0.0288(6) . .  
C223 C Uani 0.64397(18) 0.44815(9) 0.04829(11) 1.000 0.0263(5) . .  
C224 C Uani 0.66822(16) 0.40030(9) 0.10361(10) 1.000 0.0209(5) . .  
B2 B Uani 0.75389(16) 0.28063(9) 0.15788(10) 1.000 0.0150(5) . .

H110' H Uiso 0.46384 0.15792 0.28916 1.00(4) 0.042(2) . .  
H110" H Uiso 0.53263 0.12467 0.35564 1.00(5) 0.067(3) . .  
H118' H Uiso 0.30256 0.42514 0.42357 1.00(4) 0.0285(19) . .  
H120' H Uiso 0.43138 0.54948 0.30594 1.00(4) 0.033(2) . .  
H122' H Uiso 0.49595 0.37717 0.24860 1.00(3) 0.0175(17) . .  
H123' H Uiso 0.23072 0.46946 0.16313 1.00(4) 0.0236(18) . .  
H125' H Uiso 0.11811 0.50049 0.27217 1.00(4) 0.0209(18) . .  
H16 H Uiso 0.33196 0.07906 0.22771 1.00(4) 0.0267(19) . .  
H16' H Uiso 0.20327 0.04844 0.22704 1.00(4) 0.036(2) . .  
H16" H Uiso 0.30917 0.00284 0.26602 1.00(4) 0.039(2) . .  
H17 H Uiso 0.08304 -0.02039 0.39190 1.00(4) 0.039(2) . .  
H17' H Uiso 0.05121 0.00534 0.30469 1.00(4) 0.0352(19) . .  
H17" H Uiso -0.00985 0.04137 0.37403 1.00(4) 0.038(2) . .  
H18 H Uiso 0.03852 0.10697 0.49694 1.00(4) 0.028(2) . .

H18'	H	Uiso	0.15851	0.12991	0.54712	1.00(4)	0.037(2)	. .
H18"	H	Uiso	0.13742	0.04976	0.52007	1.00(5)	0.059(2)	. .
H19	H	Uiso	0.42560	0.13782	0.52847	1.00(5)	0.050(2)	. .
H19'	H	Uiso	0.33072	0.19613	0.53724	1.00(5)	0.048(2)	. .
H19"	H	Uiso	0.44524	0.20220	0.48387	1.00(4)	0.039(2)	. .
H110	H	Uiso	0.48423	0.20361	0.35724	1.00(5)	0.053(2)	. .
H111	H	Uiso	0.01912	0.30551	0.28793	1.00(4)	0.0218(19)	. .
H112	H	Uiso	-0.05273	0.24707	0.40027	1.00(4)	0.0248(19)	. .
H113	H	Uiso	0.12705	0.23923	0.49858	1.00(4)	0.037(2)	. .
H114	H	Uiso	0.31008	0.29493	0.44560	1.00(4)	0.0184(18)	. .
H116	H	Uiso	0.29770	0.31606	0.26200	1.00(4)	0.0190(18)	. .
H117	H	Uiso	0.43516	0.35126	0.36799	1.00(3)	0.0189(17)	. .
H118	H	Uiso	0.43073	0.46489	0.41372	1.00(4)	0.0206(18)	. .
H119	H	Uiso	0.25591	0.53650	0.37070	1.00(4)	0.0229(18)	. .
H120	H	Uiso	0.31138	0.56034	0.24992	1.00(4)	0.039(2)	. .
H121	H	Uiso	0.44693	0.48361	0.19449	1.00(4)	0.0287(18)	. .
H122	H	Uiso	0.54305	0.43556	0.30764	1.00(4)	0.0295(19)	. .
H123	H	Uiso	0.30362	0.39793	0.16210	1.00(4)	0.0338(19)	. .
H124	H	Uiso	0.12832	0.38764	0.22703	1.00(4)	0.0181(18)	. .
H125	H	Uiso	0.11502	0.44648	0.34086	1.00(4)	0.0299(19)	. .
H22	H	Uiso	0.83525	0.39972	0.22766	1.00(3)	0.0202(17)	. .
H23	H	Uiso	0.84010	0.43756	0.34849	1.00(4)	0.0205(17)	. .
H24	H	Uiso	0.75716	0.37349	0.43902	1.00(4)	0.0253(18)	. .
H25	H	Uiso	0.66306	0.26590	0.40178	1.00(3)	0.0108(16)	. .
H26	H	Uiso	0.66540	0.23009	0.28540	1.00(4)	0.0206(18)	. .
H28	H	Uiso	0.50737	0.26196	0.18069	1.00(4)	0.0244(19)	. .
H29	H	Uiso	0.35580	0.19097	0.13269	1.00(4)	0.026(2)	. .
H210	H	Uiso	0.40005	0.10343	0.05192	1.00(4)	0.028(2)	. .
H211	H	Uiso	0.59727	0.09604	0.01861	1.00(4)	0.0263(19)	. .
H212	H	Uiso	0.75430	0.16718	0.06653	1.00(4)	0.0197(18)	. .
H214	H	Uiso	0.83829	0.15964	0.22755	1.00(3)	0.0159(17)	. .
H215	H	Uiso	1.03112	0.11264	0.25495	1.00(4)	0.0219(17)	. .
H216	H	Uiso	1.20551	0.17291	0.21844	1.00(4)	0.0233(19)	. .
H217	H	Uiso	1.18186	0.27406	0.15021	1.00(3)	0.0119(17)	. .
H218	H	Uiso	0.98800	0.31669	0.11790	1.00(3)	0.0088(16)	. .
H220	H	Uiso	0.83190	0.29062	0.01736	1.00(3)	0.0183(17)	. .
H221	H	Uiso	0.79053	0.37352	-0.07525	1.00(4)	0.0332(19)	. .
H222	H	Uiso	0.67207	0.47124	-0.05811	1.00(4)	0.0252(18)	. .
H223	H	Uiso	0.59265	0.48835	0.06031	1.00(4)	0.0231(18)	. .
H224	H	Uiso	0.63473	0.40876	0.14883	1.00(4)	0.0222(18)	. .

loop\_

\_atom\_site\_aniso\_label

\_atom\_site\_aniso\_U\_11

\_atom\_site\_aniso\_U\_22

\_atom\_site\_aniso\_U\_33

\_atom\_site\_aniso\_U\_23

\_atom\_site\_aniso\_U\_13

\_atom\_site\_aniso\_U\_12

Ti1	0.0142(2)	0.0156(2)	0.0161(2)	0.0005(1)	-0.0016(1)	0.0008(1)
C11	0.0156(8)	0.0151(8)	0.0200(8)	0.0028(7)	-0.0022(7)	0.0024(6)
C12	0.0155(8)	0.0160(8)	0.0219(8)	0.0040(7)	-0.0009(7)	0.0019(6)
C13	0.0164(8)	0.0190(8)	0.0199(8)	0.0035(7)	-0.0015(7)	0.0021(7)
C14	0.0151(8)	0.0194(8)	0.0203(9)	0.0024(7)	-0.0036(7)	0.0028(6)
C15	0.0135(8)	0.0183(8)	0.0219(9)	0.0025(7)	-0.0017(7)	0.0014(6)
C16	0.0216(9)	0.0192(9)	0.0230(9)	-0.0011(7)	0.0003(8)	0.0029(7)
C17	0.0188(9)	0.0227(9)	0.0282(10)	0.0039(8)	-0.0006(8)	-0.0024(7)
C18	0.0239(9)	0.0284(10)	0.0204(9)	0.0068(8)	0.0022(8)	0.0037(8)
C19	0.0239(9)	0.0273(10)	0.0227(9)	-0.0005(8)	-0.0061(8)	0.0018(8)
C110	0.0167(9)	0.0300(10)	0.0281(10)	0.0020(8)	0.0021(8)	-0.0012(8)
C111	0.0172(8)	0.0168(8)	0.0208(9)	-0.0019(7)	-0.0008(7)	0.0048(6)

C112 0.0194(9) 0.0220(9) 0.0242(9) -0.0023(7) 0.0033(7) 0.0017(7)  
 C113 0.0288(10) 0.0208(9) 0.0186(9) -0.0013(7) 0.0018(8) 0.0023(7)  
 C114 0.0223(9) 0.0188(8) 0.0191(8) -0.0022(7) -0.0032(7) 0.0010(7)  
 C115 0.0169(8) 0.0143(8) 0.0198(8) -0.0028(6) -0.0015(7) 0.0016(6)  
 C116 0.0199(8) 0.0166(8) 0.0199(9) -0.0022(7) -0.0002(7) 0.0001(7)  
 C117 0.0161(8) 0.0211(9) 0.0312(10) 0.0041(8) -0.0046(8) 0.0028(7)  
 C118 0.0281(10) 0.0263(10) 0.0212(9) 0.0001(8) -0.0067(8) -0.0056(8)  
 C119 0.0298(10) 0.0173(8) 0.0239(9) -0.0039(7) 0.0001(8) 0.0005(7)  
 C120 0.0253(9) 0.0192(9) 0.0262(10) 0.0018(8) -0.0041(8) -0.0030(7)  
 C121 0.0231(9) 0.0223(9) 0.0251(9) 0.0032(8) 0.0025(8) -0.0019(7)  
 C122 0.0180(9) 0.0248(10) 0.0395(11) 0.0044(9) 0.0036(8) 0.0012(7)  
 C123 0.0306(10) 0.0230(9) 0.0185(9) 0.0000(8) -0.0014(8) -0.0027(8)  
 C124 0.0199(8) 0.0198(8) 0.0193(9) 0.0003(7) -0.0043(7) -0.0030(7)  
 C125 0.0205(9) 0.0203(9) 0.0270(9) 0.0022(8) -0.0002(8) 0.0035(7)  
 C21 0.0125(7) 0.0187(8) 0.0174(8) 0.0015(7) -0.0011(6) 0.0030(6)  
 C22 0.0150(8) 0.0194(8) 0.0192(8) -0.0006(7) -0.0004(7) 0.0015(6)  
 C23 0.0203(8) 0.0208(9) 0.0237(9) -0.0039(7) -0.0026(7) 0.0021(7)  
 C24 0.0209(9) 0.0294(10) 0.0181(9) -0.0030(8) -0.0008(7) 0.0061(7)  
 C25 0.0194(8) 0.0284(9) 0.0187(8) 0.0038(8) 0.0016(7) 0.0030(7)  
 C26 0.0170(8) 0.0198(9) 0.0202(9) 0.0006(7) 0.0001(7) -0.0004(7)  
 C27 0.0145(7) 0.0157(8) 0.0157(8) 0.0045(6) -0.0021(6) 0.0005(6)  
 C28 0.0167(8) 0.0201(8) 0.0193(8) 0.0011(7) 0.0003(7) 0.0020(7)  
 C29 0.0147(8) 0.0277(9) 0.0228(9) 0.0066(7) -0.0009(7) -0.0007(7)  
 C210 0.0207(9) 0.0242(9) 0.0205(9) 0.0027(7) -0.0063(7) -0.0070(7)  
 C211 0.0237(9) 0.0205(9) 0.0205(9) -0.0047(7) -0.0003(7) -0.0033(7)  
 C212 0.0167(8) 0.0222(8) 0.0203(9) 0.0009(7) 0.0007(7) -0.0006(7)  
 C213 0.0155(8) 0.0172(8) 0.0130(7) -0.0033(6) 0.0004(6) -0.0005(6)  
 C214 0.0160(8) 0.0186(8) 0.0153(8) -0.0009(7) -0.0010(6) -0.0011(6)  
 C215 0.0212(8) 0.0170(8) 0.0176(8) 0.0005(7) 0.0005(7) 0.0016(7)  
 C216 0.0151(8) 0.0217(8) 0.0193(8) -0.0023(7) -0.0013(7) 0.0033(7)  
 C217 0.0157(8) 0.0219(9) 0.0195(8) -0.0018(7) 0.0021(7) -0.0034(7)  
 C218 0.0178(8) 0.0163(8) 0.0139(8) -0.0008(7) -0.0003(6) -0.0007(6)  
 C219 0.0131(7) 0.0170(8) 0.0183(8) 0.0001(7) -0.0046(6) -0.0034(6)  
 C220 0.0190(8) 0.0257(9) 0.0190(9) 0.0015(7) -0.0015(7) -0.0032(7)  
 C221 0.0255(9) 0.0377(11) 0.0192(9) 0.0067(8) -0.0032(8) -0.0091(8)  
 C222 0.0297(10) 0.0264(10) 0.0275(10) 0.0136(8) -0.0125(8) -0.0095(8)  
 C223 0.0256(9) 0.0174(9) 0.0328(10) 0.0026(8) -0.0128(8) -0.0028(7)  
 C224 0.0196(8) 0.0199(8) 0.0217(9) -0.0004(7) -0.0052(7) -0.0017(7)  
 B2 0.0125(8) 0.0167(9) 0.0154(9) 0.0014(7) -0.0002(7) 0.0004(7)

#=====

# 10. MOLECULAR GEOMETRY

\_geom\_special\_details

```

;
  Bond distances, angles etc. have been calculated using the
  rounded fractional coordinates. All su's are estimated
  from the variances of the (full) variance-covariance matrix.
  The cell esds are taken into account in the estimation of
  distances, angles and torsion angles
;

```

```

loop_
  _geom_bond_atom_site_label_1
  _geom_bond_atom_site_label_2
  _geom_bond_distance
  _geom_bond_site_symmetry_1
  _geom_bond_site_symmetry_2
  _geom_bond_publ_flag
  Ti1      C11      2.3521(16)

```

yes

Ti1	C12	2.3901(16)	.	.	yes
Ti1	C13	2.3844(17)	.	.	yes
Ti1	C14	2.3739(17)	.	.	yes
Ti1	C15	2.3239(17)	.	.	yes
Ti1	C111	2.3287(18)	.	.	yes
Ti1	C112	2.3096(19)	.	.	yes
Ti1	C113	2.3197(18)	.	.	yes
Ti1	C114	2.3564(18)	.	.	yes
Ti1	C115	2.3908(16)	.	.	yes
C11	C12	1.427(2)	.	.	no
C11	C15	1.426(2)	.	.	no
C11	C16	1.495(2)	.	.	no
C12	C13	1.405(2)	.	.	no
C12	C17	1.498(3)	.	.	no
C13	C14	1.428(2)	.	.	no
C13	C18	1.502(3)	.	.	no
C14	C15	1.417(2)	.	.	no
C14	C19	1.492(3)	.	.	no
C15	C110	1.504(3)	.	.	no
C111	C112	1.417(3)	.	.	no
C111	C115	1.427(2)	.	.	no
C112	C113	1.401(3)	.	.	no
C113	C114	1.418(3)	.	.	no
C114	C115	1.411(2)	.	.	no
C115	C116	1.517(2)	.	.	no
C116	C117	1.544(3)	.	.	no
C116	C124	1.547(3)	.	.	no
C16	H16	0.9800	.	.	no
C16	H16'	0.9364	.	.	no
C16	H16"	1.0382	.	.	no
C117	C118	1.533(3)	.	.	no
C117	C122	1.536(3)	.	.	no
C17	H17"	0.9755	.	.	no
C17	H17	1.0156	.	.	no
C17	H17'	1.0525	.	.	no
C118	C119	1.534(3)	.	.	no
C18	H18	0.9806	.	.	no
C18	H18"	0.9494	.	.	no
C18	H18'	1.0319	.	.	no
C19	H19'	1.0315	.	.	no
C19	H19"	0.9864	.	.	no
C119	C125	1.532(3)	.	.	no
C119	C120	1.539(3)	.	.	no
C19	H19	0.9074	.	.	no
C120	C121	1.527(3)	.	.	no
C121	C122	1.535(3)	.	.	no
C121	C123	1.524(3)	.	.	no
C123	C124	1.534(3)	.	.	no
C124	C125	1.531(3)	.	.	no
C110	H110'	0.9616	.	.	no
C110	H110"	0.9506	.	.	no
C110	H110	1.0140	.	.	no
C111	H111	0.9748	.	.	no
C112	H112	0.9580	.	.	no
C113	H113	0.9899	.	.	no
C114	H114	0.9599	.	.	no
C116	H116	1.0063	.	.	no
C117	H117	0.9841	.	.	no
C118	H118'	0.9752	.	.	no
C118	H118	1.0547	.	.	no
C119	H119	0.9838	.	.	no



C120	H120'	0.9899	.	.	no
C120	H120	0.9926	.	.	no
C121	H121	1.0088	.	.	no
C21	C22	1.403(2)	.	.	no
C21	C26	1.400(2)	.	.	no
C21	B2	1.644(2)	.	.	yes
C22	C23	1.388(3)	.	.	no
C122	H122'	0.9958	.	.	no
C122	H122	1.0393	.	.	no
C123	H123'	1.0207	.	.	no
C23	C24	1.381(3)	.	.	no
C123	H123	0.9836	.	.	no
C24	C25	1.381(3)	.	.	no
C124	H124	0.9428	.	.	no
C125	H125	1.0144	.	.	no
C125	H125'	0.9886	.	.	no
C25	C26	1.388(3)	.	.	no
C27	C28	1.405(2)	.	.	no
C27	B2	1.636(2)	.	.	yes
C27	C212	1.396(2)	.	.	no
C28	C29	1.391(2)	.	.	no
C29	C210	1.384(3)	.	.	no
C22	H22	0.9544	.	.	no
C23	H23	0.9280	.	.	no
C24	H24	0.9997	.	.	no
C25	H25	0.9606	.	.	no
C26	H26	0.8987	.	.	no
C28	H28	0.9059	.	.	no
C29	H29	0.9484	.	.	no
C210	C211	1.385(3)	.	.	no
C211	C212	1.388(3)	.	.	no
C213	C218	1.409(2)	.	.	no
C213	C214	1.403(2)	.	.	no
C213	B2	1.644(2)	.	.	yes
C214	C215	1.388(2)	.	.	no
C215	C216	1.403(2)	.	.	no
C216	C217	1.389(3)	.	.	no
C217	C218	1.387(2)	.	.	no
C219	C220	1.405(2)	.	.	no
C219	C224	1.406(2)	.	.	no
C219	B2	1.642(2)	.	.	yes
C220	C221	1.388(3)	.	.	no
C221	C222	1.385(3)	.	.	no
C222	C223	1.387(3)	.	.	no
C223	C224	1.386(3)	.	.	no
C210	H210	0.9541	.	.	no
C211	H211	0.9050	.	.	no
C212	H212	0.9938	.	.	no
C214	H214	1.0209	.	.	no
C215	H215	1.0196	.	.	no
C216	H216	0.9386	.	.	no
C217	H217	0.9442	.	.	no
C218	H218	0.9248	.	.	no
C220	H220	1.0137	.	.	no
C221	H221	0.9564	.	.	no
C222	H222	0.9650	.	.	no
C223	H223	1.0026	.	.	no
C224	H224	0.9547	.	.	no

loop\_  
\_geom\_angle\_atom\_site\_label\_1

_geom_angle_atom_site_label_2							
_geom_angle_atom_site_label_3							
_geom_angle							
_geom_angle_site_symmetry_1							
_geom_angle_site_symmetry_2							
_geom_angle_site_symmetry_3							
_geom_angle_publ_flag							
C11	Ti1	C12	35.00(6)	.	.	.	yes
C11	Ti1	C13	57.95(6)	.	.	.	yes
C11	Ti1	C14	58.29(6)	.	.	.	yes
C11	Ti1	C15	35.49(6)	.	.	.	yes
C11	Ti1	C111	162.80(6)	.	.	.	yes
C11	Ti1	C112	155.26(6)	.	.	.	yes
C11	Ti1	C113	138.58(6)	.	.	.	yes
C11	Ti1	C114	134.33(6)	.	.	.	yes
C11	Ti1	C115	145.36(6)	.	.	.	yes
C12	Ti1	C13	34.22(6)	.	.	.	yes
C12	Ti1	C14	57.64(6)	.	.	.	yes
C12	Ti1	C15	58.40(6)	.	.	.	yes
C12	Ti1	C111	150.28(6)	.	.	.	yes
C12	Ti1	C112	120.31(6)	.	.	.	yes
C12	Ti1	C113	113.75(6)	.	.	.	yes
C12	Ti1	C114	134.37(6)	.	.	.	yes
C12	Ti1	C115	168.81(6)	.	.	.	yes
C13	Ti1	C14	34.92(6)	.	.	.	yes
C13	Ti1	C15	58.38(6)	.	.	.	yes
C13	Ti1	C111	137.48(6)	.	.	.	yes
C13	Ti1	C112	102.30(6)	.	.	.	yes
C13	Ti1	C113	82.57(6)	.	.	.	yes
C13	Ti1	C114	100.44(6)	.	.	.	yes
C13	Ti1	C115	134.98(6)	.	.	.	yes
C14	Ti1	C15	35.09(6)	.	.	.	yes
C14	Ti1	C111	137.85(6)	.	.	.	yes
C14	Ti1	C112	115.38(6)	.	.	.	yes
C14	Ti1	C113	82.56(6)	.	.	.	yes
C14	Ti1	C114	80.94(6)	.	.	.	yes
C14	Ti1	C115	111.81(6)	.	.	.	yes
C15	Ti1	C111	150.94(6)	.	.	.	yes
C15	Ti1	C112	149.39(7)	.	.	.	yes
C15	Ti1	C113	114.47(7)	.	.	.	yes
C15	Ti1	C114	99.04(6)	.	.	.	yes
C15	Ti1	C115	115.87(6)	.	.	.	yes
C111	Ti1	C112	35.56(6)	.	.	.	yes
C111	Ti1	C113	58.60(6)	.	.	.	yes
C111	Ti1	C114	58.18(6)	.	.	.	yes
C111	Ti1	C115	35.17(6)	.	.	.	yes
C112	Ti1	C113	35.23(7)	.	.	.	yes
C112	Ti1	C114	58.66(6)	.	.	.	yes
C112	Ti1	C115	58.82(6)	.	.	.	yes
C113	Ti1	C114	35.29(6)	.	.	.	yes
C113	Ti1	C115	58.36(6)	.	.	.	yes
C114	Ti1	C115	34.58(6)	.	.	.	yes
Ti1	C11	C12	73.95(9)	.	.	.	yes
Ti1	C11	C15	71.17(9)	.	.	.	yes
Ti1	C11	C16	128.40(12)	.	.	.	yes
C12	C11	C15	107.53(15)	.	.	.	no
C12	C11	C16	126.03(15)	.	.	.	no
C15	C11	C16	125.63(15)	.	.	.	no
Ti1	C12	C11	71.05(9)	.	.	.	yes
Ti1	C12	C13	72.67(10)	.	.	.	yes
Ti1	C12	C17	128.58(12)	.	.	.	yes

C11	C12	C13	108.29(14)	.	.	.	no
C11	C12	C17	126.93(16)	.	.	.	no
C13	C12	C17	124.26(16)	.	.	.	no
Ti1	C13	C12	73.11(10)	.	.	.	yes
Ti1	C13	C14	72.13(10)	.	.	.	yes
Ti1	C13	C18	126.55(12)	.	.	.	yes
C12	C13	C14	108.32(14)	.	.	.	no
C12	C13	C18	123.78(16)	.	.	.	no
C14	C13	C18	127.46(15)	.	.	.	no
Ti1	C14	C13	72.94(10)	.	.	.	yes
Ti1	C14	C15	70.53(10)	.	.	.	yes
Ti1	C14	C19	128.69(13)	.	.	.	yes
C13	C14	C15	107.68(15)	.	.	.	no
C13	C14	C19	125.43(15)	.	.	.	no
C15	C14	C19	126.34(16)	.	.	.	no
Ti1	C15	C11	73.33(9)	.	.	.	yes
Ti1	C15	C14	74.38(10)	.	.	.	yes
Ti1	C15	C110	121.36(13)	.	.	.	yes
C11	C15	C14	108.13(15)	.	.	.	no
C11	C15	C110	125.81(16)	.	.	.	no
C14	C15	C110	125.95(16)	.	.	.	no
Ti1	C111	C112	71.48(10)	.	.	.	yes
Ti1	C111	C115	74.79(10)	.	.	.	yes
C112	C111	C115	108.60(16)	.	.	.	no
Ti1	C112	C111	72.96(10)	.	.	.	yes
Ti1	C112	C113	72.78(11)	.	.	.	yes
C111	C112	C113	107.67(16)	.	.	.	no
Ti1	C113	C112	71.99(11)	.	.	.	yes
Ti1	C113	C114	73.77(10)	.	.	.	yes
C112	C113	C114	108.37(16)	.	.	.	no
Ti1	C114	C113	70.94(10)	.	.	.	yes
Ti1	C114	C115	74.04(10)	.	.	.	yes
C113	C114	C115	108.59(16)	.	.	.	no
Ti1	C115	C111	70.04(9)	.	.	.	yes
Ti1	C115	C114	71.38(10)	.	.	.	yes
Ti1	C115	C116	123.06(11)	.	.	.	yes
C111	C115	C114	106.74(15)	.	.	.	no
C111	C115	C116	126.64(15)	.	.	.	no
C114	C115	C116	126.62(15)	.	.	.	no
C115	C116	C117	113.50(15)	.	.	.	no
C115	C116	C124	111.97(14)	.	.	.	no
C117	C116	C124	108.42(14)	.	.	.	no
H16'	C16	H16"	106.42	.	.	.	no
C11	C16	H16"	108.37	.	.	.	no
C11	C16	H16	111.52	.	.	.	no
C11	C16	H16'	111.94	.	.	.	no
H16	C16	H16'	106.65	.	.	.	no
H16	C16	H16"	111.86	.	.	.	no
C116	C117	C122	108.67(16)	.	.	.	no
C116	C117	C118	110.89(15)	.	.	.	no
C12	C17	H17	108.41	.	.	.	no
C12	C17	H17'	113.92	.	.	.	no
C12	C17	H17"	109.93	.	.	.	no
H17	C17	H17'	108.95	.	.	.	no
H17	C17	H17"	106.28	.	.	.	no
H17'	C17	H17"	109.07	.	.	.	no
C118	C117	C122	108.75(15)	.	.	.	no
C13	C18	H18'	109.53	.	.	.	no
C13	C18	H18"	104.18	.	.	.	no
C13	C18	H18	114.64	.	.	.	no
C117	C118	C119	109.89(16)	.	.	.	no

H18'	C18	H18"	112.50	.	.	.	no
H18	C18	H18"	110.72	.	.	.	no
H18	C18	H18'	105.46	.	.	.	no
C120	C119	C125	109.43(15)	.	.	.	no
C118	C119	C125	108.56(15)	.	.	.	no
H19'	C19	H19"	112.09	.	.	.	no
H19	C19	H19'	107.19	.	.	.	no
H19	C19	H19"	107.14	.	.	.	no
C118	C119	C120	109.65(15)	.	.	.	no
C14	C19	H19	108.70	.	.	.	no
C14	C19	H19'	112.77	.	.	.	no
C14	C19	H19"	108.74	.	.	.	no
C119	C120	C121	109.44(14)	.	.	.	no
C122	C121	C123	109.09(15)	.	.	.	no
C120	C121	C123	109.71(16)	.	.	.	no
C120	C121	C122	109.48(16)	.	.	.	no
C117	C122	C121	110.05(15)	.	.	.	no
C121	C123	C124	110.04(15)	.	.	.	no
C116	C124	C123	108.80(14)	.	.	.	no
C116	C124	C125	109.88(15)	.	.	.	no
C123	C124	C125	109.42(15)	.	.	.	no
C119	C125	C124	110.31(14)	.	.	.	no
C15	C110	H110'	113.81	.	.	.	no
C15	C110	H110"	111.62	.	.	.	no
C15	C110	H110	111.85	.	.	.	no
H110'	C110	H110"	105.25	.	.	.	no
H110'	C110	H110	101.84	.	.	.	no
H110"	C110	H110	111.95	.	.	.	no
Ti1	C111	H111	119.48	.	.	.	no
C112	C111	H111	126.91	.	.	.	no
C115	C111	H111	124.49	.	.	.	no
Ti1	C112	H112	120.02	.	.	.	no
C111	C112	H112	124.72	.	.	.	no
C113	C112	H112	127.61	.	.	.	no
Ti1	C113	H113	121.59	.	.	.	no
C112	C113	H113	125.07	.	.	.	no
C114	C113	H113	126.53	.	.	.	no
Ti1	C114	H114	123.56	.	.	.	no
C113	C114	H114	125.32	.	.	.	no
C115	C114	H114	126.01	.	.	.	no
C115	C116	H116	107.29	.	.	.	no
C117	C116	H116	109.65	.	.	.	no
C124	C116	H116	105.70	.	.	.	no
C116	C117	H117	110.96	.	.	.	no
C118	C117	H117	109.55	.	.	.	no
C122	C117	H117	107.95	.	.	.	no
C117	C118	H118'	107.76	.	.	.	no
C117	C118	H118	108.21	.	.	.	no
C119	C118	H118'	111.95	.	.	.	no
C119	C118	H118	111.57	.	.	.	no
H118'	C118	H118	107.30	.	.	.	no
C118	C119	H119	109.71	.	.	.	no
C120	C119	H119	109.41	.	.	.	no
C125	C119	H119	110.08	.	.	.	no
C119	C120	H120'	109.84	.	.	.	no
C119	C120	H120	109.91	.	.	.	no
C121	C120	H120'	111.03	.	.	.	no
C121	C120	H120	107.96	.	.	.	no
H120'	C120	H120	108.64	.	.	.	no
C120	C121	H121	112.04	.	.	.	no
C122	C121	H121	108.38	.	.	.	no

C123	C121	H121	108.09	.	.	.	no
C22	C21	C26	115.68(15)	.	.	.	no
C22	C21	B2	120.55(14)	.	.	.	yes
C26	C21	B2	123.30(14)	.	.	.	yes
C117	C122	H122'	113.17	.	.	.	no
C117	C122	H122	108.44	.	.	.	no
C121	C122	H122'	109.57	.	.	.	no
C21	C22	C23	122.37(16)	.	.	.	no
C121	C122	H122	109.80	.	.	.	no
H122'	C122	H122	105.70	.	.	.	no
C124	C123	H123'	108.53	.	.	.	no
C121	C123	H123'	110.74	.	.	.	no
C124	C123	H123	111.14	.	.	.	no
H123'	C123	H123	106.80	.	.	.	no
C121	C123	H123	109.55	.	.	.	no
C22	C23	C24	120.07(17)	.	.	.	no
C116	C124	H124	111.11	.	.	.	no
C23	C24	C25	119.31(17)	.	.	.	no
C123	C124	H124	108.62	.	.	.	no
C125	C124	H124	108.97	.	.	.	no
H125'	C125	H125	110.48	.	.	.	no
C119	C125	H125'	107.82	.	.	.	no
C119	C125	H125	107.25	.	.	.	no
C124	C125	H125'	110.53	.	.	.	no
C124	C125	H125	110.36	.	.	.	no
C24	C25	C26	120.14(17)	.	.	.	no
C21	C26	C25	122.42(16)	.	.	.	no
C28	C27	C212	115.33(15)	.	.	.	no
C28	C27	B2	122.73(14)	.	.	.	yes
C212	C27	B2	121.52(14)	.	.	.	yes
C27	C28	C29	122.31(16)	.	.	.	no
C28	C29	C210	120.47(16)	.	.	.	no
C21	C22	H22	118.51	.	.	.	no
C23	C22	H22	119.12	.	.	.	no
C22	C23	H23	121.23	.	.	.	no
C24	C23	H23	118.62	.	.	.	no
C23	C24	H24	120.51	.	.	.	no
C25	C24	H24	120.18	.	.	.	no
C24	C25	H25	123.03	.	.	.	no
C26	C25	H25	116.83	.	.	.	no
C21	C26	H26	118.98	.	.	.	no
C25	C26	H26	118.44	.	.	.	no
C29	C28	H28	117.48	.	.	.	no
C27	C28	H28	120.21	.	.	.	no
C28	C29	H29	119.78	.	.	.	no
C210	C29	H29	119.75	.	.	.	no
C29	C210	C211	118.80(16)	.	.	.	no
C210	C211	C212	120.03(17)	.	.	.	no
C27	C212	C211	123.05(16)	.	.	.	no
C214	C213	C218	115.41(15)	.	.	.	no
C218	C213	B2	124.22(14)	.	.	.	yes
C214	C213	B2	119.76(14)	.	.	.	yes
C213	C214	C215	122.90(15)	.	.	.	no
C214	C215	C216	119.84(16)	.	.	.	no
C215	C216	C217	118.82(16)	.	.	.	no
C216	C217	C218	120.27(16)	.	.	.	no
C213	C218	C217	122.71(16)	.	.	.	no
C220	C219	B2	122.00(14)	.	.	.	yes
C220	C219	C224	115.34(15)	.	.	.	no
C224	C219	B2	122.26(14)	.	.	.	yes
C219	C220	C221	122.20(17)	.	.	.	no

C220	C221	C222	120.75 (18)	.	.	.	no
C221	C222	C223	118.72 (18)	.	.	.	no
C222	C223	C224	120.16 (17)	.	.	.	no
C219	C224	C223	122.83 (17)	.	.	.	no
C29	C210	H210	120.61	.	.	.	no
C211	C210	H210	120.45	.	.	.	no
C212	C211	H211	120.20	.	.	.	no
C210	C211	H211	119.67	.	.	.	no
C27	C212	H212	118.18	.	.	.	no
C211	C212	H212	118.77	.	.	.	no
C213	C214	H214	120.63	.	.	.	no
C215	C214	H214	116.44	.	.	.	no
C216	C215	H215	121.97	.	.	.	no
C214	C215	H215	118.07	.	.	.	no
C215	C216	H216	119.21	.	.	.	no
C217	C216	H216	121.66	.	.	.	no
C218	C217	H217	120.97	.	.	.	no
C216	C217	H217	118.75	.	.	.	no
C213	C218	H218	118.62	.	.	.	no
C217	C218	H218	118.66	.	.	.	no
C219	C220	H220	118.30	.	.	.	no
C221	C220	H220	119.49	.	.	.	no
C222	C221	H221	119.75	.	.	.	no
C220	C221	H221	119.46	.	.	.	no
C221	C222	H222	120.25	.	.	.	no
C223	C222	H222	121.01	.	.	.	no
C222	C223	H223	123.92	.	.	.	no
C224	C223	H223	115.92	.	.	.	no
C223	C224	H224	117.28	.	.	.	no
C219	C224	H224	119.89	.	.	.	no
C21	B2	C213	100.42 (12)	.	.	.	yes
C21	B2	C219	112.93 (13)	.	.	.	yes
C27	B2	C219	103.87 (13)	.	.	.	yes
C213	B2	C219	114.01 (13)	.	.	.	yes
C27	B2	C213	111.78 (13)	.	.	.	yes
C21	B2	C27	114.25 (13)	.	.	.	yes

loop\_

\_geom\_torsion\_atom\_site\_label\_1

\_geom\_torsion\_atom\_site\_label\_2

\_geom\_torsion\_atom\_site\_label\_3

\_geom\_torsion\_atom\_site\_label\_4

\_geom\_torsion

\_geom\_torsion\_site\_symmetry\_1

\_geom\_torsion\_site\_symmetry\_2

\_geom\_torsion\_site\_symmetry\_3

\_geom\_torsion\_site\_symmetry\_4

\_geom\_torsion\_publ\_flag

C12	Ti1	C11	C15	-115.42 (14)	.	.	.	no
C12	Ti1	C11	C16	123.57 (19)	.	.	.	no
C13	Ti1	C11	C12	36.23 (10)	.	.	.	no
C13	Ti1	C11	C15	-79.20 (11)	.	.	.	no
C13	Ti1	C11	C16	159.80 (17)	.	.	.	no
C14	Ti1	C11	C12	77.61 (11)	.	.	.	no
C14	Ti1	C11	C15	-37.81 (10)	.	.	.	no
C14	Ti1	C11	C16	-158.82 (17)	.	.	.	no
C15	Ti1	C11	C12	115.42 (14)	.	.	.	no
C15	Ti1	C11	C16	-121.01 (19)	.	.	.	no
C112	Ti1	C11	C12	-4.5 (2)	.	.	.	no
C112	Ti1	C11	C15	-119.91 (16)	.	.	.	no
C112	Ti1	C11	C16	119.08 (18)	.	.	.	no

C113	Ti1	C11	C12	56.14(14)	.	.	.	.	no
C113	Ti1	C11	C15	-59.28(14)	.	.	.	.	no
C113	Ti1	C11	C16	179.71(13)	.	.	.	.	no
C114	Ti1	C11	C12	108.01(11)	.	.	.	.	no
C114	Ti1	C11	C15	-7.42(14)	.	.	.	.	no
C114	Ti1	C11	C16	-128.42(15)	.	.	.	.	no
C115	Ti1	C11	C12	160.35(11)	.	.	.	.	no
C115	Ti1	C11	C15	44.93(15)	.	.	.	.	no
C115	Ti1	C11	C16	-76.07(18)	.	.	.	.	no
C11	Ti1	C12	C13	117.05(14)	.	.	.	.	no
C11	Ti1	C12	C17	-122.6(2)	.	.	.	.	no
C13	Ti1	C12	C11	-117.05(14)	.	.	.	.	no
C13	Ti1	C12	C17	120.4(2)	.	.	.	.	no
C14	Ti1	C12	C11	-79.63(10)	.	.	.	.	no
C14	Ti1	C12	C13	37.42(9)	.	.	.	.	no
C14	Ti1	C12	C17	157.78(18)	.	.	.	.	no
C15	Ti1	C12	C11	-38.00(10)	.	.	.	.	no
C15	Ti1	C12	C13	79.04(11)	.	.	.	.	no
C15	Ti1	C12	C17	-160.59(18)	.	.	.	.	no
C111	Ti1	C12	C11	149.06(13)	.	.	.	.	no
C111	Ti1	C12	C13	-93.90(15)	.	.	.	.	no
C111	Ti1	C12	C17	26.5(2)	.	.	.	.	no
C112	Ti1	C12	C11	177.82(10)	.	.	.	.	no
C112	Ti1	C12	C13	-65.13(11)	.	.	.	.	no
C112	Ti1	C12	C17	55.24(18)	.	.	.	.	no
C113	Ti1	C12	C11	-143.11(10)	.	.	.	.	no
C113	Ti1	C12	C13	-26.07(12)	.	.	.	.	no
C113	Ti1	C12	C17	94.30(17)	.	.	.	.	no
C114	Ti1	C12	C11	-107.90(12)	.	.	.	.	no
C114	Ti1	C12	C13	9.14(14)	.	.	.	.	no
C114	Ti1	C12	C17	129.51(16)	.	.	.	.	no
C11	Ti1	C13	C12	-37.07(9)	.	.	.	.	no
C11	Ti1	C13	C14	79.24(10)	.	.	.	.	no
C11	Ti1	C13	C18	-156.95(17)	.	.	.	.	no
C12	Ti1	C13	C14	116.30(14)	.	.	.	.	no
C12	Ti1	C13	C18	-119.88(19)	.	.	.	.	no
C14	Ti1	C13	C12	-116.30(14)	.	.	.	.	no
C14	Ti1	C13	C18	123.82(19)	.	.	.	.	no
C15	Ti1	C13	C12	-79.11(11)	.	.	.	.	no
C15	Ti1	C13	C14	37.19(10)	.	.	.	.	no
C15	Ti1	C13	C18	161.00(17)	.	.	.	.	no
C111	Ti1	C13	C12	132.95(11)	.	.	.	.	no
C111	Ti1	C13	C14	-110.75(11)	.	.	.	.	no
C111	Ti1	C13	C18	13.07(19)	.	.	.	.	no
C112	Ti1	C13	C12	126.71(10)	.	.	.	.	no
C112	Ti1	C13	C14	-116.99(10)	.	.	.	.	no
C112	Ti1	C13	C18	6.83(16)	.	.	.	.	no
C113	Ti1	C13	C12	156.07(11)	.	.	.	.	no
C113	Ti1	C13	C14	-87.63(10)	.	.	.	.	no
C113	Ti1	C13	C18	36.19(15)	.	.	.	.	no
C114	Ti1	C13	C12	-173.37(10)	.	.	.	.	no
C114	Ti1	C13	C14	-57.07(11)	.	.	.	.	no
C114	Ti1	C13	C18	66.75(16)	.	.	.	.	no
C115	Ti1	C13	C12	-175.37(9)	.	.	.	.	no
C115	Ti1	C13	C14	-59.07(13)	.	.	.	.	no
C115	Ti1	C13	C18	64.75(17)	.	.	.	.	no
C11	Ti1	C14	C13	-78.20(10)	.	.	.	.	no
C11	Ti1	C14	C15	38.25(10)	.	.	.	.	no
C11	Ti1	C14	C19	159.72(18)	.	.	.	.	no
C12	Ti1	C14	C13	-36.65(10)	.	.	.	.	no
C12	Ti1	C14	C15	79.80(11)	.	.	.	.	no

C12	Ti1	C14	C19	-158.73(18)	.	.	.	.	no
C13	Ti1	C14	C15	116.45(14)	.	.	.	.	no
C13	Ti1	C14	C19	-122.08(19)	.	.	.	.	no
C15	Ti1	C14	C13	-116.45(14)	.	.	.	.	no
C15	Ti1	C14	C19	121.5(2)	.	.	.	.	no
C111	Ti1	C14	C13	109.65(12)	.	.	.	.	no
C111	Ti1	C14	C15	-133.90(11)	.	.	.	.	no
C111	Ti1	C14	C19	-12.4(2)	.	.	.	.	no
C112	Ti1	C14	C13	74.49(11)	.	.	.	.	no
C112	Ti1	C14	C15	-169.05(10)	.	.	.	.	no
C112	Ti1	C14	C19	-47.59(17)	.	.	.	.	no
C113	Ti1	C14	C13	87.67(10)	.	.	.	.	no
C113	Ti1	C14	C15	-155.88(11)	.	.	.	.	no
C113	Ti1	C14	C19	-34.42(15)	.	.	.	.	no
C114	Ti1	C14	C13	123.30(11)	.	.	.	.	no
C114	Ti1	C14	C15	-120.25(11)	.	.	.	.	no
C114	Ti1	C14	C19	1.22(15)	.	.	.	.	no
C115	Ti1	C14	C13	139.19(10)	.	.	.	.	no
C115	Ti1	C14	C15	-104.36(10)	.	.	.	.	no
C115	Ti1	C14	C19	17.11(17)	.	.	.	.	no
C11	Ti1	C15	C14	-114.89(14)	.	.	.	.	no
C11	Ti1	C15	C110	122.19(19)	.	.	.	.	no
C12	Ti1	C15	C11	37.46(10)	.	.	.	.	no
C12	Ti1	C15	C14	-77.43(11)	.	.	.	.	no
C12	Ti1	C15	C110	159.66(17)	.	.	.	.	no
C13	Ti1	C15	C11	77.89(10)	.	.	.	.	no
C13	Ti1	C15	C14	-37.01(10)	.	.	.	.	no
C13	Ti1	C15	C110	-159.92(17)	.	.	.	.	no
C14	Ti1	C15	C11	114.89(14)	.	.	.	.	no
C14	Ti1	C15	C110	-122.92(19)	.	.	.	.	no
C111	Ti1	C15	C11	-149.74(13)	.	.	.	.	no
C111	Ti1	C15	C14	95.37(16)	.	.	.	.	no
C111	Ti1	C15	C110	-27.6(2)	.	.	.	.	no
C112	Ti1	C15	C11	134.58(13)	.	.	.	.	no
C112	Ti1	C15	C14	19.69(17)	.	.	.	.	no
C112	Ti1	C15	C110	-103.23(18)	.	.	.	.	no
C113	Ti1	C15	C11	141.32(10)	.	.	.	.	no
C113	Ti1	C15	C14	26.43(12)	.	.	.	.	no
C113	Ti1	C15	C110	-96.48(15)	.	.	.	.	no
C114	Ti1	C15	C11	174.64(10)	.	.	.	.	no
C114	Ti1	C15	C14	59.75(11)	.	.	.	.	no
C114	Ti1	C15	C110	-63.17(16)	.	.	.	.	no
C115	Ti1	C15	C11	-153.51(9)	.	.	.	.	no
C115	Ti1	C15	C14	91.61(11)	.	.	.	.	no
C115	Ti1	C15	C110	-31.31(17)	.	.	.	.	no
C12	Ti1	C111	C112	45.59(18)	.	.	.	.	no
C12	Ti1	C111	C115	161.68(12)	.	.	.	.	no
C13	Ti1	C111	C112	-10.53(15)	.	.	.	.	no
C13	Ti1	C111	C115	105.56(12)	.	.	.	.	no
C14	Ti1	C111	C112	-63.44(14)	.	.	.	.	no
C14	Ti1	C111	C115	52.64(14)	.	.	.	.	no
C15	Ti1	C111	C112	-121.96(14)	.	.	.	.	no
C15	Ti1	C111	C115	-5.88(19)	.	.	.	.	no
C112	Ti1	C111	C115	116.08(15)	.	.	.	.	no
C113	Ti1	C111	C112	-37.66(10)	.	.	.	.	no
C113	Ti1	C111	C115	78.42(11)	.	.	.	.	no
C114	Ti1	C111	C112	-79.36(11)	.	.	.	.	no
C114	Ti1	C111	C115	36.72(10)	.	.	.	.	no
C115	Ti1	C111	C112	-116.08(15)	.	.	.	.	no
C11	Ti1	C112	C111	-152.79(14)	.	.	.	.	no
C11	Ti1	C112	C113	91.90(17)	.	.	.	.	no



C12	Ti1	C112	C111	-155.78(10)	.	.	.	.	no
C12	Ti1	C112	C113	88.92(12)	.	.	.	.	no
C13	Ti1	C112	C111	172.74(10)	.	.	.	.	no
C13	Ti1	C112	C113	57.43(11)	.	.	.	.	no
C14	Ti1	C112	C111	138.37(10)	.	.	.	.	no
C14	Ti1	C112	C113	23.06(12)	.	.	.	.	no
C15	Ti1	C112	C111	125.99(13)	.	.	.	.	no
C15	Ti1	C112	C113	10.68(18)	.	.	.	.	no
C111	Ti1	C112	C113	-115.31(15)	.	.	.	.	no
C113	Ti1	C112	C111	115.31(15)	.	.	.	.	no
C114	Ti1	C112	C111	77.90(11)	.	.	.	.	no
C114	Ti1	C112	C113	-37.41(10)	.	.	.	.	no
C115	Ti1	C112	C111	37.21(10)	.	.	.	.	no
C115	Ti1	C112	C113	-78.10(11)	.	.	.	.	no
C11	Ti1	C113	C112	-140.79(11)	.	.	.	.	no
C11	Ti1	C113	C114	103.12(12)	.	.	.	.	no
C12	Ti1	C113	C112	-109.43(11)	.	.	.	.	no
C12	Ti1	C113	C114	134.48(10)	.	.	.	.	no
C13	Ti1	C113	C112	-123.86(11)	.	.	.	.	no
C13	Ti1	C113	C114	120.05(11)	.	.	.	.	no
C14	Ti1	C113	C112	-159.09(11)	.	.	.	.	no
C14	Ti1	C113	C114	84.82(11)	.	.	.	.	no
C15	Ti1	C113	C112	-174.05(10)	.	.	.	.	no
C15	Ti1	C113	C114	69.86(12)	.	.	.	.	no
C111	Ti1	C113	C112	38.03(10)	.	.	.	.	no
C111	Ti1	C113	C114	-78.07(11)	.	.	.	.	no
C112	Ti1	C113	C114	-116.09(15)	.	.	.	.	no
C114	Ti1	C113	C112	116.09(15)	.	.	.	.	no
C115	Ti1	C113	C112	79.54(11)	.	.	.	.	no
C115	Ti1	C113	C114	-36.55(10)	.	.	.	.	no
C11	Ti1	C114	C113	-115.74(11)	.	.	.	.	no
C11	Ti1	C114	C115	127.55(11)	.	.	.	.	no
C12	Ti1	C114	C113	-66.00(13)	.	.	.	.	no
C12	Ti1	C114	C115	177.29(9)	.	.	.	.	no
C13	Ti1	C114	C113	-60.79(11)	.	.	.	.	no
C13	Ti1	C114	C115	-177.50(10)	.	.	.	.	no
C14	Ti1	C114	C113	-89.90(11)	.	.	.	.	no
C14	Ti1	C114	C115	153.39(11)	.	.	.	.	no
C15	Ti1	C114	C113	-120.09(11)	.	.	.	.	no
C15	Ti1	C114	C115	123.20(10)	.	.	.	.	no
C111	Ti1	C114	C113	79.36(11)	.	.	.	.	no
C111	Ti1	C114	C115	-37.36(10)	.	.	.	.	no
C112	Ti1	C114	C113	37.35(10)	.	.	.	.	no
C112	Ti1	C114	C115	-79.37(11)	.	.	.	.	no
C113	Ti1	C114	C115	-116.72(15)	.	.	.	.	no
C115	Ti1	C114	C113	116.72(15)	.	.	.	.	no
C11	Ti1	C115	C111	149.72(11)	.	.	.	.	no
C11	Ti1	C115	C114	-93.81(14)	.	.	.	.	no
C11	Ti1	C115	C116	28.31(19)	.	.	.	.	no
C13	Ti1	C115	C111	-113.00(11)	.	.	.	.	no
C13	Ti1	C115	C114	3.48(14)	.	.	.	.	no
C13	Ti1	C115	C116	125.59(13)	.	.	.	.	no
C14	Ti1	C115	C111	-144.93(10)	.	.	.	.	no
C14	Ti1	C115	C114	-28.46(12)	.	.	.	.	no
C14	Ti1	C115	C116	93.66(14)	.	.	.	.	no
C15	Ti1	C115	C111	176.83(10)	.	.	.	.	no
C15	Ti1	C115	C114	-66.70(12)	.	.	.	.	no
C15	Ti1	C115	C116	55.42(15)	.	.	.	.	no
C111	Ti1	C115	C114	116.47(15)	.	.	.	.	no
C111	Ti1	C115	C116	-121.41(18)	.	.	.	.	no
C112	Ti1	C115	C111	-37.63(10)	.	.	.	.	no

C112	Ti1	C115	C114	78.85(11)	.	.	.	.	no
C112	Ti1	C115	C116	-159.04(16)	.	.	.	.	no
C113	Ti1	C115	C111	-79.16(11)	.	.	.	.	no
C113	Ti1	C115	C114	37.31(11)	.	.	.	.	no
C113	Ti1	C115	C116	159.43(16)	.	.	.	.	no
C114	Ti1	C115	C111	-116.47(15)	.	.	.	.	no
C114	Ti1	C115	C116	122.12(18)	.	.	.	.	no
C15	C11	C12	C13	0.14(19)	.	.	.	.	no
C15	C11	C12	C17	-171.78(17)	.	.	.	.	no
C16	C11	C12	C13	170.28(16)	.	.	.	.	no
C16	C11	C12	C17	-1.6(3)	.	.	.	.	no
C16	C11	C12	Ti1	-126.16(17)	.	.	.	.	no
C15	C11	C12	Ti1	63.70(11)	.	.	.	.	no
C12	C11	C15	Ti1	-65.54(11)	.	.	.	.	no
C12	C11	C15	C14	1.27(19)	.	.	.	.	no
C12	C11	C15	C110	177.46(17)	.	.	.	.	no
C16	C11	C15	Ti1	124.27(16)	.	.	.	.	no
C16	C11	C15	C14	-168.92(16)	.	.	.	.	no
Ti1	C11	C15	C14	66.81(12)	.	.	.	.	no
Ti1	C11	C15	C110	-117.00(18)	.	.	.	.	no
Ti1	C11	C12	C17	124.52(17)	.	.	.	.	no
Ti1	C11	C12	C13	-63.56(12)	.	.	.	.	no
C16	C11	C15	C110	7.3(3)	.	.	.	.	no
C11	C12	C13	C14	-1.49(19)	.	.	.	.	no
C17	C12	C13	Ti1	-125.30(17)	.	.	.	.	no
C17	C12	C13	C14	170.69(16)	.	.	.	.	no
C11	C12	C13	C18	-174.42(16)	.	.	.	.	no
Ti1	C12	C13	C14	-64.00(12)	.	.	.	.	no
Ti1	C12	C13	C18	123.07(17)	.	.	.	.	no
C11	C12	C13	Ti1	62.52(11)	.	.	.	.	no
C17	C12	C13	C18	-2.2(3)	.	.	.	.	no
C12	C13	C14	C19	-169.62(17)	.	.	.	.	no
C18	C13	C14	Ti1	-122.77(19)	.	.	.	.	no
C12	C13	C14	C15	2.3(2)	.	.	.	.	no
Ti1	C13	C14	C15	-62.37(12)	.	.	.	.	no
Ti1	C13	C14	C19	125.74(18)	.	.	.	.	no
C12	C13	C14	Ti1	64.64(12)	.	.	.	.	no
C18	C13	C14	C19	3.0(3)	.	.	.	.	no
C18	C13	C14	C15	174.87(17)	.	.	.	.	no
C13	C14	C15	Ti1	63.94(12)	.	.	.	.	no
C13	C14	C15	C11	-2.18(19)	.	.	.	.	no
C19	C14	C15	Ti1	-124.26(18)	.	.	.	.	no
C19	C14	C15	C11	169.62(17)	.	.	.	.	no
C13	C14	C15	C110	-178.36(17)	.	.	.	.	no
Ti1	C14	C15	C110	117.70(18)	.	.	.	.	no
Ti1	C14	C15	C11	-66.12(12)	.	.	.	.	no
C19	C14	C15	C110	-6.6(3)	.	.	.	.	no
Ti1	C111	C112	H112	-115.10	.	.	.	.	no
C115	C111	C112	H112	178.77	.	.	.	.	no
H111	C111	C112	Ti1	113.43	.	.	.	.	no
H111	C111	C112	C113	178.42	.	.	.	.	no
H111	C111	C112	H112	-1.67	.	.	.	.	no
H111	C111	C115	Ti1	-115.59	.	.	.	.	no
H111	C111	C115	C114	-177.95	.	.	.	.	no
H111	C111	C115	C116	1.35	.	.	.	.	no
Ti1	C112	C113	H113	-116.41	.	.	.	.	no
C111	C112	C113	H113	178.48	.	.	.	.	no
H112	C112	C113	Ti1	114.98	.	.	.	.	no
H112	C112	C113	C114	-179.71	.	.	.	.	no
H112	C112	C113	H113	-1.43	.	.	.	.	no
Ti1	C113	C114	H114	-118.16	.	.	.	.	no

C112	C113	C114	H114	177.68	.	.	.	.	no
H113	C113	C114	Ti1	117.60	.	.	.	.	no
H113	C113	C114	C115	-177.42	.	.	.	.	no
H113	C113	C114	H114	-0.56	.	.	.	.	no
H114	C114	C115	Ti1	120.19	.	.	.	.	no
H114	C114	C115	C111	-178.33	.	.	.	.	no
H114	C114	C115	C116	2.37	.	.	.	.	no
Ti1	C115	C116	H116	9.22	.	.	.	.	no
C111	C115	C116	H116	-79.43	.	.	.	.	no
C114	C115	C116	H116	99.73	.	.	.	.	no
C115	C116	C117	H117	55.09	.	.	.	.	no
C124	C116	C117	H117	-179.82	.	.	.	.	no
H116	C116	C117	C118	173.14	.	.	.	.	no
H116	C116	C117	C122	53.66	.	.	.	.	no
H116	C116	C117	H117	-64.88	.	.	.	.	no
C115	C116	C124	H124	-53.04	.	.	.	.	no
C117	C116	C124	H124	-179.02	.	.	.	.	no
H116	C116	C124	C123	-56.08	.	.	.	.	no
H116	C116	C124	C125	-175.85	.	.	.	.	no
H116	C116	C124	H124	63.47	.	.	.	.	no
C116	C117	C118	H118'	62.56	.	.	.	.	no
C116	C117	C118	H118	178.29	.	.	.	.	no
C122	C117	C118	H118'	-178.01	.	.	.	.	no
C122	C117	C118	H118	-62.29	.	.	.	.	no
H117	C117	C118	C119	177.53	.	.	.	.	no
H117	C117	C118	H118'	-60.24	.	.	.	.	no
H117	C117	C118	H118	55.48	.	.	.	.	no
C116	C117	C122	H122'	-62.13	.	.	.	.	no
C116	C117	C122	H122	-179.06	.	.	.	.	no
C118	C117	C122	H122'	177.07	.	.	.	.	no
C118	C117	C122	H122	60.14	.	.	.	.	no
H117	C117	C122	C121	-178.76	.	.	.	.	no
H117	C117	C122	H122'	58.29	.	.	.	.	no
H117	C117	C122	H122	-58.64	.	.	.	.	no
C117	C118	C119	H119	179.91	.	.	.	.	no
H118'	C118	C119	C120	-179.62	.	.	.	.	no
H118'	C118	C119	C125	-60.12	.	.	.	.	no
H118'	C118	C119	H119	60.20	.	.	.	.	no
H118	C118	C119	C120	60.11	.	.	.	.	no
H118	C118	C119	C125	179.61	.	.	.	.	no
H118	C118	C119	H119	-60.06	.	.	.	.	no
C118	C119	C120	H120'	-62.61	.	.	.	.	no
C118	C119	C120	H120	177.90	.	.	.	.	no
C125	C119	C120	H120'	178.42	.	.	.	.	no
C125	C119	C120	H120	58.94	.	.	.	.	no
H119	C119	C120	C121	179.87	.	.	.	.	no
H119	C119	C120	H120'	57.75	.	.	.	.	no
H119	C119	C120	H120	-61.74	.	.	.	.	no
C118	C119	C125	H125'	178.60	.	.	.	.	no
C118	C119	C125	H125	59.60	.	.	.	.	no
C120	C119	C125	H125'	-61.77	.	.	.	.	no
C120	C119	C125	H125	179.24	.	.	.	.	no
H119	C119	C125	C124	179.28	.	.	.	.	no
H119	C119	C125	H125'	58.50	.	.	.	.	no
H119	C119	C125	H125	-60.49	.	.	.	.	no
C119	C120	C121	H121	-179.80	.	.	.	.	no
H120'	C120	C121	C122	61.88	.	.	.	.	no
H120'	C120	C121	C123	-178.44	.	.	.	.	no
H120'	C120	C121	H121	-58.38	.	.	.	.	no
H120	C120	C121	C122	-179.13	.	.	.	.	no
H120	C120	C121	C123	-59.46	.	.	.	.	no

H120	C120	C121	H121	60.60	.	.	.	.	no
C120	C121	C122	H122'	-174.66	.	.	.	.	no
C120	C121	C122	H122	-58.99	.	.	.	.	no
C123	C121	C122	H122'	65.29	.	.	.	.	no
C123	C121	C122	H122	-179.04	.	.	.	.	no
H121	C121	C122	C117	-177.22	.	.	.	.	no
H121	C121	C122	H122'	-52.18	.	.	.	.	no
H121	C121	C122	H122	63.49	.	.	.	.	no
C120	C121	C123	H123'	59.90	.	.	.	.	no
C120	C121	C123	H123	177.44	.	.	.	.	no
C122	C121	C123	H123'	179.81	.	.	.	.	no
C122	C121	C123	H123	-62.65	.	.	.	.	no
H121	C121	C123	C124	177.47	.	.	.	.	no
H121	C121	C123	H123'	-62.54	.	.	.	.	no
H121	C121	C123	H123	55.00	.	.	.	.	no
B2	C21	C22	C23	-172.67(16)	.	.	.	.	no
C22	C21	C26	C25	1.2(2)	.	.	.	.	no
B2	C21	C26	C25	173.36(16)	.	.	.	.	no
C22	C21	B2	C27	-159.49(15)	.	.	.	.	no
C22	C21	B2	C213	80.73(17)	.	.	.	.	no
C22	C21	B2	C219	-41.1(2)	.	.	.	.	no
C26	C21	B2	C27	28.7(2)	.	.	.	.	no
C26	C21	B2	C213	-91.06(17)	.	.	.	.	no
C26	C21	B2	C219	147.14(15)	.	.	.	.	no
C26	C21	C22	C23	-0.3(2)	.	.	.	.	no
C21	C22	C23	C24	-0.8(3)	.	.	.	.	no
C22	C23	C24	C25	1.0(3)	.	.	.	.	no
H123	C123	C124	C116	60.42	.	.	.	.	no
H123	C123	C124	C125	-179.52	.	.	.	.	no
H123'	C123	C124	H124	56.48	.	.	.	.	no
C121	C123	C124	H124	177.80	.	.	.	.	no
H123'	C123	C124	C116	177.57	.	.	.	.	no
H123'	C123	C124	C125	-62.37	.	.	.	.	no
H123	C123	C124	H124	-60.67	.	.	.	.	no
H124	C124	C125	H125'	-58.08	.	.	.	.	no
H124	C124	C125	H125	64.43	.	.	.	.	no
H124	C124	C125	C119	-177.23	.	.	.	.	no
C116	C124	C125	H125'	179.97	.	.	.	.	no
C116	C124	C125	H125	-57.53	.	.	.	.	no
C123	C124	C125	H125'	60.56	.	.	.	.	no
C123	C124	C125	H125	-176.93	.	.	.	.	no
C23	C24	C25	C26	-0.1(3)	.	.	.	.	no
C24	C25	C26	C21	-1.1(3)	.	.	.	.	no
C212	C27	C28	C29	0.5(3)	.	.	.	.	no
B2	C27	C28	C29	173.07(16)	.	.	.	.	no
C28	C27	B2	C21	36.9(2)	.	.	.	.	no
C28	C27	B2	C213	150.12(16)	.	.	.	.	no
C28	C27	B2	C219	-86.51(18)	.	.	.	.	no
C212	C27	B2	C21	-150.93(15)	.	.	.	.	no
C212	C27	B2	C213	-37.7(2)	.	.	.	.	no
C212	C27	B2	C219	85.62(18)	.	.	.	.	no
C28	C27	C212	C211	0.5(3)	.	.	.	.	no
B2	C27	C212	C211	-172.22(16)	.	.	.	.	no
C27	C28	C29	C210	-0.7(3)	.	.	.	.	no
C28	C29	C210	C211	-0.2(3)	.	.	.	.	no
C29	C210	C211	C212	1.1(3)	.	.	.	.	no
C210	C211	C212	C27	-1.3(3)	.	.	.	.	no
C218	C213	B2	C219	21.3(2)	.	.	.	.	no
C214	C213	C218	C217	-2.0(2)	.	.	.	.	no
C214	C213	B2	C27	-50.6(2)	.	.	.	.	no
C214	C213	B2	C219	-168.05(14)	.	.	.	.	no

C218	C213	B2	C27	138.74(16)	.	.	.	.	no
C218	C213	C214	C215	1.1(2)	.	.	.	.	no
B2	C213	C214	C215	-170.38(15)	.	.	.	.	no
B2	C213	C218	C217	169.01(16)	.	.	.	.	no
C214	C213	B2	C21	70.92(17)	.	.	.	.	no
C218	C213	B2	C21	-99.71(17)	.	.	.	.	no
C213	C214	C215	C216	1.0(3)	.	.	.	.	no
C214	C215	C216	C217	-2.2(3)	.	.	.	.	no
C215	C216	C217	C218	1.3(3)	.	.	.	.	no
C216	C217	C218	C213	0.9(3)	.	.	.	.	no
C220	C219	C224	C223	-0.4(3)	.	.	.	.	no
B2	C219	C224	C223	-173.25(16)	.	.	.	.	no
B2	C219	C220	C221	172.90(17)	.	.	.	.	no
C224	C219	B2	C21	-29.0(2)	.	.	.	.	no
C224	C219	B2	C27	95.29(17)	.	.	.	.	no
C224	C219	B2	C213	-142.82(16)	.	.	.	.	no
C220	C219	B2	C21	158.61(15)	.	.	.	.	no
C220	C219	B2	C27	-77.08(18)	.	.	.	.	no
C220	C219	B2	C213	44.8(2)	.	.	.	.	no
C224	C219	C220	C221	0.0(3)	.	.	.	.	no
C219	C220	C221	C222	0.7(3)	.	.	.	.	no
C220	C221	C222	C223	-1.1(3)	.	.	.	.	no
C221	C222	C223	C224	0.8(3)	.	.	.	.	no
C222	C223	C224	C219	0.0(3)	.	.	.	.	no

loop\_

\_geom\_contact\_atom\_site\_label\_1

\_geom\_contact\_atom\_site\_label\_2

\_geom\_contact\_distance

\_geom\_contact\_site\_symmetry\_1

\_geom\_contact\_site\_symmetry\_2

\_geom\_contact\_publ\_flag

Ti1	C214	3.6798(17)	.	1_455	no
Ti1	C215	2.6976(17)	.	1_455	no
Ti1	C216	2.6103(19)	.	1_455	no
Ti1	C217	3.5824(19)	.	1_455	no
Ti1	H116	3.2977	.	.	no
Ti1	H215	2.6961	.	1_455	no
Ti1	H216	2.5122	.	1_455	no
C11	C13	2.295(2)	.	.	no
C11	C14	2.302(2)	.	.	no
C11	C17	2.617(3)	.	.	no
C11	C110	2.608(3)	.	.	no
C11	C215	3.356(2)	.	1_455	no
C11	C216	3.282(2)	.	1_455	no
C12	C15	2.301(2)	.	.	no
C12	C223	3.391(3)	.	2_645	no
C12	C14	2.296(2)	.	.	no
C12	C215	3.427(2)	.	1_455	no
C12	C16	2.603(3)	.	.	no
C12	C18	2.564(3)	.	.	no
C13	C223	3.512(3)	.	2_645	no
C13	C15	2.297(2)	.	.	no
C13	C17	2.567(3)	.	.	no
C13	C11	2.295(2)	.	.	no
C13	C113	3.104(2)	.	.	no
C13	C19	2.595(3)	.	.	no
C14	C11	2.302(2)	.	.	no
C14	C114	3.070(2)	.	.	no
C14	C12	2.296(2)	.	.	no
C14	C18	2.627(3)	.	.	no

C14	C110	2.602(3)	.	.	no
C14	C113	3.097(2)	.	.	no
C15	C12	2.301(2)	.	.	no
C15	C13	2.297(2)	.	.	no
C15	C114	3.560(2)	.	.	no
C15	C19	2.596(3)	.	.	no
C15	C16	2.598(3)	.	.	no
C16	C215	3.465(3)	.	1_455	no
C16	C216	3.270(3)	.	1_455	no
C16	C23	3.567(3)	.	2_645	no
C17	C215	3.597(3)	.	1_455	no
C19	C29	3.534(3)	.	4_555	no
C19	C28	3.564(3)	.	4_555	no
C22	C111	3.446(2)	.	1_655	no
C22	C224	3.193(3)	.	.	no
C23	C111	3.475(3)	.	1_655	no
C23	C16	3.567(3)	.	2_655	no
C24	C112	3.520(3)	.	1_655	no
C26	C28	3.231(3)	.	.	no
C26	C110	3.568(3)	.	.	no
C26	C214	3.423(2)	.	.	no
C28	C19	3.564(3)	.	4_554	no
C28	C26	3.231(3)	.	.	no
C29	C19	3.534(3)	.	4_554	no
C110	C26	3.568(3)	.	.	no
C111	C22	3.446(2)	.	1_455	no
C11	H216	2.6588	.	1_455	no
C111	C125	3.521(2)	.	.	no
C111	C23	3.475(3)	.	1_455	no
C111	C217	3.290(3)	.	1_455	no
C111	C114	2.278(3)	.	.	no
C111	C215	3.313(2)	.	1_455	no
C111	C214	3.492(2)	.	1_455	no
C111	C218	3.488(2)	.	1_455	no
C11	H215	2.8099	.	1_455	no
C111	C113	2.275(3)	.	.	no
C111	C116	2.631(2)	.	.	no
C111	C216	3.188(3)	.	1_455	no
C112	C114	2.286(3)	.	.	no
C112	C115	2.309(2)	.	.	no
C12	H215	2.6644	.	1_455	no
C112	C24	3.520(3)	.	1_455	no
C113	C19	3.356(3)	.	.	no
C113	C115	2.297(2)	.	.	no
C113	C14	3.097(2)	.	.	no
C13	H113	2.9530	.	.	no
C113	C111	2.275(3)	.	.	no
C113	C13	3.104(2)	.	.	no
C113	C18	3.338(3)	.	.	no
C114	C111	2.278(3)	.	.	no
C14	H114	3.0360	.	.	no
C114	C116	2.617(3)	.	.	no
C14	H113	3.0899	.	.	no
C114	C14	3.070(2)	.	.	no
C114	C112	2.286(3)	.	.	no
C114	C19	3.158(3)	.	.	no
C114	C118	3.370(3)	.	.	no
C114	C15	3.560(2)	.	.	no
C115	C113	2.297(2)	.	.	no
C115	C112	2.309(2)	.	.	no
C15	H223	3.0764	.	2_645	no

C115	C216	3.527(2)	.	1_455	no
C16	H216	2.5506	.	1_455	no
C116	C120	3.569(2)	.	.	no
C16	H110'	2.9268	.	.	no
C16	H215	2.9547	.	1_455	no
C16	H17'	2.8769	.	.	no
C116	C217	3.450(3)	.	1_455	no
C17	H16'	3.0351	.	.	no
C17	H18	3.0621	.	.	no
C17	H215	2.6181	.	1_455	no
C17	H18"	3.0305	.	.	no
C17	H125'	3.0297	.	2_545	no
C118	C114	3.370(3)	.	.	no
C118	C123	3.533(3)	.	.	no
C18	H19'	2.9922	.	.	no
C18	H17"	2.9323	.	.	no
C18	H113	2.7846	.	.	no
C119	C211	3.539(3)	.	2_655	no
C19	H114	2.7179	.	.	no
C19	H18'	2.8103	.	.	no
C19	H110	3.0446	.	.	no
C120	C116	3.569(2)	.	.	no
C21	H224	2.7620	.	.	no
C21	H28	2.8937	.	.	no
C21	H111	3.0696	.	1_655	no
C21	H122'	3.0477	.	.	no
C122	C125	3.521(3)	.	.	no
C22	H16"	2.8404	.	2_655	no
C22	H224	2.7403	.	.	no
C22	H111	2.7432	.	1_655	no
C23	H16"	2.9980	.	2_655	no
C23	H122	2.9950	.	.	no
C123	C118	3.533(3)	.	.	no
C24	H112	3.0087	.	1_655	no
C124	C217	3.487(3)	.	1_455	no
C24	H122	3.0444	.	.	no
C125	C111	3.521(2)	.	.	no
C25	H110	2.9558	.	.	no
C125	C122	3.521(3)	.	.	no
C25	H112	2.8981	.	1_655	no
C26	H122'	3.0657	.	.	no
C26	H214	3.0405	.	.	no
C26	H110	2.9934	.	.	no
C26	H28	2.8247	.	.	no
C27	H26	2.8322	.	.	no
C27	H214	2.9010	.	.	no
C28	H110'	3.0684	.	.	no
C28	H26	2.8017	.	.	no
C29	H19'	2.9328	.	4_554	no
C110	H16	2.8508	.	.	no
C110	H19"	2.8056	.	.	no
C110	H26	2.9116	.	.	no
C111	H125	2.9735	.	.	no
C111	H112	2.1143	.	.	no
C111	H124	2.7793	.	.	no
C211	C119	3.539(3)	.	2_645	no
C112	H113	2.1299	.	.	no
C212	C220	3.525(3)	.	.	no
C212	C214	3.382(2)	.	.	no
C112	H111	2.1483	.	.	no
C113	H114	2.1225	.	.	no

C113	H18'	3.0922	.	.	no
C113	H112	2.1258	.	.	no
C113	H19'	2.8959	.	.	no
C114	H19'	2.9526	.	.	no
C114	H117	2.8010	.	.	no
C214	C26	3.423(2)	.	.	no
C114	H113	2.1588	.	.	no
C114	H118'	2.7561	.	.	no
C214	C212	3.382(2)	.	.	no
C114	H19"	3.0562	.	.	no
C214	C111	3.492(2)	.	1_655	no
C214	Ti1	3.6798(17)	.	1_655	no
C215	C111	3.313(2)	.	1_655	no
C215	C17	3.597(3)	.	1_655	no
C115	H118'	2.7761	.	.	no
C215	Ti1	2.6976(17)	.	1_655	no
C115	H125	2.7227	.	.	no
C215	C11	3.356(2)	.	1_655	no
C215	C12	3.427(2)	.	1_655	no
C115	H111	2.1359	.	.	no
C215	C16	3.465(3)	.	1_655	no
C115	H114	2.1228	.	.	no
C216	C111	3.188(3)	.	1_655	no
C216	C16	3.270(3)	.	1_655	no
C216	Ti1	2.6103(19)	.	1_655	no
C216	C11	3.282(2)	.	1_655	no
C216	C115	3.527(2)	.	1_655	no
C217	C111	3.290(3)	.	1_655	no
C217	C124	3.487(3)	.	1_655	no
C217	C116	3.450(3)	.	1_655	no
C217	Ti1	3.5824(19)	.	1_655	no
C117	H114	2.8289	.	.	no
C218	C220	3.258(2)	.	.	no
C218	C111	3.488(2)	.	1_655	no
C220	C212	3.525(3)	.	.	no
C220	C218	3.258(2)	.	.	no
C223	C12	3.391(3)	.	2_655	no
C223	C13	3.512(3)	.	2_655	no
C124	H111	2.9158	.	.	no
C224	C22	3.193(3)	.	.	no
C125	H17'	3.0293	.	2_555	no
C210	H120'	2.9856	.	2_645	no
C210	H114	3.0139	.	4_554	no
C211	H120'	3.0901	.	2_645	no
C211	H119	2.8705	.	2_645	no
C211	H24	2.9573	.	4_554	no
C212	H24	2.9946	.	4_554	no
C212	H119	2.9006	.	2_645	no
C213	H220	2.9099	.	.	no
C213	H212	2.7413	.	.	no
C213	H111	2.7655	.	1_655	no
C214	H212	3.0096	.	.	no
C214	H111	2.9477	.	1_655	no
C215	H16'	2.9119	.	1_655	no
C215	H111	3.0635	.	1_655	no
C216	H111	2.9604	.	1_655	no
C216	H29	2.9729	.	1_655	no
C216	H16'	2.9445	.	1_655	no
C217	H116	2.8574	.	1_655	no
C217	H111	2.7606	.	1_655	no
C217	H124	2.8702	.	1_655	no



C217	H29	3.0466	.	1_655	no
C217	H113	3.0939	.	4_654	no
C218	H124	2.9229	.	1_655	no
C218	H220	2.8490	.	.	no
C218	H111	2.6533	.	1_655	no
C219	H218	2.7849	.	.	no
C219	H22	2.8070	.	.	no
C220	H218	2.7154	.	.	no
C221	H110"	3.0967	.	4_554	no
C222	H110"	3.0085	.	4_554	no
C222	H18"	2.8883	.	2_655	no
C223	H19	2.9256	.	4_554	no
C224	H22	2.7897	.	.	no
C224	H19	2.9835	.	4_554	no
H110'	C16	2.9268	.	.	no
H110'	C28	3.0684	.	.	no
H110'	H16	2.3309	.	.	no
H110"	C221	3.0967	.	4_555	no
H110"	C222	3.0085	.	4_555	no
H118'	C114	2.7561	.	.	no
H118'	C115	2.7761	.	.	no
H118'	H114	2.5683	.	.	no
H118'	H125	2.4808	.	.	no
H118'	H210	2.5574	.	4_555	no
H120'	H118	2.5762	.	.	no
H120'	H122	2.5359	.	.	no
H120'	C210	2.9856	.	2_655	no
H120'	C211	3.0901	.	2_655	no
H122'	C21	3.0477	.	.	no
H122'	C26	3.0657	.	.	no
H122'	H28	2.5763	.	.	no
H122'	H116	2.5201	.	.	no
H122'	H123	2.5571	.	.	no
H122'	H224	2.5706	.	.	no
H123'	H125'	2.5276	.	.	no
H123'	H120	2.4891	.	.	no
H123'	H222	2.5681	.	3_665	no
H125'	H123'	2.5276	.	.	no
H125'	H120	2.4952	.	.	no
H125'	C17	3.0297	.	2_555	no
H125'	H17'	2.2321	.	2_555	no
H16	C110	2.8508	.	.	no
H16	H110'	2.3309	.	.	no
H16	H216	2.2949	.	1_455	no
H16'	C17	3.0351	.	.	no
H16'	C216	2.9445	.	1_455	no
H16'	H17'	2.4495	.	.	no
H16'	H215	2.3684	.	1_455	no
H16'	H216	2.4298	.	1_455	no
H16'	H23	2.5868	.	2_645	no
H16'	C215	2.9119	.	1_455	no
H16"	C22	2.8404	.	2_645	no
H16"	H22	2.5719	.	2_645	no
H16"	H122	2.5725	.	2_645	no
H16"	C23	2.9980	.	2_645	no
H16"	H224	2.4500	.	2_645	no
H17'	H16'	2.4495	.	.	no
H17'	H215	2.2832	.	1_455	no
H17'	C16	2.8769	.	.	no
H17'	H125'	2.2321	.	2_545	no
H17'	H22	2.5083	.	2_645	no

H17'	C125	3.0293	.	2_545	no
H17"	C18	2.9323	.	.	no
H18	C17	3.0621	.	.	no
H18'	C113	3.0922	.	.	no
H18'	H19'	2.3157	.	.	no
H18'	C19	2.8103	.	.	no
H18'	H123	2.5825	.	4_555	no
H18'	H113	2.3217	.	.	no
H18"	C17	3.0305	.	.	no
H18"	C222	2.8883	.	2_645	no
H19	C224	2.9835	.	4_555	no
H19	C223	2.9256	.	4_555	no
H19'	C18	2.9922	.	.	no
H19'	C114	2.9526	.	.	no
H19'	H18'	2.3157	.	.	no
H19'	C113	2.8959	.	.	no
H19'	H113	2.4377	.	.	no
H19'	H114	2.5526	.	.	no
H19'	C29	2.9328	.	4_555	no
H19"	C110	2.8056	.	.	no
H19"	C114	3.0562	.	.	no
H19"	H110	2.4053	.	.	no
H19"	H114	2.4032	.	.	no
H22	C224	2.7897	.	.	no
H22	H224	2.5300	.	.	no
H22	C219	2.8070	.	.	no
H22	H17'	2.5083	.	2_655	no
H22	H16"	2.5719	.	2_655	no
H23	H16'	2.5868	.	2_655	no
H24	H211	2.4663	.	4_555	no
H24	C212	2.9946	.	4_555	no
H24	C211	2.9573	.	4_555	no
H24	H212	2.4755	.	4_555	no
H25	H110	2.3911	.	.	no
H26	C27	2.8322	.	.	no
H26	C28	2.8017	.	.	no
H26	C110	2.9116	.	.	no
H26	H28	2.5456	.	.	no
H26	H110	2.5481	.	.	no
H28	H122'	2.5763	.	.	no
H28	C21	2.8937	.	.	no
H28	C26	2.8247	.	.	no
H28	H26	2.5456	.	.	no
H29	H217	2.5521	.	1_455	no
H29	C216	2.9729	.	1_455	no
H29	C217	3.0466	.	1_455	no
H29	H216	2.4171	.	1_455	no
H110	C25	2.9558	.	.	no
H110	C26	2.9934	.	.	no
H110	H19"	2.4053	.	.	no
H110	H25	2.3911	.	.	no
H110	H26	2.5481	.	.	no
H110	C19	3.0446	.	.	no
H111	C21	3.0696	.	1_455	no
H111	C22	2.7432	.	1_455	no
H111	C124	2.9158	.	.	no
H111	C213	2.7655	.	1_455	no
H111	C214	2.9477	.	1_455	no
H111	C215	3.0635	.	1_455	no
H111	C216	2.9604	.	1_455	no
H111	C217	2.7606	.	1_455	no

H111	C218	2.6533	.	1_455	no
H111	H124	2.3481	.	.	no
H112	C24	3.0087	.	1_455	no
H112	C25	2.8981	.	1_455	no
H113	H18'	2.3217	.	.	no
H113	H19'	2.4377	.	.	no
H113	C18	2.7846	.	.	no
H113	C217	3.0939	.	4_455	no
H114	C117	2.8289	.	.	no
H114	C19	2.7179	.	.	no
H114	H118'	2.5683	.	.	no
H114	H19'	2.5526	.	.	no
H114	H19"	2.4032	.	.	no
H114	H117	2.3471	.	.	no
H114	C210	3.0139	.	4_555	no
H116	Ti1	3.2977	.	.	no
H116	C217	2.8574	.	1_455	no
H116	H123	2.4366	.	.	no
H116	H217	2.4529	.	1_455	no
H116	H122'	2.5201	.	.	no
H117	C114	2.8010	.	.	no
H117	H114	2.3471	.	.	no
H118	H122	2.4724	.	.	no
H118	H120'	2.5762	.	.	no
H119	C211	2.8705	.	2_655	no
H119	C212	2.9006	.	2_655	no
H120	H123'	2.4891	.	.	no
H120	H125'	2.4952	.	.	no
H122	C23	2.9950	.	.	no
H122	C24	3.0444	.	.	no
H122	H120'	2.5359	.	.	no
H122	H118	2.4724	.	.	no
H122	H16"	2.5725	.	2_655	no
H123	H116	2.4366	.	.	no
H123	H122'	2.5571	.	.	no
H123	H18'	2.5825	.	4_554	no
H124	H111	2.3481	.	.	no
H124	C218	2.9229	.	1_455	no
H124	C217	2.8702	.	1_455	no
H124	C111	2.7793	.	.	no
H125	C115	2.7227	.	.	no
H125	H118'	2.4808	.	.	no
H125	C111	2.9735	.	.	no
H210	H118'	2.5574	.	4_554	no
H211	H24	2.4663	.	4_554	no
H212	C213	2.7413	.	.	no
H212	C214	3.0096	.	.	no
H212	H24	2.4755	.	4_554	no
H214	C26	3.0405	.	.	no
H214	C27	2.9010	.	.	no
H215	Ti1	2.6961	.	1_655	no
H215	C11	2.8099	.	1_655	no
H215	C12	2.6644	.	1_655	no
H215	C16	2.9547	.	1_655	no
H215	C17	2.6181	.	1_655	no
H215	H16'	2.3684	.	1_655	no
H215	H17'	2.2832	.	1_655	no
H216	Ti1	2.5122	.	1_655	no
H216	C11	2.6588	.	1_655	no
H216	C16	2.5506	.	1_655	no
H216	H16	2.2949	.	1_655	no

H216	H16'	2.4298	.	1_655	no
H216	H29	2.4171	.	1_655	no
H217	H29	2.5521	.	1_655	no
H217	H116	2.4529	.	1_655	no
H218	C219	2.7849	.	.	no
H218	C220	2.7154	.	.	no
H218	H220	2.4542	.	.	no
H220	C213	2.9099	.	.	no
H220	C218	2.8490	.	.	no
H220	H218	2.4542	.	.	no
H222	H123'	2.5681	.	3_665	no
H223	C15	3.0764	.	2_655	no
H224	C21	2.7620	.	.	no
H224	C22	2.7403	.	.	no
H224	H122'	2.5706	.	.	no
H224	H22	2.5300	.	.	no
H224	H16"	2.4500	.	2_655	no

#===END of Crystallographic Information File

# CIF-file generated for C66H88BO2Ti

CP878

data\_global

# 0. AUDIT DETAILS

\_audit\_creation\_date '2004-02-18 15:49:44'

\_audit\_creation\_method

;

PLATON <TABLE ACC> option  
SHELXL97-2 & Manual Editing

;

\_audit\_update\_record

;

?

2009-09-28 # Formatted by publCIF

;

# 1. SUBMISSION DETAILS

\_publ\_contact\_author\_name # Name of author for correspondence

;

Drs. A. Meetsma

;

\_publ\_contact\_author\_address # Address of author for correspondence

;

Crystal Structure Center, Chemical Physics,  
Zernike Institute for Advanced Materials,  
University of Groningen,  
Nijenborgh 4,  
NL-9747 AG Groningen, The Netherlands.

;

\_publ\_contact\_author\_email A.Meetsma@rug.nl

\_publ\_contact\_author\_fax '+31 50 3634441'

\_publ\_contact\_author\_phone '+31 50 3634368'

\_publ\_requested\_journal 'Organometallics'

```
# Publication choise FI FM FO CI CM CO
_publ_requested_category      ?
_publ_requested_coeditor_name ?

_publ_contact_letter         # Include date of submission
;
Date of submission : 2009-09-28 11:59:44

Consider this CIF submission for deposition of the third
X-ray structure of a manuscript to be submitted to : Organometallics.
(Our Compound_Identification_Code : CP878)
;
```

```
#=====
```

```
# 2. PROCESSING SUMMARY (JOURNAL OFFICE ONLY)
```

```
_journal_date_recd_electronic      ?
_journal_date_to_coeditor           ?
_journal_date_from_coeditor         ?
_journal_date_accepted              ?

_journal_date_printers_first        ?
_journal_date_printers_final        ?
_journal_date_proofs_out             ?
_journal_date_proofs_in             ?

_journal_coeditor_name              ?
_journal_coeditor_code              ?
_journal_coeditor_notes             ; ?
;

_journal_techeditor_code            ?
_journal_techeditor_notes           ; ?
;

_journal_coden_ASTM                ?
_journal_name_full                  ?
_journal_year                       ?
_journal_volume                    ?
_journal_issue                      ?
_journal_page_first                 ?
_journal_page_last                  ?

_journal_suppl_publ_number          ?
_journal_suppl_publ_pages           ?
```

```
#=====
```

```
# 3. TITLE AND AUTHOR LIST
```

```
_publ_section_title
;
Title (type here to add)
;
_publ_section_title_footnote
```

```

.

# The loop structure below should contain the names and addresses of all
# authors, in the required order of publication. Repeat as necessary.

loop_
  _publ_author_name
  _publ_author_footnote
  _publ_author_address

    'Meetsma, Auke'
;
? # author related footnote
;
;
  Crystal Structure Center, Chemical Physics,
  Zernike Institute for Advanced Materials,
  University of Groningen,
  Nijenborgh 4,
  NL-9747 AG Groningen, The Netherlands.
;

#=====

# 4. TEXT

_publ_section_synopsis
.
_publ_section_abstract
;
(type here to add abstract)
;

# Insert blank lines between paragraphs

_publ_section_comment
;
(type here to add)
;
_publ_section_exptl_prep
;
(type here to add preparation details)
;
_publ_section_exptl_refinement
;
The atoms of the solvent showed unrealistic displacement parameters when
allowed to vary anisotropically, suggesting dynamic disorder (dynamic means
that the smeared electron density is due to fluctuations of the atomic
positions within each unit cell). A subsequent difference Fourier synthesis
resulted in the location of most hydrogen atoms; the remaining hydrogen atoms
were generated by geometrical considerations. The hydrogen atom coordinates
and isotropic displacement parameters were refined, except those belonging to
the cyclohexane solvent molecules, which were allowed to ride on their carrier
atoms with an isotropic displacement parameter related to the equivalent
displacement parameter of their carrier atoms.
;

# Insert blank lines between references

_publ_section_references

```

;  
Beurskens, P.T., Beurskens, G., Gelder, R. de Garcia-Granda, S. Gould, R.O. Isra"el, & Smits, J.M.M. (1999). The <i>DIRDIF99</i> program system, Technical Report of the Crystallography Laboratory, University of Nijmegen, The Netherlands.

Bruker, (2001). <i>SMART</i>, <i>SAINT</i>, <i>SADABS</i>, <i>XPREP</i> and <i>SHELXTL</i>/NT. Software Reference Manual Bruker AXS Inc. Madison, Wisconsin, USA.

Meetsma, A. (2003). Extended version of the program <i>PLUTO</i>. Groningen University, The Netherlands. (unpublished).

Sheldrick, G.M. <i>SHELXL97</i>. Program for Crystal Structure Refinement. University of G"ottingen, Germany, 1997.

Spek, A. L. (2003). <i>J. Appl. Cryst.</i> **36**, 7--13.

;

\_publ\_section\_figure\_captions

;

Fig. 1. Perspective <i>PLUTO</i> drawing of the molecule illustrating the configuration and the adopted numbering scheme.

Fig. 2. Molecular packing viewed down unit cell axes.

Fig. 3. Perspective <i>ORTEP</i> drawing of the title compound. Displacement ellipsoids for non-H are represented at the 50% probability level. The H-atoms have been omitted to improve clarity.

;

#=====

# 5. CHEMICAL DATA

\_chemical\_name\_systematic

; ?

;

\_chemical\_name\_common ?

\_chemical\_melting\_point ?

\_chemical\_formula\_moiety

'C33 H50 O2 Ti, C24 H20 B, 1.5(C6 H12)'

# Ex: 'C12 H16 N2 O6, H2 O' and '(Cd 2+)3, (C6 N6 Cr 3-)2, 2(H2 O)'

\_chemical\_formula\_structural ?

\_chemical\_formula\_sum

'C66 H88 B O2 Ti'

\_chemical\_formula\_iupac ?

\_chemical\_formula\_weight 972.10

\_chemical\_compound\_source 'see text'

loop\_

\_atom\_type\_symbol

\_atom\_type\_description

\_atom\_type\_scatter\_dispersion\_real

\_atom\_type\_scatter\_dispersion\_imag

\_atom\_type\_scatter\_source

Ti Ti 0.2776 0.4457

'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'

```

O   O   0.0106   0.0060
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'
B   B   0.0013   0.0007
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'
H   H   0.0000   0.0000
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'
C   C   0.0033   0.0016
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'

```

#=====

# 6. CRYSTAL DATA

```

_symmetry_cell_setting      Triclinic
_symmetry_space_group_name_Hall  '-P 1'
_symmetry_space_group_name_H-M   'P -1'
_symmetry_Int_Tables_number      2

```

```

loop_
_symmetry_equiv_pos_as_xyz
  x, y, z
  -x, -y, -z

```

```

_cell_length_a      13.0986(6)
_cell_length_b      14.7326(6)
_cell_length_c      15.9679(7)
_cell_angle_alpha   78.727(1)
_cell_angle_beta    69.475(1)
_cell_angle_gamma   69.452(1)
_cell_volume        2693.0(2)
_cell_formula_units_Z  2

```

```

_cell_measurement_temperature 100(1)
_cell_measurement_reflns_used  8144
_cell_measurement_theta_min    2.53
_cell_measurement_theta_max    28.99
_cell_special_details

```

```

;
The final unit cell was obtained from the xyz centroids of
8144 reflections after integration using the SAINT software
package (Bruker, 2001).

```

;

```

_exptl_crystal_description  'platelet'
_exptl_crystal_colour       'blueisch-green'
_exptl_crystal_size_max     0.34
_exptl_crystal_size_mid     0.19
_exptl_crystal_size_min     0.055
_exptl_crystal_size_rad     ?
_exptl_crystal_density_meas ?
_exptl_crystal_density_diffn 1.199
_exptl_crystal_density_method 'not measured'
_exptl_crystal_F_000        1054
_exptl_absorpt_coefficient_mu 0.204
_exptl_absorpt_correction_type 'Multi-Scan'
_exptl_absorpt_process_details 'SADABS, (Bruker, 2001)'
_exptl_absorpt_correction_T_min 0.9160
_exptl_absorpt_correction_T_max 0.9889

```

#=====



# 7. EXPERIMENTAL DATA

```
_exptl_special_details
; ?
;
_diffn_ambient_temperature          100(1)
_diffn_radiation_wavelength         0.71073
_diffn_radiation_type                'MoK\alpha'
_diffn_radiation_source              'fine focus sealed Siemens Mo tube '
_diffn_radiation_monochromator       'parallel mounted graphite'
_diffn_radiation_detector
;
  CCD area-detector
;
_diffn_measurement_device_type
;
  Bruker Smart Apex
;
_diffn_measurement_method            'phi and omega scans'
_diffn_special_details
;
  Crystal into the cold nitrogen stream of the low-temperature unit
  (KRYOFLEX, (Bruker, 2001)).
;
_diffn_detector_area_resol_mean      66.06

_diffn_standards_number              ?
_diffn_standards_interval_count      ?
_diffn_standards_interval_time       ?

loop_
_diffn_standard_refl_index_h
_diffn_standard_refl_index_k
_diffn_standard_refl_index_l
? ? ?

# number of measured reflections (redundant set)
_diffn_reflns_number                 22352
_diffn_reflns_av_R_equivalents       0.0349
_diffn_reflns_av_sigmaI/netI         0.0634
_diffn_reflns_limit_h_min            -15
_diffn_reflns_limit_h_max            16
_diffn_reflns_limit_k_min            -18
_diffn_reflns_limit_k_max            18
_diffn_reflns_limit_l_min            -20
_diffn_reflns_limit_l_max            20
_diffn_reflns_theta_min               2.53
_diffn_reflns_theta_max               26.73
_diffn_measured_fraction_theta_max    0.975
_diffn_reflns_theta_full               25.00
_diffn_measured_fraction_theta_full  0.985

_diffn_reflns_reduction_process
;
  Intensity data were corrected for Lorentz and polarization
  effects, decay and absorption and reduced to  $F_o \sim F_o^2$ 
  using SAINT Plus & SADABS (Sheldrick, 2001)
;

# number of unique reflections
```

```
_reflns_number_total      11141
_reflns_number_gt         8030
_reflns_threshold_expression I>2\s(I)
```

```
_computing_data_collection      'SMART (Bruker, 2001)'  
_computing_cell_refinement      'SAINT-Plus (Bruker, 2001)'  
_computing_data_reduction       'SAINT-Plus'  
_computing_structure_solution  
;  
DIRDIF-99 (Beurskens et al., 1999)  
;  
_computing_structure_refinement  'SHELXL-97 (Sheldrick, 1997)'  
_computing_molecular_graphics  
;  
PLUTO (Meetsma, 2003)  
PLATON (Spek, 2003)  
;  
_computing_publication_material  'PLATON (Spek, 2003)'
```

```
#=====
```

```
# 8. REFINEMENT DATA
```

```
_refine_special_details
```

```
;  
Refinement of F2 against ALL reflections. The weighted R-factor wR and goodness of fit S are based on F2, conventional R-factors R are based on F, with F set to zero for negative F2. The threshold expression of F2 > 2sigma(F2) is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on F2 are statistically about twice as large as those based on F, and R-factors based on ALL data will be even larger.  
;
```

```
_refine_ls_structure_factor_coef  Fsqd  
_refine_ls_matrix_type           full  
_refine_ls_weighting_scheme       calc  
_refine_ls_weighting_details      'calc w=1/[\s^2^(Fo^2^)+(0.0903P)^2^+0.0P] where P=(Fo^2^+2Fc^2^)/3'  
_atom_sites_solution_primary      heavy  
_atom_sites_solution_secondary    direct  
_atom_sites_solution_hydrogens    geom  
_refine_ls_hydrogen_treatment     constr  
_refine_ls_extinction_method       none  
_refine_ls_extinction_coef        ?  
_refine_ls_abs_structure_details  ?  
_chemical_absolute_configuration  ?  
  
_refine_ls_abs_structure_Flack     ?  
_refine_ls_number_reflns          11141  
_refine_ls_number_parameters      911  
_refine_ls_number_restraints      0  
_refine_ls_number_constraints     ?  
_refine_ls_R_factor_all           0.0816  
_refine_ls_R_factor_gt            0.0569  
_refine_ls_wR_factor_ref          0.1578  
_refine_ls_wR_factor_gt          0.1466  
_refine_ls_goodness_of_fit_ref    1.068  
_refine_ls_restrained_S_all       1.068
```

\_refine\_ls\_shift/su\_max 0.019  
\_refine\_ls\_shift/su\_mean 0.001  
\_refine\_diff\_density\_max 0.943  
\_refine\_diff\_density\_min -0.557  
\_refine\_diff\_density\_rms 0.064

\_vrn\_publ\_code\_frame\_time\_sec 10.0  
\_vrn\_publ\_code\_meas\_time\_hour 8.5

#=====

# 9. ATOMIC COORDINATES AND DISPLACEMENT PARAMETERS

loop\_

\_atom\_site\_label  
\_atom\_site\_type\_symbol  
\_atom\_site\_thermal\_displace\_type  
\_atom\_site\_fract\_x  
\_atom\_site\_fract\_y  
\_atom\_site\_fract\_z  
\_atom\_site\_occupancy  
\_atom\_site\_U\_iso\_or\_equiv  
\_atom\_site\_calc\_flag  
\_atom\_site\_refinement\_flags

Ti1 Ti Uani 0.12440(3) 0.26778(3) 0.28215(2) 1.000 0.0135(1) . . .  
O11 O Uani 0.14403(13) 0.19383(11) 0.16651(10) 1.000 0.0167(5) . . .  
O12 O Uani 0.26008(13) 0.31863(11) 0.17261(10) 1.000 0.0171(5) . . .  
C11 C Uani 0.2714(2) 0.12391(17) 0.31378(15) 1.000 0.0184(7) . . .  
C12 C Uani 0.2887(2) 0.20307(17) 0.33961(15) 1.000 0.0188(7) . . .  
C13 C Uani 0.1916(2) 0.24443(17) 0.41067(14) 1.000 0.0185(7) . . .  
C14 C Uani 0.1155(2) 0.18854(16) 0.43203(14) 1.000 0.0174(7) . . .  
C15 C Uani 0.1630(2) 0.11514(16) 0.37173(14) 1.000 0.0180(7) . . .  
C16 C Uani 0.3581(2) 0.05214(19) 0.24843(18) 1.000 0.0230(8) . . .  
C17 C Uani 0.3959(2) 0.2322(2) 0.30916(18) 1.000 0.0251(8) . . .  
C18 C Uani 0.1798(3) 0.3231(2) 0.46383(18) 1.000 0.0257(9) . . .  
C19 C Uani 0.0185(3) 0.1901(2) 0.51713(17) 1.000 0.0257(8) . . .  
C110 C Uani 0.1197(3) 0.02983(18) 0.38429(17) 1.000 0.0230(8) . . .  
C111 C Uani -0.0553(2) 0.34886(18) 0.24535(16) 1.000 0.0210(7) . . .  
C112 C Uani 0.0114(2) 0.41157(18) 0.22213(16) 1.000 0.0225(7) . . .  
C113 C Uani 0.0216(2) 0.43035(18) 0.30191(16) 1.000 0.0208(7) . . .  
C114 C Uani -0.03864(19) 0.37743(17) 0.37339(16) 1.000 0.0186(7) . . .  
C115 C Uani -0.08727(19) 0.32594(17) 0.33905(15) 1.000 0.0186(7) . . .  
C116 C Uani -0.1679(2) 0.26784(19) 0.39239(17) 1.000 0.0244(8) . . .  
C117 C Uani -0.2536(2) 0.31608(19) 0.47845(17) 1.000 0.0251(8) . . .  
C118 C Uani -0.3225(3) 0.2485(2) 0.5356(2) 1.000 0.0424(10) . . .  
C119 C Uani -0.3901(3) 0.2305(3) 0.4837(3) 1.000 0.0555(11) . . .  
C120 C Uani -0.4724(3) 0.3274(3) 0.4598(2) 1.000 0.0494(13) . . .  
C121 C Uani -0.4045(2) 0.3948(2) 0.40148(18) 1.000 0.0357(9) . . .  
C122 C Uani -0.3211(3) 0.3478(3) 0.3152(2) 1.000 0.0435(12) . . .  
C123 C Uani -0.2373(2) 0.2518(2) 0.3394(2) 1.000 0.0401(10) . . .  
C124 C Uani -0.3066(3) 0.1840(3) 0.3965(3) 1.000 0.0627(16) . . .  
C125 C Uani -0.3359(2) 0.41216(19) 0.45340(17) 1.000 0.0245(8) . . .  
C126 C Uani 0.1106(2) 0.10570(18) 0.17829(16) 1.000 0.0213(8) . . .  
C127 C Uani 0.1115(3) 0.0899(2) 0.08728(18) 1.000 0.0311(10) . . .  
C128 C Uani 0.1723(2) 0.15814(19) 0.02242(16) 1.000 0.0237(8) . . .  
C129 C Uani 0.1357(2) 0.24177(18) 0.07791(15) 1.000 0.0205(8) . . .  
C130 C Uani 0.3617(2) 0.25780(18) 0.10974(16) 1.000 0.0201(7) . . .  
C131 C Uani 0.4131(2) 0.32883(18) 0.04136(16) 1.000 0.0216(7) . . .  
C132 C Uani 0.3946(2) 0.40627(18) 0.10055(16) 1.000 0.0212(7) . . .  
C133 C Uani 0.2745(2) 0.41562(17) 0.16375(16) 1.000 0.0191(7) . . .

H16 H Uiso 0.34568 0.06367 0.19362 1.00(3) 0.017(2) . .  
H16' H Uiso 0.35871 -0.01146 0.27513 1.00(4) 0.037(2) . .  
H16" H Uiso 0.43531 0.05657 0.23793 1.00(4) 0.038(3) . .  
H17 H Uiso 0.38589 0.30183 0.28278 1.00(4) 0.034(2) . .  
H17' H Uiso 0.46036 0.18780 0.26284 1.00(4) 0.034(2) . .  
H17" H Uiso 0.42529 0.22275 0.35915 1.00(4) 0.027(2) . .  
H18 H Uiso 0.21981 0.29699 0.50647 1.00(5) 0.075(3) . .  
H18' H Uiso 0.10418 0.35228 0.50098 1.00(5) 0.057(3) . .  
H18" H Uiso 0.20510 0.37490 0.42707 1.00(6) 0.095(4) . .  
H19 H Uiso 0.04562 0.16025 0.56157 1.00(5) 0.048(3) . .  
H19' H Uiso -0.03619 0.15885 0.51754 1.00(5) 0.048(3) . .  
H19" H Uiso -0.02616 0.25199 0.53830 1.00(4) 0.027(2) . .  
H110 H Uiso 0.12350 -0.00450 0.44352 1.00(4) 0.028(2) . .  
H110' H Uiso 0.16997 -0.01755 0.33940 1.00(3) 0.021(2) . .  
H110" H Uiso 0.04030 0.04842 0.38529 1.00(5) 0.061(3) . .  
H111 H Uiso -0.07621 0.32659 0.20384 1.00(4) 0.024(2) . .  
H112 H Uiso 0.04274 0.43646 0.16370 1.00(4) 0.030(2) . .  
H113 H Uiso 0.06007 0.47293 0.30751 1.00(3) 0.0110(19) . .  
H114 H Uiso -0.04899 0.37996 0.43483 1.00(3) 0.019(2) . .  
H116 H Uiso -0.12234 0.20964 0.40933 1.00(3) 0.023(2) . .  
H117 H Uiso -0.21092 0.32546 0.51370 1.00(4) 0.029(2) . .  
H118 H Uiso -0.37326 0.27939 0.58918 1.00(4) 0.040(3) . .  
H118' H Uiso -0.27045 0.18962 0.54998 1.00(4) 0.038(3) . .  
H119 H Uiso -0.42929 0.18835 0.51309 1.00(5) 0.059(3) . .  
H120 H Uiso -0.51700 0.31989 0.42728 1.00(5) 0.056(3) . .  
H120' H Uiso -0.52564 0.35632 0.51821 1.00(4) 0.043(3) . .  
H121 H Uiso -0.46284 0.45928 0.38690 1.00(4) 0.036(3) . .  
H122 H Uiso -0.28039 0.39416 0.27596 1.00(4) 0.032(2) . .  
H122' H Uiso -0.36269 0.33379 0.28023 1.00(4) 0.039(2) . .  
H123 H Uiso -0.18665 0.22117 0.28597 1.00(4) 0.043(3) . .  
H124 H Uiso -0.35472 0.16697 0.36989 1.00(6) 0.077(3) . .  
H124' H Uiso -0.25799 0.12667 0.41846 1.00(4) 0.028(3) . .  
H125 H Uiso -0.29435 0.45906 0.41833 1.00(3) 0.024(2) . .  
H125' H Uiso -0.38676 0.44289 0.50597 1.00(3) 0.023(2) . .  
H126 H Uiso 0.04068 0.11291 0.22370 1.00(3) 0.023(2) . .  
H126' H Uiso 0.16922 0.04698 0.20090 1.00(4) 0.031(2) . .  
H127 H Uiso 0.03898 0.11104 0.08560 1.00(4) 0.020(2) . .  
H127' H Uiso 0.14671 0.02849 0.07574 1.00(4) 0.044(3) . .  
H128 H Uiso 0.25540 0.12630 0.00719 1.00(4) 0.045(3) . .  
H128' H Uiso 0.15094 0.17997 -0.02950 1.00(4) 0.033(2) . .  
H129 H Uiso 0.17892 0.28613 0.06105 1.00(4) 0.023(2) . .  
H129' H Uiso 0.05827 0.28197 0.08181 1.00(3) 0.008(2) . .  
H130 H Uiso 0.33444 0.21731 0.08800 1.00(4) 0.032(2) . .  
H130' H Uiso 0.41512 0.21750 0.14417 1.00(3) 0.014(2) . .  
H131 H Uiso 0.37278 0.35474 -0.00446 1.00(4) 0.025(2) . .  
H131' H Uiso 0.49297 0.29826 0.00954 1.00(4) 0.030(2) . .  
H132 H Uiso 0.39322 0.47133 0.06440 1.00(4) 0.032(2) . .  
H132' H Uiso 0.45077 0.38370 0.13766 1.00(3) 0.017(2) . .  
H133 H Uiso 0.26171 0.43227 0.22402 1.00(3) 0.015(2) . .  
H133' H Uiso 0.21626 0.46585 0.13978 1.00(3) 0.017(2) . .

C21 C Uani 0.27621(19) 0.80675(16) 0.07109(15) 1.000 0.0161(6) . .  
C22 C Uani 0.3333(2) 0.83691(17) 0.11515(15) 1.000 0.0190(7) . .  
C23 C Uani 0.4031(2) 0.89542(18) 0.07123(17) 1.000 0.0232(8) . .  
C24 C Uani 0.4164(2) 0.92866(17) -0.01812(17) 1.000 0.0228(7) . .  
C25 C Uani 0.3594(2) 0.90224(16) -0.06341(16) 1.000 0.0205(7) . .  
C26 C Uani 0.2912(2) 0.84221(17) -0.01949(15) 1.000 0.0188(7) . .  
C27 C Uani 0.06450(19) 0.83303(16) 0.16097(14) 1.000 0.0147(6) . .  
C28 C Uani 0.0294(2) 0.87392(17) 0.24286(15) 1.000 0.0192(7) . .

C29 C Uani -0.0668(2) 0.95427(18) 0.26681(16) 1.000 0.0226(8) . . .  
C210 C Uani -0.1323(2) 0.99791(18) 0.20987(17) 1.000 0.0243(8) . . .  
C211 C Uani -0.0991(2) 0.96092(18) 0.12776(17) 1.000 0.0244(8) . . .  
C212 C Uani -0.0029(2) 0.88076(17) 0.10464(16) 1.000 0.0199(7) . . .  
C213 C Uani 0.1753(2) 0.67728(16) 0.06032(14) 1.000 0.0157(6) . . .  
C214 C Uani 0.0757(2) 0.65290(16) 0.07640(15) 1.000 0.0177(7) . . .  
C215 C Uani 0.0684(2) 0.59006(17) 0.02521(16) 1.000 0.0221(8) . . .  
C216 C Uani 0.1624(2) 0.54857(18) -0.04431(16) 1.000 0.0250(8) . . .  
C217 C Uani 0.2632(2) 0.56907(18) -0.06170(16) 1.000 0.0237(8) . . .  
C218 C Uani 0.2694(2) 0.63205(17) -0.01006(15) 1.000 0.0193(7) . . .  
C219 C Uani 0.2246(2) 0.67023(16) 0.20724(14) 1.000 0.0166(7) . . .  
C220 C Uani 0.3405(2) 0.62230(17) 0.20025(16) 1.000 0.0204(7) . . .  
C221 C Uani 0.3748(3) 0.55510(18) 0.26736(17) 1.000 0.0250(8) . . .  
C222 C Uani 0.2944(2) 0.53274(18) 0.34425(16) 1.000 0.0240(8) . . .  
C223 C Uani 0.1793(2) 0.57719(17) 0.35254(16) 1.000 0.0220(7) . . .  
C224 C Uani 0.1458(2) 0.64403(17) 0.28520(15) 1.000 0.0189(7) . . .  
B2 B Uani 0.1851(2) 0.74573(18) 0.12538(16) 1.000 0.0144(7) . . .

H22 H Uiso 0.32616 0.81061 0.18094 1.00(3) 0.0136(19) . . .  
H23 H Uiso 0.43910 0.91296 0.10089 1.00(4) 0.032(2) . . .  
H24 H Uiso 0.46385 0.96591 -0.04811 1.00(4) 0.032(2) . . .  
H25 H Uiso 0.36362 0.92554 -0.12655 1.00(3) 0.0096(19) . . .  
H26 H Uiso 0.25442 0.82135 -0.05298 1.00(4) 0.017(2) . . .  
H28 H Uiso 0.07354 0.84860 0.28500 1.00(4) 0.024(2) . . .  
H29 H Uiso -0.08994 0.97510 0.32142 1.00(3) 0.021(2) . . .  
H210 H Uiso -0.19971 1.05158 0.22922 1.00(3) 0.025(2) . . .  
H211 H Uiso -0.13931 0.98359 0.08950 1.00(4) 0.030(2) . . .  
H212 H Uiso 0.01661 0.85822 0.04681 1.00(3) 0.0129(19) . . .  
H214 H Uiso 0.01151 0.68294 0.12418 1.00(4) 0.031(2) . . .  
H215 H Uiso 0.00062 0.57443 0.03799 1.00(4) 0.023(2) . . .  
H216 H Uiso 0.15454 0.51141 -0.08150 1.00(4) 0.022(2) . . .  
H217 H Uiso 0.32690 0.53633 -0.10871 1.00(4) 0.029(2) . . .  
H218 H Uiso 0.33940 0.64721 -0.02418 1.00(3) 0.015(2) . . .  
H220 H Uiso 0.39902 0.63273 0.14907 1.00(3) 0.020(2) . . .  
H221 H Uiso 0.44904 0.52498 0.25844 1.00(4) 0.025(2) . . .  
H222 H Uiso 0.32093 0.48533 0.39138 1.00(4) 0.033(2) . . .  
H223 H Uiso 0.12390 0.55883 0.40339 1.00(4) 0.039(2) . . .  
H224 H Uiso 0.06668 0.67200 0.28975 1.00(4) 0.026(2) . . .

C31 C Uani 0.4041(4) 0.0551(4) 0.5158(4) 1.000 0.092(2) . . .  
C32 C Uani 0.4657(8) 0.0060(6) 0.5784(5) 1.000 0.135(4) . . .  
C33 C Uani 0.4400(10) 0.0047(6) 0.4420(8) 1.000 0.180(6) . . .

H31 H Uiso 0.32138 0.06435 0.54578 1.000 0.1094 . . .  
H31' H Uiso 0.41445 0.12022 0.49639 1.000 0.1094 . . .  
H32 H Uiso 0.42887 0.04227 0.63283 1.000 0.1617 . . .  
H32' H Uiso 0.45473 -0.05898 0.59603 1.000 0.1617 . . .  
H33 H Uiso 0.42303 -0.05802 0.45759 1.000 0.2155 . . .  
H33' H Uiso 0.40587 0.04323 0.39487 1.000 0.2155 . . .

C41 C Uani 0.3823(4) 0.2021(4) 0.7716(4) 1.000 0.102(2) . . .  
C42 C Uani 0.2395(5) 0.3737(4) 0.7461(5) 1.000 0.123(3) . . .  
C43 C Uani 0.3654(8) 0.2864(6) 0.8130(4) 1.000 0.153(4) . . .  
C44 C Uani 0.3426(6) 0.3669(4) 0.7537(5) 1.000 0.124(3) . . .  
C45 C Uani 0.2423(8) 0.3009(10) 0.6957(4) 1.000 0.198(6) . . .  
C46 C Uani 0.2747(7) 0.2092(7) 0.7468(5) 1.000 0.156(4) . . .

H41 H Uiso 0.39924 0.14350 0.81318 1.000 0.1229 . .  
H41' H Uiso 0.44905 0.19504 0.71662 1.000 0.1229 . .  
H42 H Uiso 0.20908 0.43876 0.71699 1.000 0.1473 . .  
H42' H Uiso 0.18533 0.36920 0.80707 1.000 0.1473 . .  
H43 H Uiso 0.30050 0.29290 0.86925 1.000 0.1846 . .  
H43' H Uiso 0.43503 0.28034 0.82772 1.000 0.1846 . .  
H44 H Uiso 0.33795 0.42599 0.77738 1.000 0.1484 . .  
H44' H Uiso 0.40298 0.35804 0.69486 1.000 0.1484 . .  
H45 H Uiso 0.16609 0.31341 0.68895 1.000 0.2372 . .  
H45' H Uiso 0.29898 0.30097 0.63521 1.000 0.2372 . .  
H46 H Uiso 0.29215 0.15483 0.71092 1.000 0.1881 . .  
H46' H Uiso 0.21080 0.20487 0.80205 1.000 0.1881 . .

loop\_

\_atom\_site\_aniso\_label  
\_atom\_site\_aniso\_U\_11  
\_atom\_site\_aniso\_U\_22  
\_atom\_site\_aniso\_U\_33  
\_atom\_site\_aniso\_U\_23  
\_atom\_site\_aniso\_U\_13  
\_atom\_site\_aniso\_U\_12

Ti1 0.0135(2) 0.0133(2) 0.0132(2) -0.0020(2) -0.0045(2) -0.0028(2)  
O11 0.0218(9) 0.0139(8) 0.0167(8) -0.0003(6) -0.0087(7) -0.0060(7)  
O12 0.0163(8) 0.0134(8) 0.0200(8) -0.0048(6) -0.0028(7) -0.0038(7)  
C11 0.0181(12) 0.0166(12) 0.0188(11) 0.0012(9) -0.0087(9) -0.0018(10)  
C12 0.0185(12) 0.0198(12) 0.0198(11) 0.0018(9) -0.0116(10) -0.0042(10)  
C13 0.0212(13) 0.0191(12) 0.0175(11) 0.0000(9) -0.0120(10) -0.0036(10)  
C14 0.0208(12) 0.0179(12) 0.0138(10) 0.0020(9) -0.0087(9) -0.0048(10)  
C15 0.0200(12) 0.0162(12) 0.0170(11) 0.0016(9) -0.0065(9) -0.0054(10)  
C16 0.0223(14) 0.0181(13) 0.0244(13) -0.0032(10) -0.0054(11) -0.0024(11)  
C17 0.0238(14) 0.0304(15) 0.0269(13) -0.0001(11) -0.0131(12) -0.0110(12)  
C18 0.0361(17) 0.0239(14) 0.0222(13) -0.0051(11) -0.0146(12) -0.0078(13)  
C19 0.0278(15) 0.0269(15) 0.0174(12) 0.0019(11) -0.0049(11) -0.0064(13)  
C110 0.0312(16) 0.0170(13) 0.0215(12) 0.0000(10) -0.0086(11) -0.0085(12)  
C111 0.0133(12) 0.0254(13) 0.0228(12) -0.0072(10) -0.0081(10) 0.0012(10)  
C112 0.0174(12) 0.0238(13) 0.0193(12) 0.0019(10) -0.0060(10) 0.0005(11)  
C113 0.0142(12) 0.0166(12) 0.0295(13) -0.0046(10) -0.0062(10) -0.0013(10)  
C114 0.0142(12) 0.0185(12) 0.0202(12) -0.0065(9) -0.0053(9) 0.0011(10)  
C115 0.0117(11) 0.0175(12) 0.0241(12) -0.0062(9) -0.0049(9) 0.0003(9)  
C116 0.0164(13) 0.0203(14) 0.0301(13) -0.0064(10) -0.0005(10) -0.0025(11)  
C117 0.0203(13) 0.0268(14) 0.0251(12) -0.0054(10) -0.0025(11) -0.0063(11)  
C118 0.0241(16) 0.0326(17) 0.0471(18) -0.0013(14) 0.0116(14) -0.0047(14)  
C119 0.0334(19) 0.047(2) 0.079(2) -0.0325(19) 0.0209(17) -0.0275(17)  
C120 0.0196(15) 0.077(3) 0.058(2) -0.0450(19) 0.0036(14) -0.0171(16)  
C121 0.0155(13) 0.058(2) 0.0341(15) -0.0245(14) -0.0067(12) -0.0017(14)  
C122 0.0180(14) 0.081(3) 0.0384(17) -0.0354(17) -0.0070(13) -0.0090(16)  
C123 0.0212(14) 0.054(2) 0.0497(18) -0.0382(16) 0.0073(13) -0.0171(14)  
C124 0.033(2) 0.053(3) 0.098(3) -0.048(2) 0.017(2) -0.0233(19)  
C125 0.0170(13) 0.0300(15) 0.0239(13) -0.0129(11) -0.0013(10) -0.0035(12)  
C126 0.0265(14) 0.0191(13) 0.0223(12) -0.0033(10) -0.0068(11) -0.0115(11)  
C127 0.047(2) 0.0306(16) 0.0270(14) -0.0029(12) -0.0178(13) -0.0186(15)  
C128 0.0279(15) 0.0253(14) 0.0200(12) -0.0058(10) -0.0108(11) -0.0051(12)  
C129 0.0278(15) 0.0197(13) 0.0149(11) 0.0001(9) -0.0090(10) -0.0066(12)  
C130 0.0166(12) 0.0175(12) 0.0220(12) -0.0058(10) -0.0008(10) -0.0031(10)  
C131 0.0197(13) 0.0226(13) 0.0196(12) -0.0017(10) -0.0032(10) -0.0058(11)  
C132 0.0202(13) 0.0170(13) 0.0250(12) -0.0010(10) -0.0053(10) -0.0060(10)  
C133 0.0206(13) 0.0135(12) 0.0228(12) -0.0030(9) -0.0052(10) -0.0053(10)  
C21 0.0119(11) 0.0112(11) 0.0215(11) -0.0047(9) -0.0031(9) 0.0004(9)  
C22 0.0192(12) 0.0163(12) 0.0202(12) -0.0036(9) -0.0033(10) -0.0056(10)

C23 0.0209(13) 0.0208(13) 0.0310(13) -0.0097(10) -0.0054(11) -0.0086(11)  
 C24 0.0181(13) 0.0147(12) 0.0309(13) -0.0052(10) 0.0016(10) -0.0069(11)  
 C25 0.0188(13) 0.0137(12) 0.0224(12) 0.0015(9) -0.0036(10) -0.0015(10)  
 C26 0.0157(12) 0.0154(12) 0.0218(12) -0.0020(9) -0.0033(10) -0.0030(10)  
 C27 0.0138(11) 0.0143(11) 0.0171(10) 0.0001(9) -0.0040(9) -0.0070(9)  
 C28 0.0223(13) 0.0178(12) 0.0167(11) -0.0003(9) -0.0050(10) -0.0067(10)  
 C29 0.0263(14) 0.0210(13) 0.0181(12) -0.0049(10) -0.0017(10) -0.0078(11)  
 C210 0.0164(13) 0.0174(13) 0.0334(14) -0.0058(10) -0.0043(10) 0.0000(11)  
 C211 0.0233(14) 0.0210(13) 0.0316(14) -0.0022(10) -0.0139(11) -0.0045(11)  
 C212 0.0214(13) 0.0192(12) 0.0213(12) -0.0032(10) -0.0082(10) -0.0063(10)  
 C213 0.0195(12) 0.0122(11) 0.0150(10) 0.0024(8) -0.0070(9) -0.0047(10)  
 C214 0.0191(12) 0.0149(12) 0.0191(11) 0.0017(9) -0.0075(10) -0.0052(10)  
 C215 0.0255(14) 0.0193(13) 0.0273(13) 0.0047(10) -0.0153(11) -0.0102(11)  
 C216 0.0383(16) 0.0192(13) 0.0249(12) -0.0009(10) -0.0171(12) -0.0108(12)  
 C217 0.0293(14) 0.0210(13) 0.0191(12) -0.0058(10) -0.0057(11) -0.0052(11)  
 C218 0.0206(13) 0.0185(12) 0.0192(11) -0.0011(9) -0.0049(10) -0.0079(10)  
 C219 0.0212(12) 0.0130(11) 0.0195(11) -0.0043(9) -0.0092(9) -0.0055(10)  
 C220 0.0196(13) 0.0193(13) 0.0252(12) -0.0031(10) -0.0088(10) -0.0067(10)  
 C221 0.0273(15) 0.0185(13) 0.0345(14) -0.0007(10) -0.0192(12) -0.0043(12)  
 C222 0.0400(16) 0.0163(12) 0.0239(12) 0.0002(10) -0.0196(12) -0.0095(12)  
 C223 0.0345(15) 0.0175(12) 0.0177(11) -0.0028(9) -0.0086(11) -0.0112(11)  
 C224 0.0216(13) 0.0165(12) 0.0203(11) -0.0048(9) -0.0073(10) -0.0052(10)  
 B2 0.0130(12) 0.0156(13) 0.0137(11) -0.0014(9) -0.0039(10) -0.0034(10)  
 C31 0.079(3) 0.090(4) 0.113(4) 0.047(3) -0.059(3) -0.035(3)  
 C32 0.231(10) 0.133(6) 0.124(5) 0.047(4) -0.123(7) -0.118(7)  
 C33 0.322(14) 0.092(5) 0.256(11) 0.078(6) -0.252(12) -0.105(7)  
 C41 0.048(3) 0.082(4) 0.129(5) 0.030(3) -0.018(3) 0.007(3)  
 C42 0.053(3) 0.078(4) 0.206(7) 0.012(4) -0.030(4) -0.005(3)  
 C43 0.289(10) 0.165(7) 0.111(5) 0.042(5) -0.125(6) -0.159(7)  
 C44 0.121(5) 0.098(4) 0.144(5) -0.045(4) 0.021(4) -0.067(4)  
 C45 0.210(9) 0.414(15) 0.075(4) 0.076(7) -0.068(5) -0.248(11)  
 C46 0.168(7) 0.195(8) 0.116(5) -0.092(6) 0.037(5) -0.106(7)

#=====

# 10. MOLECULAR GEOMETRY

\_geom\_special\_details

;

Bond distances, angles etc. have been calculated using the  
 rounded fractional coordinates. All su's are estimated  
 from the variances of the (full) variance-covariance matrix.  
 The cell esds are taken into account in the estimation of  
 distances, angles and torsion angles

;

loop\_

\_geom\_bond\_atom\_site\_label\_1

\_geom\_bond\_atom\_site\_label\_2

\_geom\_bond\_distance

\_geom\_bond\_site\_symmetry\_1

\_geom\_bond\_site\_symmetry\_2

\_geom\_bond\_publ\_flag

Ti1	O11	2.2180(16)	.	.	yes
Ti1	O12	2.2409(17)	.	.	yes
Ti1	C11	2.419(3)	.	.	yes
Ti1	C12	2.446(3)	.	.	yes
Ti1	C13	2.425(2)	.	.	yes
Ti1	C14	2.431(2)	.	.	yes
Ti1	C15	2.410(2)	.	.	yes
Ti1	C111	2.457(3)	.	.	yes

Ti1	C112	2.366(3)	.	.	yes
Ti1	C113	2.320(3)	.	.	yes
Ti1	C114	2.369(2)	.	.	yes
Ti1	C115	2.473(3)	.	.	yes
O11	C126	1.469(3)	.	.	yes
O11	C129	1.475(3)	.	.	yes
O12	C130	1.470(3)	.	.	yes
O12	C133	1.480(3)	.	.	yes
C11	C12	1.422(4)	.	.	no
C11	C15	1.432(4)	.	.	no
C11	C16	1.501(4)	.	.	no
C12	C13	1.411(3)	.	.	no
C12	C17	1.502(4)	.	.	no
C13	C14	1.420(4)	.	.	no
C13	C18	1.502(4)	.	.	no
C14	C15	1.414(3)	.	.	no
C14	C19	1.498(4)	.	.	no
C15	C110	1.505(4)	.	.	no
C111	C112	1.400(4)	.	.	no
C111	C115	1.411(3)	.	.	no
C112	C113	1.414(4)	.	.	no
C113	C114	1.409(4)	.	.	no
C114	C115	1.424(4)	.	.	no
C115	C116	1.514(4)	.	.	no
C116	C117	1.547(4)	.	.	no
C116	C123	1.538(4)	.	.	no
C16	H16"	0.9891	.	.	no
C16	H16	0.9185	.	.	no
C16	H16'	0.9491	.	.	no
C117	C118	1.529(4)	.	.	no
C17	H17	1.0111	.	.	no
C17	H17'	1.0254	.	.	no
C17	H17"	0.9691	.	.	no
C117	C125	1.528(4)	.	.	no
C18	H18	0.9447	.	.	no
C18	H18'	0.9521	.	.	no
C118	C119	1.519(6)	.	.	no
C18	H18"	0.9501	.	.	no
C19	H19'	0.9758	.	.	no
C19	H19"	0.9462	.	.	no
C19	H19	0.8765	.	.	no
C119	C120	1.530(6)	.	.	no
C119	C124	1.544(6)	.	.	no
C120	C121	1.524(5)	.	.	no
C121	C122	1.535(4)	.	.	no
C121	C125	1.525(4)	.	.	no
C122	C123	1.533(5)	.	.	no
C123	C124	1.534(5)	.	.	no
C126	C127	1.512(4)	.	.	no
C127	C128	1.515(4)	.	.	no
C128	C129	1.499(4)	.	.	no
C130	C131	1.508(4)	.	.	no
C131	C132	1.523(4)	.	.	no
C132	C133	1.517(4)	.	.	no
C110	H110'	0.9882	.	.	no
C110	H110"	0.9732	.	.	no
C110	H110	0.9905	.	.	no
C111	H111	0.9473	.	.	no
C112	H112	0.9364	.	.	no
C113	H113	0.9648	.	.	no
C114	H114	0.9485	.	.	no



C116	H116	0.9098	.	.	no
C117	H117	0.9766	.	.	no
C118	H118'	0.9417	.	.	no
C118	H118	0.9603	.	.	no
C119	H119	0.9001	.	.	no
C120	H120'	1.0141	.	.	no
C120	H120	0.9507	.	.	no
C121	H121	1.0341	.	.	no
C21	B2	1.645(4)	.	.	yes
C21	C22	1.406(4)	.	.	no
C21	C26	1.407(3)	.	.	no
C122	H122'	0.9942	.	.	no
C22	C23	1.392(4)	.	.	no
C122	H122	0.9987	.	.	no
C123	H123	0.9566	.	.	no
C23	C24	1.385(4)	.	.	no
C124	H124'	0.9513	.	.	no
C24	C25	1.387(4)	.	.	no
C124	H124	0.9906	.	.	no
C25	C26	1.395(4)	.	.	no
C125	H125'	0.9477	.	.	no
C125	H125	0.9931	.	.	no
C126	H126'	1.0365	.	.	no
C126	H126	0.9338	.	.	no
C27	C28	1.406(3)	.	.	no
C127	H127'	0.8820	.	.	no
C127	H127	0.8983	.	.	no
C27	B2	1.644(4)	.	.	yes
C27	C212	1.399(4)	.	.	no
C128	H128'	0.9297	.	.	no
C128	H128	0.9821	.	.	no
C28	C29	1.388(4)	.	.	no
C129	H129	0.9509	.	.	no
C29	C210	1.381(4)	.	.	no
C129	H129'	0.9653	.	.	no
C130	H130'	0.9974	.	.	no
C130	H130	0.9598	.	.	no
C131	H131	0.9901	.	.	no
C131	H131'	0.9703	.	.	no
C132	H132	1.0154	.	.	no
C132	H132'	1.0296	.	.	no
C133	H133	0.9822	.	.	no
C133	H133'	0.9868	.	.	no
C22	H22	1.0295	.	.	no
C23	H23	0.8963	.	.	no
C24	H24	0.9191	.	.	no
C25	H25	0.9881	.	.	no
C26	H26	0.9805	.	.	no
C28	H28	0.9744	.	.	no
C29	H29	0.8947	.	.	no
C210	C211	1.385(4)	.	.	no
C211	C212	1.385(4)	.	.	no
C213	C218	1.404(3)	.	.	no
C213	C214	1.398(4)	.	.	no
C213	B2	1.645(3)	.	.	yes
C214	C215	1.395(3)	.	.	no
C215	C216	1.379(4)	.	.	no
C216	C217	1.379(4)	.	.	no
C217	C218	1.395(4)	.	.	no
C219	C220	1.405(4)	.	.	no
C219	C224	1.398(3)	.	.	no

C219	B2	1.648(3)	.	.	yes
C220	C221	1.393(4)	.	.	no
C221	C222	1.380(4)	.	.	no
C222	C223	1.386(4)	.	.	no
C223	C224	1.390(3)	.	.	no
C31	C33	1.367(12)	.	.	no
C31	C32	1.431(11)	.	.	no
C32	C33	1.122(18)	.	2_656	no
C210	H210	0.9563	.	.	no
C211	H211	0.8858	.	.	no
C212	H212	0.9608	.	.	no
C214	H214	0.9518	.	.	no
C215	H215	0.9386	.	.	no
C216	H216	0.9341	.	.	no
C217	H217	0.9551	.	.	no
C218	H218	0.9594	.	.	no
C220	H220	0.9345	.	.	no
C221	H221	0.8874	.	.	no
C222	H222	0.9912	.	.	no
C223	H223	0.9475	.	.	no
C224	H224	0.9530	.	.	no
C31	H31	0.9899	.	.	no
C31	H31'	0.9902	.	.	no
C32	H32	0.9901	.	.	no
C32	H32'	0.9895	.	.	no
C33	H33	0.9903	.	.	no
C33	H33'	0.9895	.	.	no
C41	C43	1.433(10)	.	.	no
C41	C46	1.558(12)	.	.	no
C42	C44	1.365(11)	.	.	no
C42	C45	1.445(13)	.	.	no
C43	C44	1.380(10)	.	.	no
C45	C46	1.442(15)	.	.	no
C41	H41	0.9900	.	.	no
C41	H41'	0.9898	.	.	no
C42	H42	0.9905	.	.	no
C42	H42'	0.9895	.	.	no
C43	H43	0.9898	.	.	no
C43	H43'	0.9900	.	.	no
C44	H44	0.9899	.	.	no
C44	H44'	0.9898	.	.	no
C45	H45	0.9903	.	.	no
C45	H45'	0.9907	.	.	no
C46	H46	0.9905	.	.	no
C46	H46'	0.9903	.	.	no

loop\_

\_geom\_angle\_atom\_site\_label\_1

\_geom\_angle\_atom\_site\_label\_2

\_geom\_angle\_atom\_site\_label\_3

\_geom\_angle

\_geom\_angle\_site\_symmetry\_1

\_geom\_angle\_site\_symmetry\_2

\_geom\_angle\_site\_symmetry\_3

\_geom\_angle\_publ\_flag

O11	Ti1	O12	77.78(6)	.	.	yes
O11	Ti1	C11	85.72(7)	.	.	yes
O11	Ti1	C12	113.61(7)	.	.	yes
O11	Ti1	C13	142.25(7)	.	.	yes
O11	Ti1	C14	124.25(7)	.	.	yes
O11	Ti1	C15	91.60(7)	.	.	yes

O11	Ti1	C111	75.64(7)	.	.	.	yes
O11	Ti1	C112	88.37(7)	.	.	.	yes
O11	Ti1	C113	123.48(8)	.	.	.	yes
O11	Ti1	C114	130.57(8)	.	.	.	yes
O11	Ti1	C115	98.52(7)	.	.	.	yes
O12	Ti1	C11	89.29(7)	.	.	.	yes
O12	Ti1	C12	77.47(7)	.	.	.	yes
O12	Ti1	C13	101.77(8)	.	.	.	yes
O12	Ti1	C14	132.98(8)	.	.	.	yes
O12	Ti1	C15	123.72(8)	.	.	.	yes
O12	Ti1	C111	106.37(7)	.	.	.	yes
O12	Ti1	C112	79.01(8)	.	.	.	yes
O12	Ti1	C113	87.37(8)	.	.	.	yes
O12	Ti1	C114	121.95(7)	.	.	.	yes
O12	Ti1	C115	135.64(7)	.	.	.	yes
C11	Ti1	C12	33.97(8)	.	.	.	yes
C11	Ti1	C13	56.60(8)	.	.	.	yes
C11	Ti1	C14	56.53(8)	.	.	.	yes
C11	Ti1	C15	34.49(9)	.	.	.	yes
C11	Ti1	C111	152.14(9)	.	.	.	yes
C11	Ti1	C112	167.78(9)	.	.	.	yes
C11	Ti1	C113	148.96(9)	.	.	.	yes
C11	Ti1	C114	133.69(8)	.	.	.	yes
C11	Ti1	C115	134.90(8)	.	.	.	yes
C12	Ti1	C13	33.67(8)	.	.	.	yes
C12	Ti1	C14	55.98(9)	.	.	.	yes
C12	Ti1	C15	56.57(9)	.	.	.	yes
C12	Ti1	C111	170.70(8)	.	.	.	yes
C12	Ti1	C112	143.12(9)	.	.	.	yes
C12	Ti1	C113	115.64(9)	.	.	.	yes
C12	Ti1	C114	114.84(8)	.	.	.	yes
C12	Ti1	C115	139.45(8)	.	.	.	yes
C13	Ti1	C14	34.00(9)	.	.	.	yes
C13	Ti1	C15	56.75(8)	.	.	.	yes
C13	Ti1	C111	137.49(8)	.	.	.	yes
C13	Ti1	C112	129.01(8)	.	.	.	yes
C13	Ti1	C113	93.98(9)	.	.	.	yes
C13	Ti1	C114	82.25(9)	.	.	.	yes
C13	Ti1	C115	106.49(8)	.	.	.	yes
C14	Ti1	C15	33.95(7)	.	.	.	yes
C14	Ti1	C111	118.71(9)	.	.	.	yes
C14	Ti1	C112	135.00(8)	.	.	.	yes
C14	Ti1	C113	105.68(8)	.	.	.	yes
C14	Ti1	C114	77.66(8)	.	.	.	yes
C14	Ti1	C115	85.92(8)	.	.	.	yes
C15	Ti1	C111	124.33(9)	.	.	.	yes
C15	Ti1	C112	156.70(10)	.	.	.	yes
C15	Ti1	C113	138.93(8)	.	.	.	yes
C15	Ti1	C114	106.88(8)	.	.	.	yes
C15	Ti1	C115	100.42(8)	.	.	.	yes
C111	Ti1	C112	33.69(9)	.	.	.	yes
C111	Ti1	C113	56.84(9)	.	.	.	yes
C111	Ti1	C114	55.89(9)	.	.	.	yes
C111	Ti1	C115	33.26(8)	.	.	.	yes
C112	Ti1	C113	35.12(9)	.	.	.	yes
C112	Ti1	C114	57.36(8)	.	.	.	yes
C112	Ti1	C115	56.64(8)	.	.	.	yes
C113	Ti1	C114	34.96(9)	.	.	.	yes
C113	Ti1	C115	57.55(9)	.	.	.	yes
C114	Ti1	C115	34.13(9)	.	.	.	yes
Ti1	O11	C126	122.15(13)	.	.	.	yes

Ti1	O11	C129	125.71(13)	.	.	.	yes
C126	O11	C129	106.05(18)	.	.	.	yes
Ti1	O12	C130	126.49(13)	.	.	.	yes
Ti1	O12	C133	124.57(13)	.	.	.	yes
C130	O12	C133	107.87(18)	.	.	.	yes
Ti1	C11	C12	74.05(15)	.	.	.	yes
Ti1	C11	C15	72.41(14)	.	.	.	yes
Ti1	C11	C16	126.60(17)	.	.	.	yes
C12	C11	C15	107.6(2)	.	.	.	no
C12	C11	C16	126.4(2)	.	.	.	no
C15	C11	C16	125.3(2)	.	.	.	no
Ti1	C12	C11	71.98(15)	.	.	.	yes
Ti1	C12	C13	72.35(15)	.	.	.	yes
Ti1	C12	C17	128.23(17)	.	.	.	yes
C11	C12	C13	108.4(2)	.	.	.	no
C11	C12	C17	128.0(2)	.	.	.	no
C13	C12	C17	123.0(2)	.	.	.	no
Ti1	C13	C12	73.98(14)	.	.	.	yes
Ti1	C13	C14	73.23(14)	.	.	.	yes
Ti1	C13	C18	126.04(18)	.	.	.	yes
C12	C13	C14	107.9(2)	.	.	.	no
C12	C13	C18	125.6(3)	.	.	.	no
C14	C13	C18	125.8(2)	.	.	.	no
Ti1	C14	C13	72.77(13)	.	.	.	yes
Ti1	C14	C15	72.21(12)	.	.	.	yes
Ti1	C14	C19	132.8(2)	.	.	.	yes
C13	C14	C15	108.4(2)	.	.	.	no
C13	C14	C19	125.2(2)	.	.	.	no
C15	C14	C19	124.6(2)	.	.	.	no
Ti1	C15	C11	73.10(13)	.	.	.	yes
Ti1	C15	C14	73.84(13)	.	.	.	yes
Ti1	C15	C110	130.7(2)	.	.	.	yes
C11	C15	C14	107.7(2)	.	.	.	no
C11	C15	C110	126.8(2)	.	.	.	no
C14	C15	C110	123.8(2)	.	.	.	no
Ti1	C111	C112	69.60(16)	.	.	.	yes
Ti1	C111	C115	74.03(16)	.	.	.	yes
C112	C111	C115	109.7(2)	.	.	.	no
Ti1	C112	C111	76.71(15)	.	.	.	yes
Ti1	C112	C113	70.68(15)	.	.	.	yes
C111	C112	C113	108.0(2)	.	.	.	no
Ti1	C113	C112	74.21(15)	.	.	.	yes
Ti1	C113	C114	74.40(14)	.	.	.	yes
C112	C113	C114	107.2(2)	.	.	.	no
Ti1	C114	C113	70.64(14)	.	.	.	yes
Ti1	C114	C115	76.97(14)	.	.	.	yes
C113	C114	C115	109.3(2)	.	.	.	no
Ti1	C115	C111	72.72(16)	.	.	.	yes
Ti1	C115	C114	68.90(15)	.	.	.	yes
Ti1	C115	C116	128.09(17)	.	.	.	yes
C111	C115	C114	105.9(2)	.	.	.	no
C111	C115	C116	126.5(2)	.	.	.	no
C114	C115	C116	127.3(2)	.	.	.	no
C115	C116	C117	111.7(2)	.	.	.	no
C115	C116	C123	114.0(2)	.	.	.	no
C117	C116	C123	107.9(2)	.	.	.	no
H16'	C16	H16"	106.72	.	.	.	no
C11	C16	H16'	108.34	.	.	.	no
C11	C16	H16"	109.26	.	.	.	no
C11	C16	H16	112.80	.	.	.	no
H16	C16	H16"	107.13	.	.	.	no

H16	C16	H16'	112.38	.	.	.	no
C118	C117	C125	109.0(2)	.	.	.	no
C116	C117	C125	109.8(2)	.	.	.	no
C116	C117	C118	109.6(2)	.	.	.	no
C12	C17	H17	114.47	.	.	.	no
H17	C17	H17'	108.05	.	.	.	no
H17	C17	H17"	108.23	.	.	.	no
H17'	C17	H17"	104.54	.	.	.	no
C12	C17	H17'	111.38	.	.	.	no
C12	C17	H17"	109.66	.	.	.	no
C13	C18	H18	110.41	.	.	.	no
H18	C18	H18'	101.71	.	.	.	no
C13	C18	H18'	115.14	.	.	.	no
C13	C18	H18"	112.78	.	.	.	no
C117	C118	C119	110.0(3)	.	.	.	no
H18'	C18	H18"	106.16	.	.	.	no
H18	C18	H18"	110.00	.	.	.	no
C118	C119	C124	109.3(3)	.	.	.	no
C118	C119	C120	109.3(3)	.	.	.	no
H19	C19	H19"	101.90	.	.	.	no
C120	C119	C124	109.2(3)	.	.	.	no
H19	C19	H19'	106.02	.	.	.	no
C14	C19	H19	109.65	.	.	.	no
C14	C19	H19'	116.04	.	.	.	no
C14	C19	H19"	116.25	.	.	.	no
H19'	C19	H19"	105.63	.	.	.	no
C119	C120	C121	109.6(3)	.	.	.	no
C120	C121	C122	110.1(3)	.	.	.	no
C120	C121	C125	108.9(2)	.	.	.	no
C122	C121	C125	108.8(3)	.	.	.	no
C121	C122	C123	109.5(2)	.	.	.	no
C116	C123	C122	111.5(3)	.	.	.	no
C116	C123	C124	109.4(3)	.	.	.	no
C122	C123	C124	108.2(3)	.	.	.	no
C119	C124	C123	109.8(3)	.	.	.	no
C117	C125	C121	110.6(2)	.	.	.	no
O11	C126	C127	106.7(2)	.	.	.	yes
C126	C127	C128	104.4(3)	.	.	.	no
C127	C128	C129	101.7(2)	.	.	.	no
O11	C129	C128	103.38(19)	.	.	.	yes
O12	C130	C131	104.93(19)	.	.	.	yes
C130	C131	C132	101.17(19)	.	.	.	no
C131	C132	C133	102.3(2)	.	.	.	no
O12	C133	C132	105.51(19)	.	.	.	yes
C15	C110	H110'	111.55	.	.	.	no
C15	C110	H110"	113.49	.	.	.	no
C15	C110	H110	107.14	.	.	.	no
H110'	C110	H110"	111.01	.	.	.	no
H110'	C110	H110	106.23	.	.	.	no
H110"	C110	H110	106.97	.	.	.	no
Ti1	C111	H111	123.51	.	.	.	no
C112	C111	H111	124.41	.	.	.	no
C115	C111	H111	125.92	.	.	.	no
Ti1	C112	H112	118.86	.	.	.	no
C111	C112	H112	125.15	.	.	.	no
C113	C112	H112	126.87	.	.	.	no
Ti1	C113	H113	118.65	.	.	.	no
C112	C113	H113	127.12	.	.	.	no
C114	C113	H113	125.68	.	.	.	no
Ti1	C114	H114	122.01	.	.	.	no
C113	C114	H114	124.53	.	.	.	no

C115	C114	H114	126.03	.	.	.	no
C115	C116	H116	105.26	.	.	.	no
C117	C116	H116	107.90	.	.	.	no
C123	C116	H116	109.99	.	.	.	no
C116	C117	H117	109.02	.	.	.	no
C118	C117	H117	107.61	.	.	.	no
C125	C117	H117	111.74	.	.	.	no
C117	C118	H118'	107.82	.	.	.	no
C117	C118	H118	107.73	.	.	.	no
C119	C118	H118'	110.40	.	.	.	no
C119	C118	H118	110.51	.	.	.	no
H118'	C118	H118	110.32	.	.	.	no
C118	C119	H119	113.76	.	.	.	no
C120	C119	H119	109.77	.	.	.	no
C124	C119	H119	105.34	.	.	.	no
C119	C120	H120'	107.35	.	.	.	no
C119	C120	H120	112.51	.	.	.	no
C121	C120	H120'	111.00	.	.	.	no
C121	C120	H120	107.51	.	.	.	no
H120'	C120	H120	108.87	.	.	.	no
C120	C121	H121	107.33	.	.	.	no
C122	C121	H121	110.89	.	.	.	no
C125	C121	H121	110.75	.	.	.	no
C26	C21	B2	122.1(2)	.	.	.	yes
C22	C21	C26	115.6(2)	.	.	.	no
C22	C21	B2	121.8(2)	.	.	.	yes
C121	C122	H122	109.36	.	.	.	no
H122'	C122	H122	106.67	.	.	.	no
C123	C122	H122'	108.40	.	.	.	no
C123	C122	H122	111.80	.	.	.	no
C121	C122	H122'	111.15	.	.	.	no
C21	C22	C23	122.2(2)	.	.	.	no
C22	C23	C24	120.7(3)	.	.	.	no
C122	C123	H123	109.81	.	.	.	no
C124	C123	H123	107.79	.	.	.	no
C116	C123	H123	110.01	.	.	.	no
C123	C124	H124'	110.21	.	.	.	no
C123	C124	H124	117.78	.	.	.	no
C119	C124	H124'	102.42	.	.	.	no
C119	C124	H124	105.14	.	.	.	no
C23	C24	C25	118.9(2)	.	.	.	no
H124'	C124	H124	110.31	.	.	.	no
C24	C25	C26	120.2(2)	.	.	.	no
C117	C125	H125	111.27	.	.	.	no
C117	C125	H125'	109.94	.	.	.	no
H125'	C125	H125	104.78	.	.	.	no
C121	C125	H125'	109.49	.	.	.	no
C121	C125	H125	110.64	.	.	.	no
O11	C126	H126	109.09	.	.	.	no
O11	C126	H126'	109.55	.	.	.	no
C127	C126	H126'	110.20	.	.	.	no
C127	C126	H126	115.50	.	.	.	no
H126'	C126	H126	105.73	.	.	.	no
C21	C26	C25	122.5(2)	.	.	.	no
C126	C127	H127'	110.74	.	.	.	no
C128	C127	H127'	112.61	.	.	.	no
C128	C127	H127	106.86	.	.	.	no
C126	C127	H127	108.50	.	.	.	no
C28	C27	C212	115.1(2)	.	.	.	no
C28	C27	B2	123.7(2)	.	.	.	yes
C212	C27	B2	120.69(19)	.	.	.	yes

H127'	C127	H127	113.22	.	.	.	no
C27	C28	C29	122.3(2)	.	.	.	no
C129	C128	H128'	109.75	.	.	.	no
H128'	C128	H128	110.29	.	.	.	no
C127	C128	H128	108.99	.	.	.	no
C129	C128	H128	110.95	.	.	.	no
C127	C128	H128'	114.88	.	.	.	no
O11	C129	H129'	111.09	.	.	.	no
C28	C29	C210	120.7(2)	.	.	.	no
O11	C129	H129	106.89	.	.	.	no
C128	C129	H129'	111.27	.	.	.	no
C128	C129	H129	119.39	.	.	.	no
H129'	C129	H129	104.77	.	.	.	no
C131	C130	H130	116.54	.	.	.	no
H130'	C130	H130	110.57	.	.	.	no
C131	C130	H130'	110.75	.	.	.	no
O12	C130	H130'	107.65	.	.	.	no
O12	C130	H130	105.75	.	.	.	no
C130	C131	H131	111.10	.	.	.	no
C132	C131	H131'	113.82	.	.	.	no
C130	C131	H131'	111.55	.	.	.	no
H131'	C131	H131	106.75	.	.	.	no
C132	C131	H131	112.51	.	.	.	no
C131	C132	H132	111.03	.	.	.	no
C131	C132	H132'	112.08	.	.	.	no
C133	C132	H132	107.63	.	.	.	no
H132'	C132	H132	114.20	.	.	.	no
C133	C132	H132'	108.76	.	.	.	no
C132	C133	H133	114.13	.	.	.	no
H133'	C133	H133	106.93	.	.	.	no
O12	C133	H133'	110.82	.	.	.	no
O12	C133	H133	108.00	.	.	.	no
C132	C133	H133'	111.44	.	.	.	no
C21	C22	H22	117.62	.	.	.	no
C23	C22	H22	120.11	.	.	.	no
C22	C23	H23	120.19	.	.	.	no
C24	C23	H23	119.11	.	.	.	no
C23	C24	H24	121.31	.	.	.	no
C25	C24	H24	119.79	.	.	.	no
C24	C25	H25	122.42	.	.	.	no
C26	C25	H25	117.40	.	.	.	no
C21	C26	H26	118.03	.	.	.	no
C25	C26	H26	119.46	.	.	.	no
C29	C28	H28	116.31	.	.	.	no
C27	C28	H28	121.33	.	.	.	no
C28	C29	H29	119.73	.	.	.	no
C210	C29	H29	119.42	.	.	.	no
C29	C210	C211	118.7(2)	.	.	.	no
C210	C211	C212	120.1(2)	.	.	.	no
C27	C212	C211	123.2(2)	.	.	.	no
C214	C213	C218	115.2(2)	.	.	.	no
C218	C213	B2	122.3(2)	.	.	.	yes
C214	C213	B2	122.2(2)	.	.	.	yes
C213	C214	C215	122.9(2)	.	.	.	no
C214	C215	C216	119.9(3)	.	.	.	no
C215	C216	C217	119.3(2)	.	.	.	no
C216	C217	C218	120.3(2)	.	.	.	no
C213	C218	C217	122.4(3)	.	.	.	no
C220	C219	B2	121.9(2)	.	.	.	yes
C220	C219	C224	115.4(2)	.	.	.	no
C224	C219	B2	122.5(2)	.	.	.	yes

C219	C220	C221	122.4(3)	.	.	.	no
C220	C221	C222	120.4(3)	.	.	.	no
C221	C222	C223	118.7(2)	.	.	.	no
C222	C223	C224	120.5(2)	.	.	.	no
C219	C224	C223	122.5(3)	.	.	.	no
C32	C31	C33	112.2(7)	.	.	.	no
C31	C32	C33	119.2(9)	.	.	2_656	no
C31	C33	C32	99.5(11)	.	.	2_656	no
C29	C210	H210	118.71	.	.	.	no
C211	C210	H210	122.57	.	.	.	no
C212	C211	H211	116.70	.	.	.	no
C210	C211	H211	123.11	.	.	.	no
C211	C212	H212	116.72	.	.	.	no
C27	C212	H212	120.11	.	.	.	no
C213	C214	H214	115.89	.	.	.	no
C215	C214	H214	121.20	.	.	.	no
C216	C215	H215	119.07	.	.	.	no
C214	C215	H215	121.02	.	.	.	no
C217	C216	H216	121.41	.	.	.	no
C215	C216	H216	119.09	.	.	.	no
C218	C217	H217	123.47	.	.	.	no
C216	C217	H217	116.25	.	.	.	no
C213	C218	H218	118.29	.	.	.	no
C217	C218	H218	119.27	.	.	.	no
C219	C220	H220	121.32	.	.	.	no
C221	C220	H220	116.26	.	.	.	no
C220	C221	H221	118.67	.	.	.	no
C222	C221	H221	120.82	.	.	.	no
C223	C222	H222	122.38	.	.	.	no
C221	C222	H222	118.94	.	.	.	no
C222	C223	H223	118.91	.	.	.	no
C224	C223	H223	120.50	.	.	.	no
C219	C224	H224	117.17	.	.	.	no
C223	C224	H224	120.27	.	.	.	no
C33	C31	H31	109.16	.	.	.	no
C32	C31	H31	109.21	.	.	.	no
C32	C31	H31'	109.21	.	.	.	no
H31	C31	H31'	107.88	.	.	.	no
C33	C31	H31'	109.12	.	.	.	no
C31	C32	H32	107.47	.	.	.	no
C31	C32	H32'	107.50	.	.	.	no
C33	C32	H32	107.51	2_656	.	.	no
C33	C32	H32'	107.56	2_656	.	.	no
H32	C32	H32'	107.04	.	.	.	no
C32	C33	H33'	111.88	2_656	.	.	no
C32	C33	H33	111.88	2_656	.	.	no
H33	C33	H33'	109.59	.	.	.	no
C31	C33	H33	111.82	.	.	.	no
C31	C33	H33'	111.89	.	.	.	no
C43	C41	C46	111.6(7)	.	.	.	no
C44	C42	C45	115.2(7)	.	.	.	no
C41	C43	C44	108.2(6)	.	.	.	no
C42	C44	C43	104.7(7)	.	.	.	no
C42	C45	C46	105.7(7)	.	.	.	no
C41	C46	C45	108.7(8)	.	.	.	no
C43	C41	H41'	109.34	.	.	.	no
C46	C41	H41	109.28	.	.	.	no
C43	C41	H41	109.31	.	.	.	no
H41	C41	H41'	107.97	.	.	.	no
C46	C41	H41'	109.30	.	.	.	no
C44	C42	H42	108.43	.	.	.	no



C45	C42	H42'	108.47	.	.	.	no
H42	C42	H42'	107.50	.	.	.	no
C44	C42	H42'	108.55	.	.	.	no
C45	C42	H42	108.45	.	.	.	no
C41	C43	H43	110.06	.	.	.	no
C44	C43	H43'	110.05	.	.	.	no
C41	C43	H43'	110.02	.	.	.	no
C44	C43	H43	110.06	.	.	.	no
H43	C43	H43'	108.42	.	.	.	no
C42	C44	H44'	110.88	.	.	.	no
C43	C44	H44	110.72	.	.	.	no
C42	C44	H44	110.85	.	.	.	no
H44	C44	H44'	108.89	.	.	.	no
C43	C44	H44'	110.75	.	.	.	no
C42	C45	H45	110.64	.	.	.	no
H45	C45	H45'	108.67	.	.	.	no
C46	C45	H45'	110.59	.	.	.	no
C42	C45	H45'	110.63	.	.	.	no
C46	C45	H45	110.64	.	.	.	no
C41	C46	H46'	110.01	.	.	.	no
H46	C46	H46'	108.28	.	.	.	no
C45	C46	H46	109.96	.	.	.	no
C45	C46	H46'	109.93	.	.	.	no
C41	C46	H46	109.98	.	.	.	no
C21	B2	C27	102.42(18)	.	.	.	yes
C21	B2	C213	112.35(18)	.	.	.	yes
C21	B2	C219	111.9(2)	.	.	.	yes
C27	B2	C213	111.9(2)	.	.	.	yes
C27	B2	C219	113.28(18)	.	.	.	yes
C213	B2	C219	105.29(18)	.	.	.	yes

loop\_

\_geom\_torsion\_atom\_site\_label\_1  
 \_geom\_torsion\_atom\_site\_label\_2  
 \_geom\_torsion\_atom\_site\_label\_3  
 \_geom\_torsion\_atom\_site\_label\_4  
 \_geom\_torsion  
 \_geom\_torsion\_site\_symmetry\_1  
 \_geom\_torsion\_site\_symmetry\_2  
 \_geom\_torsion\_site\_symmetry\_3  
 \_geom\_torsion\_site\_symmetry\_4  
 \_geom\_torsion\_publ\_flag

O12	Ti1	O11	C126	157.58(18)	.	.	.	no
O12	Ti1	O11	C129	-53.78(18)	.	.	.	no
C11	Ti1	O11	C126	67.38(18)	.	.	.	no
C11	Ti1	O11	C129	-143.98(19)	.	.	.	no
C12	Ti1	O11	C126	87.27(18)	.	.	.	no
C12	Ti1	O11	C129	-124.09(19)	.	.	.	no
C13	Ti1	O11	C126	64.1(2)	.	.	.	no
C13	Ti1	O11	C129	-147.29(19)	.	.	.	no
C14	Ti1	O11	C126	23.5(2)	.	.	.	no
C14	Ti1	O11	C129	172.08(18)	.	.	.	no
C15	Ti1	O11	C126	33.38(18)	.	.	.	no
C15	Ti1	O11	C129	-177.99(19)	.	.	.	no
C111	Ti1	O11	C126	-91.74(18)	.	.	.	no
C111	Ti1	O11	C129	56.90(19)	.	.	.	no
C112	Ti1	O11	C126	-123.31(18)	.	.	.	no
C112	Ti1	O11	C129	25.32(19)	.	.	.	no
C113	Ti1	O11	C126	-123.94(18)	.	.	.	no
C113	Ti1	O11	C129	24.7(2)	.	.	.	no
C114	Ti1	O11	C126	-80.59(19)	.	.	.	no

C114	Ti1	O11	C129	68.0(2)	.	.	.	.	no
C115	Ti1	O11	C126	-67.40(18)	.	.	.	.	no
C115	Ti1	O11	C129	81.23(19)	.	.	.	.	no
O11	Ti1	O12	C130	-46.69(18)	.	.	.	.	no
O11	Ti1	O12	C133	146.61(18)	.	.	.	.	no
C11	Ti1	O12	C130	39.09(19)	.	.	.	.	no
C11	Ti1	O12	C133	-127.61(18)	.	.	.	.	no
C12	Ti1	O12	C130	71.21(18)	.	.	.	.	no
C12	Ti1	O12	C133	-95.49(18)	.	.	.	.	no
C13	Ti1	O12	C130	94.69(18)	.	.	.	.	no
C13	Ti1	O12	C133	-72.01(18)	.	.	.	.	no
C14	Ti1	O12	C130	79.1(2)	.	.	.	.	no
C14	Ti1	O12	C133	-87.57(19)	.	.	.	.	no
C15	Ti1	O12	C130	37.0(2)	.	.	.	.	no
C15	Ti1	O12	C133	-129.72(17)	.	.	.	.	no
C111	Ti1	O12	C130	-117.53(18)	.	.	.	.	no
C111	Ti1	O12	C133	75.77(18)	.	.	.	.	no
C112	Ti1	O12	C130	-137.40(19)	.	.	.	.	no
C112	Ti1	O12	C133	55.91(18)	.	.	.	.	no
C113	Ti1	O12	C130	-171.79(19)	.	.	.	.	no
C113	Ti1	O12	C133	21.51(18)	.	.	.	.	no
C114	Ti1	O12	C130	-177.16(18)	.	.	.	.	no
C114	Ti1	O12	C133	16.1(2)	.	.	.	.	no
C115	Ti1	O12	C130	-136.41(18)	.	.	.	.	no
C115	Ti1	O12	C133	56.9(2)	.	.	.	.	no
O11	Ti1	C11	C12	146.09(14)	.	.	.	.	no
O11	Ti1	C11	C15	-99.11(14)	.	.	.	.	no
O11	Ti1	C11	C16	22.2(2)	.	.	.	.	no
O12	Ti1	C11	C12	68.30(14)	.	.	.	.	no
O12	Ti1	C11	C15	-176.90(14)	.	.	.	.	no
O12	Ti1	C11	C16	-55.6(2)	.	.	.	.	no
C12	Ti1	C11	C15	114.80(19)	.	.	.	.	no
C12	Ti1	C11	C16	-123.9(3)	.	.	.	.	no
C13	Ti1	C11	C12	-36.34(13)	.	.	.	.	no
C13	Ti1	C11	C15	78.47(15)	.	.	.	.	no
C13	Ti1	C11	C16	-160.2(3)	.	.	.	.	no
C14	Ti1	C11	C12	-77.35(15)	.	.	.	.	no
C14	Ti1	C11	C15	37.45(13)	.	.	.	.	no
C14	Ti1	C11	C16	158.8(3)	.	.	.	.	no
C15	Ti1	C11	C12	-114.80(19)	.	.	.	.	no
C15	Ti1	C11	C16	121.4(3)	.	.	.	.	no
C111	Ti1	C11	C12	-166.28(16)	.	.	.	.	no
C111	Ti1	C11	C15	-51.5(2)	.	.	.	.	no
C111	Ti1	C11	C16	69.9(3)	.	.	.	.	no
C113	Ti1	C11	C12	-15.4(2)	.	.	.	.	no
C113	Ti1	C11	C15	99.4(2)	.	.	.	.	no
C113	Ti1	C11	C16	-139.3(2)	.	.	.	.	no
C114	Ti1	C11	C12	-67.77(18)	.	.	.	.	no
C114	Ti1	C11	C15	47.03(19)	.	.	.	.	no
C114	Ti1	C11	C16	168.4(2)	.	.	.	.	no
C115	Ti1	C11	C12	-116.15(15)	.	.	.	.	no
C115	Ti1	C11	C15	-1.35(19)	.	.	.	.	no
C115	Ti1	C11	C16	120.0(2)	.	.	.	.	no
O11	Ti1	C12	C11	-37.38(15)	.	.	.	.	no
O11	Ti1	C12	C13	-154.22(13)	.	.	.	.	no
O11	Ti1	C12	C17	87.3(2)	.	.	.	.	no
O12	Ti1	C12	C11	-107.88(14)	.	.	.	.	no
O12	Ti1	C12	C13	135.29(15)	.	.	.	.	no
O12	Ti1	C12	C17	16.8(2)	.	.	.	.	no
C11	Ti1	C12	C13	-116.8(2)	.	.	.	.	no
C11	Ti1	C12	C17	124.7(3)	.	.	.	.	no

C13	Ti1	C12	C11	116.8(2)	.	.	.	.	no
C13	Ti1	C12	C17	-118.5(3)	.	.	.	.	no
C14	Ti1	C12	C11	79.11(15)	.	.	.	.	no
C14	Ti1	C12	C13	-37.73(14)	.	.	.	.	no
C14	Ti1	C12	C17	-156.2(2)	.	.	.	.	no
C15	Ti1	C12	C11	38.02(13)	.	.	.	.	no
C15	Ti1	C12	C13	-78.82(15)	.	.	.	.	no
C15	Ti1	C12	C17	162.7(2)	.	.	.	.	no
C112	Ti1	C12	C11	-159.44(15)	.	.	.	.	no
C112	Ti1	C12	C13	83.73(19)	.	.	.	.	no
C112	Ti1	C12	C17	-34.8(3)	.	.	.	.	no
C113	Ti1	C12	C11	171.26(13)	.	.	.	.	no
C113	Ti1	C12	C13	54.43(16)	.	.	.	.	no
C113	Ti1	C12	C17	-64.1(2)	.	.	.	.	no
C114	Ti1	C12	C11	132.48(14)	.	.	.	.	no
C114	Ti1	C12	C13	15.65(17)	.	.	.	.	no
C114	Ti1	C12	C17	-102.9(2)	.	.	.	.	no
C115	Ti1	C12	C11	102.02(16)	.	.	.	.	no
C115	Ti1	C12	C13	-14.8(2)	.	.	.	.	no
C115	Ti1	C12	C17	-133.3(2)	.	.	.	.	no
O11	Ti1	C13	C12	40.6(2)	.	.	.	.	no
O11	Ti1	C13	C14	-74.28(18)	.	.	.	.	no
O11	Ti1	C13	C18	163.3(2)	.	.	.	.	no
O12	Ti1	C13	C12	-44.55(15)	.	.	.	.	no
O12	Ti1	C13	C14	-159.46(13)	.	.	.	.	no
O12	Ti1	C13	C18	78.2(2)	.	.	.	.	no
C11	Ti1	C13	C12	36.67(14)	.	.	.	.	no
C11	Ti1	C13	C14	-78.23(15)	.	.	.	.	no
C11	Ti1	C13	C18	159.4(3)	.	.	.	.	no
C12	Ti1	C13	C14	-114.9(2)	.	.	.	.	no
C12	Ti1	C13	C18	122.7(3)	.	.	.	.	no
C14	Ti1	C13	C12	114.9(2)	.	.	.	.	no
C14	Ti1	C13	C18	-122.4(3)	.	.	.	.	no
C15	Ti1	C13	C12	78.22(15)	.	.	.	.	no
C15	Ti1	C13	C14	-36.68(13)	.	.	.	.	no
C15	Ti1	C13	C18	-159.1(3)	.	.	.	.	no
C111	Ti1	C13	C12	-175.35(14)	.	.	.	.	no
C111	Ti1	C13	C14	69.75(18)	.	.	.	.	no
C111	Ti1	C13	C18	-52.6(3)	.	.	.	.	no
C112	Ti1	C13	C12	-129.86(15)	.	.	.	.	no
C112	Ti1	C13	C14	115.24(15)	.	.	.	.	no
C112	Ti1	C13	C18	-7.2(3)	.	.	.	.	no
C113	Ti1	C13	C12	-132.69(15)	.	.	.	.	no
C113	Ti1	C13	C14	112.41(15)	.	.	.	.	no
C113	Ti1	C13	C18	-10.0(3)	.	.	.	.	no
C114	Ti1	C13	C12	-165.70(15)	.	.	.	.	no
C114	Ti1	C13	C14	79.40(14)	.	.	.	.	no
C114	Ti1	C13	C18	-43.0(2)	.	.	.	.	no
C115	Ti1	C13	C12	170.02(14)	.	.	.	.	no
C115	Ti1	C13	C14	55.12(15)	.	.	.	.	no
C115	Ti1	C13	C18	-67.3(3)	.	.	.	.	no
O11	Ti1	C14	C13	134.53(13)	.	.	.	.	no
O11	Ti1	C14	C15	18.0(2)	.	.	.	.	no
O11	Ti1	C14	C19	-103.1(2)	.	.	.	.	no
O12	Ti1	C14	C13	28.01(17)	.	.	.	.	no
O12	Ti1	C14	C15	-88.54(18)	.	.	.	.	no
O12	Ti1	C14	C19	150.4(2)	.	.	.	.	no
C11	Ti1	C14	C13	78.48(16)	.	.	.	.	no
C11	Ti1	C14	C15	-38.07(16)	.	.	.	.	no
C11	Ti1	C14	C19	-159.1(3)	.	.	.	.	no
C12	Ti1	C14	C13	37.35(14)	.	.	.	.	no

C12	Ti1	C14	C15	-79.20(17)	.	.	.	.	no
C12	Ti1	C14	C19	159.7(3)	.	.	.	.	no
C13	Ti1	C14	C15	-116.5(2)	.	.	.	.	no
C13	Ti1	C14	C19	122.4(3)	.	.	.	.	no
C15	Ti1	C14	C13	116.5(2)	.	.	.	.	no
C15	Ti1	C14	C19	-121.1(3)	.	.	.	.	no
C111	Ti1	C14	C13	-133.71(14)	.	.	.	.	no
C111	Ti1	C14	C15	109.75(17)	.	.	.	.	no
C111	Ti1	C14	C19	-11.3(3)	.	.	.	.	no
C112	Ti1	C14	C13	-96.27(18)	.	.	.	.	no
C112	Ti1	C14	C15	147.19(17)	.	.	.	.	no
C112	Ti1	C14	C19	26.1(3)	.	.	.	.	no
C113	Ti1	C14	C13	-73.31(16)	.	.	.	.	no
C113	Ti1	C14	C15	170.14(16)	.	.	.	.	no
C113	Ti1	C14	C19	49.1(3)	.	.	.	.	no
C114	Ti1	C14	C13	-94.45(15)	.	.	.	.	no
C114	Ti1	C14	C15	149.01(18)	.	.	.	.	no
C114	Ti1	C14	C19	27.9(2)	.	.	.	.	no
C115	Ti1	C14	C13	-127.95(14)	.	.	.	.	no
C115	Ti1	C14	C15	115.51(17)	.	.	.	.	no
C115	Ti1	C14	C19	-5.6(2)	.	.	.	.	no
O11	Ti1	C15	C11	80.07(14)	.	.	.	.	no
O11	Ti1	C15	C14	-165.21(16)	.	.	.	.	no
O11	Ti1	C15	C110	-44.2(2)	.	.	.	.	no
O12	Ti1	C15	C11	3.73(17)	.	.	.	.	no
O12	Ti1	C15	C14	118.44(16)	.	.	.	.	no
O12	Ti1	C15	C110	-120.6(2)	.	.	.	.	no
C11	Ti1	C15	C14	114.7(2)	.	.	.	.	no
C11	Ti1	C15	C110	-124.3(3)	.	.	.	.	no
C12	Ti1	C15	C11	-37.43(14)	.	.	.	.	no
C12	Ti1	C15	C14	77.29(17)	.	.	.	.	no
C12	Ti1	C15	C110	-161.7(2)	.	.	.	.	no
C13	Ti1	C15	C11	-77.99(16)	.	.	.	.	no
C13	Ti1	C15	C14	36.73(16)	.	.	.	.	no
C13	Ti1	C15	C110	157.7(3)	.	.	.	.	no
C14	Ti1	C15	C11	-114.7(2)	.	.	.	.	no
C14	Ti1	C15	C110	121.0(3)	.	.	.	.	no
C111	Ti1	C15	C11	153.73(14)	.	.	.	.	no
C111	Ti1	C15	C14	-91.55(18)	.	.	.	.	no
C111	Ti1	C15	C110	29.4(2)	.	.	.	.	no
C112	Ti1	C15	C11	169.64(19)	.	.	.	.	no
C112	Ti1	C15	C14	-75.6(3)	.	.	.	.	no
C112	Ti1	C15	C110	45.3(3)	.	.	.	.	no
C113	Ti1	C15	C11	-129.25(16)	.	.	.	.	no
C113	Ti1	C15	C14	-14.5(2)	.	.	.	.	no
C113	Ti1	C15	C110	106.5(2)	.	.	.	.	no
C114	Ti1	C15	C11	-146.43(14)	.	.	.	.	no
C114	Ti1	C15	C14	-31.71(18)	.	.	.	.	no
C114	Ti1	C15	C110	89.3(2)	.	.	.	.	no
C115	Ti1	C15	C11	179.03(14)	.	.	.	.	no
C115	Ti1	C15	C14	-66.25(17)	.	.	.	.	no
C115	Ti1	C15	C110	54.7(2)	.	.	.	.	no
O11	Ti1	C111	C112	-109.33(14)	.	.	.	.	no
O11	Ti1	C111	C115	132.00(15)	.	.	.	.	no
O12	Ti1	C111	C112	-36.97(15)	.	.	.	.	no
O12	Ti1	C111	C115	-155.64(14)	.	.	.	.	no
C11	Ti1	C111	C112	-158.84(16)	.	.	.	.	no
C11	Ti1	C111	C115	82.5(2)	.	.	.	.	no
C13	Ti1	C111	C112	92.46(17)	.	.	.	.	no
C13	Ti1	C111	C115	-26.2(2)	.	.	.	.	no
C14	Ti1	C111	C112	129.19(14)	.	.	.	.	no

C14	Ti1	C111	C115	10.52(17)	.	.	.	.	no
C15	Ti1	C111	C112	168.72(13)	.	.	.	.	no
C15	Ti1	C111	C115	50.05(17)	.	.	.	.	no
C112	Ti1	C111	C115	-118.7(2)	.	.	.	.	no
C113	Ti1	C111	C112	38.61(14)	.	.	.	.	no
C113	Ti1	C111	C115	-80.07(15)	.	.	.	.	no
C114	Ti1	C111	C112	80.89(16)	.	.	.	.	no
C114	Ti1	C111	C115	-37.78(14)	.	.	.	.	no
C115	Ti1	C111	C112	118.7(2)	.	.	.	.	no
O11	Ti1	C112	C111	66.14(14)	.	.	.	.	no
O11	Ti1	C112	C113	-179.10(16)	.	.	.	.	no
O12	Ti1	C112	C111	144.00(15)	.	.	.	.	no
O12	Ti1	C112	C113	-101.23(16)	.	.	.	.	no
C12	Ti1	C112	C111	-164.84(14)	.	.	.	.	no
C12	Ti1	C112	C113	-50.1(2)	.	.	.	.	no
C13	Ti1	C112	C111	-119.67(15)	.	.	.	.	no
C13	Ti1	C112	C113	-4.9(2)	.	.	.	.	no
C14	Ti1	C112	C111	-74.01(18)	.	.	.	.	no
C14	Ti1	C112	C113	40.8(2)	.	.	.	.	no
C15	Ti1	C112	C111	-24.1(3)	.	.	.	.	no
C15	Ti1	C112	C113	90.7(3)	.	.	.	.	no
C111	Ti1	C112	C113	114.8(2)	.	.	.	.	no
C113	Ti1	C112	C111	-114.8(2)	.	.	.	.	no
C114	Ti1	C112	C111	-76.12(16)	.	.	.	.	no
C114	Ti1	C112	C113	38.64(15)	.	.	.	.	no
C115	Ti1	C112	C111	-35.17(14)	.	.	.	.	no
C115	Ti1	C112	C113	79.59(16)	.	.	.	.	no
O11	Ti1	C113	C112	1.08(19)	.	.	.	.	no
O11	Ti1	C113	C114	114.50(15)	.	.	.	.	no
O12	Ti1	C113	C112	74.55(16)	.	.	.	.	no
O12	Ti1	C113	C114	-172.03(16)	.	.	.	.	no
C11	Ti1	C113	C112	158.78(17)	.	.	.	.	no
C11	Ti1	C113	C114	-87.8(2)	.	.	.	.	no
C12	Ti1	C113	C112	149.30(15)	.	.	.	.	no
C12	Ti1	C113	C114	-97.27(17)	.	.	.	.	no
C13	Ti1	C113	C112	176.18(16)	.	.	.	.	no
C13	Ti1	C113	C114	-70.40(16)	.	.	.	.	no
C14	Ti1	C113	C112	-151.35(16)	.	.	.	.	no
C14	Ti1	C113	C114	-37.93(18)	.	.	.	.	no
C15	Ti1	C113	C112	-142.99(17)	.	.	.	.	no
C15	Ti1	C113	C114	-29.6(2)	.	.	.	.	no
C111	Ti1	C113	C112	-36.99(15)	.	.	.	.	no
C111	Ti1	C113	C114	76.44(17)	.	.	.	.	no
C112	Ti1	C113	C114	113.4(2)	.	.	.	.	no
C114	Ti1	C113	C112	-113.4(2)	.	.	.	.	no
C115	Ti1	C113	C112	-76.79(17)	.	.	.	.	no
C115	Ti1	C113	C114	36.64(15)	.	.	.	.	no
O11	Ti1	C114	C113	-92.46(17)	.	.	.	.	no
O11	Ti1	C114	C115	23.71(17)	.	.	.	.	no
O12	Ti1	C114	C113	9.40(19)	.	.	.	.	no
O12	Ti1	C114	C115	125.57(13)	.	.	.	.	no
C11	Ti1	C114	C113	134.54(16)	.	.	.	.	no
C11	Ti1	C114	C115	-109.29(16)	.	.	.	.	no
C12	Ti1	C114	C113	99.80(16)	.	.	.	.	no
C12	Ti1	C114	C115	-144.03(13)	.	.	.	.	no
C13	Ti1	C114	C113	108.48(16)	.	.	.	.	no
C13	Ti1	C114	C115	-135.35(14)	.	.	.	.	no
C14	Ti1	C114	C113	142.71(17)	.	.	.	.	no
C14	Ti1	C114	C115	-101.12(14)	.	.	.	.	no
C15	Ti1	C114	C113	160.20(16)	.	.	.	.	no
C15	Ti1	C114	C115	-83.63(15)	.	.	.	.	no

C111	Ti1	C114	C113	-79.38(17)	.	.	.	.	no
C111	Ti1	C114	C115	36.79(13)	.	.	.	.	no
C112	Ti1	C114	C113	-38.82(16)	.	.	.	.	no
C112	Ti1	C114	C115	77.35(15)	.	.	.	.	no
C113	Ti1	C114	C115	116.2(2)	.	.	.	.	no
C115	Ti1	C114	C113	-116.2(2)	.	.	.	.	no
O11	Ti1	C115	C111	-46.72(15)	.	.	.	.	no
O11	Ti1	C115	C114	-162.01(13)	.	.	.	.	no
O11	Ti1	C115	C116	76.5(2)	.	.	.	.	no
O12	Ti1	C115	C111	34.48(19)	.	.	.	.	no
O12	Ti1	C115	C114	-80.81(16)	.	.	.	.	no
O12	Ti1	C115	C116	157.70(18)	.	.	.	.	no
C11	Ti1	C115	C111	-139.16(15)	.	.	.	.	no
C11	Ti1	C115	C114	105.55(16)	.	.	.	.	no
C11	Ti1	C115	C116	-15.9(3)	.	.	.	.	no
C12	Ti1	C115	C111	170.36(14)	.	.	.	.	no
C12	Ti1	C115	C114	55.07(19)	.	.	.	.	no
C12	Ti1	C115	C116	-66.4(3)	.	.	.	.	no
C13	Ti1	C115	C111	161.86(14)	.	.	.	.	no
C13	Ti1	C115	C114	46.57(15)	.	.	.	.	no
C13	Ti1	C115	C116	-74.9(2)	.	.	.	.	no
C14	Ti1	C115	C111	-170.76(15)	.	.	.	.	no
C14	Ti1	C115	C114	73.95(14)	.	.	.	.	no
C14	Ti1	C115	C116	-47.5(2)	.	.	.	.	no
C15	Ti1	C115	C111	-139.94(15)	.	.	.	.	no
C15	Ti1	C115	C114	104.77(14)	.	.	.	.	no
C15	Ti1	C115	C116	-16.7(2)	.	.	.	.	no
C111	Ti1	C115	C114	-115.3(2)	.	.	.	.	no
C111	Ti1	C115	C116	123.2(3)	.	.	.	.	no
C112	Ti1	C115	C111	35.63(14)	.	.	.	.	no
C112	Ti1	C115	C114	-79.66(15)	.	.	.	.	no
C112	Ti1	C115	C116	158.9(2)	.	.	.	.	no
C113	Ti1	C115	C111	77.74(16)	.	.	.	.	no
C113	Ti1	C115	C114	-37.55(14)	.	.	.	.	no
C113	Ti1	C115	C116	-159.0(2)	.	.	.	.	no
C114	Ti1	C115	C111	115.3(2)	.	.	.	.	no
C114	Ti1	C115	C116	-121.5(3)	.	.	.	.	no
C129	O11	C126	C127	13.8(3)	.	.	.	.	no
Ti1	O11	C129	C128	172.06(16)	.	.	.	.	no
Ti1	O11	C126	C127	167.74(18)	.	.	.	.	no
C126	O11	C129	C128	-35.2(3)	.	.	.	.	no
Ti1	O12	C133	C132	162.73(15)	.	.	.	.	no
C130	O12	C133	C132	-6.1(2)	.	.	.	.	no
C133	O12	C130	C131	-20.6(3)	.	.	.	.	no
Ti1	O12	C130	C131	170.92(15)	.	.	.	.	no
Ti1	C11	C12	C13	63.64(17)	.	.	.	.	no
Ti1	C11	C12	C17	-124.9(3)	.	.	.	.	no
C15	C11	C12	Ti1	-65.17(17)	.	.	.	.	no
C12	C11	C15	C110	-165.2(2)	.	.	.	.	no
C16	C11	C15	Ti1	-122.8(2)	.	.	.	.	no
C16	C11	C15	C14	170.9(2)	.	.	.	.	no
C16	C11	C15	C110	5.7(4)	.	.	.	.	no
Ti1	C11	C15	C14	-66.30(16)	.	.	.	.	no
Ti1	C11	C15	C110	128.5(3)	.	.	.	.	no
C15	C11	C12	C13	-1.5(3)	.	.	.	.	no
C15	C11	C12	C17	170.0(2)	.	.	.	.	no
C16	C11	C12	Ti1	124.1(2)	.	.	.	.	no
C16	C11	C12	C13	-172.3(2)	.	.	.	.	no
C16	C11	C12	C17	-0.8(4)	.	.	.	.	no
C12	C11	C15	C14	0.0(3)	.	.	.	.	no
C12	C11	C15	Ti1	66.27(17)	.	.	.	.	no

Ti1	C12	C13	C18	-123.2(2)	.	.	.	.	no
Ti1	C12	C13	C14	65.90(17)	.	.	.	.	no
C11	C12	C13	C14	2.5(3)	.	.	.	.	no
C11	C12	C13	C18	173.4(2)	.	.	.	.	no
C17	C12	C13	Ti1	124.6(2)	.	.	.	.	no
C17	C12	C13	C14	-169.5(2)	.	.	.	.	no
C17	C12	C13	C18	1.4(4)	.	.	.	.	no
C11	C12	C13	Ti1	-63.40(18)	.	.	.	.	no
Ti1	C13	C14	C15	63.87(17)	.	.	.	.	no
C18	C13	C14	C15	-173.4(2)	.	.	.	.	no
C18	C13	C14	C19	-7.9(4)	.	.	.	.	no
C18	C13	C14	Ti1	122.7(3)	.	.	.	.	no
Ti1	C13	C14	C19	-130.6(3)	.	.	.	.	no
C12	C13	C14	Ti1	-66.39(17)	.	.	.	.	no
C12	C13	C14	C15	-2.5(3)	.	.	.	.	no
C12	C13	C14	C19	163.0(2)	.	.	.	.	no
C13	C14	C15	Ti1	-64.24(17)	.	.	.	.	no
C13	C14	C15	C11	1.6(3)	.	.	.	.	no
Ti1	C14	C15	C110	-128.5(3)	.	.	.	.	no
Ti1	C14	C15	C11	65.80(16)	.	.	.	.	no
C19	C14	C15	C11	-164.0(3)	.	.	.	.	no
C19	C14	C15	C110	1.7(4)	.	.	.	.	no
C13	C14	C15	C110	167.3(3)	.	.	.	.	no
C19	C14	C15	Ti1	130.2(3)	.	.	.	.	no
Ti1	C111	C112	H112	116.12	.	.	.	.	no
C115	C111	C112	H112	179.72	.	.	.	.	no
H111	C111	C112	Ti1	-117.34	.	.	.	.	no
H111	C111	C112	C113	178.39	.	.	.	.	no
H111	C111	C112	H112	-1.22	.	.	.	.	no
H111	C111	C115	Ti1	120.12	.	.	.	.	no
H111	C111	C115	C114	-178.60	.	.	.	.	no
H111	C111	C115	C116	-4.88	.	.	.	.	no
Ti1	C112	C113	H113	114.26	.	.	.	.	no
C111	C112	C113	H113	-177.44	.	.	.	.	no
H112	C112	C113	Ti1	-112.11	.	.	.	.	no
H112	C112	C113	C114	-179.78	.	.	.	.	no
H112	C112	C113	H113	2.15	.	.	.	.	no
Ti1	C113	C114	H114	116.12	.	.	.	.	no
C112	C113	C114	H114	-176.34	.	.	.	.	no
H113	C113	C114	Ti1	-114.35	.	.	.	.	no
H113	C113	C114	C115	177.75	.	.	.	.	no
H113	C113	C114	H114	1.76	.	.	.	.	no
H114	C114	C115	Ti1	-120.29	.	.	.	.	no
H114	C114	C115	C111	175.86	.	.	.	.	no
H114	C114	C115	C116	2.21	.	.	.	.	no
Ti1	C115	C116	H116	11.39	.	.	.	.	no
C111	C115	C116	H116	107.74	.	.	.	.	no
C114	C115	C116	H116	-79.86	.	.	.	.	no
C115	C116	C117	H117	-55.31	.	.	.	.	no
C123	C116	C117	H117	178.70	.	.	.	.	no
H116	C116	C117	C118	-57.62	.	.	.	.	no
H116	C116	C117	C125	-177.34	.	.	.	.	no
H116	C116	C117	H117	59.91	.	.	.	.	no
C115	C116	C123	H123	56.14	.	.	.	.	no
C117	C116	C123	H123	-179.23	.	.	.	.	no
H116	C116	C123	C122	176.14	.	.	.	.	no
H116	C116	C123	C124	56.46	.	.	.	.	no
H116	C116	C123	H123	-61.79	.	.	.	.	no
C116	C117	C118	H118'	59.33	.	.	.	.	no
C116	C117	C118	H118	178.38	.	.	.	.	no
C125	C117	C118	H118'	179.56	.	.	.	.	no

C125	C117	C118	H118	-61.39	.	.	.	.	no
H117	C117	C118	C119	-179.51	.	.	.	.	no
H117	C117	C118	H118'	-59.08	.	.	.	.	no
H117	C117	C118	H118	59.98	.	.	.	.	no
C116	C117	C125	H125'	-177.99	.	.	.	.	no
C116	C117	C125	H125	-62.37	.	.	.	.	no
C118	C117	C125	H125'	61.95	.	.	.	.	no
C118	C117	C125	H125	177.57	.	.	.	.	no
H117	C117	C125	C121	-177.87	.	.	.	.	no
H117	C117	C125	H125'	-56.87	.	.	.	.	no
H117	C117	C125	H125	58.75	.	.	.	.	no
C117	C118	C119	H119	176.74	.	.	.	.	no
H118'	C118	C119	C120	-179.02	.	.	.	.	no
H118'	C118	C119	C124	-59.55	.	.	.	.	no
H118'	C118	C119	H119	57.88	.	.	.	.	no
H118	C118	C119	C120	58.66	.	.	.	.	no
H118	C118	C119	C124	178.13	.	.	.	.	no
H118	C118	C119	H119	-64.44	.	.	.	.	no
C118	C119	C120	H120'	-60.06	.	.	.	.	no
C118	C119	C120	H120	-179.82	.	.	.	.	no
C124	C119	C120	H120'	-179.62	.	.	.	.	no
C124	C119	C120	H120	60.62	.	.	.	.	no
H119	C119	C120	C121	-173.96	.	.	.	.	no
H119	C119	C120	H120'	65.37	.	.	.	.	no
H119	C119	C120	H120	-54.38	.	.	.	.	no
C118	C119	C124	H124'	58.02	.	.	.	.	no
C118	C119	C124	H124	173.34	.	.	.	.	no
C120	C119	C124	H124'	177.58	.	.	.	.	no
C120	C119	C124	H124	-67.10	.	.	.	.	no
H119	C119	C124	C123	178.33	.	.	.	.	no
H119	C119	C124	H124'	-64.60	.	.	.	.	no
H119	C119	C124	H124	50.72	.	.	.	.	no
C119	C120	C121	H121	-179.88	.	.	.	.	no
H120'	C120	C121	C122	177.74	.	.	.	.	no
H120'	C120	C121	C125	58.50	.	.	.	.	no
H120'	C120	C121	H121	-61.46	.	.	.	.	no
H120	C120	C121	C122	-63.28	.	.	.	.	no
H120	C120	C121	C125	177.47	.	.	.	.	no
H120	C120	C121	H121	57.51	.	.	.	.	no
C120	C121	C122	H122'	59.24	.	.	.	.	no
C120	C121	C122	H122	176.75	.	.	.	.	no
C125	C121	C122	H122'	178.54	.	.	.	.	no
C125	C121	C122	H122	-63.94	.	.	.	.	no
H121	C121	C122	C123	-179.10	.	.	.	.	no
H121	C121	C122	H122'	-59.40	.	.	.	.	no
H121	C121	C122	H122	58.11	.	.	.	.	no
C120	C121	C125	H125'	-61.63	.	.	.	.	no
C120	C121	C125	H125	-176.62	.	.	.	.	no
C122	C121	C125	H125'	178.33	.	.	.	.	no
C122	C121	C125	H125	63.34	.	.	.	.	no
H121	C121	C125	C117	177.46	.	.	.	.	no
H121	C121	C125	H125'	56.19	.	.	.	.	no
H121	C121	C125	H125	-58.81	.	.	.	.	no
B2	C21	C22	C23	-174.5(2)	.	.	.	.	no
C22	C21	C26	C25	0.9(4)	.	.	.	.	no
B2	C21	C26	C25	173.4(2)	.	.	.	.	no
C22	C21	B2	C27	86.2(3)	.	.	.	.	no
C22	C21	B2	C213	-153.7(2)	.	.	.	.	no
C22	C21	B2	C219	-35.5(3)	.	.	.	.	no
C26	C21	B2	C27	-85.9(2)	.	.	.	.	no
C26	C21	B2	C213	34.3(3)	.	.	.	.	no



C26	C21	B2	C219	152.5(2)	.	.	.	.	no
C26	C21	C22	C23	-2.0(4)	.	.	.	.	no
C121	C122	C123	H123	178.18	.	.	.	.	no
H122'	C122	C123	C116	178.99	.	.	.	.	no
H122'	C122	C123	C124	-60.61	.	.	.	.	no
H122'	C122	C123	H123	56.81	.	.	.	.	no
H122	C122	C123	C116	61.69	.	.	.	.	no
H122	C122	C123	C124	-177.91	.	.	.	.	no
C21	C22	C23	C24	1.8(4)	.	.	.	.	no
H122	C122	C123	H123	-60.49	.	.	.	.	no
H123	C123	C124	C119	-179.87	.	.	.	.	no
H123	C123	C124	H124'	68.05	.	.	.	.	no
C122	C123	C124	H124	59.03	.	.	.	.	no
C116	C123	C124	H124'	-51.58	.	.	.	.	no
C116	C123	C124	H124	-179.31	.	.	.	.	no
H123	C123	C124	H124	-59.68	.	.	.	.	no
C22	C23	C24	C25	-0.3(4)	.	.	.	.	no
C122	C123	C124	H124'	-173.24	.	.	.	.	no
C23	C24	C25	C26	-0.8(4)	.	.	.	.	no
C24	C25	C26	C21	0.5(4)	.	.	.	.	no
O11	C126	C127	H127	-101.11	.	.	.	.	no
O11	C126	C127	H127'	134.06	.	.	.	.	no
H126'	C126	C127	H127	140.03	.	.	.	.	no
H126'	C126	C127	C128	-106.27	.	.	.	.	no
H126'	C126	C127	H127'	15.20	.	.	.	.	no
H126	C126	C127	H127	20.32	.	.	.	.	no
H126	C126	C127	C128	134.02	.	.	.	.	no
H126	C126	C127	H127'	-104.51	.	.	.	.	no
C212	C27	C28	C29	1.6(4)	.	.	.	.	no
C126	C127	C128	H128'	-151.89	.	.	.	.	no
C126	C127	C128	H128	83.78	.	.	.	.	no
H127'	C127	C128	C129	-153.66	.	.	.	.	no
H127'	C127	C128	H128'	87.89	.	.	.	.	no
H127'	C127	C128	H128	-36.44	.	.	.	.	no
H127	C127	C128	C129	81.42	.	.	.	.	no
H127	C127	C128	H128'	-37.03	.	.	.	.	no
H127	C127	C128	H128	-161.36	.	.	.	.	no
C212	C27	B2	C219	-156.5(2)	.	.	.	.	no
B2	C27	C28	C29	173.1(2)	.	.	.	.	no
C28	C27	B2	C21	-88.3(3)	.	.	.	.	no
C28	C27	B2	C213	151.2(2)	.	.	.	.	no
C28	C27	B2	C219	32.4(3)	.	.	.	.	no
C212	C27	B2	C21	82.8(3)	.	.	.	.	no
C212	C27	B2	C213	-37.7(3)	.	.	.	.	no
B2	C27	C212	C211	-173.4(2)	.	.	.	.	no
C28	C27	C212	C211	-1.6(4)	.	.	.	.	no
C27	C28	C29	C210	-0.3(4)	.	.	.	.	no
C127	C128	C129	H129'	-77.06	.	.	.	.	no
H128'	C128	C129	O11	164.30	.	.	.	.	no
H128	C128	C129	H129	44.92	.	.	.	.	no
C127	C128	C129	H129	160.72	.	.	.	.	no
H128	C128	C129	O11	-73.56	.	.	.	.	no
H128	C128	C129	H129'	167.14	.	.	.	.	no
H128'	C128	C129	H129'	45.00	.	.	.	.	no
H128'	C128	C129	H129	-77.22	.	.	.	.	no
C28	C29	C210	C211	-1.0(4)	.	.	.	.	no
H130'	C130	C131	C132	-77.33	.	.	.	.	no
O12	C130	C131	H131	-81.08	.	.	.	.	no
H130	C130	C131	C132	155.13	.	.	.	.	no
H130	C130	C131	H131'	-83.49	.	.	.	.	no
H130	C130	C131	H131	35.49	.	.	.	.	no

O12	C130	C131	H131'	159.94	.	.	.	.	no
H130'	C130	C131	H131	163.03	.	.	.	.	no
H130'	C130	C131	H131'	44.05	.	.	.	.	no
C130	C131	C132	H132	-156.19	.	.	.	.	no
C130	C131	C132	H132'	74.77	.	.	.	.	no
H131'	C131	C132	H132	84.04	.	.	.	.	no
H131	C131	C132	C133	77.04	.	.	.	.	no
H131	C131	C132	H132'	-166.60	.	.	.	.	no
H131	C131	C132	H132	-37.56	.	.	.	.	no
H131'	C131	C132	C133	-161.36	.	.	.	.	no
H131'	C131	C132	H132'	-45.00	.	.	.	.	no
H132'	C132	C133	O12	-88.91	.	.	.	.	no
H132	C132	C133	O12	146.88	.	.	.	.	no
H132	C132	C133	H133'	26.53	.	.	.	.	no
H132	C132	C133	H133	-94.72	.	.	.	.	no
C131	C132	C133	H133	148.22	.	.	.	.	no
C131	C132	C133	H133'	-90.53	.	.	.	.	no
H132'	C132	C133	H133	29.49	.	.	.	.	no
H132'	C132	C133	H133'	150.74	.	.	.	.	no
C29	C210	C211	C212	1.0(4)	.	.	.	.	no
C210	C211	C212	C27	0.4(4)	.	.	.	.	no
C218	C213	B2	C219	-87.9(3)	.	.	.	.	no
C214	C213	C218	C217	1.5(3)	.	.	.	.	no
C214	C213	B2	C27	-37.4(3)	.	.	.	.	no
C214	C213	B2	C219	86.1(3)	.	.	.	.	no
C218	C213	B2	C27	148.6(2)	.	.	.	.	no
C218	C213	C214	C215	-1.5(3)	.	.	.	.	no
B2	C213	C214	C215	-175.9(2)	.	.	.	.	no
B2	C213	C218	C217	175.9(2)	.	.	.	.	no
C214	C213	B2	C21	-151.9(2)	.	.	.	.	no
C218	C213	B2	C21	34.1(3)	.	.	.	.	no
C213	C214	C215	C216	0.5(4)	.	.	.	.	no
C214	C215	C216	C217	0.7(4)	.	.	.	.	no
C215	C216	C217	C218	-0.7(4)	.	.	.	.	no
C216	C217	C218	C213	-0.4(4)	.	.	.	.	no
C220	C219	C224	C223	1.7(4)	.	.	.	.	no
B2	C219	C224	C223	177.2(2)	.	.	.	.	no
B2	C219	C220	C221	-177.1(2)	.	.	.	.	no
C224	C219	B2	C21	150.4(2)	.	.	.	.	no
C224	C219	B2	C27	35.3(3)	.	.	.	.	no
C224	C219	B2	C213	-87.2(3)	.	.	.	.	no
C220	C219	B2	C21	-34.4(3)	.	.	.	.	no
C220	C219	B2	C27	-149.5(2)	.	.	.	.	no
C220	C219	B2	C213	88.0(3)	.	.	.	.	no
C224	C219	C220	C221	-1.6(4)	.	.	.	.	no
C219	C220	C221	C222	0.3(4)	.	.	.	.	no
C220	C221	C222	C223	1.1(4)	.	.	.	.	no
C221	C222	C223	C224	-1.0(4)	.	.	.	.	no
C222	C223	C224	C219	-0.5(4)	.	.	.	.	no
C33	C31	C32	C33	64.4(12)	.	.	.	2_656	no
C32	C31	C33	C32	-53.0(10)	.	.	.	2_656	no
C31	C32	C33	C31	-57.9(10)	.	.	2_656	2_656	no
C46	C41	C43	C44	-59.3(9)	.	.	.	.	no
C43	C41	C46	C45	51.8(8)	.	.	.	.	no
C45	C42	C44	C43	-72.5(8)	.	.	.	.	no
C44	C42	C45	C46	64.6(9)	.	.	.	.	no
C41	C43	C44	C42	66.1(8)	.	.	.	.	no
C42	C45	C46	C41	-49.2(9)	.	.	.	.	no

loop\_  
\_geom\_contact\_atom\_site\_label\_1

\_geom\_contact\_atom\_site\_label\_2  
\_geom\_contact\_distance  
\_geom\_contact\_site\_symmetry\_1  
\_geom\_contact\_site\_symmetry\_2  
\_geom\_contact\_publ\_flag

Ti1	H114	2.9818	.	.	no
Ti1	H116	3.4589	.	.	no
O11	O12	2.799(2)	.	.	no
O11	C11	3.158(3)	.	.	no
O11	C15	3.321(3)	.	.	no
O11	C16	3.366(3)	.	.	no
O11	C111	2.873(3)	.	.	no
O11	C112	3.196(3)	.	.	no
O11	C130	3.095(3)	.	.	no
O12	C112	2.932(3)	.	.	no
O12	C113	3.151(3)	.	.	no
O12	C129	3.149(3)	.	.	no
O12	O11	2.799(2)	.	.	no
O12	C11	3.277(3)	.	.	no
O12	C12	2.937(3)	.	.	no
O12	C17	3.096(3)	.	.	no
O11	H16	2.7862	.	.	no
O11	H111	2.7915	.	.	no
O11	H130	2.4810	.	.	no
O12	H17	2.7291	.	.	no
O12	H112	2.8030	.	.	no
O12	H129	2.5596	.	.	no
C11	O11	3.158(3)	.	.	no
C11	O12	3.277(3)	.	.	no
C11	C13	2.297(3)	.	.	no
C11	C14	2.297(3)	.	.	no
C11	C17	2.628(4)	.	.	no
C11	C33	3.346(13)	.	.	no
C11	C110	2.625(5)	.	.	no
C11	C130	3.511(3)	.	.	no
C12	C33	3.388(11)	.	.	no
C12	C130	3.458(3)	.	.	no
C12	O12	2.937(3)	.	.	no
C12	C14	2.289(4)	.	.	no
C12	C15	2.302(4)	.	.	no
C12	C16	2.609(4)	.	.	no
C12	C18	2.591(4)	.	.	no
C13	C113	3.471(4)	.	.	no
C13	C114	3.153(4)	.	.	no
C13	C15	2.298(3)	.	.	no
C13	C17	2.560(4)	.	.	no
C13	C11	2.297(3)	.	.	no
C13	C19	2.591(4)	.	.	no
C14	C115	3.343(4)	.	.	no
C14	C12	2.289(4)	.	.	no
C14	C114	3.010(3)	.	.	no
C14	C18	2.601(4)	.	.	no
C14	C11	2.297(3)	.	.	no
C14	C110	2.575(4)	.	.	no
C15	O11	3.321(3)	.	.	no
C15	C126	3.428(3)	.	.	no
C15	C12	2.302(4)	.	.	no
C15	C16	2.606(4)	.	.	no
C15	C19	2.578(3)	.	.	no
C15	C13	2.298(3)	.	.	no
C16	C33	3.485(13)	.	.	no

C16	C126	3.577(4)	.	.	no
C16	C130	3.390(4)	.	.	no
C17	C130	3.301(4)	.	.	no
C17	C133	3.513(4)	.	.	no
C17	C33	3.576(10)	.	.	no
C19	C116	3.435(5)	.	.	no
C22	C220	3.171(3)	.	.	no
C24	C130	3.335(4)	.	2_665	no
C25	C130	3.492(4)	.	2_665	no
C26	C212	3.556(4)	.	.	no
C26	C218	3.178(3)	.	.	no
C28	C224	3.234(3)	.	.	no
C29	C126	3.532(4)	.	1_565	no
C33	C11	3.346(13)	.	.	no
C33	C17	3.576(10)	.	.	no
C33	C12	3.388(11)	.	.	no
C33	C16	3.485(13)	.	.	no
C110	C126	3.291(4)	.	.	no
C11	H130'	3.0931	.	.	no
C11	H33'	2.3916	.	.	no
C111	C116	2.612(4)	.	.	no
C111	C129	3.176(3)	.	.	no
C111	O11	2.873(3)	.	.	no
C111	C113	2.277(4)	.	.	no
C111	C122	3.267(5)	.	.	no
C111	C114	2.263(4)	.	.	no
C112	C129	3.313(3)	.	.	no
C112	C133	3.259(4)	.	.	no
C112	O12	2.932(3)	.	.	no
C112	C115	2.298(3)	.	.	no
C12	H130'	2.9817	.	.	no
C112	O11	3.196(3)	.	.	no
C12	H33'	2.5059	.	.	no
C112	C114	2.272(3)	.	.	no
C113	O12	3.151(3)	.	.	no
C113	C115	2.311(4)	.	.	no
C113	C111	2.277(4)	.	.	no
C113	C133	3.232(4)	.	.	no
C13	H114	3.0164	.	.	no
C113	C13	3.471(4)	.	.	no
C114	C116	2.633(4)	.	.	no
C114	C111	2.263(4)	.	.	no
C114	C125	3.525(4)	.	.	no
C14	H114	2.8833	.	.	no
C114	C19	3.275(4)	.	.	no
C114	C18	3.428(5)	.	.	no
C114	C14	3.010(3)	.	.	no
C114	C112	2.272(3)	.	.	no
C114	C13	3.153(4)	.	.	no
C115	C112	2.298(3)	.	.	no
C115	C19	3.550(4)	.	.	no
C115	C113	2.311(4)	.	.	no
C15	H126'	3.0518	.	.	no
C115	C14	3.343(4)	.	.	no
C116	C120	3.569(5)	.	.	no
C16	H130'	2.8433	.	.	no
C16	H110'	2.8142	.	.	no
C16	H23	3.0804	.	1_545	no
C116	C19	3.435(5)	.	.	no
C16	H33'	2.5932	.	.	no
C16	H17'	2.8490	.	.	no

C16	H126'	2.8590	.	.	no
C17	H130'	2.6021	.	.	no
C17	H33'	2.8322	.	.	no
C17	H16"	2.8384	.	.	no
C17	H18"	2.9615	.	.	no
C18	H17"	3.0298	.	.	no
C118	C122	3.534(4)	.	.	no
C18	H19"	3.0062	.	.	no
C18	H114	2.9927	.	.	no
C19	H116	2.8477	.	.	no
C19	H114	2.8239	.	.	no
C19	H28	2.9780	.	2_566	no
C19	H110	2.9847	.	.	no
C19	H117	2.9793	.	.	no
C19	H18'	2.9109	.	.	no
C120	C116	3.569(5)	.	.	no
C21	H220	2.8236	.	.	no
C21	H218	2.7701	.	.	no
C21	H131'	2.8209	.	2_665	no
C122	C118	3.534(4)	.	.	no
C22	H131'	2.8810	.	2_665	no
C122	C111	3.267(5)	.	.	no
C22	H220	2.8205	.	.	no
C23	H131'	3.0231	.	2_665	no
C23	H24	3.0167	.	2_675	no
C124	C125	3.509(5)	.	.	no
C24	H24	3.0834	.	2_675	no
C24	H128	2.9395	.	1_565	no
C24	H130'	2.9668	.	2_665	no
C25	H130'	2.8389	.	2_665	no
C125	C124	3.509(5)	.	.	no
C25	H211	2.9117	.	2_575	no
C25	H131'	3.0607	.	2_665	no
C125	C114	3.525(4)	.	.	no
C26	H131'	2.8948	.	2_665	no
C26	H127'	3.0648	.	1_565	no
C26	H211	2.9408	.	2_575	no
C126	C16	3.577(4)	.	.	no
C126	C29	3.532(4)	.	1_545	no
C126	C110	3.291(4)	.	.	no
C26	H218	2.7268	.	.	no
C27	H214	2.7546	.	.	no
C27	H224	2.8185	.	.	no
C28	H19	2.9244	.	2_566	no
C28	H224	2.8310	.	.	no
C29	H126	2.9865	.	1_565	no
C29	H19	2.9716	.	2_566	no
C129	C130	3.267(4)	.	.	no
C129	C215	3.583(4)	.	2_565	no
C130	C25	3.492(4)	.	2_665	no
C130	C24	3.335(4)	.	2_665	no
C130	C16	3.390(4)	.	.	no
C130	C129	3.267(4)	.	.	no
C130	C17	3.301(4)	.	.	no
C31	H31'	2.8144	.	2_656	no
C132	C218	3.575(3)	.	.	no
C32	H32'	2.6718	.	2_656	no
C132	C220	3.574(3)	.	.	no
C32	H46	3.0651	.	.	no
C133	C17	3.513(4)	.	.	no
C33	H119	2.8346	.	2_556	no

C41	H42'	2.8460	.	.	no
C42	H41'	3.0316	.	.	no
C45	H43	3.0928	.	.	no
C46	H32	3.0207	.	.	no
C46	H44'	3.0361	.	.	no
C110	H16'	2.9087	.	.	no
C110	H126'	2.7484	.	.	no
C110	H126	2.9816	.	.	no
C110	H19'	2.8495	.	.	no
C111	H122	2.6670	.	.	no
C111	H123	2.8164	.	.	no
C111	H129'	2.6938	.	.	no
C111	H112	2.0847	.	.	no
C112	H111	2.0871	.	.	no
C212	C26	3.556(4)	.	.	no
C112	H129'	2.9880	.	.	no
C212	C214	3.221(3)	.	.	no
C112	H42	2.9235	.	2_566	no
C112	H113	2.1397	.	.	no
C112	H133'	2.8618	.	.	no
C113	H42	3.0432	.	2_566	no
C113	H133	2.9572	.	.	no
C113	H133'	3.0422	.	.	no
C113	H114	2.0977	.	.	no
C113	H112	2.1134	.	.	no
C114	H117	2.7740	.	.	no
C214	C212	3.221(3)	.	.	no
C114	H125	3.0007	.	.	no
C114	H19"	2.9263	.	.	no
C114	H113	2.1219	.	.	no
C215	C129	3.583(4)	.	2_565	no
C115	H122	2.8338	.	.	no
C115	H125	2.7631	.	.	no
C115	H114	2.1255	.	.	no
C115	H111	2.1109	.	.	no
C116	H19'	2.9608	.	.	no
C117	H114	2.9596	.	.	no
C218	C26	3.178(3)	.	.	no
C218	C132	3.575(3)	.	.	no
C119	H33	2.6602	.	2_556	no
C220	C22	3.171(3)	.	.	no
C220	C132	3.574(3)	.	.	no
C121	H125'	3.0556	.	2_466	no
C122	H111	3.0105	.	.	no
C123	H111	2.8016	.	.	no
C224	C28	3.234(3)	.	.	no
C124	H32'	3.0712	.	2_556	no
C124	H33	3.0006	.	2_556	no
C126	H110'	3.0175	.	.	no
C126	H16	3.0093	.	.	no
C127	H211	3.0774	.	2_565	no
C127	H212	2.9940	.	2_565	no
C128	H130	3.0957	.	.	no
C129	H130	2.5584	.	.	no
C129	H112	3.0824	.	.	no
C129	H111	2.8184	.	.	no
C130	H17'	3.0007	.	.	no
C130	H16	2.9571	.	.	no
C130	H129	2.6434	.	.	no
C132	H17	2.9979	.	.	no
C133	H113	2.9057	.	.	no

C133	H17	2.7447	.	.	no
C133	H112	2.9423	.	.	no
C212	H214	2.8154	.	.	no
C212	H128'	3.0446	.	2_565	no
C213	H26	2.7532	.	.	no
C213	H212	2.7700	.	.	no
C213	H133'	3.0593	.	.	no
C214	H133'	2.9432	.	.	no
C214	H212	2.8331	.	.	no
C215	H133'	3.0223	.	.	no
C215	H112	2.8601	.	.	no
C215	H129'	2.7858	.	2_565	no
C217	H132	2.9288	.	.	no
C217	H131	3.0784	.	.	no
C218	H132	2.6845	.	.	no
C218	H26	2.6924	.	.	no
C219	H28	2.8749	.	.	no
C219	H22	2.7246	.	.	no
C220	H22	2.6772	.	.	no
C221	H133	3.0064	.	.	no
C222	H133	2.8622	.	.	no
C222	H18"	2.8543	.	.	no
C222	H117	3.0356	.	2_566	no
C223	H18"	2.9327	.	.	no
C223	H113	2.8668	.	.	no
C223	H133	2.9115	.	.	no
C223	H19"	3.0191	.	2_566	no
C223	H117	3.0042	.	2_566	no
C224	H113	3.0162	.	.	no
C224	H28	2.8240	.	.	no
H110'	H126'	2.2319	.	.	no
H110'	C16	2.8142	.	.	no
H110'	H16'	2.3481	.	.	no
H110'	C126	3.0175	.	.	no
H110"	H116	2.5609	.	.	no
H110"	H126	2.5683	.	.	no
H118'	H116	2.4458	.	.	no
H118'	H124'	2.3900	.	.	no
H120'	H125'	2.5012	.	.	no
H120'	H118	2.4594	.	.	no
H122'	H120	2.5329	.	.	no
H122'	H124	2.5787	.	.	no
H124'	H116	2.4384	.	.	no
H124'	H118'	2.3900	.	.	no
H125'	H120'	2.5012	.	.	no
H125'	H118	2.4927	.	.	no
H125'	C121	3.0556	.	2_466	no
H125'	H121	2.3435	.	2_466	no
H126'	H16	2.3698	.	.	no
H126'	C15	3.0518	.	.	no
H126'	C110	2.7484	.	.	no
H126'	C16	2.8590	.	.	no
H126'	H110'	2.2319	.	.	no
H127'	C26	3.0648	.	1_545	no
H128'	C212	3.0446	.	2_565	no
H128'	H46'	2.5143	.	1_554	no
H128'	H212	2.5617	.	2_565	no
H129'	C215	2.7858	.	2_565	no
H129'	H111	2.1478	.	.	no
H129'	C112	2.9880	.	.	no
H129'	C111	2.6938	.	.	no

H130'	C11	3.0931	.	.	no
H130'	C25	2.8389	.	2_665	no
H130'	C16	2.8433	.	.	no
H130'	C24	2.9668	.	2_665	no
H130'	C12	2.9817	.	.	no
H130'	H17'	2.1011	.	.	no
H130'	H16"	2.5263	.	.	no
H130'	H17	2.5953	.	.	no
H130'	C17	2.6021	.	.	no
H131'	C21	2.8209	.	2_665	no
H131'	C22	2.8810	.	2_665	no
H131'	C26	2.8948	.	2_665	no
H131'	C23	3.0231	.	2_665	no
H131'	C25	3.0607	.	2_665	no
H132'	H17	2.4068	.	.	no
H133'	C113	3.0422	.	.	no
H133'	C214	2.9432	.	.	no
H133'	C213	3.0593	.	.	no
H133'	C112	2.8618	.	.	no
H133'	C215	3.0223	.	.	no
H133'	H112	2.3488	.	.	no
H16	C126	3.0093	.	.	no
H16	O11	2.7862	.	.	no
H16	H23	2.5937	.	1_545	no
H16	H126'	2.3698	.	.	no
H16	H130	2.5372	.	.	no
H16	C130	2.9571	.	.	no
H16'	H110'	2.3481	.	.	no
H16'	C110	2.9087	.	.	no
H16'	H33'	2.5429	.	.	no
H16"	C17	2.8384	.	.	no
H16"	H33'	2.3771	.	.	no
H16"	H130'	2.5263	.	.	no
H16"	H17'	2.2003	.	.	no
H17	H130'	2.5953	.	.	no
H17	C133	2.7447	.	.	no
H17	O12	2.7291	.	.	no
H17	H133	2.3217	.	.	no
H17	H132'	2.4068	.	.	no
H17	C132	2.9979	.	.	no
H17'	C130	3.0007	.	.	no
H17'	C16	2.8490	.	.	no
H17'	H130'	2.1011	.	.	no
H17'	H16"	2.2003	.	.	no
H17"	H32'	2.5010	.	2_656	no
H17"	H31'	2.3963	.	.	no
H17"	H120	2.3975	.	1_655	no
H17"	C18	3.0298	.	.	no
H18'	H19"	2.4832	.	.	no
H18'	C19	2.9109	.	.	no
H18'	H114	2.4598	.	.	no
H18"	C222	2.8543	.	.	no
H18"	C223	2.9327	.	.	no
H18"	C17	2.9615	.	.	no
H18"	H222	2.4571	.	.	no
H18"	H223	2.5447	.	.	no
H19	C28	2.9244	.	2_566	no
H19	H29	2.5091	.	2_566	no
H19	C29	2.9716	.	2_566	no
H19	H28	2.4066	.	2_566	no
H19'	H116	2.2556	.	.	no



H19'	C110	2.8495	.	.	no
H19'	C116	2.9608	.	.	no
H19"	H18'	2.4832	.	.	no
H19"	C18	3.0062	.	.	no
H19"	C114	2.9263	.	.	no
H19"	H117	2.4175	.	.	no
H19"	H114	2.2598	.	.	no
H19"	C223	3.0191	.	2_566	no
H22	H220	2.5422	.	.	no
H22	C220	2.6772	.	.	no
H22	C219	2.7246	.	.	no
H23	C16	3.0804	.	1_565	no
H23	H16	2.5937	.	1_565	no
H23	H24	2.4009	.	2_675	no
H24	C23	3.0167	.	2_675	no
H24	H24	2.5608	.	2_675	no
H24	H23	2.4009	.	2_675	no
H24	C24	3.0834	.	2_675	no
H26	C213	2.7532	.	.	no
H26	C218	2.6924	.	.	no
H26	H218	2.4342	.	.	no
H28	C219	2.8749	.	.	no
H28	H19	2.4066	.	2_566	no
H28	C224	2.8240	.	.	no
H28	C19	2.9780	.	2_566	no
H29	H19	2.5091	.	2_566	no
H31'	H33	2.3186	.	2_656	no
H31'	H32'	1.8948	.	2_656	no
H31'	H17"	2.3963	.	.	no
H31'	C31	2.8144	.	2_656	no
H32	C46	3.0207	.	.	no
H32	H46	2.1610	.	.	no
H32'	H33	2.3847	.	.	no
H32'	H17"	2.5010	.	2_656	no
H32'	H31'	1.8948	.	2_656	no
H32'	C124	3.0712	.	2_556	no
H32'	H124	2.2733	.	2_556	no
H32'	C32	2.6718	.	2_656	no
H33	C124	3.0006	.	2_556	no
H33	H119	1.8648	.	2_556	no
H33	C119	2.6602	.	2_556	no
H33	H31'	2.3186	.	2_656	no
H33	H32'	2.3847	.	.	no
H33'	C16	2.5932	.	.	no
H33'	C11	2.3916	.	.	no
H33'	C12	2.5059	.	.	no
H33'	H16"	2.3771	.	.	no
H33'	H16'	2.5429	.	.	no
H33'	C17	2.8322	.	.	no
H41'	C42	3.0316	.	.	no
H41'	H44'	2.2484	.	.	no
H42	H125	2.5296	.	2_566	no
H42	C113	3.0432	.	2_566	no
H42	C112	2.9235	.	2_566	no
H42'	H46'	2.3386	.	.	no
H42'	H43	1.9871	.	.	no
H42'	C41	2.8460	.	.	no
H43	H46'	2.5907	.	.	no
H43	C45	3.0928	.	.	no
H43	H42'	1.9871	.	.	no
H44	H122	2.5456	.	2_566	no

H44'	H45'	2.3445	.	.	no
H44'	C46	3.0361	.	.	no
H44'	H41'	2.2484	.	.	no
H45'	H44'	2.3445	.	.	no
H46	C32	3.0651	.	.	no
H46	H32	2.1610	.	.	no
H46'	H43	2.5907	.	.	no
H46'	H42'	2.3386	.	.	no
H46'	H128'	2.5143	.	1_556	no
H110	C19	2.9847	.	.	no
H111	C122	3.0105	.	.	no
H111	C123	2.8016	.	.	no
H111	C129	2.8184	.	.	no
H111	H123	2.3823	.	.	no
H111	H122	2.4268	.	.	no
H111	H129'	2.1478	.	.	no
H112	C129	3.0824	.	.	no
H112	H133'	2.3488	.	.	no
H112	C215	2.8601	.	.	no
H112	C133	2.9423	.	.	no
H113	C133	2.9057	.	.	no
H113	C224	3.0162	.	.	no
H113	C223	2.8668	.	.	no
H113	H133	2.4175	.	.	no
H114	C14	2.8833	.	.	no
H114	C13	3.0164	.	.	no
H114	H19"	2.2598	.	.	no
H114	H117	2.3784	.	.	no
H114	Ti1	2.9818	.	.	no
H114	H18'	2.4598	.	.	no
H114	C117	2.9596	.	.	no
H114	C18	2.9927	.	.	no
H114	C19	2.8239	.	.	no
H116	C19	2.8477	.	.	no
H116	H110"	2.5609	.	.	no
H116	H118'	2.4458	.	.	no
H116	Ti1	3.4589	.	.	no
H116	H19'	2.2556	.	.	no
H116	H124'	2.4384	.	.	no
H117	C114	2.7740	.	.	no
H117	H19"	2.4175	.	.	no
H117	C223	3.0042	.	2_566	no
H117	H114	2.3784	.	.	no
H117	C19	2.9793	.	.	no
H117	C222	3.0356	.	2_566	no
H118	H125'	2.4927	.	.	no
H118	H120'	2.4594	.	.	no
H119	H33	1.8648	.	2_556	no
H119	C33	2.8346	.	2_556	no
H120	H124	2.5521	.	.	no
H120	H17"	2.3975	.	1_455	no
H120	H122'	2.5329	.	.	no
H121	H221	2.5645	.	1_455	no
H121	H125'	2.3435	.	2_466	no
H122	H125	2.5596	.	.	no
H122	C111	2.6670	.	.	no
H122	H44	2.5456	.	2_566	no
H122	C115	2.8338	.	.	no
H122	H111	2.4268	.	.	no
H123	C111	2.8164	.	.	no
H123	H111	2.3823	.	.	no

H124	H32'	2.2733	.	2_556	no
H124	H120	2.5521	.	.	no
H124	H122'	2.5787	.	.	no
H125	C115	2.7631	.	.	no
H125	C114	3.0007	.	.	no
H125	H42	2.5296	.	2_566	no
H125	H122	2.5596	.	.	no
H126	H110"	2.5683	.	.	no
H126	C29	2.9865	.	1_545	no
H126	C110	2.9816	.	.	no
H127	H212	2.3831	.	2_565	no
H128	C24	2.9395	.	1_545	no
H129	O12	2.5596	.	.	no
H129	H130	2.0874	.	.	no
H129	C130	2.6434	.	.	no
H130	O11	2.4810	.	.	no
H130	H16	2.5372	.	.	no
H130	H129	2.0874	.	.	no
H130	C129	2.5584	.	.	no
H130	C128	3.0957	.	.	no
H131	C217	3.0784	.	.	no
H132	C218	2.6845	.	.	no
H132	C217	2.9288	.	.	no
H133	H113	2.4175	.	.	no
H133	C222	2.8622	.	.	no
H133	C113	2.9572	.	.	no
H133	C221	3.0064	.	.	no
H133	H17	2.3217	.	.	no
H133	C223	2.9115	.	.	no
H211	C26	2.9408	.	2_575	no
H211	C127	3.0774	.	2_565	no
H211	C25	2.9117	.	2_575	no
H212	C127	2.9940	.	2_565	no
H212	C213	2.7700	.	.	no
H212	C214	2.8331	.	.	no
H212	H127	2.3831	.	2_565	no
H212	H128'	2.5617	.	2_565	no
H214	C27	2.7546	.	.	no
H214	C212	2.8154	.	.	no
H215	H216	2.5852	.	2_565	no
H216	H215	2.5852	.	2_565	no
H218	C21	2.7701	.	.	no
H218	H26	2.4342	.	.	no
H218	C26	2.7268	.	.	no
H220	C22	2.8205	.	.	no
H220	C21	2.8236	.	.	no
H220	H22	2.5422	.	.	no
H221	H121	2.5645	.	1_655	no
H222	H18"	2.4571	.	.	no
H223	H18"	2.5447	.	.	no
H224	C27	2.8185	.	.	no
H224	C28	2.8310	.	.	no

loop\_  
\_geom\_hbond\_atom\_site\_label\_D  
\_geom\_hbond\_atom\_site\_label\_H  
\_geom\_hbond\_atom\_site\_label\_A  
\_geom\_hbond\_distance\_DH  
\_geom\_hbond\_distance\_HA  
\_geom\_hbond\_distance\_DA  
\_geom\_hbond\_angle\_DHA

```

_geom_hbond_site_symmetry_A
_geom_hbond_publ_flag
#
#D   H   A   D - H   H...A   D...A   D - H...A   symm(A)
#
C129   H129   O12           0.9500   2.5600   3.149(3)   120.00   .   yes
C130   H130   O11           0.9600   2.4800   3.095(3)   122.00   .   yes

```

#===END of Crystallographic Information File

data\_ADABET2

```

_audit_creation_method          SHELXL-97
_chemical_name_systematic
;
?
;
_chemical_name_common           ?
_chemical_melting_point         ?
_chemical_formula_moiety        ?
_chemical_formula_sum
'C51 H49 B F15 O2 Ti'
_chemical_formula_weight        1037.61

```

```

loop_
_atom_type_symbol
_atom_type_description
_atom_type_scatter_dispersion_real
_atom_type_scatter_dispersion_imag
_atom_type_scatter_source
'C' 'C' 0.0033 0.0016
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'
'H' 'H' 0.0000 0.0000
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'
'B' 'B' 0.0013 0.0007
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'
'F' 'F' 0.0171 0.0103
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'
'O' 'O' 0.0106 0.0060
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'
'Ti' 'Ti' 0.2776 0.4457
'International Tables Vol C Tables 4.2.6.8 and 6.1.1.4'

```

```

_symmetry_cell_setting          monoclinic
_symmetry_space_group_name_H-M  C2/c

```

```

loop_
_symmetry_equiv_pos_as_xyz
'x, y, z'
'-x, y, -z+1/2'
'x+1/2, y+1/2, z'
'-x+1/2, y+1/2, -z+1/2'
'-x, -y, -z'
'x, -y, z-1/2'
'-x+1/2, -y+1/2, -z'
'x+1/2, -y+1/2, z-1/2'

```

```

_cell_length_a                  30.0821(17)
_cell_length_b                  13.4214(4)
_cell_length_c                  25.5905(14)

```

_cell_angle_alpha	90.00
_cell_angle_beta	115.070(6)
_cell_angle_gamma	90.00
_cell_volume	9358.6(8)
_cell_formula_units_Z	8
_cell_measurement_temperature	153(2)
_cell_measurement_reflns_used	?
_cell_measurement_theta_min	?
_cell_measurement_theta_max	?
_exptl_crystal_description	prism
_exptl_crystal_colour	blue
_exptl_crystal_size_max	0.60
_exptl_crystal_size_mid	0.43
_exptl_crystal_size_min	0.31
_exptl_crystal_density_meas	?
_exptl_crystal_density_diffn	1.473
_exptl_crystal_density_method	'not measured'
_exptl_crystal_F_000	4264
_exptl_absorpt_coefficient_mu	0.284
_exptl_absorpt_correction_type	numerical
_exptl_absorpt_correction_T_min	0.8481
_exptl_absorpt_correction_T_max	0.9171
_exptl_absorpt_process_details	?
_exptl_special_details	
;	
?	
;	
_diffn_ambient_temperature	153(2)
_diffn_radiation_wavelength	0.71073
_diffn_radiation_type	MoK\alpha
_diffn_radiation_source	'fine-focus sealed tube'
_diffn_radiation_monochromator	graphite
_diffn_measurement_device_type	'Stoe IPDS'
_diffn_measurement_method	?
_diffn_detector_area_resol_mean	?
_diffn_standards_number	?
_diffn_standards_interval_count	?
_diffn_standards_interval_time	?
_diffn_standards_decay_%	?
_diffn_reflns_number	40486
_diffn_reflns_av_R_equivalents	0.0550
_diffn_reflns_av_sigmaI/netI	0.0416
_diffn_reflns_limit_h_min	-36
_diffn_reflns_limit_h_max	36
_diffn_reflns_limit_k_min	-15
_diffn_reflns_limit_k_max	15
_diffn_reflns_limit_l_min	-31
_diffn_reflns_limit_l_max	31
_diffn_reflns_theta_min	2.05
_diffn_reflns_theta_max	26.04
_reflns_number_total	8835
_reflns_number_gt	6493
_reflns_threshold_expression	>2sigma(I)
_computing_data_collection	'IPDS (Stoe, 1999)'
_computing_cell_refinement	'IPDS (Stoe, 1999)'
_computing_data_reduction	'XRED (Stoe, 1997)'
_computing_structure_solution	'SHELXS-97 (Sheldrick, 1990)'

```

_computing_structure_refinement 'SHELXL-97 (Sheldrick, 1997)'
_computing_molecular_graphics 'Ortep-3 for Windows (Farrugia, 1997)'
_computing_publication_material 'SHELX-97 (Sheldrick, 1997)'

_refine_special_details
;
Refinement of F^2^ against ALL reflections. The weighted R-factor wR and
goodness of fit S are based on F^2^, conventional R-factors R are based
on F, with F set to zero for negative F^2^. The threshold expression of
F^2^ > 2sigma(F^2^) is used only for calculating R-factors(gt) etc. and is
not relevant to the choice of reflections for refinement. R-factors based
on F^2^ are statistically about twice as large as those based on F, and R-
factors based on ALL data will be even larger.
;

_refine_ls_structure_factor_coef Fsqd
_refine_ls_matrix_type full
_refine_ls_weighting_scheme calc
_refine_ls_weighting_details
'calc w=1/[\s^2^(Fo^2^)+(0.1115P)^2^+8.0056P] where P=(Fo^2^+2Fc^2^)/3'
_atom_sites_solution_primary direct
_atom_sites_solution_secondary difmap
_atom_sites_solution_hydrogens geom
_refine_ls_hydrogen_treatment mixed
_refine_ls_extinction_method none
_refine_ls_extinction_coef ?
_refine_ls_number_reflns 8835
_refine_ls_number_parameters 577
_refine_ls_number_restraints 14
_refine_ls_R_factor_all 0.0783
_refine_ls_R_factor_gt 0.0589
_refine_ls_wR_factor_ref 0.1760
_refine_ls_wR_factor_gt 0.1642
_refine_ls_goodness_of_fit_ref 1.045
_refine_ls_restrained_S_all 1.044
_refine_ls_shift/su_max 0.004
_refine_ls_shift/su_mean 0.000

loop_
_atom_site_label
_atom_site_type_symbol
_atom_site_fract_x
_atom_site_fract_y
_atom_site_fract_z
_atom_site_U_iso_or_equiv
_atom_site_adp_type
_atom_site_occupancy
_atom_site_symmetry_multiplicity
_atom_site_calc_flag
_atom_site_refinement_flags
_atom_site_disorder_assembly
_atom_site_disorder_group
Ti1 Ti 0.116067(16) 0.67599(4) 0.037981(19) 0.01995(14) Uani 1 1 d . . .
C1 C 0.06608(9) 0.7058(2) 0.08790(11) 0.0226(6) Uani 1 1 d . . .
C2 C 0.04589(9) 0.6280(2) 0.04721(11) 0.0227(6) Uani 1 1 d . . .
H2 H 0.0153 0.6304 0.0142 0.027 Uiso 1 1 calc R . .
C3 C 0.07877(9) 0.5455(2) 0.06380(11) 0.0218(5) Uani 1 1 d . . .
H3 H 0.0740 0.4845 0.0433 0.026 Uiso 1 1 calc R . .
C4 C 0.12028(9) 0.5695(2) 0.11643(11) 0.0214(5) Uani 1 1 d . . .
C5 C 0.11206(9) 0.6681(2) 0.12905(11) 0.0221(5) Uani 1 1 d . . .
H5 H 0.1344 0.7051 0.1611 0.027 Uiso 1 1 calc R . .

```

C6 C 0.04067(10) 0.8017(2) 0.09178(12) 0.0243(6) Uani 1 1 d . . . .  
H6 H 0.0484 0.8538 0.0690 0.029 Uiso 1 1 calc R . . .  
C7 C -0.01587(10) 0.7912(2) 0.06640(13) 0.0316(7) Uani 1 1 d . . . .  
H7 H -0.0284 0.7650 0.0261 0.038 Uiso 1 1 calc R . . .  
C8 C -0.03064(12) 0.7204(3) 0.10290(19) 0.0477(9) Uani 1 1 d . . . .  
H8A H -0.0164 0.6537 0.1036 0.057 Uiso 1 1 calc R . . .  
H8B H -0.0668 0.7136 0.0858 0.057 Uiso 1 1 calc R . . .  
C9 C -0.01228(14) 0.7607(3) 0.16453(18) 0.0491(9) Uani 1 1 d . . . .  
H9 H -0.0220 0.7141 0.1884 0.059 Uiso 1 1 calc R . . .  
C10 C 0.04377(14) 0.7688(3) 0.19026(15) 0.0459(9) Uani 1 1 d . . . .  
H10A H 0.0564 0.7938 0.2304 0.055 Uiso 1 1 calc R . . .  
H10B H 0.0582 0.7022 0.1911 0.055 Uiso 1 1 calc R . . .  
C11 C 0.05870(11) 0.8397(3) 0.15406(12) 0.0316(7) Uani 1 1 d . . . .  
H11 H 0.0953 0.8457 0.1716 0.038 Uiso 1 1 calc R . . .  
C12 C 0.03614(12) 0.9424(3) 0.15313(15) 0.0399(8) Uani 1 1 d . . . .  
H12A H 0.0484 0.9688 0.1929 0.048 Uiso 1 1 calc R . . .  
H12B H 0.0460 0.9892 0.1300 0.048 Uiso 1 1 calc R . . .  
C13 C -0.01983(12) 0.9342(3) 0.12692(14) 0.0355(7) Uani 1 1 d . . . .  
H13 H -0.0344 1.0015 0.1262 0.043 Uiso 1 1 calc R . . .  
C14 C -0.03807(12) 0.8944(3) 0.06572(14) 0.0368(7) Uani 1 1 d . . . .  
H14A H -0.0286 0.9407 0.0421 0.044 Uiso 1 1 calc R . . .  
H14B H -0.0743 0.8896 0.0482 0.044 Uiso 1 1 calc R . . .  
C15 C -0.03531(14) 0.8629(3) 0.16262(17) 0.0461(9) Uani 1 1 d . . . .  
H15A H -0.0715 0.8568 0.1452 0.055 Uiso 1 1 calc R . . .  
H15B H -0.0245 0.8891 0.2023 0.055 Uiso 1 1 calc R . . .  
B1 B 0.16427(11) 0.4988(2) 0.16265(13) 0.0227(6) Uani 1 1 d . . . .  
F1 F 0.24938(7) 0.62221(15) 0.25252(8) 0.0400(5) Uani 1 1 d . . . .  
F2 F 0.24704(10) 0.7122(2) 0.34230(10) 0.0666(7) Uani 1 1 d . . . .  
F3 F 0.16662(12) 0.6966(3) 0.36568(10) 0.0842(10) Uani 1 1 d . . . .  
F4 F 0.08891(9) 0.5820(2) 0.29640(9) 0.0652(7) Uani 1 1 d . . . .  
F5 F 0.09041(6) 0.48952(17) 0.20514(8) 0.0424(5) Uani 1 1 d . . . .  
F6A F 0.1685(2) 0.3573(4) 0.2598(2) 0.0439(14) Uiso 0.50 1 d P A 1  
F7A F 0.15082(17) 0.1643(4) 0.2484(2) 0.0449(10) Uiso 0.50 1 d P A 1  
F8A F 0.12675(16) 0.0702(4) 0.1460(2) 0.0487(10) Uiso 0.50 1 d P A 1  
F9A F 0.12152(14) 0.1773(3) 0.05396(19) 0.0390(9) Uiso 0.50 1 d P A 1  
F10A F 0.13737(16) 0.3720(4) 0.06246(18) 0.0312(12) Uiso 0.50 1 d P A 1  
F6B F 0.1585(2) 0.3394(4) 0.2474(2) 0.0420(14) Uiso 0.50 1 d P B 2  
F7B F 0.1371(2) 0.1473(4) 0.2224(2) 0.0597(13) Uiso 0.50 1 d P B 2  
F8B F 0.1172(2) 0.0753(4) 0.1159(3) 0.0637(13) Uiso 0.50 1 d P B 2  
F9B F 0.12534(16) 0.1988(4) 0.0353(2) 0.0469(11) Uiso 0.50 1 d P B 2  
F10B F 0.14487(16) 0.3911(4) 0.05736(18) 0.0313(12) Uiso 0.50 1 d P B 2  
F11 F 0.25482(7) 0.40449(16) 0.24237(7) 0.0398(5) Uani 1 1 d . . . .  
F12 F 0.33866(7) 0.38359(19) 0.23179(9) 0.0538(6) Uani 1 1 d . . . .  
F13 F 0.34873(7) 0.4637(2) 0.13990(11) 0.0642(7) Uani 1 1 d . . . .  
F14 F 0.27158(8) 0.56382(19) 0.05796(10) 0.0549(6) Uani 1 1 d . . . .  
F15 F 0.18748(6) 0.58489(14) 0.06598(7) 0.0296(4) Uani 1 1 d . . . .  
C16 C 0.17067(10) 0.5465(2) 0.22473(12) 0.0274(6) Uani 1 1 d . . . .  
C17 C 0.20862(11) 0.6055(3) 0.26187(13) 0.0329(7) Uani 1 1 d . . . .  
C18 C 0.20847(14) 0.6555(3) 0.30905(14) 0.0455(9) Uani 1 1 d . . . .  
C19 C 0.16844(16) 0.6475(3) 0.32124(14) 0.0539(11) Uani 1 1 d . . . .  
C20 C 0.12902(14) 0.5891(3) 0.28583(14) 0.0460(9) Uani 1 1 d . . . .  
C21 C 0.13097(11) 0.5415(3) 0.23950(13) 0.0350(7) Uani 1 1 d . . . .  
C22A C 0.15027(8) 0.37605(12) 0.16126(12) 0.0187(14) Uiso 0.50 1 d PG A 1  
C23A C 0.15361(10) 0.3216(2) 0.20898(13) 0.0356(15) Uiso 0.50 1 d PG A 1  
C24A C 0.14575(11) 0.2192(2) 0.20444(17) 0.0309(13) Uiso 0.50 1 d PG A 1  
C25A C 0.13456(10) 0.17141(12) 0.1522(2) 0.0249(11) Uiso 0.50 1 d PG A 1  
C26A C 0.13122(8) 0.22589(16) 0.10447(15) 0.0234(11) Uiso 0.50 1 d PG A 1  
C27A C 0.13908(7) 0.32821(16) 0.10901(12) 0.0160(11) Uiso 0.50 1 d PG A 1  
C22B C 0.14960(8) 0.37477(12) 0.15021(12) 0.0312(19) Uiso 0.50 1 d PG B 2  
C23B C 0.14849(8) 0.31196(17) 0.19283(13) 0.0273(13) Uiso 0.50 1 d PG B 2  
C24B C 0.13844(9) 0.21117(15) 0.18137(18) 0.0317(13) Uiso 0.50 1 d PG B 2

C25B C 0.12949(10) 0.17320(13) 0.12728(19) 0.0316(13) Uiso 0.50 1 d PG B 2  
C26B C 0.13060(9) 0.2360(2) 0.08467(15) 0.0313(13) Uiso 0.50 1 d PG B 2  
C27B C 0.14066(9) 0.33679(19) 0.09613(12) 0.0383(17) Uiso 0.50 1 d PG B 2  
C28 C 0.21675(10) 0.4979(2) 0.15614(12) 0.0251(6) Uani 1 1 d . A .  
C29 C 0.25754(10) 0.4467(2) 0.19586(12) 0.0295(6) Uani 1 1 d . . .  
C30 C 0.30131(11) 0.4347(3) 0.19166(14) 0.0377(8) Uani 1 1 d . A .  
C31 C 0.30648(11) 0.4745(3) 0.14519(16) 0.0414(8) Uani 1 1 d . . .  
C32 C 0.26750(11) 0.5247(3) 0.10392(15) 0.0363(7) Uani 1 1 d . A .  
C33 C 0.22459(10) 0.5345(2) 0.11081(12) 0.0269(6) Uani 1 1 d . . .  
C34 C 0.05985(10) 0.6435(2) -0.06097(11) 0.0286(6) Uani 1 1 d . . .  
C35 C 0.10830(11) 0.6173(2) -0.05225(11) 0.0295(6) Uani 1 1 d . . .  
C36 C 0.13658(10) 0.7067(2) -0.03893(12) 0.0280(6) Uani 1 1 d . . .  
C37 C 0.10557(10) 0.7870(2) -0.03955(12) 0.0279(6) Uani 1 1 d . . .  
C38 C 0.05828(10) 0.7472(2) -0.05217(12) 0.0272(6) Uani 1 1 d . . .  
C39 C 0.01654(12) 0.5736(3) -0.08416(14) 0.0402(8) Uani 1 1 d . . .  
H39A H -0.0129 0.6085 -0.0865 0.060 Uiso 1 1 calc R . .  
H39B H 0.0230 0.5161 -0.0584 0.060 Uiso 1 1 calc R . .  
H39C H 0.0113 0.5508 -0.1227 0.060 Uiso 1 1 calc R . .  
C40 C 0.12477(14) 0.5161(3) -0.06156(15) 0.0449(9) Uani 1 1 d . . .  
H40A H 0.1599 0.5180 -0.0524 0.067 Uiso 1 1 calc R . .  
H40B H 0.1062 0.4964 -0.1019 0.067 Uiso 1 1 calc R . .  
H40C H 0.1190 0.4678 -0.0364 0.067 Uiso 1 1 calc R . .  
C41 C 0.18788(11) 0.7177(3) -0.03400(15) 0.0405(8) Uani 1 1 d . . .  
H41A H 0.2016 0.6516 -0.0345 0.061 Uiso 1 1 calc R . .  
H41B H 0.2083 0.7514 0.0023 0.061 Uiso 1 1 calc R . .  
H41C H 0.1873 0.7571 -0.0665 0.061 Uiso 1 1 calc R . .  
C42 C 0.11982(12) 0.8950(3) -0.03396(15) 0.0371(7) Uani 1 1 d . . .  
H42A H 0.1548 0.9007 -0.0249 0.056 Uiso 1 1 calc R . .  
H42B H 0.1135 0.9253 -0.0029 0.056 Uiso 1 1 calc R . .  
H42C H 0.1005 0.9294 -0.0704 0.056 Uiso 1 1 calc R . .  
C43 C 0.01312(11) 0.8075(3) -0.06269(14) 0.0360(7) Uani 1 1 d . . .  
H43A H -0.0147 0.7625 -0.0706 0.054 Uiso 1 1 calc R . .  
H43B H 0.0058 0.8515 -0.0959 0.054 Uiso 1 1 calc R . .  
H43C H 0.0188 0.8476 -0.0284 0.054 Uiso 1 1 calc R . .  
O1 O 0.17315(7) 0.78943(16) 0.08669(9) 0.0283(4) Uani 1 1 d . . .  
C44 C 0.22661(11) 0.7837(3) 0.11597(15) 0.0394(8) Uani 1 1 d . . .  
H44A H 0.2397 0.7396 0.0948 0.047 Uiso 1 1 calc R . .  
H44B H 0.2375 0.7583 0.1558 0.047 Uiso 1 1 calc R . .  
C45 C 0.24337(13) 0.8904(3) 0.11615(19) 0.0479(9) Uani 1 1 d . . .  
H45A H 0.2489 0.9040 0.0814 0.058 Uiso 1 1 calc R . .  
H45B H 0.2741 0.9035 0.1508 0.058 Uiso 1 1 calc R . .  
C46 C 0.20142(12) 0.9544(3) 0.11650(15) 0.0388(8) Uani 1 1 d . . .  
H46A H 0.1901 1.0028 0.0843 0.047 Uiso 1 1 calc R . .  
H46B H 0.2118 0.9911 0.1534 0.047 Uiso 1 1 calc R . .  
C47 C 0.16081(12) 0.8792(3) 0.10926(15) 0.0365(7) Uani 1 1 d . . .  
H47A H 0.1599 0.8657 0.1468 0.044 Uiso 1 1 calc R . .  
H47B H 0.1284 0.9049 0.0820 0.044 Uiso 1 1 calc R . .  
O2 O 0.24391(10) 0.63396(17) 0.5020(3) 0.1094(16) Uiso 0.50 1 d PD C -1  
C48 C 0.2169(2) 0.7096(3) 0.5155(5) 0.1094(16) Uiso 0.50 1 d PD C -1  
H48A H 0.2248 0.7093 0.5572 0.131 Uiso 0.50 1 calc PR C -1  
H48B H 0.1812 0.7000 0.4932 0.131 Uiso 0.50 1 calc PR C -1  
C49 C 0.23397(13) 0.80723(17) 0.4981(5) 0.1094(16) Uiso 0.50 1 d PD C -1  
H49A H 0.2422 0.8575 0.5291 0.131 Uiso 0.50 1 calc PR C -1  
H49B H 0.2078 0.8345 0.4624 0.131 Uiso 0.50 1 calc PR C -1  
C50 C 0.2797(4) 0.7808(3) 0.4884(8) 0.1094(16) Uiso 0.50 1 d PD C -1  
H50A H 0.3084 0.8201 0.5145 0.131 Uiso 0.50 1 calc PR C -1  
H50B H 0.2739 0.7948 0.4480 0.131 Uiso 0.50 1 calc PR C -1  
C51 C 0.2887(2) 0.6687(5) 0.5016(7) 0.1094(16) Uiso 0.50 1 d PD C -1  
H51A H 0.2954 0.6345 0.4714 0.131 Uiso 0.50 1 calc PR C -1  
H51B H 0.3167 0.6578 0.5395 0.131 Uiso 0.50 1 calc PR C -1  
O3 O 0.02400(13) 0.15923(18) 0.2558(6) 0.278(8) Uiso 0.50 1 d PD D -1



C52 C -0.01074(18) 0.2389(3) 0.2358(18) 0.278(8) Uiso 0.50 1 d PD D -1  
H52A H -0.0346 0.2349 0.2530 0.334 Uiso 0.50 1 calc PR D -1  
H52B H -0.0288 0.2377 0.1932 0.334 Uiso 0.50 1 calc PR D -1  
C53 C 0.02096(16) 0.33353(19) 0.2561(17) 0.278(8) Uiso 0.50 1 d PD D -1  
H53A H 0.0206 0.3709 0.2226 0.334 Uiso 0.50 1 calc PR D -1  
H53B H 0.0082 0.3774 0.2778 0.334 Uiso 0.50 1 calc PR D -1  
C54 C 0.0734(5) 0.2990(5) 0.2953(13) 0.278(8) Uiso 0.50 1 d PD D -1  
H54A H 0.0853 0.3316 0.3336 0.334 Uiso 0.50 1 calc PR D -1  
H54B H 0.0962 0.3157 0.2778 0.334 Uiso 0.50 1 calc PR D -1  
C55 C 0.0703(7) 0.1853(8) 0.3013(11) 0.278(8) Uiso 0.50 1 d PD D -1  
H55A H 0.0975 0.1512 0.2965 0.334 Uiso 0.50 1 calc PR D -1  
H55B H 0.0715 0.1676 0.3394 0.334 Uiso 0.50 1 calc PR D -1

loop\_

\_atom\_site\_aniso\_label  
\_atom\_site\_aniso\_U\_11  
\_atom\_site\_aniso\_U\_22  
\_atom\_site\_aniso\_U\_33  
\_atom\_site\_aniso\_U\_23  
\_atom\_site\_aniso\_U\_13  
\_atom\_site\_aniso\_U\_12

Ti1 0.0169(2) 0.0195(3) 0.0235(2) 0.00084(18) 0.00857(17) 0.00021(18)  
C1 0.0195(12) 0.0235(16) 0.0268(13) 0.0014(10) 0.0117(10) 0.0015(10)  
C2 0.0166(12) 0.0269(16) 0.0243(12) 0.0011(10) 0.0084(10) -0.0008(10)  
C3 0.0205(12) 0.0211(16) 0.0253(13) -0.0013(10) 0.0112(10) -0.0014(10)  
C4 0.0178(12) 0.0211(16) 0.0262(13) 0.0033(10) 0.0103(10) 0.0001(10)  
C5 0.0206(12) 0.0247(16) 0.0215(12) -0.0002(10) 0.0093(10) -0.0002(10)  
C6 0.0225(13) 0.0211(16) 0.0295(13) -0.0003(11) 0.0112(11) 0.0022(10)  
C7 0.0222(13) 0.0319(19) 0.0357(15) -0.0071(12) 0.0073(11) 0.0067(12)  
C8 0.0316(17) 0.034(2) 0.088(3) -0.0057(18) 0.0359(18) -0.0011(14)  
C9 0.055(2) 0.046(2) 0.067(2) 0.0181(18) 0.0456(19) 0.0174(17)  
C10 0.052(2) 0.056(3) 0.0374(17) 0.0132(16) 0.0268(16) 0.0276(18)  
C11 0.0244(13) 0.037(2) 0.0300(14) -0.0070(12) 0.0087(11) 0.0053(12)  
C12 0.0363(17) 0.039(2) 0.0420(17) -0.0139(14) 0.0141(14) 0.0024(14)  
C13 0.0358(16) 0.031(2) 0.0398(16) -0.0047(13) 0.0156(13) 0.0106(13)  
C14 0.0310(15) 0.037(2) 0.0373(16) -0.0025(13) 0.0097(13) 0.0134(13)  
C15 0.0439(19) 0.049(2) 0.057(2) 0.0047(17) 0.0321(17) 0.0158(16)  
B1 0.0214(14) 0.0182(17) 0.0267(14) 0.0011(11) 0.0083(11) 0.0013(11)  
F1 0.0317(9) 0.0384(13) 0.0443(10) -0.0094(8) 0.0108(8) -0.0061(8)  
F2 0.0701(16) 0.0619(17) 0.0465(12) -0.0258(11) 0.0040(11) 0.0018(12)  
F3 0.099(2) 0.111(3) 0.0407(12) -0.0194(13) 0.0282(13) 0.0345(18)  
F4 0.0625(14) 0.103(2) 0.0473(12) 0.0196(12) 0.0400(11) 0.0300(14)  
F5 0.0319(9) 0.0564(14) 0.0438(10) 0.0087(9) 0.0209(8) -0.0006(8)  
F11 0.0354(10) 0.0474(13) 0.0323(9) 0.0130(8) 0.0103(7) 0.0126(8)  
F12 0.0288(10) 0.0663(17) 0.0551(12) 0.0194(11) 0.0069(9) 0.0226(10)  
F13 0.0317(10) 0.0795(19) 0.0935(17) 0.0334(14) 0.0382(11) 0.0263(11)  
F14 0.0444(11) 0.0662(16) 0.0727(14) 0.0373(12) 0.0430(11) 0.0244(10)  
F15 0.0241(8) 0.0336(11) 0.0340(9) 0.0112(7) 0.0152(7) 0.0103(7)  
C16 0.0269(14) 0.0258(17) 0.0278(13) 0.0066(11) 0.0101(11) 0.0076(11)  
C17 0.0340(15) 0.0298(19) 0.0299(14) 0.0013(12) 0.0087(12) 0.0080(12)  
C18 0.054(2) 0.041(2) 0.0286(15) -0.0063(14) 0.0055(14) 0.0111(16)  
C19 0.068(3) 0.063(3) 0.0277(16) -0.0016(16) 0.0173(16) 0.028(2)  
C20 0.050(2) 0.059(3) 0.0353(17) 0.0148(16) 0.0250(15) 0.0247(18)  
C21 0.0331(16) 0.043(2) 0.0279(14) 0.0095(13) 0.0117(12) 0.0097(13)  
C28 0.0228(13) 0.0211(16) 0.0301(14) -0.0022(11) 0.0101(11) -0.0003(10)  
C29 0.0277(14) 0.0291(18) 0.0291(14) 0.0046(12) 0.0094(11) 0.0047(12)  
C30 0.0220(14) 0.038(2) 0.0448(17) 0.0056(14) 0.0058(12) 0.0098(12)  
C31 0.0247(15) 0.045(2) 0.060(2) 0.0125(16) 0.0232(14) 0.0111(14)  
C32 0.0312(15) 0.034(2) 0.0510(19) 0.0129(14) 0.0250(14) 0.0060(13)  
C33 0.0196(12) 0.0230(17) 0.0349(15) 0.0038(11) 0.0085(11) 0.0045(11)  
C34 0.0265(14) 0.0341(19) 0.0221(13) 0.0020(11) 0.0074(11) -0.0038(12)

C35 0.0338(15) 0.0325(19) 0.0227(13) -0.0004(11) 0.0125(11) 0.0015(12)  
 C36 0.0262(14) 0.0325(18) 0.0275(13) 0.0063(11) 0.0137(11) 0.0017(11)  
 C37 0.0236(13) 0.0285(18) 0.0312(14) 0.0052(12) 0.0111(11) -0.0014(11)  
 C38 0.0222(13) 0.0324(18) 0.0256(13) 0.0062(11) 0.0089(10) 0.0007(11)  
 C39 0.0404(18) 0.042(2) 0.0339(16) -0.0048(14) 0.0116(14) -0.0150(15)  
 C40 0.059(2) 0.041(2) 0.0373(17) -0.0081(15) 0.0220(16) 0.0070(16)  
 C41 0.0287(15) 0.053(2) 0.0454(18) 0.0116(16) 0.0213(14) 0.0063(14)  
 C42 0.0356(16) 0.0268(19) 0.0448(17) 0.0096(13) 0.0130(13) -0.0024(13)  
 C43 0.0248(14) 0.047(2) 0.0355(15) 0.0144(14) 0.0117(12) 0.0087(13)  
 O1 0.0225(9) 0.0257(12) 0.0371(11) -0.0045(8) 0.0131(8) -0.0040(8)  
 C44 0.0228(14) 0.040(2) 0.0483(18) 0.0017(15) 0.0084(13) -0.0034(13)  
 C45 0.0312(17) 0.041(2) 0.071(2) -0.0110(18) 0.0207(16) -0.0130(14)  
 C46 0.0392(17) 0.028(2) 0.0495(19) -0.0088(14) 0.0190(15) -0.0109(13)  
 C47 0.0372(17) 0.0257(19) 0.0514(18) -0.0135(14) 0.0233(14) -0.0071(13)

\_geom\_special\_details

;

All esds (except the esd in the dihedral angle between two l.s. planes)  
 are estimated using the full covariance matrix. The cell esds are taken  
 into account individually in the estimation of esds in distances, angles  
 and torsion angles; correlations between esds in cell parameters are only  
 used when they are defined by crystal symmetry. An approximate (isotropic)  
 treatment of cell esds is used for estimating esds involving l.s. planes.

;

loop\_

\_geom\_bond\_atom\_site\_label\_1  
 \_geom\_bond\_atom\_site\_label\_2  
 \_geom\_bond\_distance  
 \_geom\_bond\_site\_symmetry\_2  
 \_geom\_bond\_publ\_flag  
 Ti1 O1 2.238(2) . ?  
 Ti1 F15 2.3063(16) . ?  
 Ti1 C2 2.313(3) . ?  
 Ti1 C3 2.321(3) . ?  
 Ti1 C36 2.335(3) . ?  
 Ti1 C35 2.356(3) . ?  
 Ti1 C1 2.383(3) . ?  
 Ti1 C5 2.386(3) . ?  
 Ti1 C37 2.393(3) . ?  
 Ti1 C34 2.415(3) . ?  
 Ti1 C38 2.421(3) . ?  
 Ti1 C4 2.424(3) . ?  
 C1 C2 1.417(4) . ?  
 C1 C5 1.430(4) . ?  
 C1 C6 1.521(4) . ?  
 C2 C3 1.424(4) . ?  
 C3 C4 1.432(4) . ?  
 C4 C5 1.409(4) . ?  
 C4 B1 1.650(4) . ?  
 C6 C11 1.537(4) . ?  
 C6 C7 1.549(4) . ?  
 C7 C8 1.525(5) . ?  
 C7 C14 1.535(4) . ?  
 C8 C9 1.532(6) . ?  
 C9 C15 1.527(5) . ?  
 C9 C10 1.532(5) . ?  
 C10 C11 1.522(5) . ?  
 C11 C12 1.532(5) . ?  
 C12 C13 1.530(4) . ?  
 C13 C14 1.520(4) . ?

C13 C15 1.526(5) . ?  
B1 C16 1.647(4) . ?  
B1 C28 1.656(4) . ?  
B1 C22A 1.697(4) . ?  
B1 C22B 1.717(4) . ?  
F1 C17 1.364(4) . ?  
F2 C18 1.346(5) . ?  
F3 C19 1.335(4) . ?  
F4 C20 1.347(4) . ?  
F5 C21 1.356(4) . ?  
F6A C23A 1.277(6) . ?  
F7A C24A 1.298(5) . ?  
F8A C25A 1.376(5) . ?  
F9A C26A 1.365(5) . ?  
F10A C27A 1.310(5) . ?  
F6B C23B 1.349(6) . ?  
F7B C24B 1.368(6) . ?  
F8B C25B 1.363(6) . ?  
F9B C26B 1.305(6) . ?  
F10B C27B 1.280(6) . ?  
F11 C29 1.352(3) . ?  
F12 C30 1.345(3) . ?  
F13 C31 1.342(4) . ?  
F14 C32 1.340(4) . ?  
F15 C33 1.391(3) . ?  
C16 C17 1.383(4) . ?  
C16 C21 1.398(4) . ?  
C17 C18 1.383(5) . ?  
C18 C19 1.370(6) . ?  
C19 C20 1.390(6) . ?  
C20 C21 1.370(5) . ?  
C22A C23A 1.3900 . ?  
C22A C27A 1.3900 . ?  
C23A C24A 1.3900 . ?  
C24A C25A 1.3900 . ?  
C25A C26A 1.3900 . ?  
C26A C27A 1.3900 . ?  
C22B C23B 1.3900 . ?  
C22B C27B 1.3900 . ?  
C23B C24B 1.3900 . ?  
C24B C25B 1.3901 . ?  
C25B C26B 1.3899 . ?  
C26B C27B 1.3900 . ?  
C28 C33 1.369(4) . ?  
C28 C29 1.397(4) . ?  
C29 C30 1.375(4) . ?  
C30 C31 1.371(5) . ?  
C31 C32 1.376(5) . ?  
C32 C33 1.381(4) . ?  
C34 C38 1.415(5) . ?  
C34 C35 1.422(4) . ?  
C34 C39 1.508(4) . ?  
C35 C36 1.426(4) . ?  
C35 C40 1.499(5) . ?  
C36 C37 1.421(4) . ?  
C36 C41 1.501(4) . ?  
C37 C38 1.423(4) . ?  
C37 C42 1.500(5) . ?  
C38 C43 1.504(4) . ?  
O1 C47 1.451(4) . ?  
O1 C44 1.460(4) . ?

C44 C45 1.518(5) . ?  
C45 C46 1.530(5) . ?  
C46 C47 1.534(4) . ?  
O2 C48 1.42999(11) . ?  
O2 C51 1.43000(14) . ?  
C48 C49 1.53999(12) . ?  
C49 C50 1.54000(15) . ?  
C50 C51 1.54000(13) . ?  
O3 C55 1.43000(17) . ?  
O3 C52 1.43000(15) . ?  
C52 C53 1.54000(19) . ?  
C53 C54 1.54000(18) . ?  
C54 C55 1.54000(14) . ?

loop\_

\_geom\_angle\_atom\_site\_label\_1  
\_geom\_angle\_atom\_site\_label\_2  
\_geom\_angle\_atom\_site\_label\_3  
\_geom\_angle  
\_geom\_angle\_site\_symmetry\_1  
\_geom\_angle\_site\_symmetry\_3  
\_geom\_angle\_publ\_flag  
O1 Ti1 F15 78.09(7) . . ?  
O1 Ti1 C2 130.60(9) . . ?  
F15 Ti1 C2 126.23(9) . . ?  
O1 Ti1 C3 134.75(9) . . ?  
F15 Ti1 C3 90.61(8) . . ?  
C2 Ti1 C3 35.79(10) . . ?  
O1 Ti1 C36 86.26(9) . . ?  
F15 Ti1 C36 79.13(8) . . ?  
C2 Ti1 C36 135.54(10) . . ?  
C3 Ti1 C36 134.86(11) . . ?  
O1 Ti1 C35 120.49(10) . . ?  
F15 Ti1 C35 79.62(9) . . ?  
C2 Ti1 C35 106.94(10) . . ?  
C3 Ti1 C35 99.67(10) . . ?  
C36 Ti1 C35 35.39(11) . . ?  
O1 Ti1 C1 95.54(9) . . ?  
F15 Ti1 C1 129.70(8) . . ?  
C2 Ti1 C1 35.09(10) . . ?  
C3 Ti1 C1 58.90(10) . . ?  
C36 Ti1 C1 150.92(10) . . ?  
C35 Ti1 C1 139.33(10) . . ?  
O1 Ti1 C5 80.25(9) . . ?  
F15 Ti1 C5 95.67(8) . . ?  
C2 Ti1 C5 57.45(9) . . ?  
C3 Ti1 C5 57.18(9) . . ?  
C36 Ti1 C5 166.31(10) . . ?  
C35 Ti1 C5 156.54(11) . . ?  
C1 Ti1 C5 34.89(9) . . ?  
O1 Ti1 C37 80.71(9) . . ?  
F15 Ti1 C37 111.47(8) . . ?  
C2 Ti1 C37 116.91(10) . . ?  
C3 Ti1 C37 142.73(9) . . ?  
C36 Ti1 C37 34.95(11) . . ?  
C35 Ti1 C37 58.12(11) . . ?  
C1 Ti1 C37 116.62(10) . . ?  
C5 Ti1 C37 142.55(11) . . ?  
O1 Ti1 C34 137.57(9) . . ?  
F15 Ti1 C34 112.10(9) . . ?  
C2 Ti1 C34 78.04(10) . . ?

C3 Ti1 C34 87.37(10) . . ?  
C36 Ti1 C34 57.72(10) . . ?  
C35 Ti1 C34 34.65(10) . . ?  
C1 Ti1 C34 105.77(10) . . ?  
C5 Ti1 C34 135.49(9) . . ?  
C37 Ti1 C34 57.01(10) . . ?  
O1 Ti1 C38 109.50(9) . . ?  
F15 Ti1 C38 134.72(8) . . ?  
C2 Ti1 C38 83.65(9) . . ?  
C3 Ti1 C38 109.31(9) . . ?  
C36 Ti1 C38 57.76(9) . . ?  
C35 Ti1 C38 57.65(10) . . ?  
C1 Ti1 C38 94.77(9) . . ?  
C5 Ti1 C38 129.44(9) . . ?  
C37 Ti1 C38 34.37(9) . . ?  
C34 Ti1 C38 34.02(11) . . ?  
O1 Ti1 C4 100.46(8) . . ?  
F15 Ti1 C4 73.45(7) . . ?  
C2 Ti1 C4 58.73(9) . . ?  
C3 Ti1 C4 35.05(9) . . ?  
C36 Ti1 C4 149.60(10) . . ?  
C35 Ti1 C4 124.30(11) . . ?  
C1 Ti1 C4 58.58(9) . . ?  
C5 Ti1 C4 34.05(10) . . ?  
C37 Ti1 C4 175.08(9) . . ?  
C34 Ti1 C4 121.97(10) . . ?  
C38 Ti1 C4 141.89(9) . . ?  
C2 C1 C5 105.1(2) . . ?  
C2 C1 C6 126.9(2) . . ?  
C5 C1 C6 127.4(2) . . ?  
C2 C1 Ti1 69.74(15) . . ?  
C5 C1 Ti1 72.67(15) . . ?  
C6 C1 Ti1 128.74(19) . . ?  
C1 C2 C3 109.0(2) . . ?  
C1 C2 Ti1 75.17(15) . . ?  
C3 C2 Ti1 72.42(15) . . ?  
C2 C3 C4 109.0(2) . . ?  
C2 C3 Ti1 71.79(15) . . ?  
C4 C3 Ti1 76.39(16) . . ?  
C5 C4 C3 105.0(2) . . ?  
C5 C4 B1 122.7(2) . . ?  
C3 C4 B1 131.3(3) . . ?  
C5 C4 Ti1 71.51(15) . . ?  
C3 C4 Ti1 68.56(15) . . ?  
B1 C4 Ti1 132.63(17) . . ?  
C4 C5 C1 111.9(2) . . ?  
C4 C5 Ti1 74.44(15) . . ?  
C1 C5 Ti1 72.45(15) . . ?  
C1 C6 C11 112.5(2) . . ?  
C1 C6 C7 112.9(2) . . ?  
C11 C6 C7 107.9(2) . . ?  
C8 C7 C14 109.3(3) . . ?  
C8 C7 C6 110.7(3) . . ?  
C14 C7 C6 108.5(3) . . ?  
C7 C8 C9 109.8(3) . . ?  
C15 C9 C10 110.6(4) . . ?  
C15 C9 C8 108.9(3) . . ?  
C10 C9 C8 108.6(3) . . ?  
C11 C10 C9 109.7(3) . . ?  
C10 C11 C12 109.2(3) . . ?  
C10 C11 C6 111.0(3) . . ?

C12 C11 C6 108.9(2) . . ?  
C13 C12 C11 109.9(3) . . ?  
C14 C13 C15 109.1(3) . . ?  
C14 C13 C12 109.0(3) . . ?  
C15 C13 C12 109.9(3) . . ?  
C13 C14 C7 109.9(3) . . ?  
C13 C15 C9 109.5(3) . . ?  
C16 B1 C4 101.5(2) . . ?  
C16 B1 C28 111.9(2) . . ?  
C4 B1 C28 116.2(2) . . ?  
C16 B1 C22A 108.9(2) . . ?  
C4 B1 C22A 115.2(2) . . ?  
C28 B1 C22A 103.2(2) . . ?  
C16 B1 C22B 118.1(2) . . ?  
C4 B1 C22B 111.0(2) . . ?  
C28 B1 C22B 98.9(2) . . ?  
C22A B1 C22B 9.2 . . ?  
C33 F15 Ti1 146.15(16) . . ?  
C17 C16 C21 113.1(3) . . ?  
C17 C16 B1 127.6(3) . . ?  
C21 C16 B1 118.5(3) . . ?  
F1 C17 C16 121.0(3) . . ?  
F1 C17 C18 114.1(3) . . ?  
C16 C17 C18 124.8(3) . . ?  
F2 C18 C19 120.4(3) . . ?  
F2 C18 C17 120.4(4) . . ?  
C19 C18 C17 119.3(3) . . ?  
F3 C19 C18 120.8(4) . . ?  
F3 C19 C20 120.1(4) . . ?  
C18 C19 C20 119.0(3) . . ?  
F4 C20 C21 120.8(4) . . ?  
F4 C20 C19 119.9(3) . . ?  
C21 C20 C19 119.3(3) . . ?  
F5 C21 C20 116.4(3) . . ?  
F5 C21 C16 119.1(3) . . ?  
C20 C21 C16 124.5(3) . . ?  
C23A C22A C27A 120.0 . . ?  
C23A C22A B1 124.57(18) . . ?  
C27A C22A B1 115.18(18) . . ?  
F6A C23A C22A 124.1(3) . . ?  
F6A C23A C24A 115.5(3) . . ?  
C22A C23A C24A 120.0 . . ?  
F7A C24A C23A 122.4(3) . . ?  
F7A C24A C25A 117.5(3) . . ?  
C23A C24A C25A 120.0 . . ?  
F8A C25A C26A 118.2(3) . . ?  
F8A C25A C24A 121.8(3) . . ?  
C26A C25A C24A 120.0 . . ?  
F9A C26A C25A 119.2(3) . . ?  
F9A C26A C27A 120.8(3) . . ?  
C25A C26A C27A 120.0 . . ?  
F10A C27A C26A 115.3(3) . . ?  
F10A C27A C22A 124.6(3) . . ?  
C26A C27A C22A 120.0 . . ?  
C23B C22B C27B 120.0 . . ?  
C23B C22B B1 122.16(18) . . ?  
C27B C22B B1 117.79(18) . . ?  
F6B C23B C24B 114.7(3) . . ?  
F6B C23B C22B 125.3(3) . . ?  
C24B C23B C22B 120.0 . . ?  
F7B C24B C23B 121.5(3) . . ?

F7B C24B C25B 118.5(3) . . ?  
C23B C24B C25B 120.0 . . ?  
F8B C25B C26B 120.7(4) . . ?  
F8B C25B C24B 119.2(4) . . ?  
C26B C25B C24B 120.0 . . ?  
F9B C26B C25B 119.7(3) . . ?  
F9B C26B C27B 120.2(3) . . ?  
C25B C26B C27B 120.0 . . ?  
F10B C27B C26B 118.3(3) . . ?  
F10B C27B C22B 121.5(3) . . ?  
C26B C27B C22B 120.0 . . ?  
C33 C28 C29 112.3(3) . . ?  
C33 C28 B1 126.6(2) . . ?  
C29 C28 B1 120.8(3) . . ?  
F11 C29 C30 115.9(3) . . ?  
F11 C29 C28 119.0(3) . . ?  
C30 C29 C28 125.1(3) . . ?  
F12 C30 C31 119.7(3) . . ?  
F12 C30 C29 121.2(3) . . ?  
C31 C30 C29 119.1(3) . . ?  
F13 C31 C30 120.4(3) . . ?  
F13 C31 C32 120.7(3) . . ?  
C30 C31 C32 118.9(3) . . ?  
F14 C32 C31 120.0(3) . . ?  
F14 C32 C33 120.8(3) . . ?  
C31 C32 C33 119.1(3) . . ?  
C28 C33 C32 125.4(3) . . ?  
C28 C33 F15 120.5(2) . . ?  
C32 C33 F15 114.1(3) . . ?  
C38 C34 C35 108.6(3) . . ?  
C38 C34 C39 126.4(3) . . ?  
C35 C34 C39 124.4(3) . . ?  
C38 C34 Ti1 73.21(16) . . ?  
C35 C34 Ti1 70.38(15) . . ?  
C39 C34 Ti1 129.0(2) . . ?  
C34 C35 C36 107.3(3) . . ?  
C34 C35 C40 125.8(3) . . ?  
C36 C35 C40 126.6(3) . . ?  
C34 C35 Ti1 74.97(16) . . ?  
C36 C35 Ti1 71.53(16) . . ?  
C40 C35 Ti1 123.8(2) . . ?  
C37 C36 C35 108.3(3) . . ?  
C37 C36 C41 125.0(3) . . ?  
C35 C36 C41 126.2(3) . . ?  
C37 C36 Ti1 74.75(16) . . ?  
C35 C36 Ti1 73.08(16) . . ?  
C41 C36 Ti1 125.2(2) . . ?  
C36 C37 C38 107.8(3) . . ?  
C36 C37 C42 124.9(3) . . ?  
C38 C37 C42 127.0(3) . . ?  
C36 C37 Ti1 70.30(16) . . ?  
C38 C37 Ti1 73.88(16) . . ?  
C42 C37 Ti1 126.2(2) . . ?  
C34 C38 C37 107.9(3) . . ?  
C34 C38 C43 126.1(3) . . ?  
C37 C38 C43 125.4(3) . . ?  
C34 C38 Ti1 72.77(15) . . ?  
C37 C38 Ti1 71.75(16) . . ?  
C43 C38 Ti1 127.8(2) . . ?  
C47 O1 C44 104.6(2) . . ?  
C47 O1 Ti1 121.43(16) . . ?

C44 O1 Ti1 131.92(19) . . ?  
O1 C44 C45 104.1(3) . . ?  
C44 C45 C46 104.8(3) . . ?  
C45 C46 C47 104.3(3) . . ?  
O1 C47 C46 105.6(2) . . ?  
C48 O2 C51 113.8(3) . . ?  
O2 C48 C49 104.003(10) . . ?  
C48 C49 C50 106.25(15) . . ?  
C49 C50 C51 106.0(2) . . ?  
O2 C51 C50 104.002(10) . . ?  
C55 O3 C52 114.8(10) . . ?  
O3 C52 C53 104.001(14) . . ?  
C54 C53 C52 106.8(3) . . ?  
C53 C54 C55 105.9(7) . . ?  
O3 C55 C54 104.002(10) . . ?

loop\_

\_geom\_torsion\_atom\_site\_label\_1  
\_geom\_torsion\_atom\_site\_label\_2  
\_geom\_torsion\_atom\_site\_label\_3  
\_geom\_torsion\_atom\_site\_label\_4  
\_geom\_torsion  
\_geom\_torsion\_site\_symmetry\_1  
\_geom\_torsion\_site\_symmetry\_2  
\_geom\_torsion\_site\_symmetry\_3  
\_geom\_torsion\_site\_symmetry\_4  
\_geom\_torsion\_publ\_flag  
O1 Ti1 C1 C2 -178.01(16) . . . . ?  
F15 Ti1 C1 C2 -98.89(17) . . . . ?  
C3 Ti1 C1 C2 -37.88(16) . . . . ?  
C36 Ti1 C1 C2 89.7(3) . . . . ?  
C35 Ti1 C1 C2 28.5(2) . . . . ?  
C5 Ti1 C1 C2 -113.9(2) . . . . ?  
C37 Ti1 C1 C2 99.62(17) . . . . ?  
C34 Ti1 C1 C2 39.05(18) . . . . ?  
C38 Ti1 C1 C2 71.84(17) . . . . ?  
C4 Ti1 C1 C2 -79.12(17) . . . . ?  
O1 Ti1 C1 C5 -64.11(17) . . . . ?  
F15 Ti1 C1 C5 15.0(2) . . . . ?  
C2 Ti1 C1 C5 113.9(2) . . . . ?  
C3 Ti1 C1 C5 76.02(17) . . . . ?  
C36 Ti1 C1 C5 -156.4(2) . . . . ?  
C35 Ti1 C1 C5 142.37(18) . . . . ?  
C37 Ti1 C1 C5 -146.48(17) . . . . ?  
C34 Ti1 C1 C5 152.96(17) . . . . ?  
C38 Ti1 C1 C5 -174.26(17) . . . . ?  
C4 Ti1 C1 C5 34.78(16) . . . . ?  
O1 Ti1 C1 C6 60.4(2) . . . . ?  
F15 Ti1 C1 C6 139.5(2) . . . . ?  
C2 Ti1 C1 C6 -121.6(3) . . . . ?  
C3 Ti1 C1 C6 -159.5(3) . . . . ?  
C36 Ti1 C1 C6 -31.9(4) . . . . ?  
C35 Ti1 C1 C6 -93.2(3) . . . . ?  
C5 Ti1 C1 C6 124.5(3) . . . . ?  
C37 Ti1 C1 C6 -22.0(3) . . . . ?  
C34 Ti1 C1 C6 -82.6(2) . . . . ?  
C38 Ti1 C1 C6 -49.8(2) . . . . ?  
C4 Ti1 C1 C6 159.2(3) . . . . ?  
C5 C1 C2 C3 0.4(3) . . . . ?  
C6 C1 C2 C3 -171.1(3) . . . . ?  
Ti1 C1 C2 C3 65.05(18) . . . . ?



C5 C1 C2 Ti1 -64.65(18) . . . . ?  
C6 C1 C2 Ti1 123.8(3) . . . . ?  
O1 Ti1 C2 C1 2.6(2) . . . . ?  
F15 Ti1 C2 C1 109.54(16) . . . . ?  
C3 Ti1 C2 C1 116.0(2) . . . . ?  
C36 Ti1 C2 C1 -136.06(18) . . . . ?  
C35 Ti1 C2 C1 -161.05(16) . . . . ?  
C5 Ti1 C2 C1 38.34(16) . . . . ?  
C37 Ti1 C2 C1 -98.73(17) . . . . ?  
C34 Ti1 C2 C1 -141.70(18) . . . . ?  
C38 Ti1 C2 C1 -107.69(17) . . . . ?  
C4 Ti1 C2 C1 78.67(17) . . . . ?  
O1 Ti1 C2 C3 -113.36(16) . . . . ?  
F15 Ti1 C2 C3 -6.43(19) . . . . ?  
C36 Ti1 C2 C3 107.96(19) . . . . ?  
C35 Ti1 C2 C3 82.98(17) . . . . ?  
C1 Ti1 C2 C3 -116.0(2) . . . . ?  
C5 Ti1 C2 C3 -77.63(16) . . . . ?  
C37 Ti1 C2 C3 145.30(16) . . . . ?  
C34 Ti1 C2 C3 102.33(17) . . . . ?  
C38 Ti1 C2 C3 136.34(17) . . . . ?  
C4 Ti1 C2 C3 -37.30(15) . . . . ?  
C1 C2 C3 C4 1.1(3) . . . . ?  
Ti1 C2 C3 C4 67.98(18) . . . . ?  
C1 C2 C3 Ti1 -66.84(19) . . . . ?  
O1 Ti1 C3 C2 101.07(17) . . . . ?  
F15 Ti1 C3 C2 174.81(15) . . . . ?  
C36 Ti1 C3 C2 -109.98(18) . . . . ?  
C35 Ti1 C3 C2 -105.61(16) . . . . ?  
C1 Ti1 C3 C2 37.12(15) . . . . ?  
C5 Ti1 C3 C2 78.45(16) . . . . ?  
C37 Ti1 C3 C2 -57.0(2) . . . . ?  
C34 Ti1 C3 C2 -73.09(16) . . . . ?  
C38 Ti1 C3 C2 -46.64(17) . . . . ?  
C4 Ti1 C3 C2 115.6(2) . . . . ?  
O1 Ti1 C3 C4 -14.5(2) . . . . ?  
F15 Ti1 C3 C4 59.24(15) . . . . ?  
C2 Ti1 C3 C4 -115.6(2) . . . . ?  
C36 Ti1 C3 C4 134.45(17) . . . . ?  
C35 Ti1 C3 C4 138.82(16) . . . . ?  
C1 Ti1 C3 C4 -78.45(16) . . . . ?  
C5 Ti1 C3 C4 -37.12(15) . . . . ?  
C37 Ti1 C3 C4 -172.55(17) . . . . ?  
C34 Ti1 C3 C4 171.34(17) . . . . ?  
C38 Ti1 C3 C4 -162.22(15) . . . . ?  
C2 C3 C4 C5 -2.2(3) . . . . ?  
Ti1 C3 C4 C5 62.76(18) . . . . ?  
C2 C3 C4 B1 166.5(3) . . . . ?  
Ti1 C3 C4 B1 -128.6(3) . . . . ?  
C2 C3 C4 Ti1 -64.96(18) . . . . ?  
O1 Ti1 C4 C5 54.50(15) . . . . ?  
F15 Ti1 C4 C5 128.61(16) . . . . ?  
C2 Ti1 C4 C5 -76.97(16) . . . . ?  
C3 Ti1 C4 C5 -115.1(2) . . . . ?  
C36 Ti1 C4 C5 155.08(19) . . . . ?  
C35 Ti1 C4 C5 -166.87(15) . . . . ?  
C1 Ti1 C4 C5 -35.64(15) . . . . ?  
C37 Ti1 C4 C5 -48.8(12) . . . . ?  
C34 Ti1 C4 C5 -125.30(16) . . . . ?  
C38 Ti1 C4 C5 -87.2(2) . . . . ?  
O1 Ti1 C4 C3 169.58(15) . . . . ?

F15 Ti1 C4 C3 -116.31(16) . . . . ?  
C2 Ti1 C4 C3 38.11(16) . . . . ?  
C36 Ti1 C4 C3 -89.8(2) . . . . ?  
C35 Ti1 C4 C3 -51.79(19) . . . . ?  
C1 Ti1 C4 C3 79.45(17) . . . . ?  
C5 Ti1 C4 C3 115.1(2) . . . . ?  
C37 Ti1 C4 C3 66.3(12) . . . . ?  
C34 Ti1 C4 C3 -10.2(2) . . . . ?  
C38 Ti1 C4 C3 27.8(2) . . . . ?  
O1 Ti1 C4 B1 -63.4(3) . . . . ?  
F15 Ti1 C4 B1 10.8(2) . . . . ?  
C2 Ti1 C4 B1 165.2(3) . . . . ?  
C3 Ti1 C4 B1 127.1(3) . . . . ?  
C36 Ti1 C4 B1 37.2(4) . . . . ?  
C35 Ti1 C4 B1 75.3(3) . . . . ?  
C1 Ti1 C4 B1 -153.5(3) . . . . ?  
C5 Ti1 C4 B1 -117.9(3) . . . . ?  
C37 Ti1 C4 B1 -166.7(11) . . . . ?  
C34 Ti1 C4 B1 116.8(2) . . . . ?  
C38 Ti1 C4 B1 154.9(2) . . . . ?  
C3 C4 C5 C1 2.5(3) . . . . ?  
B1 C4 C5 C1 -167.4(2) . . . . ?  
Ti1 C4 C5 C1 63.29(19) . . . . ?  
C3 C4 C5 Ti1 -60.77(17) . . . . ?  
B1 C4 C5 Ti1 129.3(2) . . . . ?  
C2 C1 C5 C4 -1.9(3) . . . . ?  
C6 C1 C5 C4 169.6(3) . . . . ?  
Ti1 C1 C5 C4 -64.50(19) . . . . ?  
C2 C1 C5 Ti1 62.64(18) . . . . ?  
C6 C1 C5 Ti1 -125.9(3) . . . . ?  
O1 Ti1 C5 C4 -125.68(15) . . . . ?  
F15 Ti1 C5 C4 -48.83(15) . . . . ?  
C2 Ti1 C5 C4 81.06(17) . . . . ?  
C3 Ti1 C5 C4 38.23(14) . . . . ?  
C36 Ti1 C5 C4 -115.7(4) . . . . ?  
C35 Ti1 C5 C4 28.1(3) . . . . ?  
C1 Ti1 C5 C4 119.6(2) . . . . ?  
C37 Ti1 C5 C4 173.91(15) . . . . ?  
C34 Ti1 C5 C4 81.00(19) . . . . ?  
C38 Ti1 C5 C4 127.04(16) . . . . ?  
O1 Ti1 C5 C1 114.70(17) . . . . ?  
F15 Ti1 C5 C1 -168.45(16) . . . . ?  
C2 Ti1 C5 C1 -38.57(16) . . . . ?  
C3 Ti1 C5 C1 -81.39(17) . . . . ?  
C36 Ti1 C5 C1 124.7(4) . . . . ?  
C35 Ti1 C5 C1 -91.5(3) . . . . ?  
C37 Ti1 C5 C1 54.3(2) . . . . ?  
C34 Ti1 C5 C1 -38.6(2) . . . . ?  
C38 Ti1 C5 C1 7.4(2) . . . . ?  
C4 Ti1 C5 C1 -119.6(2) . . . . ?  
C2 C1 C6 C11 148.5(3) . . . . ?  
C5 C1 C6 C11 -21.1(4) . . . . ?  
Ti1 C1 C6 C11 -118.8(2) . . . . ?  
C2 C1 C6 C7 26.2(4) . . . . ?  
C5 C1 C6 C7 -143.5(3) . . . . ?  
Ti1 C1 C6 C7 118.9(2) . . . . ?  
C1 C6 C7 C8 66.8(3) . . . . ?  
C11 C6 C7 C8 -58.1(3) . . . . ?  
C1 C6 C7 C14 -173.2(2) . . . . ?  
C11 C6 C7 C14 61.9(3) . . . . ?  
C14 C7 C8 C9 -59.2(3) . . . . ?

C6 C7 C8 C9 60.3(3) . . . . ?  
C7 C8 C9 C15 60.2(4) . . . . ?  
C7 C8 C9 C10 -60.3(4) . . . . ?  
C15 C9 C10 C11 -59.1(4) . . . . ?  
C8 C9 C10 C11 60.3(4) . . . . ?  
C9 C10 C11 C12 59.3(4) . . . . ?  
C9 C10 C11 C6 -60.6(4) . . . . ?  
C1 C6 C11 C10 -66.8(3) . . . . ?  
C7 C6 C11 C10 58.3(3) . . . . ?  
C1 C6 C11 C12 173.0(2) . . . . ?  
C7 C6 C11 C12 -61.9(3) . . . . ?  
C10 C11 C12 C13 -60.0(3) . . . . ?  
C6 C11 C12 C13 61.3(3) . . . . ?  
C11 C12 C13 C14 -59.8(4) . . . . ?  
C11 C12 C13 C15 59.8(4) . . . . ?  
C15 C13 C14 C7 -60.1(3) . . . . ?  
C12 C13 C14 C7 60.0(4) . . . . ?  
C8 C7 C14 C13 59.3(4) . . . . ?  
C6 C7 C14 C13 -61.6(4) . . . . ?  
C14 C13 C15 C9 61.1(4) . . . . ?  
C12 C13 C15 C9 -58.5(4) . . . . ?  
C10 C9 C15 C13 58.3(4) . . . . ?  
C8 C9 C15 C13 -60.9(4) . . . . ?  
C5 C4 B1 C16 27.1(3) . . . . ?  
C3 C4 B1 C16 -139.8(3) . . . . ?  
Ti1 C4 B1 C16 121.7(2) . . . . ?  
C5 C4 B1 C28 -94.5(3) . . . . ?  
C3 C4 B1 C28 98.6(3) . . . . ?  
Ti1 C4 B1 C28 0.1(4) . . . . ?  
C5 C4 B1 C22A 144.6(3) . . . . ?  
C3 C4 B1 C22A -22.3(4) . . . . ?  
Ti1 C4 B1 C22A -120.8(2) . . . . ?  
C5 C4 B1 C22B 153.6(2) . . . . ?  
C3 C4 B1 C22B -13.4(4) . . . . ?  
Ti1 C4 B1 C22B -111.9(2) . . . . ?  
O1 Ti1 F15 C33 77.8(3) . . . . ?  
C2 Ti1 F15 C33 -54.3(3) . . . . ?  
C3 Ti1 F15 C33 -58.0(3) . . . . ?  
C36 Ti1 F15 C33 166.2(3) . . . . ?  
C35 Ti1 F15 C33 -157.8(3) . . . . ?  
C1 Ti1 F15 C33 -9.5(3) . . . . ?  
C5 Ti1 F15 C33 -1.0(3) . . . . ?  
C37 Ti1 F15 C33 152.7(3) . . . . ?  
C34 Ti1 F15 C33 -145.5(3) . . . . ?  
C38 Ti1 F15 C33 -176.5(3) . . . . ?  
C4 Ti1 F15 C33 -27.1(3) . . . . ?  
C4 B1 C16 C17 -106.5(3) . . . . ?  
C28 B1 C16 C17 18.0(4) . . . . ?  
C22A B1 C16 C17 131.5(3) . . . . ?  
C22B B1 C16 C17 131.9(3) . . . . ?  
C4 B1 C16 C21 63.0(3) . . . . ?  
C28 B1 C16 C21 -172.4(3) . . . . ?  
C22A B1 C16 C21 -59.0(3) . . . . ?  
C22B B1 C16 C21 -58.6(3) . . . . ?  
C21 C16 C17 F1 -177.1(3) . . . . ?  
B1 C16 C17 F1 -7.1(5) . . . . ?  
C21 C16 C17 C18 -0.1(5) . . . . ?  
B1 C16 C17 C18 169.9(3) . . . . ?  
F1 C17 C18 F2 -2.0(5) . . . . ?  
C16 C17 C18 F2 -179.2(3) . . . . ?  
F1 C17 C18 C19 177.3(3) . . . . ?

C16 C17 C18 C19 0.2(6) . . . . ?  
F2 C18 C19 F3 0.9(6) . . . . ?  
C17 C18 C19 F3 -178.5(4) . . . . ?  
F2 C18 C19 C20 179.4(4) . . . . ?  
C17 C18 C19 C20 0.1(6) . . . . ?  
F3 C19 C20 F4 0.0(6) . . . . ?  
C18 C19 C20 F4 -178.6(3) . . . . ?  
F3 C19 C20 C21 178.2(3) . . . . ?  
C18 C19 C20 C21 -0.4(6) . . . . ?  
F4 C20 C21 F5 1.2(5) . . . . ?  
C19 C20 C21 F5 -177.0(3) . . . . ?  
F4 C20 C21 C16 178.6(3) . . . . ?  
C19 C20 C21 C16 0.5(5) . . . . ?  
C17 C16 C21 F5 177.2(3) . . . . ?  
B1 C16 C21 F5 6.3(4) . . . . ?  
C17 C16 C21 C20 -0.2(5) . . . . ?  
B1 C16 C21 C20 -171.2(3) . . . . ?  
C16 B1 C22A C23A -11.8(3) . . . . ?  
C4 B1 C22A C23A -125.0(2) . . . . ?  
C28 B1 C22A C23A 107.2(2) . . . . ?  
C22B B1 C22A C23A 170.15(12) . . . . ?  
C16 B1 C22A C27A 173.98(17) . . . . ?  
C4 B1 C22A C27A 60.8(3) . . . . ?  
C28 B1 C22A C27A -66.9(2) . . . . ?  
C22B B1 C22A C27A -4.03(8) . . . . ?  
C27A C22A C23A F6A 172.6(4) . . . . ?  
B1 C22A C23A F6A -1.3(4) . . . . ?  
C27A C22A C23A C24A 0.0 . . . . ?  
B1 C22A C23A C24A -173.9(2) . . . . ?  
F6A C23A C24A F7A 3.3(4) . . . . ?  
C22A C23A C24A F7A 176.5(3) . . . . ?  
F6A C23A C24A C25A -173.2(3) . . . . ?  
C22A C23A C24A C25A 0.0 . . . . ?  
F7A C24A C25A F8A 3.0(4) . . . . ?  
C23A C24A C25A F8A 179.7(3) . . . . ?  
F7A C24A C25A C26A -176.7(3) . . . . ?  
C23A C24A C25A C26A 0.0 . . . . ?  
F8A C25A C26A F9A -1.5(3) . . . . ?  
C24A C25A C26A F9A 178.2(3) . . . . ?  
F8A C25A C26A C27A -179.7(3) . . . . ?  
C24A C25A C26A C27A 0.0 . . . . ?  
F9A C26A C27A F10A -1.3(3) . . . . ?  
C25A C26A C27A F10A 176.9(3) . . . . ?  
F9A C26A C27A C22A -178.2(3) . . . . ?  
C25A C26A C27A C22A 0.0 . . . . ?  
C23A C22A C27A F10A -176.7(3) . . . . ?  
B1 C22A C27A F10A -2.2(3) . . . . ?  
C23A C22A C27A C26A 0.0 . . . . ?  
B1 C22A C27A C26A 174.46(19) . . . . ?  
C16 B1 C22B C23B -7.4(3) . . . . ?  
C4 B1 C22B C23B -123.9(2) . . . . ?  
C28 B1 C22B C23B 113.43(19) . . . . ?  
C22A B1 C22B C23B -5.25(14) . . . . ?  
C16 B1 C22B C27B 175.29(18) . . . . ?  
C4 B1 C22B C27B 58.7(2) . . . . ?  
C28 B1 C22B C27B -63.9(2) . . . . ?  
C22A B1 C22B C27B 177.43(6) . . . . ?  
C27B C22B C23B F6B 177.1(3) . . . . ?  
B1 C22B C23B F6B -0.1(4) . . . . ?  
C27B C22B C23B C24B 0.0 . . . . ?  
B1 C22B C23B C24B -177.3(2) . . . . ?

F6B C23B C24B F7B 2.5(4) . . . . ?  
C22B C23B C24B F7B 179.9(3) . . . . ?  
F6B C23B C24B C25B -177.4(3) . . . . ?  
C22B C23B C24B C25B 0.0 . . . . ?  
F7B C24B C25B F8B 3.5(4) . . . . ?  
C23B C24B C25B F8B -176.6(3) . . . . ?  
F7B C24B C25B C26B -179.9(3) . . . . ?  
C23B C24B C25B C26B 0.0 . . . . ?  
F8B C25B C26B F9B -7.8(4) . . . . ?  
C24B C25B C26B F9B 175.6(3) . . . . ?  
F8B C25B C26B C27B 176.6(3) . . . . ?  
C24B C25B C26B C27B 0.0 . . . . ?  
F9B C26B C27B F10B -0.5(4) . . . . ?  
C25B C26B C27B F10B 175.1(3) . . . . ?  
F9B C26B C27B C22B -175.6(3) . . . . ?  
C25B C26B C27B C22B 0.0 . . . . ?  
C23B C22B C27B F10B -174.9(3) . . . . ?  
B1 C22B C27B F10B 2.5(3) . . . . ?  
C23B C22B C27B C26B 0.0 . . . . ?  
B1 C22B C27B C26B 177.4(2) . . . . ?  
C16 B1 C28 C33 -128.5(3) . . . . ?  
C4 B1 C28 C33 -12.6(4) . . . . ?  
C22A B1 C28 C33 114.5(3) . . . . ?  
C22B B1 C28 C33 106.2(3) . . . . ?  
C16 B1 C28 C29 59.1(4) . . . . ?  
C4 B1 C28 C29 175.0(3) . . . . ?  
C22A B1 C28 C29 -57.9(3) . . . . ?  
C22B B1 C28 C29 -66.2(3) . . . . ?  
C33 C28 C29 F11 -178.6(3) . . . . ?  
B1 C28 C29 F11 -5.2(4) . . . . ?  
C33 C28 C29 C30 1.0(5) . . . . ?  
B1 C28 C29 C30 174.5(3) . . . . ?  
F11 C29 C30 F12 0.1(5) . . . . ?  
C28 C29 C30 F12 -179.5(3) . . . . ?  
F11 C29 C30 C31 179.2(3) . . . . ?  
C28 C29 C30 C31 -0.5(6) . . . . ?  
F12 C30 C31 F13 -0.8(6) . . . . ?  
C29 C30 C31 F13 -179.8(3) . . . . ?  
F12 C30 C31 C32 178.6(3) . . . . ?  
C29 C30 C31 C32 -0.5(6) . . . . ?  
F13 C31 C32 F14 -0.3(6) . . . . ?  
C30 C31 C32 F14 -179.7(3) . . . . ?  
F13 C31 C32 C33 -179.9(3) . . . . ?  
C30 C31 C32 C33 0.7(6) . . . . ?  
C29 C28 C33 C32 -0.8(5) . . . . ?  
B1 C28 C33 C32 -173.7(3) . . . . ?  
C29 C28 C33 F15 178.0(3) . . . . ?  
B1 C28 C33 F15 5.0(5) . . . . ?  
F14 C32 C33 C28 -179.7(3) . . . . ?  
C31 C32 C33 C28 -0.1(6) . . . . ?  
F14 C32 C33 F15 1.5(5) . . . . ?  
C31 C32 C33 F15 -178.9(3) . . . . ?  
Ti1 F15 C33 C28 23.6(5) . . . . ?  
Ti1 F15 C33 C32 -157.5(2) . . . . ?  
O1 Ti1 C34 C38 -42.6(2) . . . . ?  
F15 Ti1 C34 C38 -139.11(15) . . . . ?  
C2 Ti1 C34 C38 96.41(17) . . . . ?  
C3 Ti1 C34 C38 131.30(17) . . . . ?  
C36 Ti1 C34 C38 -78.92(18) . . . . ?  
C35 Ti1 C34 C38 -117.5(3) . . . . ?  
C1 Ti1 C34 C38 74.68(17) . . . . ?

C5 Ti1 C34 C38 96.5(2) . . . . ?  
C37 Ti1 C34 C38 -37.14(16) . . . . ?  
C4 Ti1 C34 C38 137.15(16) . . . . ?  
O1 Ti1 C34 C35 74.9(2) . . . . ?  
F15 Ti1 C34 C35 -21.6(2) . . . . ?  
C2 Ti1 C34 C35 -146.1(2) . . . . ?  
C3 Ti1 C34 C35 -111.23(19) . . . . ?  
C36 Ti1 C34 C35 38.55(18) . . . . ?  
C1 Ti1 C34 C35 -167.85(18) . . . . ?  
C5 Ti1 C34 C35 -146.07(18) . . . . ?  
C37 Ti1 C34 C35 80.3(2) . . . . ?  
C38 Ti1 C34 C35 117.5(3) . . . . ?  
C4 Ti1 C34 C35 -105.38(19) . . . . ?  
O1 Ti1 C34 C39 -166.1(3) . . . . ?  
F15 Ti1 C34 C39 97.3(3) . . . . ?  
C2 Ti1 C34 C39 -27.2(3) . . . . ?  
C3 Ti1 C34 C39 7.7(3) . . . . ?  
C36 Ti1 C34 C39 157.5(3) . . . . ?  
C35 Ti1 C34 C39 118.9(4) . . . . ?  
C1 Ti1 C34 C39 -48.9(3) . . . . ?  
C5 Ti1 C34 C39 -27.1(4) . . . . ?  
C37 Ti1 C34 C39 -160.7(3) . . . . ?  
C38 Ti1 C34 C39 -123.6(4) . . . . ?  
C4 Ti1 C34 C39 13.6(3) . . . . ?  
C38 C34 C35 C36 -1.0(3) . . . . ?  
C39 C34 C35 C36 170.9(3) . . . . ?  
Ti1 C34 C35 C36 -64.69(19) . . . . ?  
C38 C34 C35 C40 -175.2(3) . . . . ?  
C39 C34 C35 C40 -3.3(5) . . . . ?  
Ti1 C34 C35 C40 121.1(3) . . . . ?  
C38 C34 C35 Ti1 63.67(19) . . . . ?  
C39 C34 C35 Ti1 -124.4(3) . . . . ?  
O1 Ti1 C35 C34 -130.89(17) . . . . ?  
F15 Ti1 C35 C34 159.67(19) . . . . ?  
C2 Ti1 C35 C34 34.8(2) . . . . ?  
C3 Ti1 C35 C34 70.83(19) . . . . ?  
C36 Ti1 C35 C34 -114.5(3) . . . . ?  
C1 Ti1 C35 C34 18.1(3) . . . . ?  
C5 Ti1 C35 C34 79.4(3) . . . . ?  
C37 Ti1 C35 C34 -76.82(19) . . . . ?  
C38 Ti1 C35 C34 -35.98(18) . . . . ?  
C4 Ti1 C35 C34 98.07(19) . . . . ?  
O1 Ti1 C35 C36 -16.4(2) . . . . ?  
F15 Ti1 C35 C36 -85.81(17) . . . . ?  
C2 Ti1 C35 C36 149.28(17) . . . . ?  
C3 Ti1 C35 C36 -174.65(17) . . . . ?  
C1 Ti1 C35 C36 132.63(18) . . . . ?  
C5 Ti1 C35 C36 -166.0(2) . . . . ?  
C37 Ti1 C35 C36 37.70(16) . . . . ?  
C34 Ti1 C35 C36 114.5(3) . . . . ?  
C38 Ti1 C35 C36 78.53(18) . . . . ?  
C4 Ti1 C35 C36 -147.41(16) . . . . ?  
O1 Ti1 C35 C40 105.8(3) . . . . ?  
F15 Ti1 C35 C40 36.4(3) . . . . ?  
C2 Ti1 C35 C40 -88.5(3) . . . . ?  
C3 Ti1 C35 C40 -52.4(3) . . . . ?  
C36 Ti1 C35 C40 122.2(3) . . . . ?  
C1 Ti1 C35 C40 -105.2(3) . . . . ?  
C5 Ti1 C35 C40 -43.8(4) . . . . ?  
C37 Ti1 C35 C40 159.9(3) . . . . ?  
C34 Ti1 C35 C40 -123.3(4) . . . . ?

C38 Ti1 C35 C40 -159.3(3) . . . . ?  
C4 Ti1 C35 C40 -25.2(3) . . . . ?  
C34 C35 C36 C37 -0.1(3) . . . . ?  
C40 C35 C36 C37 174.1(3) . . . . ?  
Ti1 C35 C36 C37 -67.1(2) . . . . ?  
C34 C35 C36 C41 -171.5(3) . . . . ?  
C40 C35 C36 C41 2.7(5) . . . . ?  
Ti1 C35 C36 C41 121.5(3) . . . . ?  
C34 C35 C36 Ti1 67.00(19) . . . . ?  
C40 C35 C36 Ti1 -118.9(3) . . . . ?  
O1 Ti1 C36 C37 -79.11(17) . . . . ?  
F15 Ti1 C36 C37 -157.69(18) . . . . ?  
C2 Ti1 C36 C37 70.7(2) . . . . ?  
C3 Ti1 C36 C37 122.42(18) . . . . ?  
C35 Ti1 C36 C37 115.0(2) . . . . ?  
C1 Ti1 C36 C37 15.6(3) . . . . ?  
C5 Ti1 C36 C37 -88.9(5) . . . . ?  
C34 Ti1 C36 C37 77.25(18) . . . . ?  
C38 Ti1 C36 C37 36.78(17) . . . . ?  
C4 Ti1 C36 C37 176.52(18) . . . . ?  
O1 Ti1 C36 C35 165.91(17) . . . . ?  
F15 Ti1 C36 C35 87.33(17) . . . . ?  
C2 Ti1 C36 C35 -44.3(2) . . . . ?  
C3 Ti1 C36 C35 7.4(2) . . . . ?  
C1 Ti1 C36 C35 -99.4(3) . . . . ?  
C5 Ti1 C36 C35 156.1(4) . . . . ?  
C37 Ti1 C36 C35 -115.0(2) . . . . ?  
C34 Ti1 C36 C35 -37.72(17) . . . . ?  
C38 Ti1 C36 C35 -78.20(18) . . . . ?  
C4 Ti1 C36 C35 61.5(3) . . . . ?  
O1 Ti1 C36 C41 43.2(3) . . . . ?  
F15 Ti1 C36 C41 -35.4(3) . . . . ?  
C2 Ti1 C36 C41 -167.0(3) . . . . ?  
C3 Ti1 C36 C41 -115.3(3) . . . . ?  
C35 Ti1 C36 C41 -122.7(4) . . . . ?  
C1 Ti1 C36 C41 137.9(3) . . . . ?  
C5 Ti1 C36 C41 33.4(6) . . . . ?  
C37 Ti1 C36 C41 122.3(4) . . . . ?  
C34 Ti1 C36 C41 -160.4(3) . . . . ?  
C38 Ti1 C36 C41 159.1(3) . . . . ?  
C4 Ti1 C36 C41 -61.2(4) . . . . ?  
C35 C36 C37 C38 1.1(3) . . . . ?  
C41 C36 C37 C38 172.6(3) . . . . ?  
Ti1 C36 C37 C38 -64.8(2) . . . . ?  
C35 C36 C37 C42 -173.1(3) . . . . ?  
C41 C36 C37 C42 -1.5(5) . . . . ?  
Ti1 C36 C37 C42 121.0(3) . . . . ?  
C35 C36 C37 Ti1 65.95(19) . . . . ?  
C41 C36 C37 Ti1 -122.5(3) . . . . ?  
O1 Ti1 C37 C36 96.82(17) . . . . ?  
F15 Ti1 C37 C36 23.61(19) . . . . ?  
C2 Ti1 C37 C36 -132.15(17) . . . . ?  
C3 Ti1 C37 C36 -98.8(2) . . . . ?  
C35 Ti1 C37 C36 -38.19(17) . . . . ?  
C1 Ti1 C37 C36 -171.61(16) . . . . ?  
C5 Ti1 C37 C36 157.10(17) . . . . ?  
C34 Ti1 C37 C36 -79.49(19) . . . . ?  
C38 Ti1 C37 C36 -116.2(3) . . . . ?  
C4 Ti1 C37 C36 -159.0(11) . . . . ?  
O1 Ti1 C37 C38 -146.94(19) . . . . ?  
F15 Ti1 C37 C38 139.85(17) . . . . ?

C2 Ti1 C37 C38 -15.9(2) . . . . ?  
C3 Ti1 C37 C38 17.4(3) . . . . ?  
C36 Ti1 C37 C38 116.2(3) . . . . ?  
C35 Ti1 C37 C38 78.05(19) . . . . ?  
C1 Ti1 C37 C38 -55.4(2) . . . . ?  
C5 Ti1 C37 C38 -86.7(2) . . . . ?  
C34 Ti1 C37 C38 36.75(18) . . . . ?  
C4 Ti1 C37 C38 -42.8(12) . . . . ?  
O1 Ti1 C37 C42 -22.6(2) . . . . ?  
F15 Ti1 C37 C42 -95.8(3) . . . . ?  
C2 Ti1 C37 C42 108.5(3) . . . . ?  
C3 Ti1 C37 C42 141.8(2) . . . . ?  
C36 Ti1 C37 C42 -119.4(3) . . . . ?  
C35 Ti1 C37 C42 -157.6(3) . . . . ?  
C1 Ti1 C37 C42 69.0(3) . . . . ?  
C5 Ti1 C37 C42 37.7(3) . . . . ?  
C34 Ti1 C37 C42 161.1(3) . . . . ?  
C38 Ti1 C37 C42 124.4(3) . . . . ?  
C4 Ti1 C37 C42 81.6(12) . . . . ?  
C35 C34 C38 C37 1.7(3) . . . . ?  
C39 C34 C38 C37 -170.0(3) . . . . ?  
Ti1 C34 C38 C37 63.57(19) . . . . ?  
C35 C34 C38 C43 173.6(3) . . . . ?  
C39 C34 C38 C43 1.9(5) . . . . ?  
Ti1 C34 C38 C43 -124.6(3) . . . . ?  
C35 C34 C38 Ti1 -61.86(19) . . . . ?  
C39 C34 C38 Ti1 126.5(3) . . . . ?  
C36 C37 C38 C34 -1.7(3) . . . . ?  
C42 C37 C38 C34 172.3(3) . . . . ?  
Ti1 C37 C38 C34 -64.24(19) . . . . ?  
C36 C37 C38 C43 -173.7(3) . . . . ?  
C42 C37 C38 C43 0.4(5) . . . . ?  
Ti1 C37 C38 C43 123.8(3) . . . . ?  
C36 C37 C38 Ti1 62.51(19) . . . . ?  
C42 C37 C38 Ti1 -123.5(3) . . . . ?  
O1 Ti1 C38 C34 151.05(15) . . . . ?  
F15 Ti1 C38 C34 58.6(2) . . . . ?  
C2 Ti1 C38 C34 -78.01(17) . . . . ?  
C3 Ti1 C38 C34 -52.68(18) . . . . ?  
C36 Ti1 C38 C34 78.81(18) . . . . ?  
C35 Ti1 C38 C34 36.67(17) . . . . ?  
C1 Ti1 C38 C34 -111.35(17) . . . . ?  
C5 Ti1 C38 C34 -115.59(18) . . . . ?  
C37 Ti1 C38 C34 116.2(3) . . . . ?  
C4 Ti1 C38 C34 -69.2(2) . . . . ?  
O1 Ti1 C38 C37 34.8(2) . . . . ?  
F15 Ti1 C38 C37 -57.6(2) . . . . ?  
C2 Ti1 C38 C37 165.8(2) . . . . ?  
C3 Ti1 C38 C37 -168.91(18) . . . . ?  
C36 Ti1 C38 C37 -37.41(18) . . . . ?  
C35 Ti1 C38 C37 -79.6(2) . . . . ?  
C1 Ti1 C38 C37 132.43(19) . . . . ?  
C5 Ti1 C38 C37 128.18(18) . . . . ?  
C34 Ti1 C38 C37 -116.2(3) . . . . ?  
C4 Ti1 C38 C37 174.58(18) . . . . ?  
O1 Ti1 C38 C43 -86.3(3) . . . . ?  
F15 Ti1 C38 C43 -178.7(2) . . . . ?  
C2 Ti1 C38 C43 44.7(3) . . . . ?  
C3 Ti1 C38 C43 70.0(3) . . . . ?  
C36 Ti1 C38 C43 -158.5(3) . . . . ?  
C35 Ti1 C38 C43 159.3(3) . . . . ?



C1 Ti1 C38 C43 11.3(3) . . . . ?  
 C5 Ti1 C38 C43 7.1(3) . . . . ?  
 C37 Ti1 C38 C43 -121.1(4) . . . . ?  
 C34 Ti1 C38 C43 122.7(3) . . . . ?  
 C4 Ti1 C38 C43 53.5(3) . . . . ?  
 F15 Ti1 O1 C47 -160.3(2) . . . . ?  
 C2 Ti1 O1 C47 -32.3(3) . . . . ?  
 C3 Ti1 O1 C47 -81.4(2) . . . . ?  
 C36 Ti1 O1 C47 120.0(2) . . . . ?  
 C35 Ti1 O1 C47 129.5(2) . . . . ?  
 C1 Ti1 O1 C47 -30.8(2) . . . . ?  
 C5 Ti1 O1 C47 -62.3(2) . . . . ?  
 C37 Ti1 O1 C47 85.3(2) . . . . ?  
 C34 Ti1 O1 C47 89.9(2) . . . . ?  
 C38 Ti1 O1 C47 66.2(2) . . . . ?  
 C4 Ti1 O1 C47 -89.9(2) . . . . ?  
 F15 Ti1 O1 C44 0.7(2) . . . . ?  
 C2 Ti1 O1 C44 128.6(3) . . . . ?  
 C3 Ti1 O1 C44 79.5(3) . . . . ?  
 C36 Ti1 O1 C44 -79.0(3) . . . . ?  
 C35 Ti1 O1 C44 -69.6(3) . . . . ?  
 C1 Ti1 O1 C44 130.1(3) . . . . ?  
 C5 Ti1 O1 C44 98.6(3) . . . . ?  
 C37 Ti1 O1 C44 -113.8(3) . . . . ?  
 C34 Ti1 O1 C44 -109.2(3) . . . . ?  
 C38 Ti1 O1 C44 -132.8(3) . . . . ?  
 C4 Ti1 O1 C44 71.1(3) . . . . ?  
 C47 O1 C44 C45 -41.3(3) . . . . ?  
 Ti1 O1 C44 C45 155.5(2) . . . . ?  
 O1 C44 C45 C46 28.9(4) . . . . ?  
 C44 C45 C46 C47 -6.5(4) . . . . ?  
 C44 O1 C47 C46 37.2(3) . . . . ?  
 Ti1 O1 C47 C46 -157.3(2) . . . . ?  
 C45 C46 C47 O1 -18.3(4) . . . . ?  
 C51 O2 C48 C49 24.6(9) . . . . ?  
 O2 C48 C49 C50 -13.0(11) . . . . ?  
 C48 C49 C50 C51 -1.1(14) . . . . ?  
 C48 O2 C51 C50 -25.4(13) . . . . ?  
 C49 C50 C51 O2 14.8(15) . . . . ?  
 C55 O3 C52 C53 20(4) . . . . ?  
 O3 C52 C53 C54 -8(4) . . . . ?  
 C52 C53 C54 C55 -5(4) . . . . ?  
 C52 O3 C55 C54 -23(4) . . . . ?  
 C53 C54 C55 O3 16(4) . . . . ?

\_diffn\_measured\_fraction\_theta\_max 0.956  
 \_diffn\_reflns\_theta\_full 26.04  
 \_diffn\_measured\_fraction\_theta\_full 0.956  
 \_refine\_diff\_density\_max 0.927  
 \_refine\_diff\_density\_min -0.714  
 \_refine\_diff\_density\_rms 0.075

#===END of Crystallographic Information File