

University of Groningen

Implementing Dried Blood Spot sampling in transplant patient care

Veenhof, Herman

DOI:
[10.33612/diss.111979995](https://doi.org/10.33612/diss.111979995)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2020

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):
Veenhof, H. (2020). *Implementing Dried Blood Spot sampling in transplant patient care*. [Thesis fully internal (DIV), University of Groningen]. Rijksuniversiteit Groningen.
<https://doi.org/10.33612/diss.111979995>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Implementing Dried Blood Spot sampling in transplant patient care

Herman Veenhof

Veenhof, H.

Implementing Dried Blood Spot sampling in transplant patient care

Thesis, University of Groningen, The Netherlands

Publication of this thesis was financially supported by Stichting Beatrixoord Noord Nederland, The University of Groningen, The Graduate School of Medical Sciences (GSMS) of the University Medical Center Groningen, Chiesi Pharmaceuticals B.V., Astellas Pharma B.V., The Koninklijke Nederlandse Maatschappij ter bevordering der Pharmacie (KNMP) and the Dutch Kidney Foundation.

Cover: Marita van der Net / Herman Veenhof / Print Service Ede

Layout: Ezra Veenhof / Herman Veenhof / Print Service Ede

Print: Print Service Ede – The Netherlands

ISBN: 978-94-034-2208-4 (printed book)

ISBN: 978-94-034-2207-7 (electronic version)

© 2020, Herman Veenhof, Groningen, The Netherlands

Copyright of the published articles is with the corresponding journal or otherwise with the author. No part of this thesis may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, without the prior permission in writing from the author or the copyright-owning journal.



**rijksuniversiteit
groningen**

Implementing Dried Blood Spot sampling in transplant patient care

Proefschrift

ter verkrijging van de graad van doctor aan de
Rijksuniversiteit Groningen
op gezag van de
rector magnificus prof. dr. C. Wijmenga
en volgens besluit van het College voor Promoties.

De openbare verdediging zal plaatsvinden op
maandag 24 februari 2020 om 12.45 uur

door

Herman Veenhof

geboren op 19 februari 1989
te Apeldoorn

Promotores:

Prof. dr. D.J. Touw
Prof. dr. S.J.L. Bakker
Prof. dr. S.P. Berger
Prof. dr. J.W.C. Alffenaar

Beoordelingscommissie:

Prof. dr. J.H. Beijnen
Prof. dr. B. Wilffert
Prof. dr. T. van Gelder

“Look,
there are two kinds of people,
those who talk,
and those who act.”
Peter ‘Ouwe’ Veenhof

Table of contents

| | |
|---|------------|
| Chapter 1 | 9 |
| Introduction and outline | |
| Chapter 2 | 19 |
| Validation of a dried blood spot assay for the determination of five immunosuppressants, without hematocrit correction, on two different LC-MS/MS systems <i>Bioanalysis. 2017 Apr;9(7):553-563.</i> | |
| Chapter 3 | 37 |
| Clinical Validation of Simultaneous Analysis of Tacrolimus, Cyclosporine A and Creatinine in Dried Blood Spots in Kidney Transplant Patients <i>Transplantation. 2017 Jul;101(7):1727-1733</i> | |
| Chapter 4 | 53 |
| Clinical Application of a Dried Blood Spot Assay for Sirolimus and Everolimus in Transplant Patients <i>Clin Chem Lab Med. 2019 Nov 26;57(12):1854-1862.</i> | |
| Chapter 5 | 71 |
| Quality Assessment of Dried Blood Spots from Tuberculosis Patients from Four Countries <i>Ther Drug Monit. 2019 Dec;41(6):714-718</i> | |
| Chapter 6 | 85 |
| Performance of a web-based application measuring spot quality in dried blood spot sampling <i>Clin Chem Lab Med. 2019 Nov 26;57(12):1846-1853</i> | |
| Chapter 7 | 101 |
| Effects, costs and implementation of monitoring kidney transplant patients' tacrolimus levels with Dried Blood Spot sampling: a randomized controlled trial hybrid implementation trial <i>Submitted</i> | |

| | |
|--|------------|
| Chapter 8 | 121 |
| Official International Association for Therapeutic Drug Monitoring and Clinical Toxicology guideline: Development and Validation of Dried Blood Spot-based Methods for Therapeutic Drug Monitoring <i>Ther Drug Monit. 2019 Aug;41(4):409-430</i> | |
| Chapter 9 | 167 |
| A Volumetric Absorptive Micro Sampling LC-MS/MS method for five immunosuppressants and their hematocrit effects <i>Bioanalysis. 2019 Mar;11(6):495-508.</i> | |
| Chapter 10 | 189 |
| Volumetric Absorptive Micro Sampling and Dried Blood Spot Micro Sampling versus Conventional Venous for Tacrolimus Trough Concentration Monitoring <i>Submitted</i> | |
| Chapter 11 | 209 |
| General discussion and future perspectives | |
| Summary | 221 |
| Samenvatting | 227 |
| Acknowledgements (dankwoord) | 234 |
| About the author | 236 |
| List of Publications | 237 |

