

University of Groningen

Mechanisms of TRAIL-resistance

Zhang, Baojie

DOI:
[10.33612/diss.124219664](https://doi.org/10.33612/diss.124219664)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2020

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):
Zhang, B. (2020). *Mechanisms of TRAIL-resistance: novel targets to enhance TRAIL sensitization for cancer therapy*. University of Groningen. <https://doi.org/10.33612/diss.124219664>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Propositions

Mechanisms of TRAIL-Resistance

Novel Targets to Enhance TRAIL Sensitization

for Cancer Therapy

Baojie Zhang

1. Reconstitution of fucosyltransferase 3/6 (FUT3/6) expression influences the formation of death-inducing signaling complex (DISC) and activation of caspase-8. (this thesis)
2. The presence of death receptor 5 (DR5) on extracellular vesicles (EVs) is one of the important factors leading to TRAIL-resistance in colon cancer cells. (this thesis)
3. Combination treatment with histone deacetylation inhibitors (HDAC inhibitors) and TRAIL can effectively kill cancer cells. (this thesis)
4. Histone acetyltransferase inhibitor (HAT inhibitor) A485 does not induce apoptosis by itself but it is a TRAIL sensitizer.(this thesis)
5. If do not speed up before bike upslope, one must bike much harder to get to the summit. (my view)
6. If I have a thousand ideas a year, and only one turns out to be good, I am satisfied.(adapted from Alfred Bernhard Nobel)