

University of Groningen

Executive functioning and ecological validity in fMRI, neuropsychological assessment and rehabilitation

Lamberts, Kirsten Froukje

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2009

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Lamberts, K. F. (2009). *Executive functioning and ecological validity in fMRI, neuropsychological assessment and rehabilitation*. [Thesis fully internal (DIV), University of Groningen]. [s.n.].

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

References

- Alderman, N. (1991). The Treatment of Avoidance Behaviour Following Severe Brain Injury by Satiation through Negative Practice. *Brain Injury*, *5*, 77-86.
- Alderman, N., Burgess, P. W., Knight, C., & Henman, C. (2003). Ecological validity of a simplified version of the Multiple Errands Shopping Test. *Journal of the International Neuropsychological Society*, *9*, 31-44.
- Anderson, C. V., Bigler, E. D., & Blatter, D. D. (1995). Frontal lobe lesions, diffuse damage, and neuropsychological functioning in traumatic brain-injured patients. *Journal of clinical and experimental neuropsychology*, *17*, 900-908.
- Anderson, J. R. (1993). *Rules of the Mind*. Hillsdale, New Jersey: Lawrence Erlbaum Associates, Publishers.
- Andrés, P. (2003). Frontal cortex as the central executive of working memory: time to revise our view. *Cortex*, *39*, 871-895.
- Anson, K. & Ponsford, J. (2006). Who Benefits? Outcome Following a Coping Skills Group Intervention for traumatically Brain Injured Individuals. *Brain Injury*, *20*, 1-13.
- Armengol, C. G. (2000). Acute Oxygen Deprivation: Neuropsychological Profiles and Implications for Rehabilitation. *Brain Injury*, *14*, 237-250.
- Azouvi, P. (2000). Neuroimaging correlates of cognitive and functional outcome after traumatic brain injury. *Current opinion in neurology*, *13*, 665-669.
- Baker, S. C., Rogers, R. D., Owen, A. M., Frith, C. D., Dolan, R. J., Frackowiak, R. S. J. et al. (1996). Neural systems engaged by planning: a PET study of the Tower of London task. *Neuropsychologia*, *34*, 515-526.
- Ballard, C. G., Stephens, S., Kenny, R., Kalaria, R., Tovee, M., & O'Brein, J. (2003). Profile of Neuropsychological Deficits in Older Stroke Survivors Without Dementia. *Dementia & Geriatric Cognitive Disorders*, *16*, 52-56.
- Bamdad, M. J., Ryan, L. M., & Warden, D. L. (2003). Functional Assessment of Executive Abilities Following Traumatic Brain Injury. *Brain Injury*, *17*, 1011-1020.
- Barkley, R. A. (2001). The Executive Functions and Self-regulation: An Evolutionary Neuropsychological Perspective. *Neuropsychology Review*, *11*, 1-29.
- Beauvois, M. F. (1982). Optic aphasia: a process of interaction between vision and language. *Philosophical transactions of the Royal Society of London*, *298*, 35-47.
- Bennett, P. C., Ong, B., & Ponsford, J. (2005b). Measuring executive dysfunction in an acute rehabilitation setting: using the Dysexecutive Questionnaire (DEX). *Journal of the International Neuropsychological Society*, *11*, 376-385.

Bennett, P. C., Ong, B., & Ponsford, J. (2005a). Assessment of Executive Dysfunction Following Traumatic Brain Injury: Comparison of the BADS with other Clinical Neuropsychological Measures. *Journal of the International Neuropsychological Society*, 11, 606-613.

Berg, E. A. (1948). A Simple Objective Technique for Measuring Flexibility in Thinking. *Journal of General Psychology*, 39, 15-22.

Bigler, D. (2001). The lesion(s) in traumatic brain injury: Implications for clinical neuropsychology. *Archives of clinical neuropsychology*, 16, 95-131.

Bigler, D. (2003). Neurobiology and neuropathology underlie the neuropsychological deficits associated with traumatic brain injury. *Archives of clinical neuropsychology*, 18, 595-621.

Boelen, D. H. E., Spikman, J. M., Rietveld, A. C. M., & Fasotti, L. (2008). Executive Dysfunction in Chronic Brain-Injured Patients: Assessment in Outpatient Rehabilitation. *Neuropsychological Rehabilitation (in press)*.

Brand, B. & Brouwer, W. H. (2002). Evaluatie van het programma: "Cognitieve Revalidatie" bij Beatrixoord. [Evaluation of the Programme: "Cognitive Rehabilitation" at Beatrixoord]. (*unpublished work*).

Brodsky, H., Sachdev, P. S., Withall, A., Altendorf, A., Valenzuela, M. J., & Lorentz, L. (2005). Frequency and Clinical, Neuropsychological and Neuroimaging Correlates of Apathy Following Stroke - the Sydney Stroke Study. *Psychological Medicine*, 35, 1707-1716.

Brouwer, W. H. (1985). *Limitations of attention after closed head injury*. University of Groningen, The Netherlands.

Brouwer, W. H. & Fasotti, L. (1997). Planning en regulatie. In B.G.Deelman, P. A. T. M. Eling, E. H. F. De Haan, A. Jennekens-Schinkel, & A. H. Zomereren van (Eds.), *Klinische Neuropsychologie* (Amsterdam:Boom).

Brouwer, W. H. & Schmidt, I. W. (2003). Executieve functies: de touwtjes in handen. In M.Allewijn, F. Groot de, & C. M. P. M. Hertogh (Eds.), *Leidraad psychogeriatric* (pp. 24-59). Houten: Bohn Stafleu van Loghum.

Brouwer, W. H., van Zomereren, A. H., Berg, I. J., Bouma, J. M., & de Haan, E. H. F. (2002). *Cognitive Rehabilitation: a Clinical Neuropsychological Approach*. Amsterdam: Boom publishers.

Bub, D. N. (2000). Methodological issues confronting PET and fMRI studies of cognitive function: With special reference to Human Brain Function (1997). *Psychology Online Cognitive Neuropsychology*, 17, 467.

Burgess, P. W., Alderman, N., Evans, J., Emslie, H., & Wilson, B. A. (1998). The Ecological Validity of Tests of Executive Function. *Journal of the International Neuropsychological Society*, 4, 547-558.

Burgess, P. W., Alderman, N., Forbes, C., Costello, A., Coates, L. M., & Dawson, D. R. (2006a). The case for the development and use of "ecologically valid" measures of executive

functions in experimental and clinical neuropsychology. *Journal of the International Neuropsychological Society*, 12, 194-209.

Burgess, P. W., Alderman, N., Forbes, C., Costello, A., Coates, L. M. A., Dawson, D. R. et al. (2006b). The case for the development and use of "ecologically valid" measures of executive function in experimental and clinical neuropsychology. *Journal of the International Neuropsychological Society*, 12, 194-209.

Burgess, P. W. & Shallice, T. (1997). *The Hayling and Brixton Tests*. Thurston, Suffolk: Thames Valley Test Company.

Burgess, P. W. & Simons, J. S. (2005a). The Neural Basis for a Theory of Cognitive Rehabilitation. In P.W.Halligan & D. T. Wade (Eds.), *Effectiveness of Rehabilitation for Cognitive Deficits*. (pp. 211-231). New York: Oxford University Press Inc.

Burgess, P. W. & Simons, J. S. (2005b). Theories of Frontal Lobe Executive Function: Clinical Applications. In P.W.Halligan & D. T. Wade (Eds.), *Effectiveness of Rehabilitation of Cognitive Deficits*. (Oxford: Oxford University Press).

Burgess, P. W., Wilson, B. A., Evans, J. J., & Emslie, H. (1996). The Dysexecutive Questionnaire. In B.A.Wilson, N. Alderman, P. W. Burgess, H. Emslie, & J. J. Evans (Eds.), *Behavioural Assessment of the Dysexecutive Syndrome*. (Bury St. Edmunds, UK: Thames Valley Test Company).

Busch, R. M., McBride, A., Curtiss, A., & Vanderploeg, R. D. (2005). The Components of Executive Functioning in Traumatic Brain Injury. *Journal of clinical and experimental neuropsychology*, 27, 1022-1032.

Cappa, S. F. (2003). A fMRI study of word retrieval in aphasia. *Brain and language*, 85, 357.

Carney, N. & Coudray du, D. (2005). Cognitive Rehabilitation Outcomes for Traumatic Brain Injury. In P.W.Halligan & D. T. Wade (Eds.), *Effectiveness of Rehabilitation for Cognitive Deficits* (pp. 295-317). New York: Oxford University Press Inc.

Cavanna, A. E. (2007). The precuneus and consciousness. *CNS spectrums*, 12, 545-552.

Cavanna, A. E. & Trimble, M. R. (2006). The Precuneus: a Review of its Functional Anatomy and Behavioural Correlates. *Brain*, 129, 564-583.

Cazalis, F., Azouvi, P., Sirigu, A., Agar, N., & Burnod, Y. (2001). Script knowledge after severe traumatic brain injury. *Journal of the International Neuropsychological Society*, 7, 795-804.

Chamberlain, E. (2003). Test review: Behavioural Assessment of the Dysexecutive Syndrome (BADs). *Journal of Occupational Psychology, Employment and Disability*, 5, 33-37.

Chaytor, N. & Schmitter-Edgecombe, M. (2003). The Ecological Validity of Neuropsychological Tests: A Review of the Literature on Everyday Cognitive Skills. *Neuropsychology Review*, 13, 181-197.

- Christodoulou, C., DeLuca, J., Ricker, J. H., Madigan, N. K., Bly, B. M., Lange, G. et al. (2001). Functional magnetic resonance imaging of working memory impairment after traumatic brain injury. *Journal of neurology, neurosurgery and psychiatry*, *71*, 161-168.
- Cicerone, K. D. (2004). Participation as an Outcome of Traumatic Brain Injury Rehabilitation. *The journal of head trauma rehabilitation*, *19*, 494-501.
- Cicerone, K. D., Dahlberg, C., Kalmar, K., Langenbahn, D. M., Malec, J. F., Bergquist, T. F. et al. (2000). Evidence-based Cognitive Rehabilitation: Recommendations for Clinical Practice. *Archives of physical medicine and rehabilitation*, *81*, 1596-1615.
- Cicerone, K. D., Dahlberg, C., Malec, J. F., Langenbahn, D. M., Felicetti, T., Kneipp, S. et al. (2005). Evidence-based Cognitive Rehabilitation: Updated Review of the Literature from 1998 through 2002. *Archives of physical medicine and rehabilitation*, *86*, 1681-1692.
- Cockburn, J. (1995). Performance on the Tower of London test after severe head injury. *Journal of the International Neuropsychological Society*, *1*, 537-544.
- Cohen, J. (1988). *Statistical power analysis for the behavioural sciences (2nd.ed.)*. Hillsdale, NY: Lawrence Earlbaum Associates.
- Cramer, S. C. (1997). A functional MRI study of subjects recovered from hemiparetic stroke. *Stroke*, *28*, 2518-2527.
- Cramon von, D. Y. & Matthes-Von Cramon, G. (1994). Back to Work with a Chronic Dysexecutive Syndrome? (A Case Report). *Neuropsychological rehabilitation*, *4*, 399-417.
- Crepeau, F. & Scherzer, P. (1993). Predictors and Indications of Work-Status after Traumatic Brain Injury: a Meta-Analysis. *Neuropsychological rehabilitation*, *3*, 5-35.
- Crosson, B. C., Barco, P. P., Velozo, C. A., Bolesta, M. M., Werts, D., & Brobeck, T. (1989). Awareness and Compensation in Post-Acute Head Injury Rehabilitation. *Journal of Head Trauma Rehabilitation*, *4*, 47.
- Cummings, J. L. (1995). Anatomic and behavioral aspects of frontal-subcortical circuits. In J. Grafman, K. J. Holyoak, & F. Boller (Eds.), *Structure and function of the human prefrontal cortex*. (pp. 1-13). New York, NY, US: New York Academy of Sciences.
- D'Esposito, M. (2000). Functional neuroimaging of cognition. *Seminars in neurology*, *20*, 487-498.
- Dagher, A., Owen, A. M., Boecker, H., & Brooks, D. J. (1999). Mapping the network for planning: a correlational PET activation study with the Tower of London task. *Brain*, *122*, 1973-1987.
- Deelman, B. G., Brouwer, W. H., Zomeren van, A. H., & Saan, R. J. (1980). Functiestoornissen na Trauma Capitis. In A. Jennekens-Schinkel, J. J. Diamant, H. F. A. Diesfelt, & R. Haaxma (Eds.), *Neuropsychologie in Nederland*. (Deventer: Van Loghum Slaterus.

Demakis, G. J. (2004). Frontal Lobe Damage and Tests of Executive Processing: A Meta-Analysis of the Category Test, Stroop Test, and Trail-Making Test. *Journal of clinical and experimental neuropsychology*, 26, 441-450.

DiGirolamo, J., Kramer, A. F., Barad, V., Cepeda, N. J., Weissman, D. H., Milham, M. P. et al. (2001). General and task-specific frontal lobe recruitment in older adults during executive processes: A fMRI investigation of task-switching. *Neuroreport*, 12, 2065-2071.

Dritschel, B., Kogan, L., Burton, A., Burton, E., & Goddard, L. (1998). Everyday planning difficulties following traumatic brain injury: A role for autobiographical memory. *Brain Injury*, 12, 875-886.

Duncan, J. (1986). Disorganisation of behaviour after frontal lobe damage. *Cognitive Neuropsychology*, 3, 271-290.

Elliott, R. (2003). Executive functions and their disorders. *British Medical Bulletin*, 65, 49-59.

Eriksson, G., Tham, K., & Borg, J. (2006). Occupational Gaps in Everyday Life 1-4 Years after Acquired Brain Injury. *Journal of Rehabilitation Medicine*, 38, 159-165.

Eslinger, P. J., Biddle, K., & Grattan, L. M. (1997). Cognitive and social development in children with prefrontal cortex lesions. In N.A.Krasnegor, R. Lyon, & P. S. Goldman-Rakic (Eds.), *Development of the Prefrontal Cortex: Evolution, Neurobiology, and Behavior* (pp. 295-335). Baltimore: Paul H. Brookes Publishing Co.

Eslinger, P. J., Biddle, K., Pennington, B., & Page, R. (1999). Cognitive and Behavioral Development up to 4 Years after Early Right Frontal Lobe Lesion. *Developmental Neuropsychology*, 15, 157-191.

Eslinger, P. J., Grattan, L. M., Damasio, H., & Damasio, A. R. (1992). Developmental consequences of childhood frontal lobe damage. *Archives of neurology*, 49, 764-769.

Fasotti, L. (2005). Cognitive revalidatie: varen zonder kompas? (Cognitive Rehabilitation: Sailing without a Compass?). Electronic documents Radboud University [On-line].

Fasotti, L. & Spikman, J. M. (2002). Cognitive Rehabilitation of Central Executive Disorders. In W.H.Brouwer, A. H. Zomeren van, I. J. Berg, J. M. Bouma, & E. H. F. Haan de (Eds.), *Neuropsychological Rehabilitation: A Cognitive Approach*. (Amsterdam: Boom.

Fassbender, C., Murphy, K., Foxe, J. J., Wylie, G. R., Javitt, D. C., Robertson, I. H. et al. (2004). A topography of executive functions and their interactions revealed by functional magnetic resonance imaging. *Brain research.Cognitive brain research*, 20, 132-143.

Fischer, S., Gauggel, S., & Trexler, L. E. (2004). Awareness of Activity Limitations, Goal Setting and Rehabilitation Outcomes in Patients with Brain Injuries. *Brain Injury*, 18, 547-562.

Fontaine, A., Azouvi, P., Remy, P., Bussel, B., & Samson, Y. (1999). Functional anatomy of neuropsychological deficits after severe traumatic brain injury. *Neurology*, 53, 1963-1968.

Fortin, S., Godbout, L., & Braun, C. M. J. (2003). Cognitive Structure of Executive Deficits in Frontally Lesioned Head Trauma Patients Performing Activities of Daily Living. *Cortex*, 39, 273-291.

Foxx, R. M., Martella, R. C., & Marchand-Martella, N. E. (1989). The Acquisition, Maintenance, and Generalization of Problem-Solving Skills by Closed Head-Injury Adults. *Behaviour Therapy*, 20, 61-76.

Fuster, J. M. (1997). *The prefrontal cortex. Anatomy, physiology and neuropsychology of the frontal lobe*. Philadelphia: Lippincott-Raven.

Garavan, H., Ross, J., Murphy, K., Roche, R. A. P., & Stein, E. A. (2002). Dissociable executive functions in the dynamic control of behavior: inhibition, error detection, and correction. *NeuroImage*, 17, 1820-1829.

Gerritsen, M. J., Berg, I. J., Deelman, B. G., Visser-Keizer, A. C., & Meyboom-deJong, B. (2003). Speed of information processing after unilateral stroke. *Neuropsychology, development, and cognition. Section A, Journal of clinical and experimental neuropsychology*, 25, 1-13.

Geusgens, C. A. V., Winkens, I., Heugten van, C., Jolles, J. J., & Heuvel van den, W. (2007). The Occurrence and Measurement of Transfer in Cognitive Rehabilitation: a Critical Review. *Journal of Rehabilitation Medicine*, 39, 425-439.

Goldstein, B., Obrzut, J. E., John, C., Ledakis, G., & Armstrong, C. L. (2004). The Impact of Frontal and Non-Frontal Brain Tumor Lesions on Wisconsin Card Sorting Performance. *Brain and Cognition*, 54, 110-116.

Grady, C. L. & Kapur, S. (1999). The Use of Neuroimaging in Neurorehabilitative Research. In D.T.Stuss, G. Winocur, & I. H. Robertson (Eds.), *Cognitive Neurorehabilitation* (pp. 47-58). London: Cambridge University Press.

Grecius, M. D., Krasnow, B., Reiss, A. L., & Menon, V. (2003). Functional connectivity in the resting brain: a network analysis of the default mode hypothesis. *Proc.Natl.Acad.Sci.USA*, 100, 253-258.

Hammeke, T. A. (1999). Functional MRI in Neurology. In Moonen C.T.W. & Bandettini P.A. (Eds.), *Functional MRI* (pp. 475-486). Berlin Heidelberg: Springer-Verlag.

Hart, T., Sherer, M., Whyte, J., Polansky, M., & Novack, T. A. (2004). Awareness of Behavioural, Cognitive, and Physical Deficits in Acute Traumatic Brain Injury. *Archives of physical medicine rehabilitation*, 85, 1450-1465.

Hart, T., Whyte, J., Kim, J., & Vaccaro, M. (2005). Executive Function and Self-Awareness of 'Real-World' Behaviour and Attention Deficits Following Traumatic Brain Injury. *Journal of Head Trauma Rehabilitation*, 20, 333-347.

Hebb, D. O. (1949). *The Organization of Behaviour; a Neuropsychological Theory*. New York: Wiley.

Heuvel van den, O. A., Groenewegen, H. J., Barkhof, F., Lazeron, R. H. C., van Dyck, R., & Veltman, D. J. (2003). Frontostriatal system in planning complexity: a parametric functional magnetic resonance version of Tower of London task. *NeuroImage, 18*, 367-374.

Hillary, F. G., Steffener, J., Biswal, B. B., Lange, G., DeLuca, J., & Ashburner, J. (2002). Functional magnetic resonance imaging technology and traumatic brain injury rehabilitation: Guidelines for methodological and conceptual pitfalls. *Journal of Head Trauma Rehabilitation, 17*, 411.

Hillis, A. E. (2005). For a Theory of Cognitive Rehabilitation. In P.W.Halligan & D. T. Wade (Eds.), *Effectiveness of Rehabilitation for Cognitive Deficits*. (pp. 271-279). New York: Oxford University Press Inc.

Hornak, J., Rolls, E. T., & Wade, D. (1996). Face and Voice Expression Identification in Patients with Emotional and Behavioural Changes Following Ventral Frontal Lobe Damage. *Neuropsychologia, 34*, 247-261.

Irani, F., Platek, S. M., Bunce, S., Ruocco, A. C., & Chute, D. L. (2007). Functional Near Infrared Spectroscopy (fNIRS): An Emerging Neuroimaging Technology with Important Applications for the Study of Brain Disorders. *The clinical neuropsychologist, 21*, 9-37.

Jansma, J. M., Ramsey, N. F., Slagter, H. A., & Kahn, R. S. (2001). Functional anatomical correlates of controlled and automatic processing. *Journal of Cognitive Neuroscience, 13*, 730-743.

Jelicic, M., Henquet, C. E. C., & Derix, M. M. A. (2001). Test-Retest Reliability of the Behavioural Assessment of the Dysexecutive Syndrome in an Sample of Psychiatric Patients. *International Journal of Neuroscience, 110*, 73-78.

Jordan, B. D. (2007). Genetic influences on outcome following traumatic brain injury. *Neurochemical Research, 32*, 905-915.

Kelly, A. M. C. & Garavan, H. (2005). Human Functional Neuroimaging of Brain Changes Associated with Practice. *Cerebral Cortex, 15*, 1089-1102.

Kennard, M. A. (1936). Age and other factors in motor recovery from precentral lesions in monkeys. *American Journal of Physiology, 115*, 138-146.

Klein, I., Dubois, J., Mangin, J., Kherif, F., Flandin, G., Poline, J. et al. (2004). Retinotopic organization of visual mental images as revealed by functional magnetic resonance imaging. *Brain research.Cognitive brain research, 22*, 26-31.

Krabbendam, L. & Kalff, A. (1997). *Behavioral Assessment of the Dysexecutive Syndrome (BADS)*. Lisse, the Netherlands: Swets & Zeitlinger.

Krpan, K. M., Levine, B., Stuss, D. T., & Dawson, D. R. (2007). Executive Function and Coping at One Year Post Traumatic Brain Injury. *Journal of clinical and experimental neuropsychology, 29*, 36-46.

Krueger, F., Moll, J., Zahn, R., Heinecke, A., & Grafman, J. (2007). Event Frequency Modulates the Processing of Daily Life Activities in Human Medial Prefrontal Cortex. *Cerebral Cortex, 17*, 2346-2353.

- Laatsch, L. K., Jobe, T., Sychra, J., Lin, Q., & Blend, M. (1997). Impact of cognitive rehabilitation therapy on neuropsychological impairments as measured by brain perfusion SPECT: a longitudinal study. *Brain Injury, 11*, 851-863.
- Laatsch, L. K., Little, D., & Thulborn, K. R. (2004). Changes in fMRI following cognitive rehabilitation in severe traumatic brain injury: a case study. *Rehabilitation Psychology, 49*, 262-267.
- Laatsch, L. K., Pavel, D., Jobe, T., Lin, Q., & Quintana, J. C. (1999). Incorporation of SPECT imaging in a longitudinal cognitive rehabilitation therapy programme. *Brain Injury, 13*, 555-570.
- Laatsch, L. K., Thulborn, K. R., Krisky, C. M., Shobat, D. M., & Sweeney, J. A. (2004). Investigating the neurobiological basis of cognitive rehabilitation therapy with fMRI. *Brain Injury, 18*, 957-974.
- Laine, M. & Butters, N. (1982). A preliminary study of the problem-solving strategies of detoxified long-term alcoholics. *Drug and Alcohol Dependence, 10*, 235-242.
- Lamberts, K.F., Evans, J.J. & Spikman, J.M. (2009a). A real-life, ecologically valid test of executive functioning: The executive secretarial task. *Journal of Clinical and Experimental Neuropsychology, iFirst*, 1-11.
- Lamberts, K. F., Renken, R. J., Brouwer, W. H., & Spikman, J. M. (2009b). Neuroimaging Measure of Real Life Planning; Tower of London Compared with Daily Life Planning Test in fMRI. (*submitted*).
- Lazeron, R. H. C., Rombouts, S. A. R. B., Machielsen, W. C. M., Scheltens, P., Witter, M. P., Uylings, H. B. M. et al. (2000). Visualizing Brain Activation during Planning: The Tower of London Test Adapted for Functional MR Imaging. *American Journal of Neuroradiology, 21*, 1407-1414.
- Leskela, M., Hietanen, M., Kalska, H., Yliskoski, R., Pohjasvaara, T., Mantyla, R. et al. (1999). Executive functions and speed of mental processing in elderly patients with frontal or nonfrontal ischemic stroke. *European journal of neurology, 6*, 653-661.
- Levine, B., Robertson, I. H., Clare, L., Carter, G., Hong, J., Wilson, B. A. et al. (2000). Rehabilitation of executive functioning: An experimental-clinical validation of Goal Management Training. *Journal of the International Neuropsychological Society, 6*, 299-312.
- Lezak, M. D. (1982). The problem of assessing executive functions. *international journal of psychology, 17*, 281-297.
- Lezak, M. D., Howieson, D. B., & Loring, D. W. (2004). *Neuropsychological Assessment*. (fourth ed.) New York: Oxford University Press, Inc.
- Lichter, D. G. & Cummings, J. L. (2001). *Frontal-Subcortical Circuits in Psychiatric and Neurological Disorders*. New York: the Guildford Press.
- Lincoln, N. (2005). Outcome of Cognitive Rehabilitation in Clinical Stroke Services. In P.W.Halligan & D. T. Wade (Eds.), *Effectiveness of Rehabilitation for Cognitive Deficits* (pp. 319-325). New York: Oxford University Press Inc.

- Luteijn, F. & Ploeg van der, F. A. E. (1983). *Handleiding voor de Groninger Intelligentie Test*. Lisse: Swets & Zeitlinger.
- Manchester, D., Priestley, N., & Jackson, H. (2004). The Assessment of Executive Functions: Coming out of the Office. *Brain Injury, 18*, 1067-1081.
- Manly, T., Hawkins, K., Evans, J., Woldt, K., & Robertson, I. H. (2002). Rehabilitation of Executive Function: Facilitation of Effective Goal Management on Complex Tasks using Periodic Auditory Alerts. *Neuropsychologia, 40*, 271-281.
- Marin, R. S. (1997). Differential Diagnosis of Apathy and Related Disorders of Motivation. *American Journal of Psychiatry, 147*, 22-30.
- Marker, K. R. (1987). *COGPACK. The Cognitive Training Package Manual*. Heidelberg & Laenburg, Marker Software.
- Marsh, N. V. & Martinovich, W. M. (2006). Executive Dysfunction and Domestic Violence. *Brain Injury, 20*, 61-66.
- Mateer, C. A. (1999). Executive function disorders: rehabilitation challenges and strategies. *Seminars in clinical neuropsychiatry, 4*, 50-59.
- Mateer, C. A. & Kerns, K. A. (2000). Capitalizing on neuroplasticity. *Brain and Cognition, 42*, 106-109.
- McAllister, T. W., Saykin, A. J., Flashman, L. A., Sparling, M. B., Johnson, S. C., Guerin, S. J. et al. (1999). Brain activation during working memory 1 month after mild traumatic brain injury: a functional MRI study. *Neurology, 53*, 1300-1311.
- McAllister, T. W., Sparling, M. B., Flashman, L. A., Guerin, S. J., Mamourian, A. C., & Saykin, A. J. (2001). Differential working memory load effects after mild traumatic brain injury. *NeuroImage, 14*, 1004-1012.
- McDonald, B. C., Flashman, L. A., & Saykin, A. J. (2002). Executive dysfunction following traumatic brain injury: Neural substrates and treatment strategies. *Neurorehabilitation an Interdisciplinary Journal, 17*, 333.
- Medd, J. & Tate, R. L. (2000). Evaluation of an Anger Management Therapy Programme Following Acquired Brain Injury: A Preliminary Study. *Neuropsychological rehabilitation, 10*, 185-201.
- Milders, M., Fuchs, S., & Crawford, J. R. (2003). Neuropsychological Impairments and Changes in Emotional and Social Behaviour Following Severe Traumatic Brain Injury. *Journal of clinical and experimental neuropsychology, 25*, 157-172.
- Mottaghy, F. M., Pascual-Leone, A., Kemna, L. J., Töpper, R., Herzog, H., Müller-Gärtner, H. W. et al. (2003). Modulation of a brain-behavior relationship in verbal working memory by rTMS. *Cognitive Brain Research, 15*, 241-249.
- Mountain, M. A. & Snow, W. G. (1993). Wisconsin Card Sorting Test as a Measure of Frontal Pathology: a Review. *The Clinical Neuropsychologist, 7*, 108-118.

Mountz, M. (2003). Neuroimaging in cerebrovascular disorders: measurement of cerebral physiology after stroke and assessment of stroke recovery. *Seminars in nuclear medicine*, 33, 56.

Munoz-Cespedes, J. M., Rios-Lago, M., Paul, N., & Maestu, F. (2005). Functional neuroimaging studies of cognitive recovery after acquired brain damage in adults. *Neuropsychology Review*, 15, 169-183.

Naeser, M. A., Martin, P. I., Nicholas, M., Baker, E. H., Seekins, H., Kobayashi, M. et al. (2005). Improved picture naming in chronic aphasia after TMS to part of right Broca's area: An open-protocol study. *Brain and language*, 93, 95-105.

Newell, A. (1991). *Unified Theories of Cognition*. Cambridge, MA: Cambridge University Press.

Newman, D., Carpenter, P. A., Varma, S., & Just, M. A. (2003). Frontal and parietal participation in problem solving in the Tower of London: fMRI and computational modeling of planning and high-level perception. *Neuropsychologia*, 41, 1668-1682.

Norman, D. A. & Shallice, T. (1986). Attention to Action. In Davidson R.J., Schwartz G.E., & Shapiro D. (Eds.), *Consciousness and Self-regulation; Advances in Research and Theory* (pp. 1-18). New York: Plenum Press.

Norris, G. & Tate, R. L. (2000a). The Behavioural Assessment of the Dysexecutive Syndrome (BADS): Ecological, concurrent and construct validity. *Neuropsychological rehabilitation*, 10, 33-45.

Norris, G. & Tate, R. L. (2000b). The Behavioural Assessment of the Dysexecutive Syndrome (BADS): Ecological, concurrent and construct validity. *Neuropsychological rehabilitation*, 10, 33-45.

O'Connor, C., Manly, T., Robertson, I. H., Hevenor, S. J., & Levine, B. (2004). An fMRI of sustained attention with endogenous and exogenous engagement. *Brain and Cognition*, 54, 133-135.

Oder, W., Goldenberg, G., Spatt, J., Podreka, I., Binder, H., & Deecke, L. (1992). Behavioural and psychosocial sequelae of severe closed head injury and regional cerebral blood flow: A SPECT study. *Journal of neurology, neurosurgery and psychiatry*, 55, 475-480.

Owensworth, T. & Fleming, J. (2005). The Relative Importance of Metacognitive Skills, Emotional Status and Executive Function in Psychosocial Adjustment Following Acquired Brain Injury. *Journal of Head Trauma Rehabilitation*, 20, 315-332.

Pachalska M., Kurzbauer H., Talar J., & MacQueen B.D. (2002). Active and passive executive function disorder subsequent to closed-head injury. *Medical science monitor*, 8, CS1-9.

Papanicolaou, A. C. (1999). *fundamentals of functional brain imaging*. Lisse: Swets & Zeitlinger.

Penades, R. & Mateos, J. (2002). Could the hypofrontality pattern in schizophrenia be modified through neuropsychological rehabilitation? *Acta psychiatrica Scandinavica*, 105, 202.

- Perani, D., Cappa, S. F., Tettamanti, M., Rosa, M., Scifo, P., Miozzo, A. et al. (2003). A fMRI study of word retrieval in aphasia. *Brain and language*, 85, 357.
- Pizzamiglio, L., Galati, G., & Committeri, G. (2001). The contribution of functional neuroimaging to recovery after brain damage: A review. *Cortex*, 37, 11-31.
- Pohjasvaraa, T., Leskela, M., Vataja, R., Kalska, H., Yliskoski, R., Hietanen, M. et al. (2002). Post-Stroke Depression, Executive Dysfunction and Functional Outcome. *European journal of neurology*, 9, 269-275.
- Poldrack, R. A., Desmond, J. E., Glover, G. H., & Gabrieli, J. D. (1998). The neural basis of visual skill learning: an fMRI study of mirror reading. *Cerebral Cortex*, 8, 1-10.
- Pollens, R. D., McBratnie, B. P., & Burton, P. L. (1988). Beyond cognition: Executive functions in closed head injury. *The Journal of cognitive rehabilitation*, 6, 26-32.
- Ponsford, J., Draper, K., & Schönberger, M. (2008). Functional outcome 10 years after traumatic brain injury: its relationship with demographic, injury severity, and cognitive and emotional status. *Journal of the International Neuropsychological Society*, 14, 233-242.
- Price, J. (2002). Functional imaging studies of neuropsychological patients: Applications and limitations. *Neurocase*, 8, 345-354.
- Prigatano, G. P. (1991). Disturbances of Self-Awareness of Deficit after Traumatic Brain Injury. In G.P.Prigatano & D. L. Schacter (Eds.), *Awareness of Deficits Following Brain Injury: Theoretical and Clinical Issues*. (pp. 111-126). New York: Oxford University Press.
- Prigatano, P. (2005). A History of Cognitive Rehabilitation. In P.W.Halligan & D. T. Wade (Eds.), *Effectiveness of Rehabilitation for Cognitive Deficits* (pp. 3-10). New York: Oxford University Press.
- Rabbitt, P. (1997). Introduction: Methodologies and Models in the Study of Executive Function. In P.Rabbitt (Ed.), *Methodology of Frontal and Executive Function*. (pp. 1-38). East Sussex: Psychology Press Ltd.
- Raichle, M. E., MacLeod, A. M., Snyder, A. Z., Powers, W. J., Gusnard, D. A., & Shulman, G. L. (2001). A default mode of brain function. *Proc.Natl.Acad.Sci.USA*, 16, 676-682.
- Reid-Arndt, S. A., Nehl, C., & Hinkebein, J. (2007). The Frontal Systems Behaviour Scale (FrSBe) as a Predictor of Community Integration Following a Traumatic Brain Injury. *Brain Injury*, 21, 1361-1369.
- Ricker, H. & Zafonte, R. D. (2000). Functional neuroimaging and quantitative electroencephalography in adult traumatic head injury: clinical applications and interpretive cautions. *The journal of head trauma rehabilitation*, 15, 859-868.
- Ricker, J. H., Hillary, F. G., & DeLuca, J. (2001). Functionally Activated Brain Imaging (O-15 PET and fMRI) in the Study of Learning and Memory after Traumatic Brain Injury. *Journal of Head Trauma Rehabilitation*, 16, 191-205.

Rijntjes, M. & Weiller, C. (2002). Recovery of motor and language abilities after stroke: the contribution of functional imaging. *Progress in neurobiology*, 66, 109-122.

Robertson, I. H. (2005b). The Neural Basis for a Theory of Cognitive Rehabilitation. In P.W.Halligan & D. T. Wade (Eds.), *Effectiveness of Rehabilitation for Cognitive Deficits*. (pp. 281-291). New York: Oxford University Press Inc.

Robertson, I. H. (2005a). Science is the search for generalizable processes- clinicians solve complex problems: A reply to Wilson on the importance of not confusing these two things. *Journal of the International Neuropsychological Society*, 11, 494-497.

Robertson, I. H. & Murre, J. M. J. (1999). Rehabilitation of Brain Damage: Brain Plasticity and Principles of Guided Recovery. *Psychological Bulletin*, 125, 544-575.

Rockwood, K., Joyce, B., & Stolee, P. (1997). Use of Goal Attainment Scaling in Measuring Clinically Important Change in Cognitive Rehabilitation Patients. *Journal of Clinical Epidemiology*, 50, 581-588.

Rossini, P. M. & Pauri, F. (2000). Neuromagnetic integrated methods tracking human brain mechanisms of sensorimotor areas 'plastic' reorganisation. *Brain Research Reviews*, 33, 131-154.

Sachdev, P. S., Braodaty, H., Valenzuela, M. J., Lorentz, L., Looi, J. C. L., Wen, W. et al. (2004). The Neuropsychological Profile of Vascular Cognitive Impairment in Stroke and TIA Patients. *Neurology*, 62, 912-919.

Sarter, M., Berntson, G. G., & Cacioppo, J. T. (1996). Brain imaging and cognitive neuroscience: Toward strong inference in attributing function to structure. *The American psychologist*, 51, 13-21.

Satish, U., Streufert, S., & Eslinger, P. J. (2006). Measuring executive function deficits following head injury: An application of SMS simulation technology. *The Psychological record*, 56, 181-190.

Sbordone, R. J. (1996). Ecological validity: Some critical issues for the neuropsychologist. In R.J.Sbordone & C. J. Long (Eds.), *Ecological validity of neuropsychological testing* (pp. 15-41). Delray Beach, FL, England: GrPress/St Lucie Press Inc.

Sbordone, R. J. (2000). The executive functions of the brain. In Groth-Marnat G. (Ed.), *Neuropsychological assessment in clinical practice; a guide to test interpretation and integration*. (pp. 437-456). New York, NY, US: John Wiley & Sons, Inc.

Scheibel, S., Pearson, D. A., Faria, L. P., Kotrla, K. J., Aylward, E., Bachevalier, J. et al. (2003). An fMRI study of executive functioning after severe diffuse TBI. *Brain Injury*, 17, 919-930.

Schmitter-Edgecombe, M. E., Marks, W., Fahy, J. F., & Long, C. J. (1992). Effects of severe closed-head injury on three stages of information processing. *Journal of clinical and experimental neuropsychology*, 14, 717-737.

Selemon, L. D. & Goldman-Rakic, P. S. (1988). Common cortical and subcortical targets of the dorsolateral prefrontal and posterior parietal cortices in the rhesus monkey: evidence for

a distributed neural network subserving spatially guided behavior. *Journal of Neuroscience*, 8, 4049-4068.

Semkovska, M., Bedard, M. A., & Stip, E. (2001). Hypofrontality and negative symptoms in schizophrenia: synthesis of anatomic and neuropsychological knowledge and ecological perspectives. *L'encephale*, 27, 405-415.

Shallice, T. (1982). Specific impairments of planning. *Philosophical transactions of the Royal Society of London. Series B, Biological sciences*, 298, 199-209.

Shallice, T. (1988). *From neuropsychology to mental structure*.

Shallice, T. & Burgess, P. (1996). The domain of supervisory processes and temporal organization of behaviour. *Philosophical transactions of the Royal Society of London*, 351, 1405-1411.

Shallice, T. & Burgess, P. W. (1991). Deficits in Strategy Application Following Frontal Lobe Damage in Man. *Brain*, 114, 727-741.

Simo-Guerrero, M., Chirivella-Garrido, J., Ferri-Campos, J., Ramirez, R. M., Caballero, M. C., & Noe-Sebastian, E. (2004). Anoxic Encephalopathy: Clinical Description, Prognosis and Neuroimaging. *Neurology*, 38, 111-117.

Sirigu, A., Zalla, T., Pillon, B., Grafman, J., Agid, Y., & Dubois, B. (1996). Encoding of Sequence and Boundaries of Scripts Following Prefrontal Lesions. *Cortex*, 32, 297-310.

Sparing, R., Mattaghy, F. M., Ganis, G., Thompson, W. L., Töpper, R., Kosslyn, S. M. et al. (2002). Visual cortex excitability increases during visual mental imagery--a TMS study in healthy human subjects. *Brain Research*, 938, 92-97.

Spikman, J. M. (2003). Social Attention. *Zeitschrift für Neuropsychologie*, 14, 171-180.

Spikman, J. M., Boelen, D., Lamberts, K. F., Brouwer, W. H., & Fasotti, L. (2009). Effects of a multifaceted treatment program for Executive Dysfunction on indications of executive functioning in daily life. (*submitted*).

Spikman, J. M., Brand, B., & Brouwer, W. H. (2003). Rolhervattingslijst [Role Resumption List]. (*unpublished work*).

Spikman, J. M., Deelman, B. G., & Zomeren van, A. H. (2000a). Executive functioning, attention and frontal lesions in patients with chronic CHI. *Journal of clinical and experimental neuropsychology*, 22, 325-338.

Spikman, J. M., Hol-Steegstra, A., Rietberg, H., Vos, S., Boelen, D., & Lamberts, K. F. (2007). The Executive Secretariat Task (EST); A Real-Life, Ecologically Valid Measurement of Executive Functioning. *Brain Impairment*, 8, 223.

Spikman, J. M. & Landskroon, A. (2000b). Winkelcentrumtaak [Shopping Centre Task]. (*unpublished work*).

Spikman, J. M., Timmerman, M. E., Zomeren van, A. H., & Deelman, B. G. (1999). Recovery versus retest effects in attention after closed head injury. *Neuropsychology, development, and cognition. Section A, Journal of clinical and experimental neuropsychology*, 21, 585-605.

Spikman, J. M., Veenstra, W. S., van der Naalt, J., Milders, M., & Brouwer, W. H. (2005). Interactions between Executive Dysfunction and Deficits in Social Cognition in TBI Patients with Frontal Lesions. (*unpublished work*).

Spikman, J. M., Zomeren van, A. H., & Deelman, B. G. (1996). Deficits of attention after closed-head injury: Slowness only? *Neuropsychology, development, and cognition. Section A, Journal of clinical and experimental neuropsychology*, 18, 755-767.

Spooner, D. M. & Pachana, N. A. (2006). Ecological Validity in Neuropsychological Assessment: a Case for Greater Consideration in Research with Neurologically Intact Populations. *Archives of clinical neuropsychology*, 21, 327-337.

Stone, V. E., Baron-Cohen, S., & Knight, R. T. (1998). Frontal Lobe Contributions to Theory of Mind. *Journal of Cognitive Neuroscience*, 10, 640-656.

Strangman, G., O'Neil-Pirozzi, T. M., Burke, D., Cristina, D., Goldstein, R., Rauch, S. L. et al. (2005). Functional neuroimaging and cognitive rehabilitation for people with traumatic brain injury. *American journal of physical medicine*, 84, 62-75.

Stroop, J. R. (1935). Studies of Interference in Serial Verbal Reactions. *Journal of experimental psychology*, 18, 643-662.

Sturm, W., Longoni, F., Weis, S., Specht, K., Herzog, H., Vohn, R. et al. (2004). Functional reorganisation in patients with right hemisphere stroke after training of alertness: a longitudinal PET and fMRI study in eight cases. *Neuropsychologia*, 42, 434-450.

Stuss, D. T. (2007). Stroke and "Executive Dysfunction": Impact of the Type and Location of Stroke. *Brain and Cognition*, 63, 194.

Stuss, D. T. & Benson, D. F. (1984). Neuropsychological studies of the frontal lobes. *Psychological Bulletin*, 95, 3-28.

Sylvester, Y., Wager, T. D., Lacey, S. C., Hernandez, L., Nichols, T. E., Smith, E. E. et al. (2003). Switching attention and resolving interference: fMRI measures of executive functions. *Neuropsychological International Journal in Behaviour and Cognitive Neuroscience*, 41, 357-370.

Szameitat, A. J., Schubert, T., Müller, K., & von Cramon, D. Y. (2002). Localization of executive functions in dual-task performance with fMRI. *Journal of Cognitive Neuroscience*, 14, 1184-1199.

Tranel, D. & Eslinger, P. J. (2000). Effects of early onset brain injury on the development of cognition and behavior: introduction to the special issue. *Developmental Neuropsychology*, 18, 273-280.

Tucha, O., Smely, C., Preier, M., & Lange, K. W. (2000). Cognitive Deficits Before Treatment Among Patients with Brain Tumors. *Neurosurgery*, 47, 324-333.

Turner, B. M., Paradiso, S., Marvel, C. L., Pierson, R., Boles Ponto, L. L., Hichwa, R. D. et al. (2007). The cerebellum and emotional experience. *Neuropsychologia*, *45*, 1331-1341.

Unterrainer, J. M. & Owen, A. M. (2006). Planning and problem solving: from neuropsychology to functional neuroimaging. *Journal of Physiology*, *99*, 308-317.

Vataja, R., Pohjasvaara, T., Mäntylä, R., Yliskoski, R., Leppävuori, A., Leskelä, M. et al. (2003). MRI correlates of executive dysfunction in patients with ischaemic stroke. *European journal of neurology*, *10*, 625-631.

Veen van, V., Cohen, J. D., Botvinick, M. M., Stenger, A., & Carter, C. S. (2001). Anterior cingulate cortex, conflict monitoring, and levels of processing. *NeuroImage*, *14*, 1302-1308.

Verhage, F. (1964). *Intelligentie en leeftijd: Onderzoek bij Nederlanders van twaalf tot zevenenzeventig jaar*. Assen: Van Gorcum.

Vilkkki, J., Ahola, K., Holst, P., Öhman, J., Servo, A., & Heiskanen, O. (1994). Prediction of Psychosocial Recovery after Head Injury with Cognitive Tests and Neurobehavioural Ratings. *Journal of clinical and experimental neuropsychology*, *16*, 325-338.

VonSteinbüchel, N., Petersen, C., & Bullinger, M. (2005). Assessment of Health-Related Quality of Life in Persons after Traumatic Brain Injury: Development of the QOLIBRI. *Acta Neurochirurgica Supplementum*, *93*, 43-49.

Wagner, G., Koch, K., Reichenbach, J. R., Sauer, H., & Schlösser, R. G. M. (2006). The special involvement of the rostralateral prefrontal cortex in planning abilities: An event-related fMRI study with the Tower of London paradigm. *Neuropsychologia*, *44*, 2337-2347.

Weiller, C. (1998). Imaging recovery from stroke. *Experimental brain research*, *123*, 13-17.

Wells, R., Dywan, J., & Dumas, J. (2005). Life Satisfaction and Distress in Family Caregivers as Related to Specific Behavioural Changes after Traumatic Brain Injury. *Brain Injury*, *19*, 1105-1115.

Wilson, B. A. (1989). Models of cognitive rehabilitation. In P. Eames & R. Wood (Eds.), *Models of Brain Rehabilitation*. (pp. 117-141). London: Chapman & Hall.

Wilson, B. A. (1997). Cognitive Rehabilitation: How it is and how it might be. *Journal of the International Neuropsychological Society*, *3*, 487-496.

Wilson, B. A. (2000). Compensating for Cognitive Deficits Following Brain Injury. *Neuropsychological Review*, *10*, 233-243.

Wilson, B. A. (1993). Ecological Validity of Neuropsychological Assessment: Do Neuropsychological Indexes Predict Performance in Everyday Activities? *Applied and Preventive Psychology*, *2*, 209-215.

Wilson, B. A., Alderman, N., Burgess, P. W., Emslie, H., & Evans, J. J. (1996). *Behavioural Assessment of the Dysexecutive Syndrome*. Bury St. Edmunds: Thames Valley Test Company.

- Wilson, B. A., Emslie, H., Foley, J., Shiel, A., Watson, P., Hawkins, K. et al. (2005). *The Cambridge Prospective Memory Test*. London: Harcourt.
- Wilson, B. A., Evans, J. J., Emslie, H., Alderman, N., & Burgess, P. (1998). The development of an ecologically valid test for assessing patients with dysexecutive syndrome. *Neuropsychological rehabilitation*, 8, 213-228.
- Wilson, B. A., Evans, J. J., & Keohane, C. (2002). Cognitive rehabilitation: a goal-planning approach. *The journal of head trauma rehabilitation*, 17, 542-555.
- Wood, R. L. & Liossi, C. (2006). The Ecological Validity of Executive Tests in a Severely Brain injured Sample. *Archives of clinical neuropsychology*, 21, 429-437.
- Wood, R. L. & Rutterford, N. A. (2004). Relationships between measured cognitive ability and reported psychosocial activity after bilateral frontal lobe injury: An 18-year follow-up. *Neuropsychological rehabilitation*, 14, 329-350.
- World Health Organization. (2001). International Classification of Functioning, Disability and Health (ICF). WHO.
Ref Type: Pamphlet
- Worthington, A. D. (2005). The Natural Recovery and Treatment of Executive Disorders. In P.W.Halligan, U. Kischka, & J. C. Marshall (Eds.), *Handbook of Clinical Neuropsychology*. (Oxford: Oxford University Press.
- Wykes, T. (1998). What are we changing with neurocognitive rehabilitation? Illustrations from two single cases of changes in neuropsychological performance and brain systems as measured by SPECT. *Schizophrenia research*, 34, 77.
- Wykes, T., Brammer, M. J., Mellers, J., Bray, P., Reeder, C., Williams, C. et al. (2002). Effects on the brain of a psychological treatment: Cognitive remediation therapy: Functional magnetic resonance imaging in schizophrenia. *British Journal of Psychiatry*, 181, 144-152.
- Ylvisaker, M. (1998). *Traumatic Brain Injury Rehabilitation: Children and Adolescents*. Boston: Butterworth Heineman.
- Ylvisaker, M. & Feeney, J. (1996). Executive functions after traumatic brain injury: supported cognition and self-advocacy. *Seminars in speech and language*, 17, 217-232.
- Zomeren van, A. H. & Burg van den, W. (1985). Residual complaints of patients two years after severe head injury. *Journal of neurology, neurosurgery and psychiatry*, 48, 21-28.

