

University of Groningen

## Polymer-templated chemical solution deposition of ferrimagnetic nanoarrays and multiferroic nanocomposite thin films

Xu, Jin

DOI:  
[10.33612/diss.131633681](https://doi.org/10.33612/diss.131633681)

**IMPORTANT NOTE:** You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

*Document Version*  
Publisher's PDF, also known as Version of record

*Publication date:*  
2020

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*  
Xu, J. (2020). *Polymer-templated chemical solution deposition of ferrimagnetic nanoarrays and multiferroic nanocomposite thin films*. University of Groningen. <https://doi.org/10.33612/diss.131633681>

### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

*Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.*

## **Propositions**

accompanying the dissertation

### **Polymer-Templated Chemical Solution Deposition of Ferrimagnetic Nanoarrays and Multiferroic Nanocomposite Thin Films**

Jin Xu

1. Adding cobalt to ferrite nanodots turns them into room-temperature ferrimagnets. (Chapter 3)
2. Standard characterization methods for CFO nanoparticles and CFO thin films have been well established. Applying them to arrays of CFO nanodots, however, can be very challenging. (Chapter 3)
3. GISAXS is a great complementing technique to SEM and TEM, as it reveals the long-range order of nanostructure arrays in a non-destructive fashion. (Chapter 3)
4. Block copolymer templates can provide either structure regularity or array height in oxide nanoarray patterning, whereas imprinted polymer templates combine these two desirable features. (Chapter 3, 4, and 5)
5. Coating ferroelectric polymers on polymer-templated ferrimagnetic oxide arrays is a low-cost and convenient approach to multiferroic thin-film nanocomposites. (Chapter 6)
6. The magnetic-field-assisted ferroelectric switching in the nanocomposites is an indirect proof of magnetoelectric coupling. (Chapter 6)
7. Bridging between disciplines is challenging, but rewarding in the long run.
8. Most of the time pain is not caused by the problems themselves, but by the resistance to accepting them.