

University of Groningen

The social cognitive actor

Helmhout, M.

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2006

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Helmhout, M. (2006). *The social cognitive actor: a multi-actor simulation of organisations*. [Thesis fully internal (DIV), University of Groningen]. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

List of Figures

1.1	The logic of simulation as a method.	7
1.2	Life Cycle of a Simulation Study.	10
1.3	Structure of the dissertation.	15
2.1	History of contemporary approaches of (social) simulation theories and technique.	17
2.2	Taxonomy of memory types.	28
2.3	Agent with components.	33
2.4	Nesting of environments.	43
2.5	Typology of coordination relationships.	45
2.6	The three states of CDPS.	51
2.7	Causal network for commitment to joint goal.	54
2.8	ARCHON (GRATE*) agent architecture.	55
3.1	Social constructivism and overview of levels and theories.	65
3.2	Functional circle.	73
3.3	Communication model.	77
3.4	Components of the actor.	80
3.5	Social constructs present at three levels.	84
3.6	Social constructs, actors and context.	91
3.7	Four meanings of a social construct.	99
4.1	The subsumption architecture.	108
4.2	Relationship between theory, architecture, models, actor and cognition.	110
4.3	Architectural structure of SOAR.	112
4.4	The organisation of information in ACT-R 5.0. Information in the buffers associated with modules is responded to and changed by production rules.	123
4.5	Chunk addition-fact 7.	125

List of Figures

4.6	Example chunk, accessed at times 10 and 28.	127
4.7	Activation spread between goal chunk and three chunks in memory.	128
4.8	Procedure pattern.	134
4.9	Example of a procedure pattern.	134
4.10	ACT-R engine and interaction.	145
4.11	Conflict resolution / credit assignment.	146
5.1	Patterns for component interaction and distribution.	163
5.2	Tier client-server architecture; Multi-RBot System (MRS).	164
5.3	Example of a MVC pattern.	166
5.4	RBot; comparable with ACT-R.	168
5.5	Three types of memorymaps.	170
5.6	Example of a buffer / memorymap.	171
5.7	Example of a memory structure.	173
5.8	Memory components class diagram.	174
5.9	Structure of the procedure.	176
5.10	Classes that implement the social construct.	181
5.11	GoalFeeder & finite state machine of the GoalHandler.	183
5.12	Goalstack.	185
5.13	Positionhandler.	189
5.14	Social constructs and the impact on utility of procedures.	192
5.15	User interface of RBot: view and control.	193
5.16	Possible database connection models.	195
5.17	Registration of an actor.	197
5.18	The next-event time-advance approach.	197
5.19	The fixed-increment time advance.	198
5.20	Multi-actor synchronisation clock.	199
5.21	Timer communication mechanism.	199
5.22	A task environment in action.	203
5.23	Server controls who perceives what.	203
5.24	Communication between actor and environment.	204
5.25	User interface that presents data from the database in a graph.	206
6.1	Life Cycle of a Simulation Study; see also chapter 1.	211
6.2	The two development cycles of RBot and MRS.	215
6.3	A multi-column addition problem.	218
6.4	Activation: base level learning and retrievals of chunk $1+1 = 2$ and chunk $5+ 7 = 12$	220
6.5	Creation of a chunk and the merger of a chunk.	221
6.6	Norm selection as a coordination game.	224
6.7	Nash equilibrium development over time.	224
6.8	Game Frame of two actors trying to pass each other.	226
6.9	States and state changes of the productions of an actor.	226
6.10	Actor1 & 2: Utility, Successes, Failures of procedure 'Left' & 'Right'.	228
	(a) Actor1: Successes, Failures Left	228
	(b) Actor1: Successes, Failures Right	228
	(c) Actor1: Utility Left	228

List of Figures

(d)	Actor1: Utility Right	228
(e)	Actor2: Successes, Failures Left	228
(f)	Actor2: Successes, Failures Right	228
(g)	Actor2: Utility Left	228
(h)	Actor2: Utility Right	228
6.11	Y coordinates of both actors per time step.	229
6.12	The extension of the cognitive engine with social constructs.	232
6.13	Actor1 & 2: Utility, Successes, Failures of procedure 'Left' & 'Right'.	235
(a)	Actor1: Successes, Failures Left	235
(b)	Actor1: Successes, Failures Right	235
(c)	Actor1: Utility Left	235
(d)	Actor1: Utility Right	235
(e)	Actor2: Successes, Failures Left	235
(f)	Actor2: Successes, Failures Right	235
(g)	Actor2: Utility Left	235
(h)	Actor2: Utility Right	235
6.14	Y coordinates of both actors per timestep.	236

List of Tables

2.1	Characteristics of the social and cognitive agent.	41
2.2	Classification of interaction scenarios.	47
2.3	Strategic form of game theory; the prisoner's dilemma.	49
3.1	Jakobson's six functions of languages.	76
3.2	Explanations of communicative functions.	78
3.3	Similarity between two approaches of communication.	80
3.4	KQML dialogue.	82
4.1	Levels of description of various cognitive scientists.	103
4.2	Comparison of SOAR and ACT-R.	118
4.3	Time scale of human action.	151
5.1	Example of a procedure and a goalchunk in XML.	179
5.2	Format of message chunk.	190
5.3	General markup of the actor message.	201
5.4	Content of RBot message.	201
6.1	Operational Validity Classification.	214
6.2	Goal stack addition problem.	219
6.3	Social constructs (XML format).	234

