

University of Groningen

The social cognitive actor

Helmhout, M.

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2006

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Helmhout, M. (2006). *The social cognitive actor: a multi-actor simulation of organisations*. [Thesis fully internal (DIV), University of Groningen]. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

A

accessible environment, 32
activation, 29, 106, 113, 117, 119, 121,
125–133, 139, 163, 169, 171, 172,
180, 181, 184, 187, 191, 217, 220,
221, 250
 associative, 126
 base-level, 126, 127, 130, 133
 equation, 126
 sub-symbolic, 113, 246
 threshold, 126
actor, 99, 115, 120, 121, 150, 159, 168,
180, 198, 206, 214–216, 243, 247,
248, 254
ACTS, 120
Adaptive Control of Thought, Ratio-
nal, 5, 9, 10, 13, 15, 16, 24, 28, 29,
35, 61, 98, 102, 105, 106, 110, 112–
139, 142–150, 152–156, 159, 160,
163, 166–169, 175–178, 182, 186,
191, 193, 207–209, 215–222, 224,
231, 237–239, 242, 244, 246–249,
251, 252, 257, 298, 300, 301, 306,
307
affordance, 24, 26, 32, 68, 85, 89, 245,
256
 physical, 27, 85, 89, 245, 256
 social, 85, 86, 245
agent, 1, 13, 42, 58–61, 150, 152, 159,
223, 244, 256
 boundedly rational, 38, 120

 cognitive social, 1, 2, 12, 17, 61, 149,
159, 161, 209, 241, 255
 deliberative, 28, 34
 reactive, 34, 36, 44, 61, 256
 reflective, 33, 35
 reflexive, 34
Agent Communication Language, 51,
81, 82, 150, 151, 195, 207
Architecture for Cooperative Hetero-
geneous ON-line systems, 54, 59,
61
artificial
 society, 2, 5, 10, 11, 212, 215
Artificial Intelligence, 2, 4–6, 8, 13, 18,
21, 22, 32–34, 79, 83, 102, 106, 107,
110, 150, 223, 251
 Distributed, 6, 18–20, 48–50, 52, 150,
160
artificial task environment, 150, 151
associative activation, 126
associative memory, 29, 105, 119
augmentative cooperation, 46
autonomy, 6, 19, 20, 33, 36, 37, 43, 58,
162, 165, 166, 196, 253

B

base-level activation, 126, 127, 130, 133
base-level learning, 125, 126, 131, 136,
138, 142, 147, 149, 191, 217, 220,
222, 249, 251
behaviour

Index

- goal-directed, 22, 28, 35, 120, 249
 - social, 151
- belief, 3, 22, 23, 29, 30, 35, 39, 47, 53, 56, 57, 70, 71, 104, 109, 115, 116, 231, 238, 245
- Belief Desire Intention, 35, 153
- biological level, 103
- bounded rationality, 40, 44, 115, 118–120, 189
- boundedly rational, 14, 38, 45, 119, 147, 242
 - agent, 38, 120
- C**
- chunk, 38, 84, 86, 106, 111, 113, 115, 121, 125–134, 136, 144, 146, 147, 149, 152, 154, 169–178, 180–193, 202, 203, 208, 217, 220, 221, 225, 248, 249, 252
- chunking, 35, 112, 117
- chunktype, 125, 128, 169, 170, 172–179, 185, 192
- CLARION, 5, 6, 9, 36, 121, 154
- Client-Server, 162
- CNET, 51
- cognitive
 - actor, 13, 15, 16, 61, 63, 65, 98, 101, 102, 110, 120, 150, 157, 160, 166, 216, 222, 232, 237, 240–242, 246, 249–251
 - architecture, 121, 166, 168
 - plausible, 10–14, 70, 102, 110, 115, 120, 149, 160, 163, 166, 207, 209, 216, 230, 231, 243, 244, 246, 250, 251, 254, 256
 - agent, 2, 13, 14, 21, 33, 36–40, 44, 61, 63, 84, 120, 250
 - plausible, 4, 34, 35, 40, 61
 - architecture, 5, 12, 13, 15, 23, 29, 32, 34–36, 60, 61, 65, 70, 98–102, 105, 106, 109, 110, 113–115, 117, 119–121, 124, 137, 153, 156, 159, 160, 166, 167, 180, 206, 215, 216, 223, 233, 242–244, 246, 247, 251, 256
 - level, 2, 3, 84, 98, 150, 154, 223, 225, 239
 - mechanism, 3, 10, 11, 23, 35, 53, 105, 156, 160, 167, 191, 207, 216, 238, 242, 244, 251
 - model, 2, 16, 109, 111, 114, 137
 - modelling, 1, 2, 5, 223
 - plausibility, 120, 154, 156, 216, 238, 239, 242, 245, 249, 251
 - plausible, 24, 35, 61, 101, 130, 147, 149, 153, 156, 207, 238, 239, 245, 251
 - theories, 1, 2, 35, 156, 167
- cognitive agent-based computational social simulation model, 1, 2, 12, 17, 61, 159
- cognitive agent-based social simulation, 12, 61, 149, 161, 209, 241, 255
- Cognitive Impenetrability, 115
- cognitive science, 1–6, 15, 17, 20, 24, 27, 32, 33, 35, 64, 75, 100–102, 105, 113, 120, 156, 223, 241, 243, 246, 252
- communication, 3–5, 15, 19, 21, 32, 42–46, 56, 63–65, 71, 73–82, 84, 89, 95, 98, 99
 - act, 75
 - environment, 4, 13, 15, 43, 44, 61
 - handler, 182
 - language, 79, 80
 - layer, 81
 - level, 81, 82
 - model, 76, 78
 - protocol, 51
- communication and social environment, 4
- Component Interaction View, 162
- Computational & Mathematical Organization Theory, 4, 13, 14, 36, 257
- computer simulation, 8, 210
 - model, 18
- conflict, 19, 21, 32, 37, 39, 42, 45–50, 52, 56, 114, 145, 183, 257
 - handling, 46, 48
 - resolution, 50, 114, 122, 139, 143, 144, 146, 167, 181, 183, 187, 231–233
 - situation, 46
- connectionism, 5, 24, 102, 105–107, 113,

- 133, 156, 246
 - continuous environment, 42
 - Contract-Net, 51
 - cooperation, 1, 6, 11, 12, 14, 33, 42, 45–50, 54, 58, 85, 154, 222, 245, 254, 257
 - augmentative, 46
 - debative, 46
 - integrative, 46
 - coordination, 6, 11, 12, 33, 45, 47, 48, 50, 85, 90, 97, 113, 123, 156, 180, 224, 245, 252, 254, 257
 - mechanism, 14, 16, 45, 48–50, 65, 98, 207, 209, 231, 232, 236, 242–244, 300
 - cultural environment, 21
- D**
- debative cooperation, 46
 - declarative
 - learning, 125, 132
 - Declarative Memory, 29
 - deliberative agent, 28, 34
 - design-based approach, 8, 209
 - deterministic environment, 42
 - discrete environment, 42
 - discrete-event simulation, 18, 42
 - Distributed Communication View, 162
 - Distributed Problem Solving, 19, 50, 55
 - Cooperative, 51
 - Document Type Definition, 172, 179, 185, 201
 - dynamic environment, 42
- E**
- economics, 4, 20, 49, 60, 86, 105
 - Embodied Cognition, 6, 44, 83, 105, 156
 - empirical cycle, 7
 - environment, 4–6, 12–15, 20–22, 24–27, 31–34, 36–40, 42–45, 50, 61, 63, 71, 85, 90, 96, 98, 102, 104, 106, 109, 111, 116, 119, 124, 127, 143, 149, 188, 196, 204, 205, 208, 224, 229, 232, 238, 239, 242, 243, 246, 248, 250, 253, 256
 - accessible, 32
 - continuous, 42
 - cultural, 21
 - deterministic, 42
 - discrete, 42
 - dynamic, 42
 - episodic, 42
 - external, 27, 37, 89
 - in-accessible, 32
 - inner, 44
 - multi-actor, 121, 124, 194, 209, 222, 247
 - observable, 104
 - partially, 42
 - outer, 44
 - perceived, 38
 - physical, 2, 13, 15, 43, 44, 61
 - real-time, 149
 - sequential, 42
 - simulated, 13, 43, 61
 - simulation, 166, 254
 - social, 4, 13, 15, 21, 44, 61
 - socially situated, 2
 - static, 42
 - task
 - artificial, 150, 151
 - episodic environment, 42
 - episodic learning, 117
 - Episodic Memory, 29
 - episodic memory, 29
 - evolutionary learning, 31
 - Executive Process Interactive Control, 110, 121, 124
 - eXtensible Markup Language, 81, 172, 177, 179, 188, 193, 201, 205, 208, 233
 - external environment, 27, 37, 89
- F**
- finite state machines, 42
 - First In First Out, 153, 170, 173, 182
 - formal organisation, 69, 255
 - Foundation for Intelligent
 - Physical Agents, 82, 151, 201
 - functional level, 3, 22–24, 35, 64, 98, 103, 105, 121, 125, 153, 242, 244
- G**
- game theory, 49, 50, 105, 223, 225, 226

Index

- General Principle of Rationality, 116
generalisation, 134, 137, 176–178, 186
goal, 6, 19, 23, 24, 30–32, 35–39, 44–48, 50, 52, 53, 56, 59, 63, 95, 103–105, 109–114, 116, 117, 119–122, 124, 125, 133, 135, 136, 139, 140, 143, 144, 146–149, 152–155, 177, 181–183, 185, 190, 193, 201, 208, 216, 217, 219, 222, 225, 226, 231, 232, 238, 245, 246, 249, 252, 257
buffer, 124
chunk, 124, 134, 145, 177–179, 185–187
comparators, 32
directed behaviour, 22, 28, 35, 120, 249
feeder, 167, 182, 185, 187, 193
generators, 32
joint, 53, 54, 56
module, 112, 124, 144
organisational, 115
social, 36, 39, 57
stack, 16, 124, 125, 133, 135, 136, 139, 144, 146, 147, 149, 153, 167, 175, 177, 182–187, 194, 217, 219, 220, 222, 249
value, 139, 140, 146–148, 155
goal level, 146, 147
goal-directed behaviour, 22, 28, 35, 120, 249
goalhandler, 170, 182–188, 191, 194
Good Old Fashioned AI, 34, 106, 246
- H**
habitual or situational memory, 242
handler, 15, 168, 172, 175, 179, 181, 182, 187, 188, 190, 191, 193, 194, 248
goal, 170, 182–188, 191, 194
memory state dependent, 182
message, 190, 194, 217
perception, 182, 188, 189, 203, 204
position, 189
social construct, 191, 192
time dependent, 182
Human Computer Interaction, 43
- I**
in-accessible environment, 32
inner environment, 44
integrative cooperation, 46
intentional level, 3, 22–24, 35, 64, 104, 105, 121, 244
Internet, 6, 18, 19, 21, 57–59, 94, 95, 150, 253, 254
Iterated Prisoner's Dilemma, 50
- J**
Joint Responsibility Model, 54
- K**
knowledge, 3, 5, 22, 23, 28–30, 37–39, 44, 45, 50, 51, 53, 56, 57, 59, 64, 74, 79, 81, 85, 86, 90, 92, 98, 100, 103–105, 107, 110–112, 116, 117, 119, 121, 122, 125, 127, 130, 132, 137, 138, 140, 151, 152, 154, 160, 166, 167, 169, 174, 175, 179, 190, 197, 201, 207, 208, 218, 233, 237, 238, 242, 243, 245, 247, 251, 252
declarative, 125, 137, 138, 249
explicit, 243, 252
normative, 250
shared, 99
prior, 30, 37, 90, 96, 222, 251, 252
procedural, 133, 250
shared, 3, 12
normative, 99
Knowledge Interchange Format, 81, 82, 179
knowledge level, 23, 106, 117
Knowledge Level Hypothesis, 104, 116
Knowledge Query Markup Language, 80–82
Knowledge Sources, 18, 19
- L**
Last In First Out, 124, 170, 173, 185
learning, 2, 3, 28–31, 35, 36, 42, 64, 90, 91, 110, 111, 113, 114, 117, 119, 120, 123, 132, 133, 136, 137, 139, 140, 142, 224, 225, 231, 238, 242, 249, 251
declarative, 125, 132

- episodic, 117
 - evolutionary, 31
 - machine, 30
 - mechanism, 13, 32, 117, 136, 177, 238
 - q-learning, 31
 - reinforcement, 30, 117, 187
 - semantic, 117
 - sub-symbolic, 35, 115, 132, 138, 217
 - supervised, 30
 - symbolic, 30, 136, 138, 217
 - unsupervised, 30
 - level
 - biological, 103
 - goal, 146, 147
 - intentional, 3, 22–24, 35, 64, 104, 105, 121, 244
 - knowledge, 23, 106, 117
 - organisational, 156, 208
 - physical, 84, 103, 109, 121
 - rational, 49, 53, 103, 104, 109, 153, 223, 242
 - semiotic, 3, 64, 82–84, 86, 98, 99, 152
 - symbol, 23, 104
 - Long Term Memory, 28, 29, 117
 - long-term memory, 28, 29, 117, 125
- M**
- machine learning, 30
 - memory, 28–30, 33, 34, 71, 93, 100, 106, 109, 110, 114, 117, 121, 125–128, 130, 132, 133, 144, 167–175, 180, 182, 187–189, 191, 194, 204, 206–208, 217, 218, 221, 227, 229, 243, 246, 248, 251
 - associative, 29, 105, 119
 - component, 55, 169, 171–174, 179, 180, 191
 - decay, 119
 - declarative, 16, 29, 112, 115, 117, 122, 124, 125, 131–133, 136–138, 144, 146, 147, 154, 169, 175, 184, 192, 217, 220
 - episodic, 29
 - habitual or situational, 242
 - long-term, 28, 29, 117, 125
 - model, 15, 167, 168
 - physical, 167, 187
 - procedural, 29, 122, 136, 169, 175, 238
 - production, 115, 117, 125
 - semantic, 29, 117
 - sensory, 29
 - short-term, 28, 119, 153
 - working, 29, 111, 112, 114, 133, 167, 183, 191
 - memory state dependent handlers, 182
 - memorymap, 154, 167, 169–171, 173–176, 180–182, 184–192, 201, 205, 208, 233, 238, 240, 248
 - message handler, 190, 194, 217
 - Message Queueing, 165
 - methodological individualism, 2, 3, 12, 86, 98, 241, 244, 245
 - Micro Simulation Models, 18
 - Model Social Agent, 37
 - Model View Controller, 165, 168
 - multi-actor, 99, 115, 120, 121, 150, 159, 168, 180, 198, 206, 214–216, 243, 247, 248, 254
 - environment, 121, 124, 194, 209, 222, 247
 - multi-actor system, 13, 110, 120, 121, 160, 222, 253, 300
 - multi-agent, 1, 13, 42, 58–61, 150, 152, 159, 223, 244, 256
 - simulation system, 59, 60, 162
 - simulations, 8
 - Multi-Agent System, 1–4, 6, 8, 11–15, 17–21, 23, 24, 39, 42, 43, 49, 50, 52, 55–59, 63, 70, 78, 79, 81, 82, 105, 110, 120, 149, 150, 156, 157, 160–162, 166, 198, 201, 206, 208, 240–242, 244–246, 297, 299–301, 303, 305
 - Multi-RBot System, 4, 10, 11, 13, 15, 61, 121, 150, 151, 156, 159, 163, 164, 166, 193, 205, 207–209, 215, 216, 222, 230, 236, 238, 240–244, 246, 249–251, 253, 254, 256, 257, 300
- N**
- negotiation, 3, 12, 48, 50, 52, 58, 64, 69, 80, 96, 230, 233, 237, 243

Index

- norm, 31, 37, 39, 46, 50, 57, 61, 77, 78, 82, 86–90, 93–97, 100, 179–181, 192, 223, 225, 229–233, 236, 237, 239, 243, 248, 250, 256
social, 233, 234, 237, 239
normative, 7, 14, 15, 31, 33, 36, 57, 60, 61, 97, 98, 152, 156, 207, 242, 245, 250
- O**
- observable environment, 104
organisation, 2, 4–6, 11, 15, 20, 24, 48, 53, 64, 67, 69–71, 83–87, 90, 92–95, 97, 109, 115, 120, 156, 169, 180, 223, 245, 257
formal, 69, 255
organisational
behaviour, 4, 14, 115, 120, 123, 149, 222, 223, 243, 244, 300
goal, 115
semiotics, 75, 84, 86
organisational level, 156, 208
organisational semiotics, 3–5, 12, 15, 27, 85, 99
outer environment, 44
- P**
- Partial Global Planning, 52
partially observable environment, 42
Peer to Peer, 162, 253, 254
perceived environment, 38
perception, 20, 24–28, 32, 55, 57, 85, 101, 107, 108, 110, 112, 113, 120–124, 133–135, 144, 149, 150, 167, 169, 171, 181, 182, 187–189, 191, 202, 203, 205, 225, 232, 233, 238, 250, 253
perception handler, 182, 188, 189, 203, 204
physical
affordance, 27, 85, 89, 245, 256
physical and socially situated environment, 2
physical environment, 39, 43, 44, 83, 150, 163, 196, 207, 248, 253
physical level, 84, 103, 109, 121
physical memory, 167, 187
physical representation, 19
physical symbol system, 12, 23, 35, 61, 84, 98, 99, 107, 109, 113, 114, 116, 153, 156, 166, 207, 246, 248
Physical Symbol System Hypothesis, 116
physical, communication and social environment, 13, 15, 44, 61
position handler, 189
Primary Modelling System, 73
Principle of Rationality, 116
procedural
knowledge, 133, 250
memory, 29, 122, 136, 169, 175, 238
sub-symbolic learning, 138
symbolic learning, 136
Procedural Memory, 29
Procedural Reasoning System, 35
proceduralization, 137, 138, 177, 251
production memory, 115, 117, 125
psychology, 4, 8, 26, 49, 64, 102
cognitive, 24, 100, 105, 159, 207, 216, 244, 247, 251
social, 2, 64, 69, 99, 120, 207
Publish-Subscribe, 164, 165
- Q**
- Q-learning, 31
- R**
- rational level, 49, 53, 103, 104, 109, 153, 223, 242
RBot, 4, 9–11, 13, 15–17, 61, 65, 98, 102, 109, 121, 122, 137, 149, 150, 153–157, 159, 160, 163, 166–170, 172–176, 178–182, 185, 186, 188, 190, 191, 193, 194, 200–202, 205, 207–209, 215–223, 230–233, 236–244, 246–257, 300, 301, 306, 307
Multi-RBot System, 4, 13, 61, 121, 150, 151, 159, 163, 164, 166, 208, 222, 240, 246, 249, 253, 300
reactive agent, 34, 36, 44, 61, 256
real-time environment, 149
reflective agent, 33, 35
reflexive agent, 34
regulative cycle, 7, 8, 211

- reinforcement learning, 30, 117, 187
 Remote Procedure Call, 165
 representation, 5, 9, 11, 12, 14, 20, 22,
 26, 28, 34, 35, 52, 53, 57, 64, 65,
 70, 71, 73, 74, 79, 81, 83–85, 89,
 90, 92, 98–102, 105–107, 109, 112,
 113, 115, 116, 119, 120, 122, 151,
 152, 156, 160–162, 167, 180, 187,
 206, 207, 211, 212, 222, 223, 236,
 238–240, 242, 243, 245–249, 252
 physical, 19
- S**
- Secondary Modelling System, 73
 semantic learning, 117
 Semantic Memory, 29
 semantic memory, 29, 117
 semiosis, 3, 5, 73, 91, 98, 188, 245, 246
 semiotic Umwelt, 27, 43, 71, 72, 188,
 200, 202, 206, 208, 239, 243, 245,
 246, 248, 249, 251, 253
 semiotics, 3, 5, 27, 64, 65, 71–74, 79, 82,
 84, 156
 level, 3, 64, 82–84, 86, 98, 99, 152
 organisational, 3–5, 12, 15, 27, 75,
 84–86, 99
 sensory memory, 29
 sequential environment, 42
 Short Term Memory, 28, 29
 short-term memory, 28, 119, 153
 sign, 3–5, 11–13, 64, 71–76, 80–82, 84,
 85, 88, 91, 92, 94, 95, 98, 99, 101,
 105, 150, 151, 153, 157, 203, 208,
 216, 246, 248, 253, 256, 299
 production, 64, 65, 74–76, 84, 91
 signal, 24, 30, 72, 75, 88, 94, 102, 105,
 150, 151, 157, 239
 signification, 71, 74–76, 81
 process, 71
 system, 64, 65, 74–77, 79, 82, 84, 91,
 98, 99, 201, 202, 245, 246, 248
 simulated environment, 13, 43, 61
 simulated physical environment, 43
 simulation, 2, 4, 7–11, 18, 43, 61, 64,
 102, 109, 136, 140, 141, 163, 165,
 171, 182, 189, 193–196, 202, 206,
 225–227, 230, 231, 256, 257
- clock, 174, 197, 198
 computer, 8, 210
 discrete-event, 18, 42
 model, 2, 6–9, 17, 212, 213, 216, 232
 social, 1, 2, 16, 18, 237, 241, 250
 cognitive agent-based, 1, 2, 12,
 17, 61, 149, 159, 161, 209, 241,
 255
 software, 149
 study, 9, 209, 211, 212
 system, 58, 59
 simulation environment, 166, 254
 social
- affordance, 85, 86, 245
 behaviour, 2, 3, 10–12, 15–17, 23, 24,
 33, 38, 42, 44, 47, 61, 63–65, 70,
 95, 98, 99, 149, 151, 152, 160,
 207, 216, 223, 242–247, 250–252,
 254, 256, 299
 cognition, 69, 70, 242
 environment, 6, 43, 44, 61, 63, 64,
 74, 83, 120, 167, 222, 231
 goal, 36, 39, 57
 level, 3, 23, 24, 50, 63, 64, 82, 84–86,
 98, 99, 101, 152, 156, 180, 223,
 230, 231, 234, 238, 244
 norm, 13, 85, 86, 88, 152, 181, 200,
 207, 223, 233, 234, 237, 239
 psychology, 2, 64, 69, 99, 120, 207
 science, 1, 2, 8, 14, 17, 20, 237, 241
 social construct, 3, 12, 14–16, 57, 61, 65–
 67, 75, 77, 80, 82–101, 109, 152,
 156, 167, 172, 180, 181, 187, 190,
 192, 201, 207, 209, 216, 222, 223,
 225, 227, 229–234, 236–239, 242–
 250, 252, 256, 299, 300
 handler, 191, 192
 social construct handler, 191, 192
 social construction, 64–66, 68–70, 85,
 86, 94, 245
 social constructivism, 2, 12, 64, 65, 67,
 70, 71, 75, 85, 98, 156, 245
 social constructivist, 66, 83
 theory, 4, 6
 social simulation, 1, 2, 16, 18, 237, 241,
 250
 model, 1, 2, 12, 17, 61, 159

Index

social-cultural environment, 21
sociology, 49, 64, 86, 99, 120, 207
specialisation, 46, 176, 177
State, Operator And Result, 5, 13, 24,
28, 29, 31, 35, 61, 110–115, 117–
121, 145, 152, 166, 169, 186, 208,
246, 249, 300, 306
static environment, 42
sub-symbolic, 29, 113, 121, 125, 126,
144, 147, 163, 167, 178, 179, 181,
191, 205, 216, 221, 231, 249, 252
activation, 113, 246
learning, 35, 115, 132, 138, 217
level, 113, 116, 117, 119–121, 133,
136, 143, 147, 149, 171, 178, 179,
187, 230
procedural learning, 138
subsumption, 61, 105, 109, 207, 248
architecture, 15, 34, 108, 109, 152,
180, 207, 208, 246
supervised learning, 30
Swarm, 60, 255
symbol level, 23, 104
symbolic
learning, 30, 136, 138, 217
procedural learning, 136

T

task environment, 13, 14, 21, 38, 39, 42–
44, 114, 120, 150, 156, 159, 160,
162, 163, 165, 166, 168, 190, 195,
196, 198, 200, 202, 216, 222, 242,
246, 248, 249, 251, 253
Tertiary Modelling System, 73
time dependent handler, 182

U

Umwelt, 27, 43, 71–73, 76, 83, 98, 188,
200, 202, 206, 208, 239, 243, 245,
246, 248, 249, 251, 253
unsupervised learning, 30

V

validation, 2, 8, 9, 121, 209–214, 216,
217, 222, 244, 257
verification, 8, 9, 209–214, 216

W

working memory, 29, 111, 112, 114, 133,
167, 183, 191