

University of Groningen

## Transplantation of Suboptimal Donor Livers: Exploring the Boundaries

van Leeuwen, Otto

DOI:  
[10.33612/diss.132816502](https://doi.org/10.33612/diss.132816502)

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*  
Publisher's PDF, also known as Version of record

*Publication date:*  
2020

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*  
van Leeuwen, O. (2020). *Transplantation of Suboptimal Donor Livers: Exploring the Boundaries*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen.  
<https://doi.org/10.33612/diss.132816502>

### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

## **List of publications**

- de Jong IEM, **van Leeuwen OB**, Lisman T, Gouw ASH, Porte RJ. Repopulating the biliary tree from the peribiliary glands. *Biochim Biophys Acta Mol Basis Dis*. 2018 Apr;1864:1524-1531.
- van Rijn R, **van Leeuwen OB**, Matton APM, Burlage LC Wiersema-Buist J, van den Heuvel M et al. Hypothermic oxygenated machine perfusion reduces bile duct reperfusion injury after transplantation of donation after circulatory death livers. *Liver Transpl*. 2018 May;24(5):655-664.
- **van Leeuwen OB**, Ubbink R, de Meijer VE, Porte RJ. The First Case of Ischemia-free Organ Transplantation in Humans: a Proof of Concept. *Am J Transplant*. 2018 Aug;18(8):2091.
- **van Leeuwen OB**, de Meijer VE, Porte RJ. Viability criteria for functional assessment of donor livers during normothermic machine perfusion. *Liver Transpl*. 2018 Oct;24(10):1333-1335.
- de Vries Y, **van Leeuwen OB**, Matton APM, Fujiyoshi M, de Meijer VE, Porte RJ. Ex situ normothermic machine perfusion of donor livers using a hemoglobin based oxygen carrier: a viable alternative to red blood cells. *Transpl Int*. 2018 Nov;31(11):1281-1282.
- de Vries Y, Matton APM, Nijsten MWN, Werner MJM, van den Berg AP, de Boer MT, Buis CI, Fujiyoshi M, de Kleine RHJ, **van Leeuwen OB**, et al. Pretransplant Sequential Hypo- and Normothermic Machine Perfusion of Suboptimal Livers Donated after Circulatory Death Using a Hemoglobin-based Oxygen Carrier Perfusion Solution. *Am J Transplant*. 2019 Apr;19(4):1202-1211.
- de Vries Y, Berendsen TA, Fujiyoshi M, van den Berg AP, Blokzijl H, de Boer MT, van der Heide F, de Kleine RHJ, **van Leeuwen OB**, Matton APM, Werner MJM, Lisman T, de Meijer VE, Porte RJ. Transplantation of high-risk donor livers after resuscitation and viability assessment using a combined protocol of oxygenated hypothermic, rewarming and normothermic machine perfusion: study protocol for a prospective, single-arm study (DHOPE-COR-NMP trial). *BMJ Open*. 2019 Aug 15;9(8):e028596.
- Werner MJM, **van Leeuwen OB**, de Jong IEM, Bodewes FAJA, Fujiyoshi M, et al. First report of successful transplantation of a pediatric donor liver graft after hypothermic machine perfusion. *Pediatr Transplant*. 2019 May;23(3):e13362.

- **van Leeuwen OB**, Fujiyoshi M, Ubbink R, Werner MJM, Brüggewirth IMA, de Meijer VE, Porte RJ. Ex situ machine perfusion of human donor livers via the surgically reopened umbilical vein: a proof of concept. *Transplantation*. 2019 Oct;103(10):2130-2135.
- **van Leeuwen OB**, de Vries Y, Fujiyoshi M, Nijsten MWN, Ubbink R, Pelgrim GJ, et al. Transplantation of high-risk donor livers after ex situ resuscitation and assessment using combined hypo- and normothermic machine perfusion: a prospective clinical trial. *Ann Surg*. 2019 Nov;270(5):906-914.
- He X, Chen G, Zhu Z, Zhang Z, Yuan X, Han M, Zhao Q, Zheng Y, Tang Y, Huang S, Wang L, **van Leeuwen OB**, Wang X, Chen C, Mo L, Jiao X, Li X, Wang C, Huang J, Cui J, Guo Z. The First Case of Ischemia-Free Kidney Transplantation in Humans. *Front Med (Lausanne)*. 2019 Dec 11;6:276.
- **van Leeuwen OB**, de Jong IEM, Porte RJ. Biliary Complications following liver transplantation. In: Clavien PA, Trotter JF, editors. *Medical and Surgical Care of Liver Transplantation Patients*. Wiley-Blackwell; 2020
- **van Leeuwen OB**, van Reeve M, van der Helm D, IJzermans JNM, de Meijer VE, van den Berg AP, Darwish Murad S, van Hoek B, Alwayn IPJ, Porte RJ, Polak WG. Donor hepatectomy time influences ischemia-reperfusion injury of the biliary tree in donation after circulatory death liver transplantation. *Surgery*. 2020 (in press).
- van Reeve M, **van Leeuwen OB**, Darwish Murad S, van den Berg AP, van Hoek B, Alwayn IPJ, Polak WG, Porte RJ. Selected livers of donation after circulatory death can be safely used for retransplantation. *Transpl Int*. 2020 (in press).
- Brüggewirth IMA, **van Leeuwen OB**, de Vries Y, Bodewes SB, Adelmeijer J, Wiersema-Buist J, Lisman T, Martins PN, de Meijer VE, Porte RJ. Extended hypothermic oxygenated machine perfusion enables ex situ preservation of porcine livers for up to 24 hours. *J Hep Rep*. 2020 (in press).
- van Reeve M, Gilbo N, Monbaliu D, **van Leeuwen OB**, Porte RJ, Ysebaert D, van Hoek B, Alwayn IPJ, Meurisse N, Detry O, Coubeau L, Cicarelli O, Berrevoets F, Rogiers X, IJzermans JNM, Polak WG. Livers donated after euthanasia: a justifiable option to expand the donor pool. Submitted for publication.
- **van Leeuwen OB**, van Reeve M, van der Helm H, IJzermans JNM, Alwayn IPJ, van Hoek B, Polak WG, Lisman T, de Meijer VE, Porte RJ. Donor blood composition is a

risk factor for biliary injury during donation after circulatory death liver transplantation. Submitted for publication.

- de Vries Y, Brüggewirth IMA, von Meijenfildt FA, **van Leeuwen OB**, Burlage LC, de Jong IEM, Gouw ASH, Lisman T, Porte RJ. Dual versus single oxygenated hypothermic machine perfusion of porcine donation after circulatory death livers: impact on hepatobiliary and endothelial cell injury. Submitted for publication.