

University of Groningen

Median Variants of Prototype Based Learning Vector Quantization

Nebel, David

DOI:
[10.33612/diss.135377546](https://doi.org/10.33612/diss.135377546)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2020

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):
Nebel, D. (2020). *Median Variants of Prototype Based Learning Vector Quantization: Methods for Classification of General Proximity Data*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen. <https://doi.org/10.33612/diss.135377546>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Stellingen

behorende bij het proefschrift

Median Variants of Prototype Based Learning Vector Quantization Methods for Classification in Case of General Proximity Data

van

David Nebel

1. Precise knowledge of the properties of a given proximity measure is necessary for a good machine learning model.
2. Similarities are not necessarily inner products/kernels and vice versa.
3. Different proximity measures induce different neighbourhood relations between data objects. A respective mathematical analysis before neural network training helps to avoid pitfalls.
4. Pre-processing of proximity data may drastically change neighbourhood relations in an undesired manner.
5. Expectation Maximization is a very powerful optimization technique also for non-probabilistic optimization problems.
6. Median algorithms provide sparse and interpretable models, which satisfy at least a good lower bound for the classification accuracy.
7. A set of proximity measures is like a group of humans. If one proximity seems less helpful, a group of proximities can still benefit from this one.
8. Sometimes research is a strong fight between competing experts. However, it can be very beneficial for both fighters.
9. Bunt ist das Dasein und granatenstark. Volle Kanne Hoschis. *(Bill & Ted)*