

University of Groningen

Mental Fatigue and Motivation

Herlambang, Mega Bagus

DOI:
[10.33612/diss.135819347](https://doi.org/10.33612/diss.135819347)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2020

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):
Herlambang, M. B. (2020). *Mental Fatigue and Motivation: Effects and mechanisms*. [Thesis fully internal (DIV), University of Groningen]. Rijksuniversiteit Groningen. <https://doi.org/10.33612/diss.135819347>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Chapter 4

Modeling Motivation Using Goal Competition in Mental Fatigue Studies

M. B. Herlambang
N. A. Taatgen
F. Cnossen

Manuscript submitted for publication

Abstract

Motivation can counteract the effects of mental fatigue. However, the underlying mechanism by which motivation affects performance in mentally fatiguing tasks is obscure.

In this paper, we propose goal competition as a paradigm to understand the role of motivation and built three models of mental fatigue studies to demonstrate the mechanism in a cognitive architecture named PRIMs. Each of these studies explored the impact of reward and mental fatigue on performance. Overall, performance decreased in nonreward conditions but remained stable in reward conditions.

The comparisons between our models and empirical data showed that our models were able to capture human performance. We managed to model changes in performance levels by adjusting the value of the main task goals, which controls the competition with distractions. In all the tasks modeled, the best model fits were obtained by a linear decrease in goal activation, suggesting this is a general pattern. We discuss possible mechanisms for activation decrease, and the potential of goal competition to model motivation.

Keywords: cognitive modelling, cognitive architecture, goal competition, mental fatigue, motivation, PRIMs

4.1. Introduction

In this paper, we present a cognitive modeling approach to help clarify the underlying mechanisms of how mental fatigue affects task performance. While mental fatigue is a common phenomenon, its mechanisms are not yet fully understood.

Mental fatigue typically occurs when doing a highly demanding task for a long time (Boksem, Meijman, & Lorist, 2006; Hockey, 2011; van der Linden, Frese, & Meijman, 2003). In most cases, performing such a task increases the subjective feeling of tiredness over time (Krupp, Larocca, Muir Nash, & Steinberg, 1989; Müller & Apps, 2019), while performance levels typically decline (Craig & Klein, 2019; Qi et al., 2019; Warm, Parasuraman, & Matthews, 2008; Wessely, Hotopf, & Sharpe, 1998). For instance, a student's attention level may drop after reading a book for 60 minutes, or a driver may lose focus after driving a car for many hours. However, not all prolonged tasks cause mental fatigue. For example, a worker can maintain his/her performance in the evening to get overtime payments.

Many factors determine the effects of mental fatigue, and one of those is motivation (Kurzban, Duckworth, Kable, & Myers, 2013). Motivation drives individuals to stay engaged with a particular activity (Wigfield et al., 2006), so that when motivated to do a particular task, individuals will maintain their performance levels, but when no longer motivated, performance levels may drop (Boksem & Tops, 2008; Earle, Hockey, Earle, & Clough, 2015). It has been suggested that as fatigue or task duration increases, people are less willing to stay engaged with the task (i.e., less motivated to continue performing the task), possibly because the perceived future benefits of the current actions decrease (Hockey, 2011, 2013), which in turn impairs performance (Boksem & Tops, 2008; Kurzban et al., 2013; Müller & Apps, 2019).

Direct experimental evidence for the role of motivation in mental fatigue comes from different sources. For example, Herlambang, Taatgen, and Cnossen (2019) performed a study where participants performed a working memory task for 2.5 hours. Two types of conditions were alternated: reward and nonreward, and their results showed that task performance levels remained stable in the reward conditions but declined in the nonreward conditions over time. In a study by Hopstaken, van der Linden, Bakker, and Kompier (2015), participants performed a 2-hr working memory experiment and were offered a shortening of the experiment duration in case of good performance in the last block. After a decline in performance over the course of the experiment, the performance level in the last block returned to the initial level. Similarly, a study in which participants were offered monetary rewards in the last block showed the same pattern (Boksem et al., 2006).

4.1.1. Fatigue and motivation

Although fatigue and motivation are related (see Müller & Apps, 2019, for review and discussion), it is not clear what the mechanism is by which motivation affects performance while fatigued. Motivation is often described as the subjective

assessment of cost and benefits, where tasks (or actions within tasks) that offer more benefits at lower costs will be prioritized over others that offer less benefits and/or are more costly (Kurzban et al., 2013; Chong et al., 2017).

Benefits of tasks may come in the form of rewards, i.e., a form of extrinsic motivation (e.g., monetary rewards; Boksem et al., 2006; Herlambang et al., 2019; Hopstaken et al., 2015; van der Linden, 2011), or from the joy of performing the task itself, i.e., intrinsic motivation (Di Domenico & Ryan, 2017; Ryan & Deci, 2000). The costs of maintaining performance over time and stay engaged with the task is perceived as effort (Hockey, 2011).

Hockey (2011, 2013) suggests that when performing a task, there is a constant cost/benefit analysis of alternative actions, and as a task progresses, the willingness to continue doing unrewarding activities may drop, especially in tasks that are not enjoyed, also because the perceived probability of future success may decrease over time. This may lead to a search for more rewarding activities and even quitting the task altogether. In his motivational control theory, Hockey (2011) claims that each competing goal has an activation value and is controlled by an “effort monitor”. He suggests that the active goal needs to be maintained by investing more effort into that goal and suppressing other goals. Otherwise, if the initial goal has lost its activation, another goal will replace it and become the new active goal.

In an effort to clarify the underlying mechanisms of the effects of fatigue and motivation on task performance, we built cognitive models to simulate the results of three different mental fatigue studies. In our models, in line with Hockey’s approach, we quantified task motivation as the level of activation of the goal of the main task. Furthermore, we assumed that as motivation levels drop, the activation of the task goal decreases linearly over time. In this way, other tasks may have a higher goal activation than the current task, so that over time, other tasks may be given preference.

Before describing our modeling attempts, we will first give an overview of the PRIMs architecture in which our modeling was done and describe the further assumptions behind our modeling mental fatigue as a competition between goals.

4.1.2. PRIMs cognitive architecture

PRIMs is a cognitive architecture (Taatgen, 2013) based on ACT-R (Anderson et al., 2004) and works similarly. It consists of several modules: a visual module, declarative memory, working memory, manual modules, and, most importantly for our purposes, the task control module, which holds the current goals. The modules communicate with each other in a workspace to which information from the modules is transferred by so-called operators (see **Figure 1**). Each of the modules has a section within the workspace called a buffer. A module can place information in a buffer, for example, the visual module can place the currently attended visual stimulus in the buffer, or an operator can post an action in a buffer, for example, a partial pattern that the declarative memory module has to complete, or an action that the motor system has to carry out.




Figure 1. The PRIMs model that comprises five modules, Reprinted from “The Nature and Transfer of Cognitive Skills”, by N. A. Taatgen, 2013, *Psychological Review*, 120, p. 443. Copyright by American Psychological Association. Reprinted with permission.

An operator in PRIMs consists of one or more conditions and one or more action statements (and is therefore comparable to production rules in ACT-R and other cognitive architectures). In this way, operators determine how information in the workspace is used by copying information from one module to the next. Different from ACT-R, operators in PRIMs have an activation value. This activation value is influenced by information that is already in the buffers (i.e., in the workspace in **Figure 1**). The buffer contents spread activation to operators, and the operator with the highest activation is selected, determining the next action. Typically, task goals, which are represented in the task control buffer, have the strongest impact on this selection process, but a very salient perceptual input (or other buffer contents that are strongly associated with certain operators) can trigger operators that are unrelated to the current goal.

4.1.2.1. Activation value in PRIMs

As with ACT-R, PRIMs has a declarative memory that represents facts to support a task. However, the declarative memory in PRIMs also represents procedural knowledge in the form of operators, which means that both declarative and procedural knowledge are handled in the same way.

Each item in the declarative memory, namely a chunk, has an activation value, which is a summation of base-level activation and spreading activation. Base-

level activation represents the history of a chunk, whereas spreading activation represents the context of the current task. Together, these two activations control how chunks are selected and determine the time it takes to process (i.e., to retrieve) the chunks. The chunk with the highest activation value will be selected. When the activation value is below a retrieval threshold, the chunk cannot be retrieved.

The formula to calculate the activation value of a particular chunk is

$$A_i = B_i + \sum_k^{buffers} \sum_j^{slots} S_{ji} W_k + \sum_k^{goals} S_{ki} A_k + noise \quad (1)$$

where A_i denotes the activation value of a chunk i , B_i is its base-level activation, S_{ji} represents the strength association from source j to chunk i , and W_k represents the amount of activation from each buffer. There are two components of spreading activation in the formula. The double summation (i.e., the first spreading activation) sums the activation from k number of buffers in the workspace and j number of chunks in the buffer k .

The second summation in Eq. (1) is novel. S_{ki} represents the spreading activation from k number of active goals in the model. Normally, the amount of spreading from buffers only depends on the strength of the association, but in this paper, we assume that activation of task goals (A_k) also plays a role in the amount of activation spreading to the chunks.

Among those chunks' values that are above the retrieval threshold, the probability of retrieving chunk i over others is

$$P(A_i) = \frac{e^{A_i/t}}{\sum_j e^{A_j/t}} \quad (2)$$

where t is equal to $\sqrt{2s}$ in which the coefficient s represents the variance of the noise component in Eq. (1).

4.1.2.2. Modeling fatigue and motivation decline in PRIMs

The assumption in this paper is that the decrease in task performance in mental fatigue is the result of a reduction in task motivation. In our model, this is reflected in a reduction in activation of the task goal over time. We also assume that at any moment in time, there may be other activities that seem more beneficial, so that a decrease in the task goal activation also increases the probability that an operator for a different task is selected.

As an example of the kind of competition, let us look at the situation in which a task goal to perform a working memory task has to compete with watching a cat video playing on the same computer screen. Suppose the task goal has an activation of 1.0 ($A_{goal} = 1.0$) and is associated with an operator X that carries out the next step with an association strength of 1.5 ($S_{goal,X} = 1.5$). Assuming a base-level activation (B_i) of zero, and no further associations, this means that operator X , according to equation

(1), has an activation of 1.5. Now let us assume that the video is in the visual field (e.g., $W_{vision} = 1.0$), and spreads activation to an operator Y that wants to watch the video ($S_{video,Y} = 1.0$). According to (1), the activation of operator Y is 1.0. Using equation (2), we can calculate the probability of watching the video, for example, if we assume a noise parameter of $t = 0.1$, we can calculate that $P(Y) = 0.007$, which means that the probability is very small. However, if A_{goal} starts to decrease, which we associate with a drop in motivation, for example $A_{goal} = 0.8$, the probability of watching the video increases, in this example to 0.135, so that over time the video starts to win the competition with the working memory task and the person will start watching the video rather than doing the main task.

4.1.2.3. Further considerations

While we use the activation of the task goals to simulate the level of motivation, it is useful to realize that goals and motivation, even though they are closely related, are not the same. Goals can be identified as the onset of all behaviors (Powers, 1973) and represent the expected behavior and the desired end-state (Hockey, 2013), whereas motivation is what energizes individuals to pursue a particular goal (Wigfield et al., 2006). A goal gives direction, while motivation drives human behaviors towards that goal. For example, the goal is to obtain a certain position at work, while the motivation is to earn a higher salary for that position. Another example of a goal is a university student who wants to be successful in life financially while being motivated because of poverty.

Although the term goal can be broad, e.g., goals in life, financial goals, and any other goals, in this paper, we narrow down the context of goals to be task specific. The purpose of a goal is to serve as an active mental representation that maintains focus on the task, activating knowledge that can help perform the task, and guarding it from distraction.

It is evident that motivation affects the ability to stay focused on a task and not be distracted by internal or external distractions (Herlambang et al., 2019). In the case of external distractions, task-unrelated stimuli may shift attention away from the main task, while internal distractions may manifest itself in the form of mind-wandering (Huijser, van Vugt, & Taatgen, 2018).

For our modeling efforts, however, such distractions needed additional assumptions. In PRIMs, operators are defined in the context of a task goal, but clearly, not all behaviors related to distraction can be directly linked to a goal: Watching a cat video playing on the screen is not necessarily a goal, but more an external distraction (stimulus) that attracts attention. It is similarly difficult to imagine mind wandering (e.g., thinking about what to have for lunch) as a task goal. However, for the purpose of the modeling, we did decide to model such distractions as if they had a task goal but not as an active goal, so that fatigue, or rather, the decline in motivation over time, represents an increasing competition between (future) goals: the active goal of doing the main task and of attending distracting external or internal information, where the distracting goal can replace the active one (see Hockey, 2011).

In this paper, we test the notion of goal competition by building cognitive models to reproduce the results of three mental fatigue studies that directly manipulated the level of motivation: a vowel task (Herlambang et al., 2019), a monitoring task (Boksem et al., 2006), and an N-back task (Hopstaken et al., 2015), with each experiment having its own experimental conditions and characteristics. Therefore, if each of our models is able to simulate the behavioral data in each of these studies, we gain confidence that the notion of goal competition may reveal the underlying mechanism of how motivation can counteract the effects of mental fatigue.

4.2. Building the cognitive models

In a PRIMs model, several components are specified: the name of a task, the operators to do the task, the facts in declarative memory needed in the task, and a script that runs the model (simulates both the environment and the task). When defining a task, the modeler can initialize a number of parameters affecting the time certain operations take: a threshold that determines when information is forgotten, the amount of noise in selecting items from memory, and parameters that specify how fast chunks in memory decay. Some parameters have default values, but others have to be fitted in each particular task model. In our modeling efforts, we took care to minimize the amount of parameter fitting.

To build a model, first, we determined which task-specific operators were required to do the task, and then fitted the model parameters to match nonfatigued behavior. Second, for each experimental block, we estimated the goal activation value for the main task to match the performance level of the model.

In all models built, there was only one goal active at a time (Hockey, 2013): the goal for the main task. Distractions, both external and internal, were not active goals in our models and were designed to compete with the main goal over time.

To verify our models¹, we compared the results of our models with empirical data in each experiment. A model fits empirical data if it follows the data, meaning that the model is able to simulate the behavior of human participants.

4.2.1. Vowel task

The vowel task was adapted from the mental fatigue study of Herlambang and colleagues (2019). In this task, participants were asked to count, memorize, and calculate a number of vowels continuously for 2.5 hr. The task consisted of 14 blocks alternating between nonreward conditions (odd blocks) and reward conditions (even blocks). In the reward conditions, participants received monetary rewards for good performance. A sequence of distracting videos was displayed continuously in the top right of the screen as a distractor for participants. In addition, participants' focus of

¹ the code of each model can be found in the supplementary materials

attention (eye movements) and heart rate variability were measured continuously. Their results showed that performance and attention levels remained stable in the reward conditions but not in the nonreward conditions.

Our model consisted of two main groups of operators: task-specific for performing the main task and attention-shifting for visual distractions. Inside an operator, there are some conditions and action statements known as production rules.

We modeled several measures from the study: response time (RT), accuracy, visual distraction frequency (VDF), and the power in the mid-frequency (MF) band of heart rate variability (HRV).

4.2.1.1. Modeling distraction

In the study, participants were more susceptible to distractions over time in the nonreward conditions. We modeled distractions by creating three operators. The first and second operator took the action of shifting attention to the distracting video. The third operator returned the attention of the model back to the main task.

More specifically, the first operator compared two particular slots in the visual field: the one slot representing the main task, and one slot representing the video distraction. If the main task slot was not empty, and the distraction slot filled, the operator would trigger a shift in attention to the video distraction, mirroring a situation in which the main task required visual perception at that moment. The second operator would trigger a shift of attention to the video on a retrieval failure, mirroring a situation in which the main task encountered a problem. The third operator would return its attention to the main task if the model shifted its attention to the video distraction. Note that these operators always had to compete with task-specific operators; therefore, they were never guaranteed to be used, even if their conditions were satisfied.

We tuned the spreading activation of the visual input to the first distraction operator to be .8 in all blocks. The maximum value of the activation of the main task goal was 1.0, which decreased over time in nonreward conditions. Therefore, the model was prone to a higher number of distractions in the nonreward conditions when the activation values of being distracted were higher than the activation values of doing the main task, and the number of distractions increased over time.

4.2.1.2. Modeling mid-frequency power of heart rate variability

The mid-frequency (MF) power of heart rate variability (HRV) reflects cognitive effort (Aasman, Mulder, & Mulder, 1987). A higher value in the MF power means that participants invested less cognitive effort and vice versa. In the model, there is no direct analog of mental effort. Therefore, we created a mapping between the MF power in the task by taking the total number of production rules run by the model as a measure of mental effort.

In the model, the number of task-specific operators exceeds the number of attention-shifting operators, and so did the number of production rules, meaning that performing the task requires more operations and was more demanding than being distracted. During simulation, the task-specific operators were used more frequently in the reward conditions; therefore, the total number of production rules operated in the reward conditions was higher than in the nonreward conditions.

To create a mapping, we calculated the total number of production rules (both task-specific and attention-shifting operators) operated in each block and named it the operator firing frequency (OFF). In the model, a higher number of the OFF represents a lower value of MF power, i.e., higher effort in participants. Since the MF power in the study was normalized, we also normalized the OFF as a division between the frequency of that block with the total frequency of all blocks.

4.2.1.3. Running the model

To run the model, we used a separate script in each line in PRIMs. First, we ran the model in the practice session so that the model could learn how to do the task. We then ran the model once for all blocks, where the odd blocks were the nonreward conditions, and even blocks were the reward conditions. Overall, we ran the model 100 times to simulate a total of 100 participants in the experiment.

4.2.1.4. Results

4.2.1.4.1. Response time

The model shows response times with a pattern that is similar to the empirical data (see **Figure 2**). In the first four blocks, the model learns the task and is not yet affected by a decrease in motivation in the nonreward conditions (although participants already are). Later, it begins to differ in the two conditions with reaction times being faster in reward blocks than in nonreward blocks. In the model, the slower response times are due to an increasing in distraction frequency.

4.2.1.4.2. Accuracy

For accuracy, the model mirrors the experimental data really well (see **Figure 3**). In the first three blocks, the model learns how to do the task properly, just like the human participants. Starting from block four, the model maintains its performance in the reward blocks, but decreases linearly in the nonreward blocks. In the model, performance decreases because rehearsal operators increasingly lose the competition from the distraction operators.




Figure 2. Comparison of response times between the experiment and the model. Response times of the study are indicated by a dotted line, whereas those of the model are indicated by a solid line. The x-axis shows blocks, where odd blocks are the nonreward conditions. The y-axis shows the unit in seconds.




Figure 3. Comparison of accuracy between the experiment and the model. Accuracy of the study is indicated by a dotted line, whereas accuracy of the model is indicated by a straight line. The x-axis shows blocks, where odd blocks are the nonreward conditions. The y-axis shows the proportion of correct responses.

4.2.1.4.3. Visual distraction frequency

In the model, the visual distraction frequency (VDF) was the number of eye movements to the video distractor per block. The model mirrors the VDF from the experiment (see **Figure 4**). In reward blocks, the model maintains its focus doing the main task, whereas in nonreward blocks it was increasingly distracted by the video.




Figure 4. Comparison of visual distraction frequency (VDF) between the experiment and the model. The VDF of the study is indicated by a dotted line, whereas the VDF of the model is indicated by a solid line. The x-axis shows blocks, where odd blocks are the nonreward conditions. The y-axis shows the eye movements towards the distracting video.

4.2.1.4.4. Mid-frequency power

The operator firing frequency (OFF) reflects how many times operators in the model perform (i.e., fire) the main task, which was meant to simulate mental effort to do a particular task. Higher values of MF power indicate lower effort, whereas lower values indicate the opposite. For the OFF, higher values indicate more operations, whereas lower values are the other way around.




Figure 5. Comparison between the MF power of the study and the operator firing frequency (OFF) of the model. The MF power of the study is indicated by a dotted line, whereas the OFF of the model is indicated by a solid line. Both x-axes show blocks, where odd blocks are the nonreward conditions. Both y-axes show the normalized unit of each measure.

The OFF mirrors the MF power (see **Figure 5**). Starting from block four, the firing frequency remains stable in the reward blocks, indicating that the model kept constantly firing in these blocks. On the other hand, in the nonreward blocks, firing becomes less frequent, indicating that all required operators to run the main task in the model were used less frequently, and the pace of the model to run the task slowed down, which is similar to an increase in the MF power indicating less effort.

4.2.1.5. Model performance in the vowel task

Performance levels decreased in nonreward blocks but remained stable in reward blocks. The decrease in performance was caused by the competition between task-specific and attention-shifting operators that decelerated the overall process, mainly in the nonreward blocks. Since the model became slow and had a limited time to respond, the model did not manage to perform the task in time, thus making incorrect responses in these blocks. Furthermore, every time the model committed a retrieval error due to its slow performance, it would decide to shift its attention to the distracting video. When it occurred within a trial, the model was guaranteed to fail in that trial because it required full attention to perform the task successfully. As a result, the model watched the distracting video more often in the nonreward blocks.

4.2.2. Monitoring task

Boksem and colleagues (2006) performed a mental fatigue experiment that offered monetary rewards to participants for good performance in the last block. In this 2-hr task, they asked participants to memorize and monitor two pairs of stimuli. These pairs were the same throughout the experiment. The first pair was a left arrow with the letter H, and the second was a right arrow with the letter S. Participants were asked to press a button with a left-hand finger if the letter appeared was an H, and a right-hand finger if it was an S. While the letter was being presented, there was a fixation point in the center of the screen. The appearance and the location of the letters (in the left side or right side of the screen) were randomized.

A trial started with an arrow cue appearing in the screen for 150 ms with a probability of .8. If a right arrow appeared, then the letter S would appear in the screen, and if the left arrow appeared, the letter H would appear. Next, the main screen would remain blank for 1 s.

The experiment was divided into seven blocks: six blocks of no reward and one last block with reward. In this experiment, there was no explicit distractor (i.e., like the video in the vowel task). Their results showed that performance levels dropped from the first to the sixth block but increased again in the last block.

To model goal competition, we decreased the goal activation value of the main task from the first to the sixth block and returned the value back to the initial value in the last block. We assumed that participants were distracted by their own thoughts in the form of mind-wandering. This means that operators for the main task competed with operators for the mind-wandering action during simulation. As a result, when the goal activation value of the main task becomes lower over time, the probability of any operators for the main task to be operated also becomes lower, resulting in lower performance levels in the course of the first six blocks.

4.2.2.1. Modeling mind-wandering

To model mind-wandering, we used a set of operators that are similar to visual distraction but were now targeted at memory. These operators are identical to a set of operators used to model mind wandering by Huijser, van Vugt and Taatgen (2018). The first operator checked whether the declarative memory buffer was empty, meaning that nothing was retrieved from declarative memory. If it was empty, the operator would retrieve an episodic chunk from the declarative memory that was not related to the task.

After successfully carrying out the first operator, it could trigger a second operator that would elaborate on the retrieved episode by performing further retrievals. A condition for that operator is that the working memory buffer is empty. Therefore, mind wandering is very short if working memory is already in use by the main task, but relatively long if working memory is not occupied. The eight episodic chunks that were used by this operator were: *wandering*, *breakfast*, *cycling*, *lecture*, *coffee*, *lunch*, *exam*, and *nothing*, representing a few activities in real life. The model would quit mind-wandering if another operator from the main task with a higher activation value won the competition.

4.2.2.2. Running the model

We ran the model 100 times to simulate an experiment with 100 participants. We first ran the model once to train the model, and then ran the task seven times, simulating six blocks of nonreward and one block of reward condition.

4.2.2.3. Results

4.2.2.3.1. Response time

The model mirrors the experimental data (see **Figure 6**). From the first to the sixth block, RTs slightly become slower but then become faster in the last block.

4.2.2.3.2. Error rate

Figure 7 shows that the error rates in the model mirror the data. From the first to the sixth block, error rates increase but then drop in the last block.




Figure 6. Comparison of response times between the experiment and the model. Response times of the study are indicated by a dotted line, whereas those of the model are indicated by a solid line. The x-axis shows blocks, where the last block is the reward condition. The y-axis shows the unit in seconds.



Figure 7. Comparison of error rates between the experiment and the model. Error rates of the study are indicated by a dotted line, whereas those of the model are indicated by a solid line. The x-axis shows blocks, where the last block is the reward condition. The y-axis shows the proportion of the error rate.

4.2.2.4. Model performance in the monitoring task

Overall, performance levels decreased from the first to the sixth block but increased in the last block. The decrease in performance was caused by the competition between task-specific and mind-wandering operators, causing interference with the retrieval process. That is, the model had difficulties retrieving chunks from the declarative memory, resulting in incorrect responses in the first six blocks over time. On the other hand, the model had a high chance of retrieving chunks successfully in the last block, resulting in better performance.

4.2.3. N-back task

Hopstaken and colleagues (2015) performed a mental fatigue study in which participants performed the 2-back task for two hours. They divided the experiment into seven blocks consisting of six blocks of nonreward and one last block with reward: They offered participants a shorter duration depending on their performance in the last block; while in reality, the actual duration of the last block was the same as the previous six blocks.

As in the monitoring task, we assumed that the decline in performance that occurred in the first six blocks were due to mind wandering increasing over time. In the model, we let goal activation of doing the task decrease over time.

In this task, we modeled the two measures the authors reported: hit rate and false alarm. A hit is a condition where there is a target, and participants press a button; whereas a miss is when there is a target, and participants do not press the button. A hit rate is the ratio between the number of hits with the number of hits plus the number of misses. A false alarm is a condition where there is no target, and participants press a button nonetheless; whereas a correct rejection is when there is no target, and participants do not press a button. A false alarm rate is the ratio between the number of false alarms with the number of false alarms plus correct rejections.

4.2.3.1. Modeling mind-wandering

We used the same mechanism to model mind-wandering as in the monitoring task. In addition, we used the same chunks in the declarative memory for mind-wandering.

4.2.3.2. Running the model

We ran the model 100 times to simulate 100 participants in the real experiment. We started with one time of the practice session in each simulation for the model to learn the task. Afterward, we ran the task six times for the nonreward blocks, and once for the reward block.

4.2.3.3. Results

4.2.3.3.1. Hit rate

The model mirrors the experimental data moderately well (see **Figure 8**). In the second block, the hit rates slightly increase, but they drop in the third and fourth block. In the reward block, the hit rate reaches its peak level.




Figure 8. Comparison of hit rates between the experiment and the model. Hit rates of the study are indicated by a dotted line, whereas those of the model are indicated by a solid line. The x-axis shows blocks, where the last block is the reward condition. The y-axis shows the proportion of the hit rate.

4.2.3.3.2. False alarm

The model mirrors the experimental data rather well (see **Figure 9**). In the first six blocks, false alarms slowly increase over time, but decrease in the last block (i.e., the reward condition).




Figure 9. Comparison of false alarms between the experiment and the model. False alarms of the study are indicated by a dotted line, whereas those of the model are indicated by a solid line. The x-axis shows blocks, where the last block is the reward condition. The y-axis shows the proportion of the false alarm.

4.2.3.4. Model performance in the N-back task

As with the monitoring task, the decrease in performance in the N-back task from the first to the sixth block was affected by the competition between task-specific and mind-wandering operators, causing interference with rehearsal. Since the model rehearsed less information from working memory over time, the model produced incorrect responses in these blocks. In contrast, the model managed to rehearse the necessary information to perform the task successfully in the last block, which improved performance.

4.2.4. Goal activation value adjustment

Figure 10 shows goal activation values of nonreward blocks in all tasks that were the results from fitting the models to the task performance results. The vowel task had seven nonreward blocks, whereas the monitoring and N-back tasks had six.

We were able to fit the data from all experiments with a linear decline in goal activation values, although the slope is different in the different experiments. For all experiments, goal activation values of reward blocks were kept constant (i.e., an activation value of one).




Figure 10. The adjustments of goal activation values of nonreward blocks in all tasks. Each adjustment is represented by a different line respectively. The x-axis shows the cumulative duration of the nonreward block of each task, and the y-axis shows activation values.

4.3. Discussion

We hypothesize that goal competition is one of the key factors to understand the underlying mechanism of motivation in mental fatigue. A key aspect of this hypothesis is that the decrease in performance is not due to a decrease in the capacity of the cognitive system (e.g., lower working memory capacity, slower motor system, less reliable long-term memory) but by a decrease in the ratio of cognitive "cycles" spent on the task as opposed to distractions. We have modeled this by a decrease in the activation of the goal, which represents the level of motivation, which indirectly affects performance (Hockey, 2011).

To test our hypothesis, we built three models of mental fatigue experiments: the vowel task (Herlambang et al., 2019), the monitoring task (Boksem et al., 2006), and the N-back task (Hopstaken et al., 2015). All tasks consisted of two types of conditions: nonreward and reward. In these tasks, human performance levels decreased in the nonreward conditions but increased or remained stable in the reward conditions. All models were built in PRIMs (Taatgen, 2013), where we manipulated the activation values of the task goal to simulate goal competition, resulting in performance level changes.

Comparing our models with the empirical data showed that our models were able to capture human performance well: The decrease in goal activation value over time resulted in a decrease in performance levels. In the same fashion, an increase in

goal activation value in reward conditions caused performance levels to increase. A number of key findings will be discussed below.

4.3.1. Goal activation and performance

To lower performance in the nonreward conditions in all tasks, we slowly decreased task goal activation values manually over time. Since each experiment had its own experimental conditions and characteristics, we had to adjust these values for each experiment individually.

Overall, in all models, the best fit to the data was acquired by a linear decrease in task goal activation values, which suggests that a monotonous task may correspond to a linear decrease in motivation over time (see Müller & Apps, 2019). On the other hand, when an individual is motivated, the performance may increase, by, under the hood, returning the task goal activation value to its initial level. Essentially, a higher goal activation value of a task means that the information of that task is more available; hence, the task has more priority to be executed, which will result in better performance (see Kurzban et al., 2013), for example, in faster response times.

Interestingly, the linear decrease in goal activation does not lead to a linear decrease in task performance. It results in an S-shaped performance characteristic (i.e., a sigmoidal curve), where performance is initially maintained, but later decreases sharply. This decline will continue further until it reaches its bottom level resulting in the individual quitting the task.

What our modeling efforts suggest is that over time, while the activation value of the main active goal is decreasing, another future goal of an activity/stimulus, for example, a distraction, may start winning the competition with the main task, when the activation value of the distraction exceeds that of the main goal (i.e., it strongly attracts the individual), in which case the individual may start paying attention to the distraction. The distraction can become the new active goal, and the individual may forget the main goal, or choose to pay attention to both, but this will sacrifice performance.

In the end, when the individual is exhausted, weary, and does not perceive any future benefits from performing the task or from any competing activities, the individual can stop doing the task completely. In this situation, the feeling of fatigue serves as a signal, (i.e., an adaptive function) for the individual to reappraise the calculation of future costs and benefits, looking for a more sensible activity with short-term benefits, such as resting (see Hockey, 2013).

4.3.2. Operator firing and effort

Our models correspond to the motivational control theory of fatigue proposed by Hockey (2013). In that theory, there is a module called *effort monitor* that gives a signal to allocate effort that later improves/maintains performance. Afterward,

the signal will be forwarded to a module named *goal regulation* that will decide whether to maintain a particular task or to choose another activity.

In our models, when a goal is chosen, the operators of that goal will fire. More specifically, the more active a goal is, the higher the number of operator firings associated with that goal will be. This number is similar to effort: Individuals also have to invest more effort to maintain performance.

In the vowel task, we demonstrated that the number of firings (i.e., the operator firing frequency [OFF]) corresponds to the MF power of HRV, which has been used as an indicator of effort (Aasman et al., 1987). A lower value of MF power reflects higher effort, which in our model was associated with a higher number of firings. Moreover, a higher value of MF power was followed by a lower number of operator firings. Therefore, with regards to modeling, the number of firings has the potential to be used as an indicator of mental effort to do a particular task.

4.3.3. Goal competition, motivation, and resources

By using goal competition as a mechanism, we were able to simulate human behaviors in three different mental fatigue studies. Our models primarily support the motivation account of mental fatigue, that performance can be maintained over time when motivated but decreases when demotivated (Kurzban et al., 2013; van der Linden, 2011). Nevertheless, our models can also be consistent with the resource theory of mental fatigue but with a caveat.

The resource theory suggests that a decline in performance is caused by a mechanism called resource depletion and the difficulty to allocate resources (Warm, Parasuraman, & Matthews, 2008). In addition, rest can help to improve performance by recovering those resources (Helton & Russell, 2017). With regard to our models, the decrease in goal activation may reflect resource depletion. While the resource is depleting, performance will deteriorate.

However, adopting the resource theory to explain our models requires a critical assumption and a restriction. The recovery of resources must be a fast process and can be done even while still doing the task at a lower level of effort regardless of the duration of the experiments. In addition, in our cognitive architecture used, i.e., PRIMs, the working memory module is designed not to be depletable, because if the working memory module were changed to be depletable, the whole behavior of the model would be unstable and might not give the same results. Therefore, depletable resources as an important aspect in the resource theory is not applicable in the cognitive architecture that we used.

Therefore, in this paper, we preferred to model mental fatigue as a result from decrease in motivation over time, mainly because it does not require such further assumptions. In motivation account, the main control is centered in a mechanism called effort monitor that decides which goal to be focused on (Hockey, 2013).

4.3.4. Limitation, challenge, and future research

In this paper, we show that the goal activation helps us understand how motivation affects performance in mental fatigue. However, solely adjusting goal activation levels may not be enough to model changes in performance. There are many parameters in PRIMs that can affect performance. Therefore, it is challenging if we want to build a model of another task using the same parameters.

Our models are still limited to these tasks. Although adjusting goal activation values as a way to model mental fatigue showed good results for the experiments we modeled, it is possible that this does not directly generalize to other studies.

To build a robust and comprehensive theory of mental fatigue, for future research, more studies need to investigate relationships between goal activation, cost-benefit calculations, and performance. In addition, future research needs to investigate what the mechanism is behind the decrease in goal activation values. Moreover, it is beneficial to test the predictions of our models in new experiments, for example, to see whether our models' predictions also hold in studies with no rewards.

4.4. Funding

This study was supported by Lembaga Pengelola Dana Pendidikan (LPDP) from the Indonesia government awarded to Mega B. Herlambang.

4.5. Supplementary materials

The code of each model can be found at <https://bit.ly/2Bh7k6x>



“Family” - by Alika (4 years old)

