

University of Groningen

Modeling Affective State using Learning Vector Quantization

de Vries, Jan

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2014

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

de Vries, J. (2014). *Modeling Affective State using Learning Vector Quantization*. [Thesis fully internal (DIV), University of Groningen]. [S.n.].

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Bibliography

- Ahmed, F.: 2012, Gradient directional pattern: A robust feature descriptor for facial expression recognition, *Electronics Letters* **48**(19), 1203–1204.
- Ahsan, T., Jabid, T. and Chong, U.-P.: 2013, Facial expression recognition using local transitional pattern on gabor filtered facial images, *IETE Technical Review* **30**(1), 47–52.
- Ali, H. B., Powers, D. M. W., Leibbrandt, R. and Lewis, T.: 2011, Comparison of region based and weighted principal component analysis and locally salient ICA in terms of facial expression recognition, in J. Kacprzyk and R. Lee (eds), *Software Engineering, Artificial Intelligence, Networking and Parallel/Distributed Computing 2011*, Vol. 368, Springer Berlin Heidelberg, Berlin, Heidelberg, pp. 81–89.
- Allen, J. J. B., Chambers, A. S. and Towers, D. N.: 2007, The many metrics of cardiac chronotropy: a pragmatic primer and a brief comparison of metrics, *Biological psychology* **74**(2), 243–262.
- Aue, T., Flykt, A. and Scherer, K. R.: 2007, First evidence for differential and sequential efferent effects of stimulus relevance and goal conduciveness appraisal, *Biological Psychology* **74**(3), 347–357.
- Backé, E.-M., Seidler, A., Latza, U., Rosnagel, K. and Schumann, B.: 2012, The role of psychosocial stress at work for the development of cardiovascular diseases: a systematic review, *International archives of occupational and environmental health* **85**(1), 67–79.
- Baldaro, B., Rossi, N., Caterina, R., Codispoti, M., Balsamo, A. and Trombini, G.: 2003, Deficit in the discrimination of nonverbal emotions in children with obesity and their mothers, *International journal of obesity and related metabolic*

- disorders: journal of the International Association for the Study of Obesity* **27**(2), 191–195.
- Barkai, N., Seung, H. S. and Sompolinsky, H.: 1993, Scaling laws in learning of classification tasks, *Phys. Rev. Lett.* **70**, 3167–3170.
- Bengio, Y.: 2000, Gradient-based optimization of hyperparameters, *Neural Comput.* **12**(8), 1889–1900.
- Berntson, G. G. and Cacioppo, J. T.: 2004, Heart rate variability: Stress and psychiatric conditions, in M. Malik and A. J. Camm (eds), *Dynamic Electrocardiography*, Blackwell Publishing, pp. 57–64.
- Biehl, M.: 1994, An exactly solvable model of unsupervised learning, *Europhysics Letters* **25**(5), 391–396.
- Biehl, M. and Caticha, N.: 2003, The statistical mechanics of on-line learning and generalization, *The handbook of brain theory and neural networks* pp. 1095–1098.
- Biehl, M., Freking, A., Ghosh, A. and Reents, G.: 2004, A theoretical framework for analysing the dynamics of LVQ: A statistical physics approach, *Technical Report 2004-9-02, Mathematics and Computing Science, University Groningen, P.O. Box 800, 9700 AV Groningen, The Netherlands, December 2004, available from <http://www.cs.rug.nl/~biehl>.*
- Biehl, M., Ghosh, A. and Hammer, B.: 2007, Dynamics and generalization ability of LVQ algorithms, *J. Mach. Learning Res.* **8**, 323–360.
- Biehl, M. and Mietzner, A.: 1993, Statistical mechanics of unsupervised learning, *Europhysics Letters* **27**, 421–426.
- Biehl, M. and Schwarze, H.: 1993, Learning drifting concepts with neural networks, *Journal of Physics A: Mathematical and General* **26**(11), 2651–2665.
- Binali, H., Wu, C. and Potdar, V.: 2010, Computational approaches for emotion detection in text, *Digital Ecosystems and Technologies DEST 2010 4th IEEE International Conference on* **37**(5), 172–177.
- Boucsein, W.: 1992, *Electrodermal activity*, Plenum Press.
- Boucsein, W.: 2012, *Electrodermal Activity*, Springer.
- Bouma, A., Mulder, J. and Lindeboom, L.: 1996, *Neuropsychologische diagnostiek: Handboek*, Swets & Zeitlinger, Lisse.

- Bradley, M. and Lang, P.: 1994, Measuring emotion: the self-assessment manikin and the semantic differential, *Journal of Behavioral Therapy and Experimental Psychiatry* **25**, 49–59.
- Bradley, M. M., Lang, P. J. and Cuthbert, B. N.: 1993, Emotion, novelty, and the startle reflex: habituation in humans, *Behavioral neuroscience* **107**(6), 970–980.
- Broekens, J.: 2012, In defense of dominance: PAD usage in computational representations of affect, *International Journal of Synthetic Emotions* **3**(1), 33–42.
- Cannon, W. B.: 1967, *The Wisdom of the Body*, W. W. Norton, The Norton Library.
- Chanel, G., Kierkels, J. J. M., Soleymani, M. and Pun, T.: 2009, Short-term emotion assessment in a recall paradigm, *International Journal of Human-Computer Studies* **67**(8), 607–627.
- Chang, C.-C. and Lin, C.-J.: 2011, LIBSVM: A library for support vector machines, *ACM Transactions on Intelligent Systems and Technology* **2**, 27:1–27:27. Software available at <http://www.csie.ntu.edu.tw/~cjlin/libsvm>.
- Choi, J. and Gutierrez-Osuna, R.: 2009, Using heart rate monitors to detect mental stress, *Sixth International Workshop on Wearable and Implantable Body Sensor Networks, 2009. BSN 2009*, pp. 219–223.
- Cochrane, T.: 2009, Eight dimensions for the emotions, *Social Science Information* **48**(3), 379–420.
- Cohen, I., Sebe, N., Garg, A., Chen, L. S. and Huang, T. S.: 2003, Facial expression recognition from video sequences: Temporal and static modeling, *Computer Vision and Image Understanding* **91**(1-2), 160–187.
- Cortez, P. and Embrechts, M. J.: 2013, Using sensitivity analysis and visualization techniques to open black box data mining models, *Information Sciences* **225**, 1–17.
- Cottrell, G. W. and Metcalfe, J.: 1991, EMPATH: Face, emotion, and gender recognition using holons, in R. P. Lippmann, J. E. Moody and D. S. Touretzky (eds), *Advances in Neural Information Processing Systems*, NIPS Proceedings Series, Morgan Kaufmann, San Mateo, CA, pp. 564–571.
- Cox, T.: 1993, *Stress research and stress management: putting theory to work*, Health and Safety Executive.
- Darwin, C.: 1872, *On the Expression of the Emotions in Man and Animals*, John Murray.

- Datcu, D. and Rothkrantz, L. J. M.: 2005, Facial expression recognition with relevance vector machines, *IEEE International Conference on Multimedia and Expo, 2005. ICME 2005*, pp. 193–196.
- Dawson, M., Schell, A. M. and Filion, D. L.: 2000, The electrodermal system, in J. T. Cacioppo, L. G. Tassinary and G. G. Berntson (eds), *Handbook of Psychophysiology*, Vol. 2nd, Cambridge University Press, pp. 200–223.
- de Vries, G.-J., Lemmens, P. and Brokken, D.: 2009, Same or different? recollection of or empathizing with an emotional event from the perspective of appraisal models, *3rd International Conference on Affective Computing and Intelligent Interaction and Workshops (ACII 2009)*, pp. 1–6.
- de Vries, G.-J. and van der Zwaag, M. D.: 2010, Enhanced method for robust mood extraction from skin conductance, *Proceedings of the third International Conference on Bio-inspired Systems and Signal Processing (BIOSIGNALS)*, Valencia, Spain, pp. 139–144.
- de Vries, J. J. G., Lemmens, P. M. C., Brokken, D., Pauws, S. C. and Biehl, M.: in press, Towards emotion classification using appraisal modeling, *International Journal of Synthetic Emotions* .
- de Vries, J. J. G., Pauws, S. C. and Biehl, M.: in press, Insightful stress detection from physiology modalities using learning vector quantization, *Neurocomputation* .
- de Vries, J. J. G., Pauws, S. C. and Biehl, M.: submitted 2014, Facial expression recognition using learning vector quantization, *Pattern Recognition* .
- de Waele, S., de Vries, G.-J. and Jäger, M.: 2009, Experiences with adaptive statistical models for biosignals in daily life, *Affective Computing and Intelligent Interaction and Workshops, 2009. ACII 2009. 3rd International Conference on*, pp. 1–6.
- Dempster, T. and Vernon, D.: 2009, Identifying indices of learning for alpha neurofeedback training, *Applied Psychophysiology and Biofeedback* **34**(4), 309–318.
- Douglas-Cowie, E., Cox, C. and et al.: 2006, HUMAINE d5f deliverable, <http://emotion-research.net/download/pilot-db/>.
- Dubreuil, B.: 2010, *Human Evolution and the Origins of Hierarchies: The State of Nature*, Cambridge University Press, New York.
- Duda, R. O., Hart, P. E. and Stork, D. G.: 2000, *Pattern Classification (2nd Edition)*, Wiley-Interscience.

- Ekman, P.: 1972, Universals and cultural differences in facial expressions of emotion, in J. Cole (ed.), *Nebraska Symposium on Motivation*, University of Nebraska Press, Lincoln, pp. 207–283.
- Ekman, P.: 1979, About brows: Emotional and conversational signals, in M. von Cranach, K. Foppa, W. Lepenies and D. Ploog (eds), *Human Ethology: Claims and limits of a new discipline*, Cambridge University Press.
- Ekman, P., Friesen, W. V. and Hager, J. C.: 2002, *Facial Action Coding System [E-book]*, Research Nexus, Salt Lake City, UT.
- Engel, A. and van den Broeck, C.: 2001, *The Statistical Mechanics of Learning*, Cambridge University Press, Cambridge, UK.
- Eriksen, B. A. and Eriksen, C. W.: 1974, Effects of noise letters upon the identification of a target letter in a nonsearch task, *Perception & Psychophysics* **16**(1), 143–149.
- Essa, I. A. and Pentland, A. P.: 1995, Facial expression recognition using a dynamic model and motion energy, in N. Sebe, M. S. Lew and T. S. Huang (eds), *ICCV'95 Fifth International Conference on Computer Vision*, IEEE Computer Society Press, Cambridge, MA, pp. 360–367.
- Essa, I. A. and Pentland, A. P.: 1997, Coding, analysis, interpretation, and recognition of facial expressions, *IEEE Transactions on Pattern Analysis and Machine Intelligence* **19**(7), 757–763.
- Fazli, S., Afrouzian, R. and Seyedarabi, H.: 2009, High- performance facial expression recognition using gabor filter and probabilistic neural network, *IEEE International Conference on Intelligent Computing and Intelligent Systems, 2009. ICIS 2009*, Vol. 4, pp. 93–96.
- Freeman, S.: 2005, *Biological Science*, 2nd edn, Pearson Prentice Hall, Upper Saddle River, NJ.
- Frijda, N. H.: 1987, Emotion, cognitive structure, and action tendency, *Cognition & Emotion* **1**(2), 115–143.
- Gale, A. and Edwards, J. A.: 1983, *Physiological Correlates of Human Behaviour: Individual differences and psychopathology*, Academic Press.
- Ghosh, A., Biehl, M. and Hammer, B.: 2006, Performance analysis of LVQ algorithms: a statistical physics approach, *Neural Networks* **19**, 817–829.
- Giakoumis, D., Tzovaras, D. and Hassapis, G.: 2013, Subject-dependent biosignal features for increased accuracy in psychological stress detection, *International Journal of Human-Computer Studies* **71**(4), 425–439.

- Google: 2014, Google glass, <http://www.google.com/glass/start/>.
- Grandjean, D. and Scherer, K. R.: 2008, Unpacking the cognitive architecture of emotion processes, *Emotion* **8**(3), 341–351.
- Gritti, T., Shan, C., Jeanne, V. and Braspenning, R.: 2008, Local features based facial expression recognition with face registration errors, *8th IEEE International Conference on Automatic Face Gesture Recognition, 2008. FG '08*, pp. 1–8.
- Grossman, P. and Taylor, E. W.: 2007, Toward understanding respiratory sinus arrhythmia: relations to cardiac vagal tone, evolution and biobehavioral functions, *Biological psychology* **74**(2), 263–285.
- Gruzelier, J. H.: 2002, A review of the impact of hypnosis, relaxation, guided imagery and individual differences on aspects of immunity and health, *Stress* **5**(2), 147–163.
- Gunes, H. and Piccardi, M.: 2009, Automatic temporal segment detection and affect recognition from face and body display, *IEEE Transactions on Systems, Man, and Cybernetics - Part B: Cybernetics* **39**(1), 64–84.
- Hammer, B. and Villmann, T.: 2002, Generalized relevance learning vector quantization, *Neural Networks* **15**(8-9), 1059–1068.
- Hammes, J.: 1971, *De stroop kleur-woord test: handleiding*, Swets & Zeitlinger.
- Healey, J. A. and Picard, R. W.: 2005, Detecting stress during real-world driving tasks using physiological sensors, *IEEE Transactions on Intelligent Transportation Systems* **6**(2), 156–166.
- Heber, E., Ebert, D. D., Lehr, D., Nobis, S., Berking, M. and Riper, H.: 2013, Efficacy and cost-effectiveness of a web-based and mobile stress-management intervention for employees: design of a randomized controlled trial, *BMC Public Health* **13**(1), 1.
- Hosseini, S. A., Khalilzadeh, M. A. and Changiz, S.: 2010, Emotional stress recognition system for affective computing based on bio-signals, *Journal of Biological Systems* **18**(1), 101–114.
- Houtveen, J. H., Rietveld, S. and de Geus, E. J. C.: 2002, Contribution of tonic vagal modulation of heart rate, central respiratory drive, respiratory depth, and respiratory frequency to respiratory sinus arrhythmia during mental stress and physical exercise, *Psychophysiology* **39**(4), 427–436.
- Jabid, T., Kabir, H. and Chae, O.: 2010a, Robust facial expression recognition based on local directional pattern, *ETRI Journal* **32**(5), 784–794.

- Jabid, T., Kabir, M. H. and Chae, O.: 2010b, Facial expression recognition using local directional pattern (LDP), *2010 17th IEEE International Conference on Image Processing (ICIP)*, pp. 1605–1608.
- James, W.: 1884, What is an emotion?, *Mind* **9**(34), 188–205.
- Janssen, J. H., IJsselsteijn, W. A., Westerink, J. H. D. M., Tacke, P. and de Vries, G.-J.: 2013, The tell-tale heart: Perceived emotional intensity of heartbeats, *International Journal of Synthetic Emotions* **4**(1), 65–91.
- Janssen, J. H., Tacke, P., de Vries, J. J. G., van den Broek, E. L., Westerink, J. H. D. M., Haselager, P. and IJsselsteijn, W. A.: 2013, Machines outperform lay persons in recognizing emotions elicited by autobiographical recollection, *Human Computer Interaction* **28**(6), 479–517.
- Jones, F. and Bright, J.: 2001, *Stress: Myth, Theory and Research*, Pearson Education.
- Kabir, H., Jabid, T. and Chae, O.: 2012, Local directional pattern variance (LDPv): a robust feature descriptor for facial expression recognition, *International Arab Journal of Information Technology (IAJIT)* **9**(4), 382–391.
- Kanade, T., Cohn, J. F. and Tian, Y.: 2000, Comprehensive database for facial expression analysis, *Fourth IEEE International Conference on Automatic Face and Gesture Recognition, 2000. Proceedings*, pp. 46–53.
- Katsis, C. D., Katertsidis, N., Ganiatsas, G. and Fotiadis, D. I.: 2008, Toward emotion recognition in car-racing drivers: A biosignal processing approach, *IEEE Transactions on Systems, Man, and Cybernetics-Part A: Systems and Humans* **38**(3), 502–512.
- Keshtkar, F. and Inkpen, D.: 2010, A corpus-based method for extracting paraphrases of emotion terms, *Proceedings of the NAACL HLT 2010 Workshop on Computational Approaches to Analysis and Generation of Emotion in Text, CAAGET '10*, Association for Computational Linguistics, Stroudsburg, PA, USA, pp. 35–44.
- Kim, J. and André, E.: 2008, Emotion recognition based on physiological changes in music listening, *IEEE Transactions on Pattern Analysis and Machine Intelligence* **30**(12), 2067–2083.
- Kim, K. H., Bang, S. W. and Kim, S. R.: 2004, Emotion recognition system using short-term monitoring of physiological signals, *Medical & Biological Engineering & Computing* **42**(3), 419–427.
- Kirchner, W. K.: 1958, Age differences in short-term retention of rapidly changing information, *Journal of experimental psychology* **55**(4), 352–358.

- Kivimäki, M., Virtanen, M., Elovainio, M., Kouvonen, A., Väänänen, A. and Vahtera, J.: 2006, Work stress in the etiology of coronary heart disease—a meta-analysis, *Scandinavian journal of work, environment & health* **32**(6), 431–442.
- Kleinginna Jr, P. R. and Kleinginna, A. M.: 1981, A categorized list of emotion definitions, with suggestions for a consensual definition, *Motivation and Emotion* **5**(4), 345–379.
- Kohlish, P.: 1992, SCRGAUGE - a computer program for the detection and quantification of SCRs, in W. Boucsein (ed.), *Electrodermal Activity*, Plenum, New York, pp. 432–442.
- Kohonen, T.: 1990, Improved versions of learning vector quantization, *International Joint Conference on Neural Networks*, Vol. 1, IEEE, pp. 545–550.
- Kohonen, T.: 2001, *Self Organising Maps*, Springer, Berlin 3rd ed.
- Kuechenmeister, C. A., Hain, J. D. and McClusky, H. Y.: 1970, Contingent computer averaging of evoked heart rate response to visual stimuli, *Proceedings of the 23rd annual conference on engineering in medicine and biology*, IEEE, New York, NY, USA, p. 326.
- Lajevardi, S. M. and Hussain, Z. M.: 2010, Novel higher-order local autocorrelation-like feature extraction methodology for facial expression recognition, *IET Image Processing* **4**(2), 114–119.
- Landis, J. R. and Koch, G. G.: 1977, The measurement of observer agreement for categorical data, *Biometrics* **33**(1), 159.
- Lazarus, R.: 1991, *Emotion and Adaptation*, Oxford University Press.
- Lazarus, R. S. and Folkman, S.: 1984, *Stress, Appraisal, and Coping*, Springer Publishing Company.
- Lemire, D.: 2006, Streaming maximum-minimum filter using no more than three comparisons per element, *Nordic Journal of Computing* **13**(4), 328–339.
- Li, Z., Imai, J. and Kaneko, M.: 2009, Facial-component-based bag of words and PHOG descriptor for facial expression recognition, *IEEE International Conference on Systems, Man and Cybernetics, 2009. SMC 2009*, pp. 1353–1358.
- Lien, J. J.-J., Kanade, T., Cohn, J. F. and Li, C.-C.: 2000, Detection, tracking, and classification of action units in facial expression, *Robotics and Autonomous Systems* **31**(3), 131–146.

- Lin, D.-T. and Pan, D.-C.: 2009, Integrating a mixed-feature model and multiclass support vector machine for facial expression recognition, *Integrated Computer-Aided Engineering* **16**(1), 61–74.
- Lisetti, C. L. and Nasoz, F.: 2004, Using noninvasive wearable computers to recognize human emotions from physiological signals, *Journal of Applied Signal Processing* **11**, 1672–1687.
- Lisetti, C. L. and Nasoz, F.: 2005, Affective intelligent car interfaces with emotion recognition, *Proceedings of the 11th International Conference on Human Computer Interaction*, Las Vegas, USA, p. 41.
- Littlewort, G., Bartlett, M. S., Fasel, I., Susskind, J. and Movellan, J.: 2006, Dynamics of facial expression extracted automatically from video, *Image and Vision Computing* **24**(6), 615–625.
- Liu, N., Dellandréa, E., Chen, L., Zhu, C., Zhang, Y., Bichot, C.-E., Bres, S. and Tellez, B.: 2013, Multimodal recognition of visual concepts using histograms of textual concepts and selective weighted late fusion scheme, *Computer Vision and Image Understanding* **117**(5), 493–512.
- Logan, G. and Cowan, W.: 1984, On the ability to inhibit thought and action: A theory of an act of control., *Psychological Review* **91**(3), 295–327.
- Lövheim, H.: 2012, A new three-dimensional model for emotions and monoamine neurotransmitters, *Medical hypotheses* **78**(2), 341–348.
- Lu, H., Wang, Z. and Liu, X.: 2006, Facial expression recognition using NKFDA method with gabor features, *The Sixth World Congress on Intelligent Control and Automation, 2006. WCICA 2006*, Vol. 2, pp. 9902–9906.
- Machajdik, J. and Hanbury, A.: 2010, Affective image classification using features inspired by psychology and art theory, *Proceedings of the international conference on Multimedia, MM '10*, ACM, New York, NY, USA, pp. 83–92.
- Malik, M., Bigger, J. T., Camm, A. J., Kleiger, R. E., Malliani, A., Moss, A. J. and Schwartz, P. J.: 1996, Heart rate variability standards of measurement, physiological interpretation, and clinical use, *European Heart Journal* **17**(3), 354–381.
- Marsella, S., Gratch, J. and Petta, P.: 2010, Computational models of emotion, in K. R. Scherer, T. Bänziger and E. B. Roesch (eds), *Blueprint for affective computing: A sourcebook*, Series in Affective Science, Oxford University Press.

- Martens, D., Baesens, B., van Gestel, T. and Vanthienen, J.: 2007, Comprehensible credit scoring models using rule extraction from support vector machines, *European Journal of Operational Research* **183**(3), 1466–1476.
- Mathewson, K. J., Jetha, M. K., Drmic, I. E., Bryson, S. E., Goldberg, J. O., Hall, G. B., Santesso, D. L., Segalowitz, S. J. and Schmidt, L. A.: 2010, Autonomic predictors of stroop performance in young and middle-aged adults, *International Journal of Psychophysiology* **76**(3), 123–129.
- McEwen, B. S., Goodman, H. M. and American Physiological Society (1887-): 2001, *Coping with the environment: neural and endocrine mechanisms*, number IV in *Handbook of Physiology (Section 7: The endocrine system)*, Oxford University Press, New York.
- McNames, J. and Aboy, M.: 2006, Reliability and accuracy of heart rate variability metrics versus ECG segment duration, *Medical and Biological Engineering and Computing* **44**(9), 747–756.
- McRae, K., Misra, S., Prasad, A. K., Pereira, S. C. and Gross, J. J.: 2012, Bottom-up and top-down emotion generation: implications for emotion regulation, *Social cognitive and affective neuroscience* **7**(3), 253–262.
- Mehrabian, A. and Russell, J. A.: 1974, *An approach to environmental psychology*, M.I.T. Press.
- Meir, R.: 1995, Empirical risk minimization versus maximum-likelihood estimation: a case study, *Neural computation* **7**, 144–157.
- Meuleman, B. and Scherer, K.: 2013, Nonlinear appraisal modeling: An application of machine learning to the study of emotion production, *IEEE Transactions on Affective Computing* **4**(4), 398–411.
- Neural Networks Research Centre, Helsinki: 2002, Bibliography on the self-organizing maps (SOM) and learning vector quantization (LVQ), *Otaniemi: Helsinki Univ. of Technology*. Available on-line: <http://liinwww.ira.uka.de/bibliography/Neural/SOM.LVQ.html>
- Nichols, A. L. and Maner, J. K.: 2008, The good-subject effect: investigating participant demand characteristics, *The Journal of General Psychology* **135**(2), 151–165.
- Nikitidis, S., Tefas, A., Nikolaidis, N. and Pitas, I.: 2011, Facial expression recognition using clustering discriminant non-negative matrix factorization, *2011 18th IEEE International Conference on Image Processing (ICIP)*, pp. 3001–3004.

- Nummenmaa, L., Glerean, E., Hari, R. and Hietanen, J. K.: 2013, Bodily maps of emotions, *Proceedings of the National Academy of Sciences* .
- Ochsner, K. N., Ray, R. R., Hughes, B., McRae, K., Cooper, J. C., Weber, J., Gabrieli, J. D. E. and Gross, J. J.: 2009, Bottom-up and top-down processes in emotion generation: common and distinct neural mechanisms, *Psychological science* **20**(11), 1322–1331.
- Ojala, T., Pietikäinen, M. and Mäenpää, T.: 2002, Multiresolution gray-scale and rotation invariant texture classification with local binary patterns, *IEEE Transactions on Pattern Analysis and Machine Intelligence* **24**(7), 971–987.
- Orrite, C., Gañán, A. and Rogez, G.: 2009, HOG-Based decision tree for facial expression classification, in D. Hutchison, T. Kanade, J. Kittler, J. M. Kleinberg, F. Mattern, J. C. Mitchell, M. Naor, O. Nierstrasz, C. Pandu Rangan, B. Steffen, M. Sudan, D. Terzopoulos, D. Tygar, M. Y. Vardi, G. Weikum, H. Araujo, A. M. Mendonça, A. J. Pinho and M. I. Torres (eds), *Pattern Recognition and Image Analysis*, Vol. 5524, Springer Berlin Heidelberg, Berlin, Heidelberg, pp. 176–183.
- Ortony, A., Clore, G. L. and Collins, A.: 1988, *The Cognitive Structure of Emotions*, Cambridge University Press.
- Overbeek, T. J. M., Van Boxtel, A. and Westerink, J. H. D. M.: 2007, Development of an Emotion-Eliciting stimulus set: Results of emotional pictures and film fragments ratings, *Technical Report PR-TN 2007/00574*, Philips Research Technical Note PR-TN 2007/00574.
- Pantic, M. and Patras, I.: 2006, Dynamics of facial expression: Recognition of facial actions and their temporal segments from face profile image sequences, *IEEE Transactions on Systems, Man, and Cybernetics, Part B: Cybernetics* **36**(2), 433–449.
- Pantic, M., Sebe, N., Cohn, J. F. and Huang, T.: 2005, Affective multimodal human-computer interaction, *Proceedings of the 13th Annual ACM International Conference on Multimedia*, MULTIMEDIA '05, ACM, New York, NY, USA, pp. 669–676.
- Penttilä, J., Helminen, A., Jartti, T., Kuusela, T., Huikuri, H. V., Tulppo, M. P., Cofeng, R. and Scheinin, H.: 2001, Time domain, geometrical and frequency domain analysis of cardiac vagal outflow: effects of various respiratory patterns, *Clinical Physiology* **21**(3), 365–376.
- Peter, C. and Beale, R.: 2008, *Affect and Emotion in Human-Computer Interaction - From Theory to Applications*, number 4868 in *Lecture Notes in Computer Science*, Springer, Berlin, Heidelberg.

- Picard, R. W.: 1995, *Affective Computing*, Technical report, MIT.
- Picard, R. W. and Scheirer, J.: 1999, The galvactivator: A glove that senses and communicates skin conductivity, *Proceedings from the 9th International Conference on Human-Computer Interaction*, New Orleans, LA, pp. 1538–1542.
- Picard, R. W., Vyzas, E. and Healey, J.: 2001, Toward machine emotional intelligence: Analysis of affective physiological state, *IEEE Transactions on Pattern Analysis and Machine Intelligence* **23**(10), 1175–1191.
- Poli, S., Sarlo, M., Bortoletto, M., Buodo, G. and Palomba, D.: 2007, Stimulus-Preceding negativity and heart rate changes in anticipation of affective pictures, *International Journal of Psychophysiology* **65**(1), 32–39.
- Poor, H. V.: 1994, *An Introduction to Signal Detection and Estimation*, Springer.
- Poursaberi, A., Noubari, H., Gavrilova, M. and Yanushkevich, S. N.: 2012, Gauss-Laguerre wavelet textural feature fusion with geometrical information for facial expression identification, *EURASIP Journal on Image and Video Processing* **2012**(1), 17.
- Ptaszynski, M., Dybala, P., Shi, W., Rzepka, R. and Araki, K.: 2009, Towards context aware emotional intelligence in machines: computing contextual appropriateness of affective states, *Proceedings of the 21st international joint conference on Artificial intelligence*, IJCAI'09, Morgan Kaufmann Publishers Inc., San Francisco, CA, USA, pp. 1469–1474.
- Rani, P., Liu, C., Sarkar, N. and Vanman, E.: 2006, An empirical study of machine learning techniques for affect recognition in human-robot interaction, *Pattern Analysis & Applications* **9**(1), 58–69.
- Reents, G. and Urbanczik, R.: 1998, Self averaging and on-line learning, *Phys. Rev. Letter* **80**, 5445–5448.
- Rifkin, R. and Klautau, A.: 2004, In defense of one-vs-all classification, *The Journal of Machine Learning Research* **5**, 101–141.
- Rosch, P. J.: 2001, The quandary of job stress compensation, *Health & Stress* pp. 1–4.
- Russell, J. A.: 2003, Core affect and the psychological construction of emotion, *Psychological Review* **110**, 145–172.
- Russell, J. A. and Mehrabian, A.: 1977, Evidence for a three-factor theory of emotions, *Journal of Research in Personality* **11**(3), 273–294.

- Saad, D. (ed.): 1999, *Online learning in neural networks*, Cambridge University Press, Cambridge, UK.
- Saad, D. and Rattray, M.: 1997, Globally optimal parameters for on-line learning in multilayer neural networks, *Phys. Rev. Lett.* **79**, 2578–2581.
- Saad, D. and Solla, S. A.: 1995, On-line learning in soft committee machines, *Phys. Rev. E* **52**, 4225–4243.
- Saha, A. and Wu, Q. M. J.: 2010, Facial expression recognition using curvelet based local binary patterns, *2010 IEEE International Conference on Acoustics Speech and Signal Processing (ICASSP)*, pp. 2470–2473.
- Sanchez, A., Ruiz, J. V., Moreno, A. B., Montemayor, A. S., Hernandez, J. and Pantrigo, J. J.: 2010, Differential optical flow applied to automatic facial expression recognition, *Neurocomputing* **74**(8), 1272–1282.
- Sato, A. and Yamada, K.: 1995, Generalized learning vector quantization, *NIPS* pp. 423–429.
- Scherer, K. R.: 1993, Studying the Emotion-Antecedent appraisal process: An expert system approach, *Cognition and Emotion* **7**(3/4), 325–355.
- Scherer, K. R.: 2001, Appraisal considered as a process of multilevel sequential checking, *Appraisal processes in emotion: Theory, Methods, Research* pp. 92–120.
- Scherer, K. R.: 2005, What are emotions? and how can they be measured?, *Social Science Information* **44**(4), 695–729.
- Scherer, K. R., Dan, E. S. and Flykt, A.: 2006, What determines a feeling's position in affective space? a case for appraisal, *Cognition and Emotion* **20**(1), 92–113.
- Scherer, K. R., Schorr, A. and Johnstone, T. (eds): 2001, *Appraisal processes in emotion: Theory, methods, research*, Oxford University Press, New York.
- Schneider, P., Biehl, M. and Hammer, B.: 2009a, Adaptive relevance matrices in learning vector quantization, *Neural Computation* **21**(12), 3532–3561.
- Schneider, P., Biehl, M. and Hammer, B.: 2009b, Distance learning in discriminative vector quantization, *Neural computation* **21**(10), 2942–2969.
- Sebe, N.: 2005, Mona lisa 'happy', computer finds, <http://news.bbc.co.uk/2/hi/entertainment/4530650.stm>.
- Sebe, N.: 2006, Mona lisa: Smiling? – computer scientists develop software that evaluates facial expressions, http://www.sciencedaily.com/videos/2006/0811-mona_lisa_smiling.htm.

- Seo, S. and Obermayer, K.: 2003, Soft learning vector quantization, *Neural Computation* **15**, 1589–1604.
- Seo, S. and Obermayer, K.: 2006, Dynamic hyper parameter scaling method for lvq algorithms, *International Joint Conference on Neural Networks, Vancouver, Canada*.
- Shan, C., Gong, S. and McOwan, P. W.: 2009, Facial expression recognition based on local binary patterns: A comprehensive study, *Image and Vision Computing* **27**(6), 803–816.
- Sharma, N. and Gedeon, T.: 2012, Objective measures, sensors and computational techniques for stress recognition and classification: A survey, *Computer Methods and Programs in Biomedicine* **108**(3), 1287–1301.
- Shaver, P., Schwartz, J., Kirson, D. and O'Connor, C.: 2001, Emotional knowledge: Further exploration of a prototype approach, in G. Parrott (ed.), *Emotions in Social Psychology: Essential Readings*, Psychology Press, Philadelphia, PA, pp. 26–56.
- Sinha, R. and Parsons, O. A.: 1996, Multivariate response patterning of fear, *Cognition and Emotion* **10**(2), 173–198.
- Sitskoorn, M. M., van Boxtel, G. J. M., Geurdes, J. I. M., Vernon, D. J., Denissen, A. J. M., Holten, V. and Jaeger, M.: 2009, Effectiveness study on a lean-backward audio based neurofeedback training (nft) to enhance cognitive performance, mood and reduce stress of healthy subjects. Unpublished study protocol.
- Smith, C. A.: 1989, Dimensions of appraisal and physiological response in emotion., *Journal of Personality and Social Psychology* **56**(3), 339–353.
- Smith, C. A. and Lazarus, R. S.: 1990, Emotion and adaptation, in L. A. Pervin (ed.), *Handbook of personality: Theory and research*, Guilford, New York.
- Sobol-Shikler, T. and Robinson, P.: 2010, Classification of complex information: Inference of co-occurring affective states from their expressions in speech, *IEEE Transactions on Pattern Analysis and Machine Intelligence* **32**(7), 1284–1297.
- Song, M., Tao, D., Liu, Z., Li, X. and Zhou, M.: 2010, Image ratio features for facial expression recognition application, *IEEE Transactions on Systems, Man, and Cybernetics, Part B: Cybernetics* **40**(3), 779–788.
- Stern, R. M., Ray, W. J. and Quigley, K. S.: 2001, *Psychophysiological Recording*, Oxford University Press.

- Strickert, M., Hammer, B., Villmann, T. and Biehl, M.: 2013, Regularization and improved interpretation of linear data mappings and adaptive distance measures, *Proc. IEEE SSCI 2013*, Singapore, pp. 10–17.
- Swerts, M. and Krahmer, E.: 2008, Facial expression and prosodic prominence: Effects of modality and facial area, *Journal of Phonetics* **36**(2), 219–238.
- Task Force of the European Society of Cardiology the North American Society of Pacing Electrophysiology: 1996, Heart rate variability standards of measurement, physiological interpretation, and clinical use, *Circulation* **93**(5), 1043–1065.
- Thomson Reuters: 2014, Web of science, <http://apps.webofknowledge.com/>.
- Tian, Y.-L.: 2004, Evaluation of face resolution for expression analysis, *Conference on Computer Vision and Pattern Recognition Workshop, 2004. CVPRW '04*, pp. 82–82.
- Tickle, A. B., Andrews, R., Golea, M. and Diederich, J.: 1998, The truth will come to light: directions and challenges in extracting the knowledge embedded within trained artificial neural networks, *IEEE Transactions on Neural Networks* **9**(6), 1057–1068.
- Valdez, P. and Mehrabian, A.: 1994, Effects of color on emotions, *Journal of Experimental Psychology: General* **123**(4), 394–409.
- van Boxtel, G. J. M., Denissen, A. J. M., Jäger, M., Vernon, D., Dekker, M. K. J., Mihajlović, V. and Sitskoorn, M. M.: 2012, A novel self-guided approach to alpha activity training, *International Journal of Psychophysiology* **83**(3), 282–294.
- van den Broek, E. L., Janssen, J. H., Westerink, J. H. D. M. and Healey, J. A.: 2009, Prerequisites for affective signal processing (asp), in P. E. ao and A. Veloso (eds), *Biosignals 2009: Proceedings of the Second International Conference on Bio-Inspired Systems and Signal Processing*, INSTICC Press, Portugal, pp. 426–433.
- van den Broek, E. L., Lisý, V., Janssen, J. H., Westerink, J. H. D. M., Schut, M. H. and Tuinenbreijer, K.: 2010, Affective man-machine interface: Unveiling human emotions through biosignals, in A. Fred, J. Filipe and H. Gamboa (eds), *Biomedical Engineering Systems and Technologies: BIOSTEC2009 Selected Revised papers*, Vol. 52 of *Communications in Computer and Information Science*, Springer, Berlin/Heidelberg, Germany, pp. 21–47.
- van den Broek, E. L., van der Sluis, F. and Dijkstra, T.: 2011, Telling the story and re-living the past: How speech analysis can reveal emotions in post-traumatic stress disorder (ptsd) patients, in J. H. D. M. Westerink, M. Krans and

- M. Ouwerkerk (eds), *Sensing Emotions: The impact of context on experience measurements*, Vol. 12 of *Philips Research Book Series*, Dordrecht, The Netherlands: Springer Science + Business Media B.V., pp. 153–180.
- van den Broek, E. L., van der Zwaag, M. D., Healey, J. A., Janssen, J. H. and Westerink, J. H. D. M.: 2010, Prerequisites for affective signal processing (asp) - part iv, in J. Kim and P. Karjalainen (eds), *Proceedings of the 1st International Workshop on Bio-inspired Human-Machine Interfaces and Healthcare Applications - B-Interface 2010*, INSTICC Press, Portugal, pp. 59–66.
- van der Zwaag, M. D., Janssen, J. H. and Westerink, J. H. D. M.: 2012, Directing physiology and mood through music: Validation of an affective music player, *IEEE Transactions on Affective Computing* **4**(1), 57–68.
- van Dooren, M., de Vries, J. J. G. and Janssen, J. H.: 2012, Emotional sweating across the body: Comparing 16 different skin conductance measurement locations, *Physiology & Behavior* **106**(2), 298–304.
- van Kuilenburg, H., den Uyl, M. J., Israel, M. L. and Ivan, P.: 2008, Advances in face and gesture analysis, *Measuring Behavior 2008* pp. 371–372.
- van Reekum, C., Johnstone, T., Banse, R., Etter, A., Wehrle, T. and Scherer, K.: 2004, Psychophysiological responses to appraisal dimensions in a computer game, *Cognition & Emotion* **18**(5), 663–688.
- Vapnik, V.: 1998, *Statistical learning theory*, Wiley.
- Veloso, L. R., Carvalho, J. M., Cavalvanti, C. S. V. C., Moura, E. S., Coutinho, F. L. and Gomes, H. M.: 2007, Neural network classification of photogenic facial expressions based on fiducial points and gabor features, in D. Mery and L. Rueda (eds), *Advances in Image and Video Technology*, Vol. 4872, Springer Berlin Heidelberg, Berlin, Heidelberg, pp. 166–179.
- Vuksanović, V. and Gal, V.: 2007, Heart rate variability in mental stress aloud, *Medical Engineering & Physics* **29**(3), 344–349.
- Wan, S. and Aggarwal, J. K.: 2014, Spontaneous facial expression recognition: A robust metric learning approach, *Pattern Recognition* **47**(5), 1859–1868.
- Wang, J. and Yin, L.: 2007, Static topographic modeling for facial expression recognition and analysis, *Computer Vision and Image Understanding* **108**(1-2), 19–34.
- Wang, Z. and Ruan, Q.: 2010, Facial expression recognition based orthogonal local fisher discriminant analysis, *2010 IEEE 10th International Conference on Signal Processing (ICSP)*, pp. 1358–1361.

- Watson, D. and Tellegen, A.: 1985, Toward a consensual structure of mood, *Psychological Bulletin* **98**(2), 219–235.
- Westerink, J., Ouwerkerk, M., de Vries, G.-J., de Waele, S., van den Eerenbeemd, J. and van Boven, M.: 2009, Emotion measurement platform for daily life situations, *Affective Computing and Intelligent Interaction and Workshops, 2009. ACII 2009. 3rd International Conference on*, pp. 1–6.
- Westerink, J., van Beek, W., Daemen, E., Janssen, J., de Vries, G.-J. and Ouwerkerk, M.: 2014, The vitality bracelet: Bringing balance to your life with psychophysiological measurements, in S. H. Fairclough and K. Gilleade (eds), *Advances in Physiological Computing*, Springer London, London, pp. 197–209.
- Westerink, J., van Boxtel, A., IJsselsteijn, W., Janssen, J., Ouwerkerk, M., Overbeek, T., de Vries, G.-J., Slovak, P., van der Zwaag, M. and Fitzpatrick, G.: 2012, Unobtrusive emotion sensing in everyday life, in A. J. Spink, F. Grieco, O. E. Krips, L. W. S. Looijens, L. P. J. J. Noldus and P. H. Zimmerman (eds), *Proceedings of Measuring Behavior 2012, 8th International Conference on Methods and Techniques in Behavioral Research*, Utrecht, the Netherlands, p. 332.
- Wijsman, J., Grundlehner, B., Liu, H., Hermens, H. and Penders, J.: 2011, Towards mental stress detection using wearable physiological sensors, *2011 Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBC*, pp. 1798–1801.
- Witoelar, A., Biehl, M., Ghosh, A. and Hammer, B.: 2008, Learning dynamics and robustness of vector quantization and neural gas, *Neurocomputing* **71**, 1210–1219.
- Witoelar, A. W., Ghosh, A., de Vries, J. J. G., Hammer, B. and Biehl, M.: 2011, Window-based example selection in learning vector quantization, *Neural Computation* **22**(11), 2924–2961.
- Wright, C. E., O'Donnell, K., Brydon, L., Wardle, J. and Steptoe, A.: 2007, Family history of cardiovascular disease is associated with cardiovascular responses to stress in healthy young men and women, *International Journal of Psychophysiology* **63**(3), 275–282.
- Wu, S., Falk, T. H. and Chan, W.-Y.: 2011, Automatic speech emotion recognition using modulation spectral features, *Speech Communication* **53**(5), 768–785.
- Xiao, R., Zhao, Q., Zhang, D. and Shi, P.: 2011, Facial expression recognition on multiple manifolds, *Pattern Recognition* **44**(1), 107–116.

- Xu, Q., Zhang, P., Pei, W., Yang, L. and He, Z.: 2006, A facial expression recognition approach based on confusion-crossed support vector machine tree, *International Conference on Intelligent Information Hiding and Multimedia Signal Processing, 2006. IHH-MSP '06*, pp. 309–312.
- Xu, Q., Zhang, P., Pei, W., Yang, L. and He, Z.: 2007, An automatic facial expression recognition approach based on confusion-crossed support vector machine tree, *IEEE International Conference on Acoustics, Speech and Signal Processing, 2007. ICASSP 2007*, Vol. 1, pp. I–625–I–628.
- Xu, Q., Zhang, P., Yang, L., Pei, W. and He, Z.: 2007, A facial expression recognition approach based on novel support vector machine tree, in D. Liu, S. Fei, Z. Hou, H. Zhang and C. Sun (eds), *Advances in Neural Networks - ISNN 2007*, Vol. 4493, Springer Berlin Heidelberg, Berlin, Heidelberg, pp. 374–381.
- Xu, T., Zhou, J. and Wang, Y.: 2011, A variation of local directional pattern and its application for facial expression recognition, in T.-H. Kim, H. Adeli, C. Ramos and B.-H. Kang (eds), *Signal Processing, Image Processing and Pattern Recognition*, Vol. 260, Springer Berlin Heidelberg, Berlin, Heidelberg, pp. 36–47.
- Xue, G. and Youwei, Z.: 2006, Facial expression recognition based on the difference of statistical features, *2006 8th International Conference on Signal Processing*, Vol. 3.
- Yacoob, Y. and Davis, L. S.: 2006, Recognizing human facial expressions from long image sequences using optical flow, *IEEE Transactions on Pattern Analysis and Machine Intelligence* **18**(6), 636–642.
- Young, P. T.: 1973, Feeling and emotion, in B. B. Wolman (ed.), *Handbook of general psychology*, Prentice-Hall, Englewood Cliffs, New Jersey.
- Zafeiriou, S. and Pitas, I.: 2008, Discriminant graph structures for facial expression recognition, *IEEE Transactions on Multimedia* **10**(8), 1528–1540.
- Zavaschi, T. H. H., Britto Jr., A. S., Oliveira, L. E. S. and Koerich, A. L.: 2013, Fusion of feature sets and classifiers for facial expression recognition, *Expert Systems with Applications* **40**(2), 646–655.
- Zhai, J. and Barreto, A.: 2006, Stress detection in computer users based on digital signal processing of noninvasive physiological variables, *Annual International Conference of the IEEE Engineering in Medicine and Biology Society.*, Vol. 1, pp. 1355–1358.

- Zhai, J., Barreto, A. B., Chin, C. and Li, C.: 2005, Realization of stress detection using psychophysiological signals for improvement of human-computer interactions, *IEEE SoutheastCon, 2005. Proceedings*, pp. 415–420.
- Zhang, L. and Tjondronegoro, D.: 2009, Selecting, optimizing and fusing ‘salient’ gabor features for facial expression recognition, in D. Hutchison, T. Kanade, J. Kittler, J. M. Kleinberg, F. Mattern, J. C. Mitchell, M. Naor, O. Nierstrasz, C. Pandu Rangan, B. Steffen, M. Sudan, D. Terzopoulos, D. Tygar, M. Y. Vardi, G. Weikum, C. S. Leung, M. Lee and J. H. Chan (eds), *Neural Information Processing*, Vol. 5863, Springer Berlin Heidelberg, Berlin, Heidelberg, pp. 724–732.
- Zhang, L. and Tjondronegoro, D.: 2010, Improving the performance of facial expression recognition using dynamic, subtle and regional features, in D. Hutchison, T. Kanade, J. Kittler, J. M. Kleinberg, F. Mattern, J. C. Mitchell, M. Naor, O. Nierstrasz, C. Pandu Rangan, B. Steffen, M. Sudan, D. Terzopoulos, D. Tygar, M. Y. Vardi, G. Weikum, C. S. Leung, M. Lee and J. H. Chan (eds), *Neural Information Processing. Models and Applications*, Vol. 6444, Springer Berlin Heidelberg, Berlin, Heidelberg, pp. 582–589.
- Zhao, X. and Zhang, S.: 2011, Facial expression recognition based on local binary patterns and kernel discriminant isomap, *Sensors (Basel, Switzerland)* **11**(10), 9573–9588.
- Zhao, X. and Zhang, S.: 2012, Facial expression recognition using local binary patterns and discriminant kernel locally linear embedding, *EURASIP Journal on Advances in Signal Processing* **2012**(1), 20.
- Zhi, R., Flierl, M., Ruan, Q. and Kleijn, W. B.: 2011, Graph-preserving sparse non-negative matrix factorization with application to facial expression recognition, *IEEE Transactions on Systems, Man, and Cybernetics, Part B: Cybernetics* **41**(1), 38–52.
- Zhi, R. and Ruan, Q.: 2008, A comparative study on region-based moments for facial expression recognition, *Congress on Image and Signal Processing, 2008. CISP '08*, Vol. 2, pp. 600–604.
- Zhi, R., Ruan, Q. and Miao, Z.: 2008, Fuzzy discriminant projections for facial expression recognition, *19th International Conference on Pattern Recognition, 2008. ICPR 2008*, pp. 1–4.
- Zhou, J., Xu, T., Wang, Y., Gao, L. and Yang, R.: 2011, A novel feature extraction for facial expression recognition via combining the curvelet and LDP, in J. Kacprzyk and R. Lee (eds), *Computer and Information Science 2011*, Vol. 364, Springer Berlin Heidelberg, Berlin, Heidelberg, pp. 35–46.

-
- Zilu, Y., Jingwen, L. and Youwei, Z.: 2006, Facial expression recognition based on classifier combinations, *2006 8th International Conference on Signal Processing*, Vol. 3.
- Zysset, S., Müller, K., Lohmann, G. and von Cramon, D. Y.: 2001, Color-word matching stroop task: Separating interference and response conflict, *NeuroImage* **13**(1), 29–36.