

University of Groningen

Q fever during pregnancy

Munster, Janna Maria

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2012

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Munster, J. M. (2012). *Q fever during pregnancy: lessons from the Dutch epidemic*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

STELLINGEN

BEHORENDE BIJ HET PROEFSCHRIFT: Q FEVER DURING PREGNANCY – LESSONS FROM THE DUTCH EPIDEMIC

1. Routinematig screenen op Q-koorts tijdens de zwangerschap dient niet aanbevolen te worden. *(Dit proefschrift)*
2. Ondanks dat de Wilson en Jungner criteria meer dan 40 jaar geleden opgesteld zijn, vormen ze nog steeds een uitstekend uitgangspunt voor het beoordelen van de doelmatigheid van een screeningsprogramma. *(Dit proefschrift)*
3. Wanneer getracht wordt om met behulp van bekende risicofactoren een gecompliceerde zwangerschapsuitkomst te voorspellen, heeft kennis over de *Coxiella burnetii* serologische status geen additief voorspellende waarde. *(Dit proefschrift)*
4. Indirecte immunofluorescentie voor het aantonen van IgM gericht tegen *Coxiella burnetii* fase II antigeen is zeer specifiek tijdens de zwangerschap, maar aanwezigheid van IgM fase II antigeen hoeft niet te betekenen dat er sprake is van een acute Q-koorts infectie. *(Dit proefschrift)*
5. Symptomatische en asymptomatische Q-koorts tijdens de zwangerschap zijn verschillende entiteiten met betrekking tot histopathologische bevindingen in de placenta en het risico op zwangerschapscomplicaties. *(Dit proefschrift)*
6. Wetenschap levert geen absolute waarheden, maar genereert data die door een sociaal onderhandelingsproces leiden tot het best mogelijke begrip van de wereld en de werkelijkheid. *(Vrij naar Professor Harry Collins)*
7. Vooruit wordt bepaald door welke kant je op kijkt. *(Loesje)*

8. Evidence-based wanneer het kan, gezond verstand als het moet. (*Richtlijn Basis prenatale zorg, NVOG*)
9. Het schrijven van een proefschrift is net als het bouwen van een huis: velen bediscussiëren de buitenkant, maar het gaat om de constructie.
10. Rather one hundred that are seeking than one who knows.

Janna M. Munster, oktober 2012