

University of Groningen

Scalable analysis and visualization of high-dimensional astronomical data sets

Ferdosi, Bilkis Jamal

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2011

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Ferdosi, B. J. (2011). *Scalable analysis and visualization of high-dimensional astronomical data sets*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Bibliography

- Abazajian, K. N. *et al.* (2009), ‘The Seventh Data Release of the Sloan Digital Sky Survey’, *Astrophysical Journal, Supplement* **182**, 543–558.
- Achtert, E., Kriegel, H. P. and Zimek, A. (2008), ELKI: A Software System for Evaluation of Subspace Clustering Algorithms, *in* ‘SSDBM’, pp. 580–585.
- Adelman-McCarthy *et al.* (2007), ‘The Fifth Data Release of the Sloan Digital Sky Survey’, *Astrophysical Journal Supplement Series* **172**, 634–644.
- Aggarwal, C. C., Wolf, J. L., Yu, P. S., Procopiuc, C. and Park, J. S. (1999), ‘Fast Algorithms for Projected Clustering’, *SIGMOD Rec.* **28**(2), 61–72.
- Agrawal, R., Gehrke, J., Gunopulos, D. and Raghavan, P. (1998), ‘Automatic Subspace Clustering of High Dimensional Data for Data Mining Applications’, *ACM SIGMOD* **27**, 94–105.
- Albuquerque, G., Eisemann, M., Lehmann, D. J., Theisel, H. and Magnor, M. (2010), Improving the Visual Analysis of High-dimensional Datasets Using Quality Measures, *in* ‘Proc. IEEE Symposium on Visual Analytics Science and Technology (VAST) 2010’, Salt Lake City, Utah, USA, pp. 19–26.
- Albuquerque, G., Eisemann, M., Lehmann, D., Theisel, H. and Magnor, M. (2009), Quality-Based Visualization Matrices, *in* ‘Proc. Vision, Modeling, and Visualization (VMV’09)’, Braunschweig, Germany, pp. 341–349.
- Ankerst, M., Berchtold, S. and Keim, D. A. (1998), Similarity Clustering of Dimensions for an Enhanced Visualization of Multidimensional Data, *in* ‘INFOVIS ’98: Proceedings of the 1998 IEEE Symposium on Information Visualization’, IEEE Computer Society, Washington, DC, USA, pp. 52–60.
- Aragón-Calvo, M. A., van de Weygaert, R. and Jones, B. J. T. (2010), ‘Multiscale Phenomenology of the Cosmic Web’, *Monthly Notices of the Royal Astronomical Society* **408**, 2163–2187.

- Asimov, A. (1985), 'The Grand Tour. A Tool for Viewing Multidimensional Data', *SIAM J. Sci. Stat. Comput.* **6**(1), 128–143.
- Assent, I., Krieger, R., Müller, E. and Seidl, T. (2007), 'VISA: Visual Subspace Clustering Analysis', *SIGKDD Explorations* **9**(2), 5–12.
- Baldry, I. K., Balogh, M. L., Bower, R. G., Glazebrook, K., Nichol, R. C., Bamford, S. P. and Budavari, T. (2006), 'Galaxy bimodality versus stellar mass and environment', *Monthly Notices of the Royal Astronomical Society* **373**, 469–483.
- Baldry, I. K., Glazebrook, K., Brinkmann, J., Ivezić, Ž., Lupton, R. H., Nichol, R. C. and Szalay, A. S. (2004), 'Quantifying the Bimodal Color-Magnitude Distribution of Galaxies', *Astrophysical Journal* **600**, 681–694.
- Ball, N. M., Loveday, J. and Brunner, R. J. (2008), 'Galaxy colour, morphology, and environment in the Sloan Digital Sky Survey', *Monthly Notices of the Royal Astronomical Society* **383**, 907–922.
- Balogh, M. L., Baldry, I. K., Nichol, R., Miller, C., Bower, R. and Glazebrook, K. (2004), 'The Bimodal Galaxy Color Distribution: Dependence on Luminosity and Environment', *Astrophysical Journal Letters* **615**, L101–L104.
- Baumgartner, C., Plant, C., Kailing, K., Kriegel, H. and Kröger, P. (2004), Subspace Selection for Clustering High-dimensional Data, in 'In Proc. 4th IEEE Int. Conf. on Data Mining (ICDM'04)', pp. 11–18.
- Becciani, U., Comparato, M. and Gheller, C. (2006), 'VisIVO: a VO enabled tool for Scientific Visualization and Data Analysis', *Memorie della Societa Astronomica Italiana Supplementi* **9**, 427.
- Bell, E. F., Wolf, C., Meisenheimer, K., Rix, H., Borch, A., Dye, S., Kleinheinrich, M., Wisotzki, L. and McIntosh, D. H. (2004), 'Nearly 5000 Distant Early-Type Galaxies in COMBO-17: A Red Sequence and Its Evolution since $z \sim 1$ ', *Astrophysical Journal* **608**, 752–767.
- Bertrand, G. (2007), 'On the Dynamics', *Image Vision Comput.* **25**(4), 447–454.
- Bier, E. A., Stone, M. C., Pier, K., Fishkin, K., Baudel, T., Conway, M., Buxton, W. and DeRose, T. (1994), Toolglass and Magic Lenses: The See-Through Interface, in 'CHI '94: Conference companion on Human factors in computing systems', ACM, New York, NY, USA, pp. 445–446.
- Blaas, J., Botha, C. and Post, F. (2008), 'Extensions of Parallel Coordinates for Interactive Exploration of Large Multi-Timepoint Data Sets', *IEEE Transactions on Visualization and Computer Graphics* **14**(6), 1436–1451.
- Blanton, M. R. and Roweis, S. (2007), 'K-Corrections and Filter Transformations in the Ultraviolet, Optical, and Near-Infrared', *The Astronomical Journal* **133**, 734–754.

- Böhner, J., McCloy, K. R. and Strobl, J., eds (2006), *SAGA Ũ Analysis and Modelling Applications*, Göttinger Geographische Abhandlungen.
- Bonnarel, F., Fernique, P., Bienayme, O., Egret, D., Genova, F., Louys, M., Ochsenbein, F., Wenger, M. and Bartlett, J. (2000), ‘The Aladin Interactive Sky Atlas, a reference tool for identification of astronomical sources’, *Astron. Astrophys., Suppl. Ser.* **143**, 33–40.
- Braglia, F., Pierini, D. and Böhringer, H. (2007), ‘Flaming, bright galaxies along the filaments of A 2744’, *Astronomy and Astrophysics* **470**, 425–429.
- Breiman, L., Meisel, W. and Purcell, E. (1977), ‘Variable Kernel Estimates of Multivariate Densities’, *Technometrics* **19**, 135–144.
- Buja, A. and Asimov, D. (1986), Grand tour methods: An outline, in ‘Proceedings of the Seventeenth Symposium on the interface between Computer Science and Statistics’, Elsevier North-Holland, Inc., New York, NY, USA, pp. 63–67.
- Buxton, W. (1986), Chunking and Phrasing and the Design of Human-Computer Dialogues, in ‘Proceedings of the IFIP World Computer Congress’, North Holland Publishers, pp. 475–480.
- Chambers, J., Cleveland, W., Kleiner, B. and Tukey, P. (1983), *Graphical Methods for Data Analysis*, Wadsworth.
- Chen, W., Ding, Z., Zhang, S., MacKay-Brandt, A., Correia, S., Qu, H., Crow, J. A., Tate, D. F., Yan, Z. and Peng, Q. (2009), ‘A Novel Interface for Interactive Exploration of DTI Fibers’, *IEEE Transactions on Visualization and Computer Graphics* **15**, 1433–1440.
- Cheng, C.-H., Fu, A. W. and Zhang, Y. (1999), Entropy-based Subspace Clustering for Mining Numerical Data, in ‘KDD ’99: Proceedings of the fifth ACM SIGKDD international conference on Knowledge discovery and data mining’, ACM, New York, NY, USA, pp. 84–93.
- Christlieb, N., Bessell, M. S., Beers, T. C., Gustafsson, B., Korn, A., Barklem, P. S., Karlsson, T., Mizuno-Wiedner, M. and Rossi, S. (2002), ‘A stellar relic from the early Milky Way’, *Nature* **419**, 904–906.
- Clive, R. L. (1999), ‘Bandwidth Selection: Classical or Plug-in’, *The Annals of Statistics* **27**(2), 415–438.
- Coles, P. and Jones, B. (1991), ‘A lognormal model for the cosmological mass distribution’, *Monthly Notices of the Royal Astronomical Society* **248**, 1–13.
- Cook, D. and Swayne, D. F. (2007), *Interactive and Dynamic Graphics for Data Analysis With R and GGobi*, 1st edn, Springer Publishing Company, Incorporated.
- Cook, D., Buja, A., Cabrera, J. and Hurley, C. (1995), ‘Grand Tour and Projection Pursuit’, *Journal of Computational and Graphical Statistics* **4**, 155–172.

- Cowan, N. B. and Ivezić, Z. (2008), 'The Environment of Galaxies at Low Redshift', *The Astrophysical Journal Letters* **674**, 13.
- Csiszar, I. (1991), 'Why Least Squares and Maximum Entropy? An Axiomatic Approach to Inference for Linear Inverse Problems', *The Annals of Statistics* **19**(4), 2032–2066.
- De Lucia, G. and Blaizot, J. (2007), 'The hierarchical formation of the brightest cluster galaxies', *Monthly Notices of the Royal Astronomical Society* **375**, 2–14.
- Deng, X. F., He, J. Z. and Wen, X. Q. (2009), 'The Dependence of Luminosity and g - r Color on the Environment for the Same Morphological Types', *The Astrophysical Journal Letters* **693**, 71.
- Dorigo, M. and Gambardella, L. M. (1997), 'Ant Colony System: A Cooperative Learning Approach to the Traveling Salesman Problem', *IEEE Transactions On Evolutionary Computation* **1**(1), 53–66.
- Dressler, A. (1980), 'Galaxy morphology in rich clusters - Implications for the formation and evolution of galaxies', *Astrophysical Journal* **236**, 351–365.
- Driver, S. P., Allen, P. D., Graham, A. W., Cameron, E., Liske, J., Ellis, S. C., Cross, N. J. G., De Propris, R., Phillipps, S. and Couch, W. J. (2006), 'The Millennium Galaxy Catalogue: morphological classification and bimodality in the colour-concentration plane', *Monthly Notices of the Royal Astronomical Society* **368**, 414–434.
- Efstathiou, G., Frenk, C. S., White, S. D. M. and Davis, M. (1988), 'Gravitational clustering from scale-free initial conditions', *Monthly Notices RAS* **235**, 715–748.
- Eguchi, S. and Copas, J. (2006), 'Interpreting Kullback-Leibler divergence with the Neyman-Pearson lemma', *J. Multivar. Anal.* **97**, 2034–2040.
- Eisen, M. B., Spellman, P. T., Brown, P. O. and Botstein, D. (1998), 'Cluster analysis and display of genome-wide expression patterns', *Proc Natl Acad Sci U S A* **95**(25), 14863–14868.
- Epanechnikov, V. A. (1969), 'Nonparametric estimation of a multidimensional probability density', *Theor. Probab. Appl.* **14**, 153–158.
- Feigelson, E. D. and Babu, G. J., eds (2003), *Statistical Challenges in Astronomy*, Springer, Wien, New York.
- Felten, J. E. (1977), 'Study of the luminosity function for field galaxies', *The Astronomical Journal* **82**, 861–878.
- Ferdosi, B. J. and Roerdink, J. B. T. M. (2011), 'Visualizing High-Dimensional Structures by Dimension Ordering and Filtering using Subspace Analysis', *Computer Graphics Forum (Proc. Eurovis'2011)*. To appear.

- Ferdosi, B. J., Buddelmeijer, H., Trager, S., Wilkinson, M. H. F. and Roerdink, J. B. T. M. (2010), Finding and Visualizing Relevant Subspaces for Clustering High-Dimensional Astronomical Data using Connected Morphological Operators, in 'Proc. IEEE Conference on Visual Analytics Science and Technology (IEEE VAST), October 2010', pp. 35–42.
- Ferdosi, B. J., Buddelmeijer, H., Trager, S., Wilkinson, M. H. F. and Roerdink, J. B. T. M. (2011), 'Comparison of Density Estimation Methods for Astronomical Datasets', *Journal of Astronomy and Astrophysics*. To appear.
- Forina, M., Armanino, C., Lanteri, S., Calcagno, C. and Tiscornia, E. (1983), 'Valutazione delle caratteristiche chimiche dell'olio di oliva in funzione dell'annata di produzione mediante metodi di classificazione multivariati', *Rivista Italiana delle Sostanze Grasse*, LX pp. 607–613.
- Forlines, C. and Shen, C. (2005), DTLens: Multi-user tabletop spatial data exploration, in 'Proceedings of the 18th annual ACM symposium on User interface software and technology', UIST '05, ACM, New York, NY, USA, pp. 119–122.
- Fua, Y.-H., Ward, M. O. and Rundensteiner, E. A. (1999), Hierarchical Parallel Coordinates for Exploration of Large Datasets, in 'Proceedings of the conference on Visualization '99: celebrating ten years', VIS '99, IEEE Computer Society Press, Los Alamitos, CA, USA, pp. 43–50.
- Furnas, G. W. (1986), 'Generalized Fisheye Views', *SIGCHI Bull.* **17**(4), 16–23.
- German Astrophysical Virtual Observatory (2005), 'Virgo - millennium dataset', <http://www.g-vo.org/Millennium/Help?page=index>.
- Gershon, N. (1994), *From Perception to Visualization*, in *Scientific Visualization, Advances and Challenges*, Academic Press.
- Gingold, R. A. and Monaghan, J. J. (1977), 'Smoothed particle hydrodynamics - Theory and application to non-spherical stars', *Monthly Notices of the Royal Astronomical Society* **181**, 375.
- Goil, S. and Choudhary, H. N. A. (1999), MAFIA: Efficient and Scalable Subspace Clustering for Very Large Data Sets, Technical report, Northwestern University, Evanston IL, USA.
- Guo, D. (2003), 'Coordinating computational and visual approaches for interactive feature selection and multivariate clustering', *Information Visualization* **2**, 232–246.
- Heijmans, H. J. A. M. (1994), *Morphological Image Operators*, Vol. 25 of *Advances in Electronics and Electron Physics, Supplement*, Academic Press, New York.
- Helmi, A. and Zeeuw, P. T. D. (2000), 'Mapping the substructure in the galactic halo with the next generation of astrometric satellites', *Mon. Not. R. Astron. Soc.* **319**(astro-ph/0007166), 657.

- Hoffman, P. E. and Grinstein, G. G. (2002), *A Survey of Visualizations for High-dimensional Data Mining*, Morgan Kaufmann Publishers Inc., San Francisco, CA, USA, pp. 47–82.
- Hoffman, P., Grinstein, G., Marx, K., Grosse, I. and Stanley, E. (1997), DNA visual and analytic data mining, in ‘Proceedings of the 8th conference on Visualization ’97’, VIS ’97, IEEE Computer Society Press, Los Alamitos, CA, USA, pp. 437–ff.
- Hubble, E. and Humason, M. L. (1931), ‘The Velocity-Distance Relation among Extra-Galactic Nebulae’, *Astrophysical Journal* **74**, 43–+.
- Inselberg, A. (2009), *Parallel Coordinates : VISUAL Multidimensional Geometry and its Applications*, Springer, New York.
- Isenberg, P., Bezerianos, A., Henry, N., Carpendale, S. and Fekete, J.-D. (2009a), ‘CoCoNut-Trix: Collaborative Retrofitting for Information Visualization’, *Computer Graphics and Applications: Special Issue on Collaborative Visualization* **29**(5), 44–57.
- Isenberg, P., Hinrichs, U., Hancock, M. and Carpendale, S. (2010), Digital Tables for Collaborative Information Exploration, in C. Mueller-Tomfelde, ed., ‘Tabletops—Horizontal Interactive Displays’, Human-Computer Interaction Series, Springer Verlag, pp. 387–406.
- Isenberg, T., Hinrichs, U. and Carpendale, S. (2009b), Studying Direct-Touch Interaction for 2D Flow Visualization, in P. Isenberg, M. Sedlmair, D. Baur, T. Isenberg and A. Butz, eds, ‘Workshop on Collaborative Visualization on Interactive Surfaces (CoVIS 2009, October 11, 2009, Atlantic City, USA)’.
- Jasche, J., Kitaura, F. S., Wandelt, B. D. and Enßlin, T. A. (2010), ‘Bayesian power-spectrum inference for Large Scale Structure data’, *Monthly Notices of the Royal Astronomical Society* **406**, 60–85.
- Jerding, D. F. and Stasko, J. T. (1998), ‘The Information Mural: A Technique for Displaying and Navigating Large Information Spaces’, *IEEE Transactions on Visualization and Computer Graphics*, **4**(3), 257 – 271.
- Jianu, R., Demiralp, C. and Laidlaw, D. (2009), ‘Exploring 3D DTI Fiber Tracts with Linked 2D Representations’, *IEEE Transactions on Visualization and Computer Graphics* **15**, 1449–1456.
- Johansson, S. and Johansson, J. (2009), ‘Interactive Dimensionality Reduction Through User-defined Combinations of Quality Metrics’, *IEEE Transactions on Visualization and Computer Graphics* **15**, 993–1000.
- Kailing, K., Kriegel, H., Kröger, P. and Wanka, S. (2003), Ranking Interesting Subspaces for Clustering High Dimensional Data, in ‘In PKDD’, pp. 241–252.

- Kauffmann, G., White, S. D. M., Heckman, T. M., Ménard, B., Brinchmann, J., Charlot, S., Tremonti, C. and Brinkmann, J. (2004), 'The Environmental Dependence of the Relations between Stellar Mass, Structure, Star Formation and Nuclear Activity in Galaxies', *Monthly Notices RAS* **353**, 713–731.
- Keim, D. A., Kohlhammer, J., Ellis, G. and Mansmann, F., eds (2010), *Mastering The Information Age - Solving Problems with Visual Analytics*, Eurographics Association.
- Knuth, D. E. (1981), *The Art of Computer Programming: Seminumerical Algorithms*, 2nd edn, Addison-Wesley.
- Kosara, R., Hauser, H. and Gresh, D. L. (2003), An Interaction View on Information Visualization, in 'State-of-the-Art Proceedings of Eurographics 2003 (EG 2003)', pp. 123–137.
- Kriegel, H.-P., Kröger, P. and Zimek, A. (2009), 'Clustering high-dimensional data: A survey on subspace clustering, pattern-based clustering, and correlation clustering', *ACM Trans. Knowl. Discov. Data* **3**(1), 1–58.
- Li, J., Martens, J.-B. and van Wijk, J. J. (2010), 'Judging Correlation from Scatterplots and Parallel Coordinate Plots', *Information Visualization* **9**(1), 13–30.
- Lorensen, W. E. and Cline, H. (1987), 'Marching Cubes: A High Resolution 3D Surface Construction Algorithm', *Computer Graphics* **21**(4), 163–169.
- Lucy, L. B. (1977), 'A numerical approach to the testing of the fission hypothesis', *The Astronomical Journal* **82**, 1013–1024.
- Maciejewski, M., Colombi, S., Springel, V., Alard, C. and Bouchet, F. R. (2009), 'Phase-space structures - II. Hierarchical Structure Finder', *Monthly Notices of the Royal Astronomical Society* **396**, 1329–1348.
- Mandryk, R. L., Scott, S. D. and Inkpen, K. (2002), Display Factors Influencing Co-located Collaboration, in 'Conference Supplement to Computer-Supported Co-operative Work (CSCW 2002), New Orleans, LA, USA, November', pp. 137–138.
- Martínez, V. J. and Saar, E. (2002), *Statistics of the Galaxy Distribution*, Chapman & Hall/CRC.
- Müller, E., Günnemann, S., Assent, I. and Seidl, T. (2009), 'Evaluating Clustering in Subspace Projections of High Dimensional Data', *PVLDB* **2**(1), 1270–1281.
- Neteler, M. and Mitasova, H. (2002), *Open Source GIS: A GRASS GIS Approach*, Kluwer Academic Publisher. ISBN 1-4020-7088-8.
- Novotny, M. and Hauser, H. (2006), 'Outlier-Preserving Focus+Context Visualization in Parallel Coordinates', *IEEE Transactions on Visualization and Computer Graphics* **12**, 893–900.
- Okabe, A., Boots, B., Sugihara, K. and Chiu, S. (2000), *Spatial Tessellations*, Chichester: John Wiley.

- Oliveira, M. C. F. D. and Levkowitz, H. (2003), 'From Visual Data Exploration to Visual Data Mining: A Survey', *IEEE Transactions on Visualization and Computer Graphics* **9**, 378–394.
- Park, B. U. and Marron, J. S. (1990), 'Comparison of Data-Driven Bandwidth Selectors', *Journal of the American Statistical Association* **85**, 66–72.
- Parzen, E. (1962), 'On Estimation of a Probability Density Function and Mode', *Annals of Mathematical Statistics* **33**(3), 1065–1076.
- Pelupessy, F. I., Schaap, W. E. and van de Weygaert, R. (2003), 'Density Estimators in Particle Hydrodynamics: DTFE versus regular SPH', *Astronomy and Astrophysics* **403**, 389–398.
- Peng, W., Ward, M. O. and Rundensteiner, E. A. (2004), Clutter Reduction in Multi-Dimensional Data Visualization Using Dimension Reordering, in 'Proceedings of the IEEE Symposium on Information Visualization', IEEE Computer Society, pp. 89–96.
- Petrosian, V. (1976), 'Surface brightness and evolution of galaxies', *Astrophysical Journal Letters* **209**, L1–L5.
- Pisani, A. (1993), 'A non-parametric and scale-independent method for cluster analysis – I. The univariate case', *Monthly Notices of the Royal Astronomical Society* **265**, 706–726.
- Pisani, A. (1996), 'A non-parametric and scale-independent method for cluster analysis II: the multivariate case', *Monthly Notices of the Royal Astronomical Society* **278**, 697–726.
- Procopiu, C. M., Jones, M., Agarwal, P. K. and Murali, T. M. (2002), A Monte Carlo algorithm for fast projective clustering, in 'ACM SIGMOD', pp. 418–427.
- Romano-Díaz, E. and van de Weygaert, R. (2007), 'Delaunay Tessellation Field Estimator analysis of the PSCz local Universe: density field and cosmic flow', *Monthly Notices of the Royal Astronomical Society* **382**, 2–28.
- Ruppert, D., Sheather, S. J. and Wand, M. P. (1995), 'An Effective Bandwidth Selector for Local Least Squares Regression', *Journal of the American Statistical Association* **90**, 1257–1270.
- Salembier, P. and Serra, J. (1995), 'Flat Zones Filtering, Connected Operators, and Filters by Reconstruction', *IEEE Transactions on Image Processing* **4**, 1153–1160.
- Salembier, P. and Wilkinson, M. H. F. (2009), 'Connected Operators: A review of region-based morphological image processing techniques', *IEEE Signal Processing Magazine* **26**(6), 136–157.
- Salembier, P., Oliveras, A. and Garrido, L. (1998), 'Anti-extensive connected operators for image and sequence processing', *IEEE Transactions on Image Processing* **7**, 555–570.

- Sandage, A. and Visvanathan, N. (1978a), ‘Color-absolute magnitude relation for E and S0 galaxies. III - Fully corrected photometry for 405 galaxies: Comparison of color distributions for E and S0 field and cluster galaxies’, *Astrophysical Journal* **225**, 742–750.
- Sandage, A. and Visvanathan, N. (1978b), ‘The color-absolute magnitude relation for E and S0 galaxies. II - New colors, magnitudes, and types for 405 galaxies’, *Astrophysical Journal* **223**, 707–729.
- Sander, J., Ester, M., Kriegel, H. and Xu, X. (1998), ‘Density-Based Clustering in Spatial Databases: The Algorithm GDBSCAN and Its Applications’, *Data Min. Knowl. Discov.* **2**(2), 169–194.
- Schaap, W. E. and van de Weygaert, R. (2000), ‘Continuous fields and discrete samples: reconstruction through Delaunay tessellations’, *Astronomy and Astrophysics* **363**, 29.
- Schechter, P. (1976), ‘An Analytic Expression for the Luminosity Function for Galaxies’, *Astrophysical Journal* **203**, 297–306.
- Schreck, T., Tekušová, T., Kohlhammer, J. and Fellner, D. (2007), ‘Trajectory-Based Visual Analysis of Large Financial Time Series Data’, *SIGKDD Explor. Newsl.* **9**, 30–37.
- Serra, J. (1982), *Image Analysis and Mathematical Morphology*, Academic Press, New York.
- Sheather, S. J. (1992), ‘The Performance of Six Popular Bandwidth Selection Methods on Some Real Datasets’, *Computational Statistics* **7**, 225–250.
- Shneiderman, B. (1996), The Eyes Have It: A Task by Data Type Taxonomy for Information Visualizations, in ‘Proceedings of the 1996 IEEE Symposium on Visual Languages’, IEEE Computer Society, Washington, DC, USA, pp. 336–343.
- Silverman, B. W. (1986), *Density Estimation for Statistics and Data Analysis*, Chapman and Hall.
- Sirko, E., Goodman, J., Knapp, G. R., Brinkmann, J., Ivezić, Ž., Knerr, E. J., Schlegel, D., Schneider, D. P. and York, D. G. (2004a), ‘Blue Horizontal-Branch Stars in the Sloan Digital Sky Survey. I. Sample Selection and Structure in the Galactic Halo’, *The Astronomical Journal* **127**, 899–913.
- Sirko, E., Goodman, J., Knapp, G. R., Brinkmann, J., Ivezić, Ž., Knerr, E. J., Schlegel, D., Schneider, D. P. and York, D. G. (2004b), ‘Blue Horizontal-Branch Stars in the Sloan Digital Sky Survey. II. Kinematics of the Galactic Halo’, *The Astronomical Journal* **127**, 914–924.
- Smart Technologies Inc. (2003), Digital Vision Touch Technology, White paper. <http://smarttech.com/DViT/>.

- Sousbie, T., Colombi, S. and Pichon, C. (2009), 'The fully connected N-dimensional skeleton: probing the evolution of the cosmic web', *Monthly Notices of the Royal Astronomical Society* **393**, 457–477.
- Spellman, P. T., Sherlock, G., Zhang, M. Q., Iyer, V. R., Anders, K., Eisen, M. B., Brown, P. O., Botstein, D. and Futcher, B. (1998), 'Comprehensive identification of cell cycle-regulated genes of the yeast *Saccharomyces cerevisiae* by microarray hybridization', *Mol Biol Cell* **9**(12), 3273–3297.
- Springel, V., White, S. D. M., Jenkins, A., Frenk, C. S., Yoshida, N., Gao, L., Navarro, J., Thacker, R., Croton, D., Helly, J., Peacock, J. A., Cole, S., Thomas, P., Couchman, H., Evrard, A., Colberg, J. and Pearce, F. (2005), 'Simulations of the formation, evolution and clustering of galaxies and quasars', *Nature* **435**, 629–636.
- Starck, J.-L. and Murtagh, F. (2002), *Astronomical Image and Data Analysis*, Springer-Verlag.
- Steinmetz, M. (2003), RAVE: the RADial Velocity Experiment, in 'ASP Conf. Ser. 298: GAIA Spectroscopy: Science and Technology', pp. 381–+.
- Strateva, I., Ivezić, Ž., Knapp, G. R., Narayanan, V. K., Strauss, M. A., Gunn, J. E., Lupton, R. H., Schlegel, D., Bahcall, N. A., Brinkmann, J., Brunner, R. J., Budavári, T., Csabai, I., Castander, F. J., Doi, M., Fukugita, M., GyHory, Z., Hamabe, M., Hennessy, G., Ichikawa, T., Kunszt, P. Z., Lamb, D. Q., McKay, T. A., Okamura, S., Racusin, J., Sekiguchi, M., Schneider, D. P., Shimasaku, K. and York, D. (2001), 'Color Separation of Galaxy Types in the Sloan Digital Sky Survey Imaging Data', *The Astronomical Journal* **122**, 1861–1874.
- Tatu, A., Albuquerque, G., Eisemann, M., Schneidewind, J., Theisel, H., Magnor, M. and Keim, D. (2009), Combining Automated Analysis and Visualization Techniques for Effective Exploration of High-dimensional Data, in 'Proceedings of IEEE Symposium on Visual Analytics Science and Technology (IEEE VAST)', Atlantic City, New Jersey, USA.
- Tekušová, T. and Kohlhammer, J. (2008), Visual Analysis and Exploration of Complex Corporate Shareholder Networks, in K. Börner, M. T. Gröhn, J. Park and J. C. Roberts, eds, 'Proceedings Visualization and Data Analysis', Vol. 6809.
- Vachier, C. and Vincent, L. (1995), Valuation of image extrema using alternating filters by reconstruction, in 'Proc. SPIE', San Diego CA, pp. 94–103.
- van Dokkum, P. G., Franx, M., Kelson, D. D., Illingworth, G. D., Fisher, D. and Fabricant, D. (1998), 'The Color-Magnitude Relation in CL 1358+62 at $Z = 0.33$: Evidence for Significant Evolution in the S0 Population', *Astrophysical Journal* **500**, 714–+.
- Venn, K. A., Irwin, M., Shetrone, M. D., Tout, C. A., Hill, V. and Tolstoy, E. (2004), 'Stellar Chemical Signatures and Hierarchical Galaxy Formation', *The Astronomical Journal* **128**, 1177–1195.

- Visvanathan, N. and Sandage, A. (1977), ‘The color-absolute magnitude relation for E and S0 galaxies. I - Calibration and tests for universality using Virgo and eight other nearby clusters’, *Astrophysical Journal* **216**, 214–226.
- Voida, S., Tobiasz, M., Stromer, J., Isenberg, P. and Carpendale, S. (2009), Getting Practical with Interactive Tabletop Displays: Designing for Dense Data, “Fat Fingers,” Diverse Interactions, and Face-to-Face Collaboration , in ‘ Proceedings of the ACM International Conference on Interactive Tabletops and Surfaces (ITS) ’, ACM Press, New York, NY, USA, pp. 119–126.
- Wegman, E. (1990), ‘Hyperdimensional data analysis using parallel coordinates’, *Journal of the American Statistical Association* **85**, 664–675.
- Westenberg, M. A., Roerdink, J. B. T. M. and Wilkinson, M. H. F. (2007), ‘Volumetric Attribute Filtering and Interactive Visualization Using the Max-Tree Representation’, *IEEE Transactions on Image Processing* **16**(12), 2943–2952.
- Wilkinson, M. H. F. and Meijer, B. C. (1995), ‘DATAPLOT: A graphical display package for bacterial morphometry and fluorimetry data’, *Comp. Meth. Prog. Biomedicine* **47**, 35–49.
- Yang, J., Peng, W., Ward, M. O. and Rundensteiner, E. A. (2003), Interactive Hierarchical Dimension Ordering, Spacing and Filtering for Exploration of High Dimensional Datasets, in ‘Proc. IEEE Symposium on Information Visualization’, pp. 105–112.
- Yang, J., Ward, M. O. and Rundensteiner, E. A. (2002), InterRing: An Interactive Tool for Visually Navigating and Manipulating Hierarchical Structures, in ‘IEEE Symposium on Information Visualization’, IEEE Computer Society, Los Alamitos, CA, USA, pp. 77 – 84.
- York, D. G. and others (2000), ‘The Sloan Digital Sky Survey: Technical Summary’, *Astrophysical Journal* **120**, 1579–1587.
- Yu, L., Svetachov, P., Isenberg, P., Everts, M. H. and Isenberg, T. (2010), ‘FI3D: Direct-Touch Interaction for the Exploration of 3D Scientific Visualization Spaces’, *IEEE Transactions on Visualization and Computer Graphics* **16**(6), 1613–1622.
- Zeilik, M. and Gregory, S. (1998), *Introductory Astronomy and Astrophysics*, 4th edn, Brooks/Cole astronomy list, Thompson Learning.

