

University of Groningen

Geometry of strings and branes

Halbersma, Reinder Simon

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2002

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Halbersma, R. S. (2002). *Geometry of strings and branes*. [Thesis fully internal (DIV), University of Groningen]. [s.n.].

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Bibliography

- [1] S. R. Coleman and J. Mandula, *All possible symmetries of the S matrix*, Phys. Rev. **159** (1967) 1251–1256.
- [2] S. W. Hawking and R. Penrose, *The singularities of gravitational collapse and cosmology*, Proc. Roy. Soc. Lond. **A314** (1970) 529–548.
- [3] S. W. Hawking, *Breakdown of predictability in gravitational collapse*, Phys. Rev. **D14** (1976) 2460–2473.
- [4] S. Weinberg, *The cosmological constant problem*, Rev. Mod. Phys. **61** (1989) 1–23.
- [5] R. A. Hulse and J. H. Taylor, *Discovery of a pulsar in a binary system*, Astrophys. J. **195** (1975) L51–L53.
- [6] S. W. Hawking, *Particle creation by black holes*, Commun. Math. Phys. **43** (1975) 199–220.
- [7] A. Strominger and C. Vafa, *Microscopic origin of the Bekenstein-Hawking entropy*, Phys. Lett. **B379** (1996) 99–104, hep-th/9601029.
- [8] S. W. Hawking, *Gravitational radiation from colliding black holes*, Phys. Rev. Lett. **26** (1971) 1344–1346.
- [9] J. D. Bekenstein, *Black holes and the second law*, Nuovo Cim. Lett. **4** (1972) 737–740.
- [10] D. Z. Freedman, P. van Nieuwenhuizen, and S. Ferrara, *Progress towards a theory of supergravity*, Phys. Rev. **D13** (1976) 3214–3218.
- [11] R. Haag, J. T. Łopuszański, and M. Sohnius, *All possible generators of supersymmetries of the S-matrix*, Nucl. Phys. **B88** (1975) 257.
- [12] G. 't Hooft and M. J. G. Veltman, *Regularization and renormalization of gauge fields*, Nucl. Phys. **B44** (1972) 189–213.

- [13] C. Becchi, A. Rouet, and R. Stora, *Renormalization of gauge theories*, *Annals Phys.* **98** (1976) 287–321.
- [14] I. A. Batalin and G. A. Vilkovisky, *Gauge algebra and quantization*, *Phys. Lett.* **B102** (1981) 27–31.
- [15] K. Behrndt, E. Bergshoeff, R. Halbersma, and J. P. van der Schaar, *On domain-wall/QFT dualities in various dimensions*, *Class. Quant. Grav.* **16** (1999) 3517–3552, hep-th/9907006.
- [16] E. Bergshoeff, S. Cucu, M. Derix, T. de Wit, R. Halbersma, and A. Van Proeyen, *Weyl multiplets of $\mathcal{N} = 2$ conformal supergravity in five dimensions*, *JHEP* **06** (2001) 051, hep-th/0104113.
- [17] E. Bergshoeff, S. Cucu, T. de Wit, J. Gheerardyn, R. Halbersma, S. Vandoren, and A. Van Proeyen, *Superconformal $\mathcal{N} = 2$, $D = 5$ matter*, hep-th/020MDDD.
- [18] G. Veneziano, *Construction of a crossing - symmetric, Regge-behaved amplitude for linearly rising trajectories*, *Nuovo. Cim.* **A57** (1968) 190–197.
- [19] J. Scherk and J. H. Schwarz, *Dual models for nonhadrons*, *Nucl. Phys.* **B81** (1974) 118–144.
- [20] M. B. Green, J. H. Schwarz, and E. Witten, *Superstring theory. Vol. 1: Introduction*, Cambridge, UK: Univ. Pr. (1987) 469 P. (Cambridge Monographs On Mathematical Physics).
- [21] M. B. Green, J. H. Schwarz, and E. Witten, *Superstring theory. Vol. 2: Loop amplitudes, anomalies and phenomenology*, Cambridge, UK: Univ. Pr. (1987) 596 P. (Cambridge Monographs On Mathematical Physics).
- [22] J. Polchinski, *String theory. Vol. 1: An introduction to the bosonic string*, Cambridge, UK: Univ. Pr. (1998) 402 p.
- [23] J. Polchinski, *String theory. Vol. 2: Superstring theory and beyond*, Cambridge, UK: Univ. Pr. (1998) 531 p.
- [24] J. Dai, R. G. Leigh, and J. Polchinski, *New connections between string theories*, *Mod. Phys. Lett.* **A4** (1989) 2073–2083.
- [25] A. A. Belavin, A. M. Polyakov, and A. B. Zamolodchikov, *Infinite conformal symmetry in two-dimensional quantum field theory*, *Nucl. Phys.* **B241** (1984) 333–380.
- [26] A. Sen, *Tachyon condensation on the brane antibrane system*, *JHEP* **08** (1998) 012, hep-th/9805170.

- [27] A. Sen and B. Zwiebach, *Tachyon condensation in string field theory*, JHEP **03** (2000) 002, hep-th/9912249.
- [28] P. Ramond, *Dual theory for free fermions*, Phys. Rev. **D3** (1971) 2415–2418.
- [29] A. Neveu and J. H. Schwarz, *Factorizable dual model of pions*, Nucl. Phys. **B31** (1971) 86–112.
- [30] M. B. Green and J. H. Schwarz, *Supersymmetrical dual string theory*, Nucl. Phys. **B181** (1981) 502–530.
- [31] F. Gliozzi, J. Scherk, and D. I. Olive, *Supersymmetry, supergravity theories and the dual spinor model*, Nucl. Phys. **B122** (1977) 253–290.
- [32] D. J. Gross, J. A. Harvey, E. J. Martinec, and R. Rohm, *The heterotic string*, Phys. Rev. Lett. **54** (1985) 502–505.
- [33] M. B. Green and J. H. Schwarz, *Anomaly cancellation in supersymmetric $D=10$ gauge theory and superstring theory*, Phys. Lett. **B149** (1984) 117–122.
- [34] A. M. Polyakov, *Quantum geometry of bosonic strings*, Phys. Lett. **B103** (1981) 207–210.
- [35] A. M. Polyakov, *Quantum geometry of fermionic strings*, Phys. Lett. **B103** (1981) 211–213.
- [36] E. D’Hoker and D. H. Phong, *Two-Loop Superstrings I, Main Formulas*, hep-th/0110247.
- [37] P. Van Nieuwenhuizen, *Supergravity*, Phys. Rept. **68** (1981) 189–398.
- [38] E. . Salam, A. and E. . Sezgin, E., *Supergravities in diverse dimensions. Vol. 1, 2.*, Amsterdam, Netherlands: North-Holland (1989) 1499 p. Singapore, Singapore: World Scientific (1989) 1499 p.
- [39] J. H. Schwarz, *Covariant field equations of chiral $\mathcal{N} = 2, D = 10$ supergravity*, Nucl. Phys. **B226** (1983) 269.
- [40] E. Bergshoeff, C. M. Hull, and T. Ortín, *Duality in the type II superstring effective action*, Nucl. Phys. **B451** (1995) 547–578, hep-th/9504081.
- [41] E. Cremmer, B. Julia, and J. Scherk, *Supergravity theory in 11 dimensions*, Phys. Lett. **B76** (1978) 409–412.
- [42] E. Bergshoeff, E. Sezgin, and P. K. Townsend, *Supermembranes and eleven-dimensional supergravity*, Phys. Lett. **B189** (1987) 75–78.

- [43] B. de Wit, M. Lüscher, and H. Nicolai, *The supermembrane is unstable*, Nucl. Phys. **B320** (1989) 135.
- [44] E. Bergshoeff, B. Janssen, and T. Ortín, *Solution-generating transformations and the string effective action*, Class. Quant. Grav. **13** (1996) 321–343, hep-th/9506156.
- [45] P. Ginsparg, *Comment on toroidal compactification of heterotic superstrings*, Phys. Rev. **D35** (1987) 648.
- [46] P. Candelas, X. De La Ossa, A. Font, S. Katz, and D. R. Morrison, *Mirror symmetry for two parameter models. I*, Nucl. Phys. **B416** (1994) 481–538, hep-th/9308083.
- [47] E. Kiritsis, *Introduction to non-perturbative string theory*, hep-th/9708130.
- [48] J. Polchinski and E. Witten, *Evidence for Heterotic - Type I String Duality*, Nucl. Phys. **B460** (1996) 525–540, hep-th/9510169.
- [49] C. M. Hull and P. K. Townsend, *Unity of superstring dualities*, Nucl. Phys. **B438** (1995) 109–137, hep-th/9410167.
- [50] E. Witten, *String theory dynamics in various dimensions*, Nucl. Phys. **B443** (1995) 85–126, hep-th/9503124.
- [51] J. H. Schwarz, *The power of M-theory*, Phys. Lett. **B367** (1996) 97–103, hep-th/9510086.
- [52] P. Hořava and E. Witten, *Heterotic and type I string dynamics from eleven dimensions*, Nucl. Phys. **B460** (1996) 506–524, hep-th/9510209.
- [53] P. Hořava and E. Witten, *Eleven-dimensional supergravity on a manifold with boundary*, Nucl. Phys. **B475** (1996) 94–114, hep-th/9603142.
- [54] T. Banks, W. Fischler, S. H. Shenker, and L. Susskind, *M theory as a matrix model: A conjecture*, Phys. Rev. **D55** (1997) 5112–5128, hep-th/9610043.
- [55] A. Dabholkar, G. W. Gibbons, J. A. Harvey, and F. Ruiz Ruiz, *Superstrings and solitons*, Nucl. Phys. **B340** (1990) 33–55.
- [56] A. Strominger, *Heterotic solitons*, Nucl. Phys. **B343** (1990) 167–184.
- [57] J. Callan, Curtis G., J. A. Harvey, and A. Strominger, *Worldbrane actions for string solitons*, Nucl. Phys. **B367** (1991) 60–82.
- [58] J. Polchinski, *Dirichlet-Branes and Ramond-Ramond Charges*, Phys. Rev. Lett. **75** (1995) 4724–4727, hep-th/9510017.

- [59] M. J. Duff and K. S. Stelle, *Multi-membrane solutions of $D = 11$ supergravity*, Phys. Lett. **B253** (1991) 113–118.
- [60] R. Gueven, *Black p -brane solutions of $D = 11$ supergravity theory*, Phys. Lett. **B276** (1992) 49–55.
- [61] E. Bergshoeff *et al.*, *Spacetime-filling branes and strings with sixteen supercharges*, Nucl. Phys. **B564** (2000) 29–59, hep-th/9812224.
- [62] R. G. Leigh, *Dirac-Born-Infeld action from Dirichlet sigma model*, Mod. Phys. Lett. **A4** (1989) 2767.
- [63] D. M. Kaplan and J. Michelson, *Zero modes for the $D = 11$ membrane and five-brane*, Phys. Rev. **D53** (1996) 3474–3476, hep-th/9510053.
- [64] K. Behrndt, E. Bergshoeff, and B. Janssen, *Intersecting D -branes in ten and six dimensions*, Phys. Rev. **D55** (1997) 3785–3792, hep-th/9604168.
- [65] A. Sen, *Stable non-BPS states in string theory*, JHEP **06** (1998) 007, hep-th/9803194.
- [66] C. M. Hull, *Gravitational duality, branes and charges*, Nucl. Phys. **B509** (1998) 216–251, hep-th/9705162.
- [67] M. J. Duff, R. R. Khuri, and J. X. Lu, *String solitons*, Phys. Rept. **259** (1995) 213–326, hep-th/9412184.
- [68] G. 't Hooft, *A planar diagram theory for strong interactions*, Nucl. Phys. **B72** (1974) 461.
- [69] G. 't Hooft, *Dimensional reduction in quantum gravity*, gr-qc/9310026.
- [70] L. Susskind, *The World as a hologram*, J. Math. Phys. **36** (1995) 6377–6396, hep-th/9409089.
- [71] J. Callan, Curtis G. and J. M. Maldacena, *D -brane approach to black hole quantum mechanics*, Nucl. Phys. **B472** (1996) 591–610, hep-th/9602043.
- [72] G. T. Horowitz and A. Strominger, *Counting states of near-extremal black holes*, Phys. Rev. Lett. **77** (1996) 2368–2371, hep-th/9602051.
- [73] J. Maldacena, *The large N limit of superconformal field theories and supergravity*, Adv. Theor. Math. Phys. **2** (1998) 231–252, hep-th/9711200.
- [74] S. S. Gubser, I. R. Klebanov, and A. M. Polyakov, *Gauge theory correlators from non-critical string theory*, Phys. Lett. **B428** (1998) 105–114, hep-th/9802109.

- [75] E. Witten, *Anti-de Sitter space and holography*, Adv. Theor. Math. Phys. **2** (1998) 253–291, hep-th/9802150.
- [76] O. Aharony, S. S. Gubser, J. Maldacena, H. Ooguri, and Y. Oz, *Large N field theories, string theory and gravity*, Phys. Rept. **323** (2000) 183–386, hep-th/9905111.
- [77] J. L. Petersen, *Introduction to the Maldacena conjecture on AdS/CFT*, Int. J. Mod. Phys. **A14** (1999) 3597–3672, hep-th/9902131.
- [78] P. Di Vecchia, *Large N gauge theories and ADS/CFT correspondence*, hep-th/9908148.
- [79] I. R. Klebanov, *Introduction to the AdS/CFT correspondence*, hep-th/0009139.
- [80] D. Z. Freedman and P. Henry-Labordère, *Field theory insight from the AdS/CFT correspondence*, hep-th/0011086.
- [81] E. A. Bergshoeff, A. Bilal, M. de Roo, and A. Sevrin, *Supersymmetric non-Abelian Born-Infeld revisited*, JHEP **07** (2001) 029, hep-th/0105274.
- [82] G. W. Gibbons and P. K. Townsend, *Vacuum interpolation in supergravity via super p -branes*, Phys. Rev. Lett. **71** (1993) 3754–3757, hep-th/9307049.
- [83] M. J. Duff, G. W. Gibbons, and P. K. Townsend, *Macroscopic superstrings as interpolating solitons*, Phys. Lett. **B332** (1994) 321–328, hep-th/9405124.
- [84] R. Kallosh and J. Kumar, *Supersymmetry enhancement of Dp -branes and M -branes*, Phys. Rev. **D56** (1997) 4934–4941, hep-th/9704189.
- [85] I. R. Klebanov, *World-volume approach to absorption by non-dilatonic branes*, Nucl. Phys. **B496** (1997) 231–242, hep-th/9702076.
- [86] S. S. Gubser, I. R. Klebanov, and A. A. Tseytlin, *String theory and classical absorption by three-branes*, Nucl. Phys. **B499** (1997) 217–240, hep-th/9703040.
- [87] A. W. Peet and J. Polchinski, *UV/IR relations in AdS dynamics*, Phys. Rev. **D59** (1999) 065011, hep-th/9809022.
- [88] L. Susskind and E. Witten, *The holographic bound in Anti-de Sitter space*, hep-th/9805114.
- [89] M. F. Sohnius and P. C. West, *Conformal invariance in $\mathcal{N} = 4$ supersymmetric Yang-Mills theory*, Phys. Lett. **B100** (1981) 245.
- [90] C. Montonen and D. I. Olive, *Magnetic monopoles as gauge particles?*, Phys. Lett. **B72** (1977) 117.

- [91] N. Berkovits, *Super-Poincaré covariant quantization of the superstring*, JHEP **04** (2000) 018, hep-th/0001035.
- [92] S. Hawking and J. Ellis, *The large scale structure of spacetime*, Cambridge, UK: Univ. Pr. (1973) 391 p.
- [93] P. Breitenlohner and D. Z. Freedman, *Stability in gauged extended supergravity*, Ann. Phys. **144** (1982) 249.
- [94] I. R. Klebanov and E. Witten, *AdS/CFT correspondence and symmetry breaking*, Nucl. Phys. **B556** (1999) 89–114, hep-th/9905104.
- [95] M. Henningson and K. Skenderis, *The holographic Weyl anomaly*, JHEP **07** (1998) 023, hep-th/9806087.
- [96] E. D’Hoker, D. Z. Freedman, and L. Rastelli, *AdS/CFT 4-point functions: How to succeed at z-integrals without really trying*, Nucl. Phys. **B562** (1999) 395–411, hep-th/9905049.
- [97] M. Günaydin and N. Marcus, *The spectrum of the S^5 compactification of the chiral $\mathcal{N} = 2$, $D = 10$ supergravity and the unitary supermultiplets of $U(2, 2/4)$* , Class. Quant. Grav. **2** (1985) L11.
- [98] H. J. Kim, L. J. Romans, and P. van Nieuwenhuizen, *The mass spectrum of chiral $\mathcal{N} = 2$, $D = 10$ supergravity on S^5* , Phys. Rev. **D32** (1985) 389.
- [99] S.-M. Lee, S. Minwalla, M. Rangamani, and N. Seiberg, *Three-point functions of chiral operators in $D = 4$, $\mathcal{N} = 4$ SYM at large N* , Adv. Theor. Math. Phys. **2** (1998) 697–718, hep-th/9806074.
- [100] M. Günaydin, L. J. Romans, and N. P. Warner, *Gauged $\mathcal{N} = 8$ supergravity in five-dimensions*, Phys. Lett. **B154** (1985) 268.
- [101] M. Pernici, K. Pilch, and P. van Nieuwenhuizen, *Gauged $\mathcal{N} = 8$, $D = 5$ supergravity*, Nucl. Phys. **B259** (1985) 460.
- [102] D. Z. Freedman, S. D. Mathur, A. Matusis, and L. Rastelli, *Correlation functions in the CFT(d)/AdS($d + 1$) correspondence*, Nucl. Phys. **B546** (1999) 96–118, hep-th/9804058.
- [103] E. D’Hoker, D. Z. Freedman, S. D. Mathur, A. Matusis, and L. Rastelli, *Extremal correlators in the AdS/CFT correspondence*, hep-th/9908160.
- [104] B. U. Eden, P. S. Howe, E. Sokatchev, and P. C. West, *Extremal and next-to-extremal n -point correlators in four-dimensional SCFT*, Phys. Lett. **B494** (2000) 141–147, hep-th/0004102.

- [105] M. Bianchi, M. B. Green, S. Kovacs, and G. Rossi, *Instantons in supersymmetric Yang-Mills and D-instantons in IIB superstring theory*, JHEP **08** (1998) 013, hep-th/9807033.
- [106] N. Dorey, D. Tong, and S. Vandoren, *Instanton effects in three-dimensional supersymmetric gauge theories with matter*, JHEP **04** (1998) 005, hep-th/9803065.
- [107] J. Maldacena, *Wilson loops in large N field theories*, Phys. Rev. Lett. **80** (1998) 4859–4862, hep-th/9803002.
- [108] N. Drukker, D. J. Gross, and H. Ooguri, *Wilson loops and minimal surfaces*, Phys. Rev. **D60** (1999) 125006, hep-th/9904191.
- [109] S. W. Hawking and D. N. Page, *Thermodynamics of black holes in Anti-de-Sitter space*, Commun. Math. Phys. **87** (1983) 577.
- [110] E. Witten, *Anti-de Sitter space, thermal phase transition, and confinement in gauge theories*, Adv. Theor. Math. Phys. **2** (1998) 505–532, hep-th/9803131.
- [111] N. Itzhaki, J. M. Maldacena, J. Sonnenschein, and S. Yankielowicz, *Supergravity and the large N limit of theories with sixteen supercharges*, Phys. Rev. **D58** (1998) 046004, hep-th/9802042.
- [112] H. Lü, C. N. Pope, and P. K. Townsend, *Domain walls from Anti-de Sitter spacetime*, Phys. Lett. **B391** (1997) 39–46, hep-th/9607164.
- [113] P. M. Cowdall, H. Lü, C. N. Pope, K. S. Stelle, and P. K. Townsend, *Domain walls in massive supergravities*, Nucl. Phys. **B486** (1997) 49–76, hep-th/9608173.
- [114] H. J. Boonstra, K. Skenderis, and P. K. Townsend, *The domain wall/QFT correspondence*, JHEP **01** (1999) 003, hep-th/9807137.
- [115] E. Bergshoeff and R. Halbersma, *On domain-wall/QFT dualities in various dimensions*, hep-th/0001065.
- [116] B. de Wit and H. Nicolai, *$\mathcal{N} = 8$ supergravity*, Nucl. Phys. **B208** (1982) 323.
- [117] M. Pernici, K. Pilch, and P. van Nieuwenhuizen, *Gauged maximally extended supergravity in seven- dimensions*, Phys. Lett. **B143** (1984) 103.
- [118] B. de Wit and H. Nicolai, *The consistency of the S^7 truncation in $D = 11$ supergravity*, Nucl. Phys. **B281** (1987) 211.
- [119] H. Nastase, D. Vaman, and P. van Nieuwenhuizen, *Consistent nonlinear KK-reduction of 11d supergravity on $AdS(7) \times S(4)$ and self-duality in odd dimensions*, Phys. Lett. **B469** (1999) 96–102, hep-th/9905075.

- [120] M. Cvetič, H. Lü, and C. N. Pope, *Consistent Kaluza-Klein sphere reductions*, Phys. Rev. **D62** (2000) 064028, hep-th/0003286.
- [121] M. Cvetič, J. T. Liu, H. Lü, and C. N. Pope, *Domain-wall supergravities from sphere reduction*, Nucl. Phys. **B560** (1999) 230–256, hep-th/9905096.
- [122] J. Callan, Curtis G. and I. R. Klebanov, *D-brane boundary state dynamics*, Nucl. Phys. **B465** (1996) 473–486, hep-th/9511173.
- [123] A. Giveon and D. Kutasov, *Brane dynamics and gauge theory*, Rev. Mod. Phys. **71** (1999) 983–1084, hep-th/9802067.
- [124] J. de Boer, *Six-dimensional supergravity on $S(3) \times AdS(3)$ and 2d conformal field theory*, Nucl. Phys. **B548** (1999) 139–166, hep-th/9806104.
- [125] N. Seiberg and E. Witten, *The D1/D5 system and singular CFT*, JHEP **04** (1999) 017, hep-th/9903224.
- [126] J. de Boer, H. Ooguri, H. Robins, and J. Tannenhauser, *String theory on $AdS(3)$* , JHEP **12** (1998) 026, hep-th/9812046.
- [127] J. Polchinski, *Effective field theory and the Fermi surface*, hep-th/9210046.
- [128] A. B. Zamolodchikov, *'Irreversibility' of the flux of the renormalization group in a 2 – D field theory*, JETP Lett. **43** (1986) 730–732.
- [129] J. L. Cardy, *Is there a C-theorem in four-dimensions?*, Phys. Lett. **B215** (1988) 749–752.
- [130] V. Balasubramanian, P. Kraus, A. E. Lawrence, and S. P. Trivedi, *Holographic probes of Anti-de Sitter space-times*, Phys. Rev. **D59** (1999) 104021, hep-th/9808017.
- [131] R. G. Leigh and M. J. Strassler, *Exactly marginal operators and duality in four-dimensional $\mathcal{N} = 1$ supersymmetric gauge theory*, Nucl. Phys. **B447** (1995) 95–136, hep-th/9503121.
- [132] L. Girardello, M. Petrini, M. Porrati, and A. Zaffaroni, *Novel local CFT and exact results on perturbations of $\mathcal{N} = 4$ super Yang-Mills from AdS dynamics*, JHEP **12** (1998) 022, hep-th/9810126.
- [133] J. Distler and F. Zamora, *Non-supersymmetric conformal field theories from stable Anti-de Sitter spaces*, Adv. Theor. Math. Phys. **2** (1999) 1405–1439, hep-th/9810206.
- [134] K. Skenderis and P. K. Townsend, *Gravitational stability and renormalization-group flow*, Phys. Lett. **B468** (1999) 46–51, hep-th/9909070.

- [135] P. K. Townsend, *Positive energy and the scalar potential in higher dimensional (super)gravity theories*, Phys. Lett. **B148** (1984) 55.
- [136] A. Khavaev, K. Pilch, and N. P. Warner, *New vacua of gauged $\mathcal{N} = 8$ supergravity in five dimensions*, Phys. Lett. **B487** (2000) 14–21, hep-th/9812035.
- [137] D. Z. Freedman, S. S. Gubser, K. Pilch, and N. P. Warner, *Renormalization group flows from holography supersymmetry and a c-theorem*, Adv. Theor. Math. Phys. **3** (1999) 363–417, hep-th/9904017.
- [138] L. Randall and R. Sundrum, *A large mass hierarchy from a small extra dimension*, Phys. Rev. Lett. **83** (1999) 3370–3373, hep-ph/9905221.
- [139] L. Randall and R. Sundrum, *An alternative to compactification*, Phys. Rev. Lett. **83** (1999) 4690–4693, hep-th/9906064.
- [140] C. D. Hoyle *et al.*, *Sub-millimeter tests of the gravitational inverse-square law: A search for 'large' extra dimensions*, Phys. Rev. Lett. **86** (2001) 1418–1421, hep-ph/0011014.
- [141] I. Antoniadis, *A possible new dimension at a few TeV*, Phys. Lett. **B246** (1990) 377–384.
- [142] N. Arkani-Hamed, S. Dimopoulos, and G. R. Dvali, *The hierarchy problem and new dimensions at a millimeter*, Phys. Lett. **B429** (1998) 263–272, hep-ph/9803315.
- [143] I. Antoniadis, N. Arkani-Hamed, S. Dimopoulos, and G. R. Dvali, *New dimensions at a millimeter to a Fermi and superstrings at a TeV*, Phys. Lett. **B436** (1998) 257–263, hep-ph/9804398.
- [144] N. Arkani-Hamed, S. Dimopoulos, and G. R. Dvali, *Phenomenology, astrophysics and cosmology of theories with sub-millimeter dimensions and TeV scale quantum gravity*, Phys. Rev. **D59** (1999) 086004, hep-ph/9807344.
- [145] **Particle Data Group** Collaboration, D. E. Groom *et al.*, *Review of particle physics*, Eur. Phys. J. **C15** (2000) 1–878.
- [146] V. A. Rubakov, *Large and infinite extra dimensions: An introduction*, Phys. Usp. **44** (2001) 871–893, hep-ph/0104152.
- [147] R. Dick, *Brane worlds*, Class. Quant. Grav. **18** (2001) R1–R24, hep-th/0105320.
- [148] **Supernova Search Team** Collaboration, A. G. Riess *et al.*, *Observational evidence from supernovae for an accelerating universe and a cosmological constant*, Astron. J. **116** (1998) 1009–1038, astro-ph/9805201.

- [149] **Supernova Cosmology Project** Collaboration, S. Perlmutter *et al.*, *Measurements of Omega and Lambda from 42 high-redshift supernovae*, *Astrophys. J.* **517** (1999) 565–586, astro-ph/9812133.
- [150] E. Witten, *The cosmological constant from the viewpoint of string theory*, hep-ph/0002297.
- [151] M. J. Duff, *Quantum corrections to the Schwarzschild solution*, *Phys. Rev.* **D9** (1974) 1837–1839.
- [152] D. M. Capper, M. J. Duff, and L. Halpern, *Photon corrections to the graviton propagator*, *Phys. Rev.* **D10** (1974) 461–467.
- [153] J. Garriga and T. Tanaka, *Gravity in the brane-world*, *Phys. Rev. Lett.* **84** (2000) 2778–2781, hep-th/9911055.
- [154] E. Bergshoeff, R. Kallosh, and A. Van Proeyen, *Supersymmetry in singular spaces*, *JHEP* **10** (2000) 033, hep-th/0007044.
- [155] E. Cremmer, *Supergravities in 5 dimensions*,. Invited paper at the Nuffield Gravity Workshop, Cambridge, Eng., Jun 22 - Jul 12, 1980.
- [156] M. Günaydin, G. Sierra, and P. K. Townsend, *The geometry of $\mathcal{N} = 2$ Maxwell-Einstein supergravity and Jordan algebras*, *Nucl. Phys.* **B242** (1984) 244.
- [157] M. Günaydin, G. Sierra, and P. K. Townsend, *Gauging the $D = 5$ Maxwell-Einstein supergravity theories: more on Jordan algebras*, *Nucl. Phys.* **B253** (1985) 573.
- [158] M. Günaydin, G. Sierra, and P. K. Townsend, *More on $D = 5$ Maxwell-Einstein supergravity: symmetric spaces and kinks*, *Class. Quant. Grav.* **3** (1986) 763.
- [159] M. Günaydin and M. Zagermann, *The gauging of five-dimensional, $\mathcal{N} = 2$ Maxwell-Einstein supergravity theories coupled to tensor multiplets*, *Nucl. Phys.* **B572** (2000) 131–150, hep-th/9912027.
- [160] M. Günaydin and M. Zagermann, *The vacua of 5d, $\mathcal{N} = 2$ gauged Yang-Mills/Einstein/tensor supergravity: Abelian case*, *Phys. Rev.* **D62** (2000) 044028, hep-th/0002228.
- [161] M. Günaydin and M. Zagermann, *Gauging the full R-symmetry group in five-dimensional, $\mathcal{N} = 2$ Yang-Mills/Einstein/tensor supergravity*, *Phys. Rev.* **D63** (2001) 064023, hep-th/0004117.
- [162] A. Ceresole and G. Dall’Agata, *General matter coupled $\mathcal{N} = 2, D = 5$ gauged supergravity*, *Nucl. Phys.* **B585** (2000) 143–170, hep-th/0004111.

- [163] K. Behrndt, C. Herrmann, J. Louis, and S. Thomas, *Domain walls in five dimensional supergravity with non-trivial hypermultiplets*, JHEP **01** (2001) 011, hep-th/0008112.
- [164] K. Behrndt and M. Cvetič, *Gauging of $\mathcal{N} = 2$ supergravity hypermultiplet and novel renormalization group flows*, Nucl. Phys. **B609** (2001) 183–192, hep-th/0101007.
- [165] R. Kallosh and A. D. Linde, *Supersymmetry and the brane world*, JHEP **02** (2000) 005, hep-th/0001071.
- [166] A. Ceresole, G. Dall’Agata, R. Kallosh, and A. Van Proeyen, *Hypermultiplets, domain walls and supersymmetric attractors*, Phys. Rev. **D64** (2001) 104006, hep-th/0104056.
- [167] M. Kaku and P. K. Townsend, *Poincaré supergravity as broken superconformal gravity*, Phys. Lett. **B76** (1978) 54.
- [168] S. Ferrara, M. T. Grisaru, and P. van Nieuwenhuizen, *Poincaré and conformal supergravity models with closed algebras*, Nucl. Phys. **B138** (1978) 430.
- [169] M. Nishimura, *Conformal supergravity from the AdS/CFT correspondence*, Nucl. Phys. **B588** (2000) 471–482, hep-th/0004179.
- [170] R. D’Auria, S. Ferrara, and S. Vaula, *Matter coupled $F(4)$ supergravity and the AdS_6/CFT_5 correspondence*, JHEP **10** (2000) 013, hep-th/0006107.
- [171] V. Balasubramanian, E. Gimon, D. Minic, and J. Rahmfeld, *Four dimensional conformal supergravity from AdS space*, hep-th/0007211.
- [172] B. de Wit, M. Roček, and S. Vandoren, *Hypermultiplets, hyper-Kähler cones and quaternion-Kähler geometry*, JHEP **02** (2001) 039, hep-th/0101161.
- [173] M. Kaku, P. K. Townsend, and P. van Nieuwenhuizen, *Gauge theory of the conformal and superconformal group*, Phys. Lett. **B69** (1977) 304–308.
- [174] M. Kaku, P. K. Townsend, and P. van Nieuwenhuizen, *Properties of conformal supergravity*, Phys. Rev. **D17** (1978) 3179.
- [175] S. Ferrara, M. Kaku, P. K. Townsend, and P. van Nieuwenhuizen, *Gauging the graded conformal group with unitary internal symmetries*, Nucl. Phys. **B129** (1977) 125.
- [176] E. Bergshoeff, E. Sezgin, and A. Van Proeyen, *Superconformal tensor calculus and matter couplings in six dimensions*, Nucl. Phys. **B264** (1986) 653.
- [177] L. J. Romans, *The $F(4)$ gauged supergravity in six-dimensions*, Nucl. Phys. **B269** (1986) 691.

- [178] T. Kugo and K. Ohashi, *Supergravity tensor calculus in 5D from 6D*, Prog. Theor. Phys. **104** (2000) 835–865, hep-ph/0006231.
- [179] T. Fujita and K. Ohashi, *Superconformal tensor calculus in five dimensions*, Prog. Theor. Phys. **106** (2001) 221–247, hep-th/0104130.
- [180] A. Van Proeyen, *Superconformal tensor calculus in $\mathcal{N} = 1$ and $\mathcal{N} = 2$ supergravity*, To be publ. in Proc. of Karpacz Winter School, Karpacz, Poland, Feb 14–26, 1983.
- [181] E. A. Bergshoeff, *Conformal invariance in supergravity*, Ph.D. thesis RX-1008 (LEIDEN).
- [182] J. W. van Holten and A. Van Proeyen, *$\mathcal{N} = 1$ supersymmetry algebras in $D = 2, 3, 4$ mod. 8*, J. Phys. **A15** (1982) 3763.
- [183] R. D’Auria, S. Ferrara, M. A. Lledo, and V. S. Varadarajan, *Spinor algebras*, hep-th/0010124.
- [184] E. Bergshoeff, M. de Roo, and B. de Wit, *Conformal supergravity in ten dimensions*, Nucl. Phys. **B217** (1983) 489.
- [185] W. Nahm, *Supersymmetries and their representations*, Nucl. Phys. **B135** (1978) 149.
- [186] A. Van Proeyen, *Tools for supersymmetry*, Annals of the University of Craiova, Physics AUC **9 (part I)** (1999) 1–48, hep-th/9910030.
- [187] E. Sezgin and Y. Tani, *Superconformal sigma models in higher than two dimensions*, Nucl. Phys. **B443** (1995) 70–84, hep-th/9412163.
- [188] B. de Wit, B. Kleijn, and S. Vandoren, *Rigid $\mathcal{N} = 2$ superconformal hypermultiplets*, hep-th/9808160. in *Supersymmetries and Quantum Symmetries*, proc. Int. Sem. Dubna (1997), eds. J. Wess and E.A. Ivanov, Lecture Notes in Physics, Vol. 524 (Springer, 1999), p. 37.
- [189] J. Michelson and A. Strominger, *The geometry of (super)conformal quantum mechanics*, Commun. Math. Phys. **213** (2000) 1–17, hep-th/9907191.
- [190] B. de Wit, J. W. van Holten, and A. Van Proeyen, *Transformation rules of $\mathcal{N} = 2$ supergravity multiplets*, Nucl. Phys. **B167** (1980) 186.
- [191] E. Bergshoeff, M. de Roo, and B. de Wit, *Extended conformal supergravity*, Nucl. Phys. **B182** (1981) 173.
- [192] E. Bergshoeff, E. Sezgin, and A. Van Proeyen, *(2, 0) tensor multiplets and conformal supergravity in $D = 6$* , Class. Quant. Grav. **16** (1999) 3193–3206, hep-th/9904085.

- [193] S. Ferrara and B. Zumino, *Transformation properties of the supercurrent*, Nucl. Phys. **B87** (1975) 207.
- [194] M. F. Sohnius, *The multiplet of currents for $\mathcal{N} = 2$ extended supersymmetry*, Phys. Lett. **B81** (1979) 8.
- [195] P. Howe and U. Lindström, *The supercurrent in five-dimensions*, Phys. Lett. **B103** (1981) 422–426.
- [196] E. Bergshoeff and M. de Roo, *The supercurrent in ten-dimensions*, Phys. Lett. **B112** (1982) 53.
- [197] E. . Dine, M., *String theory in four dimensions*,. Amsterdam, Netherlands: North-Holland (1988) 476 p. (Current physics - sources and comments; 1).
- [198] E. . Schellekens, B., *Superstring construction*,. Amsterdam, Netherlands: North-Holland (1989) 514 p. (Current physics - sources and comments; 1).
- [199] M. J. Duff, *Strong / weak coupling duality from the dual string*, Nucl. Phys. **B442** (1995) 47–63, hep-th/9501030.
- [200] B. de Wit, M. Roček, and S. Vandoren, *Gauging isometries on hyper-Kähler cones and quaternion- Kähler manifolds*, Phys. Lett. **B511** (2001) 302–310, hep-th/0104215.
- [201] A. Van Proeyen, *Special geometries, from real to quaternionic*, hep-th/0110263. To be published in the proceedings of the ‘DFG workshop on special geometric structures in string theory’, Bonn, 8-11/9/2001.
- [202] B. de Wit, P. G. Lauwers, R. Philippe, S. Q. Su, and A. Van Proeyen, *Gauge and matter fields coupled to $\mathcal{N} = 2$ supergravity*, Phys. Lett. **B134** (1984) 37.
- [203] B. de Wit and A. Van Proeyen, *Potentials and symmetries of general gauged $\mathcal{N} = 2$ supergravity – Yang-Mills models*, Nucl. Phys. **B245** (1984) 89.
- [204] G. Sierra and P. K. Townsend, *An introduction to $\mathcal{N} = 2$ rigid supersymmetry*,. in *Supersymmetry and Supergravity 1983*, ed. B. Milewski (World Scientific, Singapore, 1983).
- [205] J. Gates, S. James, *Superspace formulation of new nonlinear sigma models*, Nucl. Phys. **B238** (1984) 349.
- [206] N. Seiberg, *Observations on the moduli space of superconformal field theories*, Nucl. Phys. **B303** (1988) 286.
- [207] S. Cecotti, S. Ferrara, and L. Girardello, *Geometry of type II superstrings and the moduli of superconformal field theories*, Int. J. Mod. Phys. **A4** (1989) 2475.

- [208] S. Ferrara and A. Strominger, $\mathcal{N} = 2$ space-time supersymmetry and Calabi–Yau moduli space, in *Strings '89*, eds. R. Arnowitt, R. Bryan, M.J. Duff, D.V. Nanopoulos and C.N. Pope (World Scientific, Singapore, 1989), p. 245.
- [209] P. Candelas and X. de la Ossa, *Moduli space of Calabi–Yau manifolds*, Nucl. Phys. **B355** (1991) 455–481.
- [210] P. Candelas, X. C. De la Ossa, P. S. Green, and L. Parkes, *An exactly soluble superconformal theory from a mirror pair of Calabi–Yau manifolds*, Phys. Lett. **B258** (1991) 118–126.
- [211] A. Strominger, *Special geometry*, Commun. Math. Phys. **133** (1990) 163–180.
- [212] R. Kallosh, A. D. Linde, T. Ortín, A. Peet, and A. Van Proeyen, *Supersymmetry as a cosmic censor*, Phys. Rev. **D46** (1992) 5278–5302, hep-th/9205027.
- [213] S. Ferrara, R. Kallosh, and A. Strominger, $\mathcal{N} = 2$ extremal black holes, Phys. Rev. **D52** (1995) 5412–5416, hep-th/9508072.
- [214] N. Seiberg and E. Witten, *Electric - magnetic duality, monopole condensation, and confinement in $calN = 2$ supersymmetric Yang–Mills theory*, Nucl. Phys. **B426** (1994) 19–52, hep-th/9407087.
- [215] N. Seiberg and E. Witten, *Monopoles, duality and chiral symmetry breaking in $\mathcal{N} = 2$ supersymmetric QCD*, Nucl. Phys. **B431** (1994) 484–550, hep-th/9408099.
- [216] B. de Wit and A. Van Proeyen, *Broken sigma model isometries in very special geometry*, Phys. Lett. **B293** (1992) 94–99, hep-th/9207091.
- [217] B. de Wit and A. Van Proeyen, *Special geometry, cubic polynomials and homogeneous quaternionic spaces*, Commun. Math. Phys. **149** (1992) 307–334, hep-th/9112027.
- [218] V. Cortés, *Alekseevskian spaces*, Diff. Geom. Appl. **6** (1996) 129–168.
- [219] T. Kugo and K. Ohashi, *Off-shell $D = 5$ supergravity coupled to matter–Yang–Mills system*, Prog. Theor. Phys. **105** (2001) 323–353, hep-ph/0010288.
- [220] J. R. Ellis, M. Günaydin, and M. Zagermann, *Options for gauge groups in five-dimensional supergravity*, JHEP **11** (2001) 024, hep-th/0108094.
- [221] P. K. Townsend, K. Pilch, and P. van Nieuwenhuizen, *Selfduality in odd dimensions*, Phys. Lett. **136B** (1984) 38.
- [222] J. F. Cornwell, *Group theory in physics: An introduction*, San Diego, USA: Academic (1997) 349 p.

- [223] C. M. Hull, *Noncompact gaugings of $\mathcal{N} = 8$ supergravity*, Phys. Lett. **B142** (1984) 39.
- [224] P. Fré, *Gaugings and other supergravity tools of p -brane physics*, hep-th/0102114.
- [225] B. de Wit, B. Kleijn, and S. Vandoren, *Superconformal hypermultiplets*, Nucl. Phys. **B568** (2000) 475–502, hep-th/9909228.
- [226] A. Van Proeyen, *The scalars of $\mathcal{N} = 2$, $D = 5$ and attractor equations*, hep-th/0105158. in 'New developments in fundamental interaction theories', proceedings of 37th Karpacz Winter School, feb 2001; eds. J. Lukierski and J. Rembieliński, AIP proceedings 589, 2001, pp. 31–45.
- [227] S. Salamon, *Differential geometry of quaternionic manifolds*, Ann. Scient. Ec. Norm. Sup., 4^{me} serie **19** (1986) 31–55.
- [228] G. Gentili, S. Marchiafava, and M. Pontecorvo, eds., *Quaternionic structures in mathematics and physics*. World Scientific, 1996. Proceedings of workshop in Trieste, September 1994; ILAS/FM-6/1996, available on <http://www.emis.de/proceedings/QSMP94/>.
- [229] S. Marchiafava, P. Piccinni, and M. Pontecorvo, eds., *Quaternionic structures in mathematics and physics*. World Scientific, 2001. Proceedings of workshop in Roma, September 1999; available on <http://www.univie.ac.at/EMIS/proceedings/QSMP99/>.
- [230] P. Spindel, A. Sevrin, W. Troost, and A. Van Proeyen, *Extended supersymmetric sigma models on group manifolds. 1. The complex structures*, Nucl. Phys. **B308** (1988) 662.
- [231] D. Joyce, *Compact hypercomplex and quaternionic manifolds*, J. Diff. Geom **35** (1992) 743–761.
- [232] M. L. Barberis and I. Dotti-Miatello, *Hypercomplex structures on a class of solvable Lie groups*, Quart. J. Math. Oxford (2) **47** (1996) 389–404.
- [233] M. Obata, *Affine connections on manifolds with almost complex, quaternionic or Hermitian structure*, Jap. J. Math. **26** (1956) 43–79.
- [234] B. de Wit, J. W. van Holten, and A. Van Proeyen, *Central charges and conformal supergravity*, Phys. Lett. **B95** (1980) 51.
- [235] A. Swann, *Hyper-Kähler and quaternionic Kähler geometry*, Math. Ann. **289** (1991) 421–450.

-
- [236] L. Andrianopoli, M. Bertolini, A. Ceresole, R. D'Auria, S. Ferrara, P. Fré, and T. Magri, *$\mathcal{N} = 2$ supergravity and $\mathcal{N} = 2$ super Yang–Mills theory on general scalar manifolds: Symplectic covariance, gaugings and the momentum map*, J. Geom. Phys. **23** (1997) 111–189, hep-th/9605032.
- [237] P. Fayet and J. Iliopoulos, *Spontaneously broken supergauge symmetries and Goldstone spinors*, Phys. Lett. **B51** (1974) 461–464.

