

University of Groningen

Spatial and temporal characteristics of the fish lateral line detection

Curcic-Blake, Branislava

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2006

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Curcic-Blake, B. (2006). *Spatial and temporal characteristics of the fish lateral line detection*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Spatial and Temporal Characteristics of Fish Lateral Line Detection

Branislava Ćurčić-Blake

This work was funded partly by The University of Groningen (RuG) and partly by the *Research School for Behavioral and Cognitive Neuroscience* (BCN).



ISBN: 90-367-2574-7

ISBN electronic: 90-367-2575-5

Cover:

Graphics by Prim. Dr. Branislav Čurčić, ink on paper

Photo and design by Branislava Čurčić-Blake

RIJKSUNIVERSITEIT GRONINGEN

Spatial and Temporal Characteristics of Fish
Lateral Line Detection

Proefschrift

ter verkrijging van het doctoraat in de
Wiskunde en Natuurwetenschappen
aan de Rijksuniversiteit Groningen
op gezag van de
Rector Magnificus, dr. F. Zwarts,
in het openbaar te verdedigen op
vrijdag 30 juni 2006
om 13.15 uur

door

Branislava Ćurčić-Blake
geboren op 2 augustus 1973
te Tuzla, Bosnië en Herzegovina

Promotor:

prof.dr. D.G. Stavenga

Copromotor:

dr. S.M. van Netten

Beoordelingscommissie:

prof. dr. ir. H. Duifhuis

prof.dr. J.J. Videler

prof.dr. P. van Dijk

Contents

1	Introduction	1
1.1	Introduction to the lateral line organ	1
1.2	Structure of the lateral line organ	1
1.3	Hair cells	3
1.4	Mechanics of the lateral line canal cupula	4
1.5	Velocity and acceleration detectors	5
1.6	This thesis	6
2	Experimental setup	9
2.1	Introduction	9
2.2	Laser Interferometer Microscope	9
2.2.1	Description of LIM	10
2.3	Interference of electromagnetic waves	15
2.3.1	Differential mode	15
2.4	Data recording and demodulation of the signal	17
2.5	Sensitivity of the measurements	18
2.6	Summary and conclusions	18
3	Rapid responses of the cupula in the lateral line of ruffe (<i>Gymnocephalus cernuus</i>)	21
3.1	Introduction	21
3.2	Materials and methods	23
3.2.1	Preparation	23
3.2.2	Mechanical stimulation	23
3.2.3	Displacement measurements of cupula and sphere	24
3.2.4	Cupular frequency characteristics from impulse responses	25
3.2.5	Determination of Q-factor, resonance frequency and relaxation time constant	25
3.3	Results	26
3.3.1	Cupular impulse responses	27
3.3.2	Comparison of cupular frequency characteristics	28
3.4	Discussion	30

3.4.1	Damped cupular impulse responses are consistent with frequency responses	30
3.4.2	Significance of instantaneous onset of cupular responses and relaxation	33
4	The significance of nonlinearities in the dynamics of the cupula in the lateral line of ruffe (<i>Gymnocephalus cernuus</i>)	37
4.1	Introduction	37
4.2	Materials and methods	38
4.2.1	Preparation	38
4.2.2	Stimulation and recording	39
4.2.3	Ratio traces	41
4.2.4	Input-output curves	41
4.2.5	Nonlinear model of cupular dynamics	41
4.3	Results	43
4.3.1	Impulse responses to a series of input amplitudes	43
4.3.2	Duration of impulse responses	44
4.3.3	Model results	47
4.3.4	Frequency characteristics of cupulae for a series of amplitudes	48
4.4	Discussion and conclusions	48
4.4.1	Nonlinearities affect impulse responses	48
4.4.2	Displacement range in which nonlinearities occur	49
4.4.3	The significance of nonlinearities for the sensitivity of the cupula	51
5	Source location encoding in the fish lateral line canal	53
5.1	Introduction	53
5.2	Methods and theory	55
5.2.1	Stimulus	55
5.2.2	Preparation and measurements of extracellular receptor potentials (ERPs)	56
5.2.3	Theoretical pressure gradient patterns and wavelets	57
5.2.4	Fitting measured excitation patterns	61
5.3	Results	63
5.3.1	Experimental quantification of linear relationship between spatial variation in pressure gradient and source distance	63
5.3.2	Dipole imaging using the Continuous Wavelet Transform	66
5.4	Discussion	68
5.4.1	Relevance of dipole sources	70
5.4.2	Suitability of ERPs of a single neuromast to analyse excitation patterns of pressure gradients along a lateral line canal	70
5.4.3	Encoding of source location and direction of vibration	71
5.4.4	Accuracy and operational range of source position detection	73
	Bibliography	75

CONTENTS

Summary	83
Samenvatting	87
Acknowledgements	91

CONTENTS
