

University of Groningen

Advanced methods for prototype-based classification

Schneider, Petra

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:
2010

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Schneider, P. (2010). *Advanced methods for prototype-based classification*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Bibliography

- Arnonkijpanich, B., Hammer, B., Hasenfuss, A. and Lursinap, A.: 2008, Matrix learning for topographic neural maps, *International Conference on Artificial Neural Networks*, Prague, Czech Republic, pp. 572–582.
- Bibliography on the Self-Organizing Map (SOM) and Learning Vector Quantization (LVQ)*: 2002, Neural Networks Research Centre, Helsinki University of Technology.
- Biehl, M., Breitling, R. and Li, Y.: 2007, Analysis of tiling microarray data by learning vector quantization and relevance learning, *International Conference on Intelligent Data Engineering and Automated Learning*, Springer LNCS, Birmingham, UK, pp. 880–889.
- Biehl, M., Ghosh, A. and Hammer, B.: 2007, Dynamics and generalization ability of LVQ algorithms, *Journal of Machine Learning Research* **8**, 323–360.
- Biehl, M., Hammer, B., Schleif, F.-M., Schneider, P. and Villmann, T.: 2009, Stationarity of relevance matrix learning vector quantization, *Technical Report MLR-01-2009*, University of Leipzig.
- Biehl, M., Hammer, B., Verleysen, M. and Villmann, T. (eds): 2009, *Similarity based clustering - recent developments and biomedical applications*, Vol. 5400 of *Lecture Notes in Artificial Intelligence*, Springer.
- Biehl, M., Pasma, P., Pijl, M. and Petkov, N.: 2006, Classification of boar sperm head images using learning vector quantization, in M. Verleysen (ed.), *European Symposium on Artificial Neural Networks*, Bruges, Belgium, pp. 545–550.
- Biehl, M., Schneider, P., Hammer, B., Schleif, F.-M. and Villmann, T.: submitted, 2010, Stationarity of matrix updates in relevance learning vector quantization.
- Bishop, C. M.: 1995, *Neural Networks for Pattern Recognition*, 1 edn, Oxford University Press.
- Bishop, C. M.: 2007, *Pattern Recognition and Machine Learning*, 1 edn, Springer.

- Boehm, W. and Prautzsch, H.: 1993, *Numerical Methods*, Vieweg.
- Bojer, T., Hammer, B., Schunk, D. and von Toschanowitz, K. T.: 2001, Relevance determination in learning vector quantization, in M. Verleysen (ed.), *European Symposium on Artificial Neural Networks*, Bruges, Belgium, pp. 271–276.
- Cover, T. and Hart, P.: 1967, Nearest neighbor pattern classification, *IEEE Transactions on Information Theory* **13**(1), 21–27.
- Crammer, K., Gilad-Bachrach, R., Navot, A. and Tishby, A.: 2003, Margin analysis of the lvq algorithm, *Advances in Neural Information Processing Systems*, Vol. 15, MIT Press, Cambridge, MA, USA, pp. 462–469.
- Darken, C., Chang, J., Z, J. C. and Moody, J.: 1992, Learning rate schedules for faster stochastic gradient search, *Neural Networks for Signal Processing 2 - Proceedings of the 1992 IEEE Workshop*, IEEE Press.
- Duda, R., Hart, P. and Stork, D.: 2000, *Pattern Classification*, second edn, Wiley-Interscience.
- Gath, I. and Geva, A. B.: 1989, Unsupervised optimal fuzzy clustering, *IEEE Transactions on Pattern Analysis and Machine Intelligence* **11**(7), 773–780.
- Ghosh, A., Biehl, M. and Hammer, B.: 2006, Performance analysis of lvq algorithms: a statistical physics approach, *Neural Networks* **19**(6), 817–829.
- Gustafson, E. and Kessel, W.: 1979, Fuzzy clustering with a fuzzy covariance matrix, *IEEE Conference on Decision and Control*, San Diego, CA, USA, pp. 761–766.
- Hammer, B., Schleif, F.-M. and Villmann, T.: 2005, On the generalization ability of prototype-based classifiers with local relevance determination, *Technical Report IfI-05-14*, Clausthal University of Technology.
- Hammer, B., Strickert, M. and Villmann, T.: 2004, Prototype based recognition of splice sites, *Bioinformatic using Computational Intelligence Paradigms*, Springer-Verlag, pp. 25–56.
- Hammer, B., Strickert, M. and Villmann, T.: 2005a, On the generalization ability of GRLVQ networks, *Neural Processing Letters* **21**(2), 109–120.
- Hammer, B., Strickert, M. and Villmann, T.: 2005b, Supervised neural gas with general similarity measure, *Neural Processing Letters* **21**(1), 21–44.
- Hammer, B. and Villmann, T.: 2002, Generalized relevance learning vector quantization, *Neural Networks* **15**(8-9), 1059–1068.
- Kaski, S.: 2001, Principle of learning metrics for exploratory data analysis, *Neural Networks for Signal Processing XI, Proceedings of the 2001 IEEE Signal Processing Society Workshop*, IEEE, pp. 53–62.
- Kietzmann, T. C., Lange, S. and Riedmiller, M.: 2008, Incremental grlvq: Learning relevant features for 3d object recognition, *Neurocomputing* **71**(13-15), 2868–2879.

- Kohonen, T.: 1986, Learning vector quantization for pattern recognition, *Technical Report TKK-F-A601*, Helsinki Univeristy of Technology, Espoo, Finland.
- Kohonen, T.: 1990, Improved versions of learning vector quantization, *International Joint Conference on Neural Networks*, Vol. 1, pp. 545–550.
- Kohonen, T.: 1997, *Self-Organizing Maps*, second edn, Springer, Berlin, Heidelberg.
- Kohonen, T.: 1998, Learning vector quantization, *The handbook of brain theory and neural networks*, MIT Press, Cambridge, MA, USA, pp. 537–540.
- Kusumoputro, B. and Budiarto, H.: 1999, Improvement of artificial odor discrimination system using fuzzy-lvq neural network, *International Conference on Computational Intelligence and Multimedia Applications*, IEEE Computer Society, Los Alamitos, CA, USA, pp. 474–478.
- Martinetz, T. and Schulten, K.: 1991, A "neural-gas" network learns topologies, *Artificial Neural Networks I*, 397–402.
- Mendenhall, M. and Merényi, E.: 2006, Generalized relevance learning vector quantization for classification driven feature extraction from hyperspectral data, *Proceedings of ASPRS 2006 Annual Conference and Technology Exhibition*, p. 8.
- Mwebaze, E., Schneider, P., Schleif, F.-M., Haase, S., Villmann, T. and Biehl, M.: 2010, Divergence based learning vector quantization, in M. Verleysen (ed.), *European Symposium on Artificial Neural Networks*, Bruges, Belgium, pp. 247–252.
- Newman, D. J., Hettich, S., Blake, C. L. and Merz, C. J.: 1998, Uci repository of machine learning databases, <http://archive.ics.uci.edu/ml/>.
- Ong, C., A. Smola, A. and Williamson, R.: 2005, Learning the kernel with hyperkernels, *Journal of Machine Learning Research* **6**, 1043–1071.
- Perfetti, R. and Ricci, E.: 2006, Reduced complexity rbf classifiers with support vector centres and dynamic decay adjustment, *Neurocomputing* **69**(16-18), 2446–2450.
- Petersen, K. B. and Pedersen, M. S.: 2008, The matrix cookbook, <http://matrixcookbook.com>.
- Prudent, Y. and Ennaji, A.: 2005, A k nearest classifier design, *Electronic Letters on Computer Vision and Image Analysis* **5**(2), 58–71.
- Sato, A. and Yamada, K.: 1996, Generalized learning vector quantization, in M. C. M. D. S. Touretzky and M. E. Hasselmo (eds), *Advances in Neural Information Processing Systems*, Vol. 8, MIT Press, Cambridge, MA, USA, pp. 423–429.
- Sato, A. and Yamada, K.: 1998, An analysis of convergence in generalized lvq, in L. Niklasson, M. Bodén and T. Ziemke (eds), *Proceedings of the International Conference on Artificial Neural Networks*, Springer, pp. 170–176.

- Schneider, P., Biehl, M. and Hammer, B.: 2007, Relevance matrices in lvq, in M. Verleysen (ed.), *European Symposium on Artificial Neural Networks*, Bruges, Belgium, pp. 37–42.
- Schneider, P., Biehl, M. and Hammer, B.: 2009a, Adaptive relevance matrices in learning vector quantization, *Neural Computation* **21**(12), 3532–3561.
- Schneider, P., Biehl, M. and Hammer, B.: 2009b, Distance learning in discriminative vector quantization, *Neural Computation* **21**(10), 2942–2969.
- Schneider, P., Bunte, K., Stiekema, H., Hammer, B., Villmann, T. and Biehl, M.: 2010, Regularization in matrix relevance learning, *IEEE Transactions on Neural Networks* **21**(5), 831–840.
- Schneider, P., Schleif, F.-M., Villmann, T. and Biehl, M.: 2008, Generalized matrix learning vector quantizer for the analysis of spectral data, in M. Verleysen (ed.), *European Symposium on Artificial Neural Networks*, Bruges, Belgium, pp. 451–456.
- Seo, S., Bode, M. and Obermayer, K.: 2003, Soft nearest prototype classification, *IEEE Transactions on Neural Networks* **14**(2), 390–398.
- Seo, S. and Obermayer, K.: 2003, Soft learning vector quantization, *Neural Computation* **15**(7), 1589–1604.
- Seo, S. and Obermayer, K.: 2006, Dynamic hyper parameter scaling method for lvq algorithms, *International Joint Conference on Neural Networks*, Vancouver, CA.
- Shalev-Schwartz, S., Singer, Y. and Ng, A.: 2004, Online and batch learning of pseudo-metrics, *Proceedings of the 21st International Conference on Machine Learning*, ACM, New York, USA, p. 94.
- Strickert, M., Witzel, K., Mock, H.-P., Schleif, F.-M. and Villmann, T.: 2007, Supervised attribute relevance determination for protein identification in stress experiments, *Machine Learning in Systems Biology*, pp. 81–86.
- Tamura, H. and Tanno, K.: 2008, Midpoint-validation method for support vector machine classification, *IEICE - Transactions on Information Systems* **E91-D**(7), 2095–2098.
- Thiel, C., Sonntag, B. and Schwenker, F.: 2008, Experiments with supervised fuzzy lvq, in L. Prevost, S. Marinai and F. Schwenker (eds), *Artificial Neural Networks in Pattern Recognition*, Vol. 5064 of *Lecture Notes in Computer Science*, Springer, pp. 125–132.
- Tsang, I. W., Kocsor, A. and Kwok, J. T.: 2006, Diversified svm ensembles for large data sets, *Machine Learning: ECML 2006*, Vol. 4212 of *Lecture Notes in Computer Science*, Springer, pp. 792–800.
- Weinberger, K., Blitzer, J. and Saul, L.: 2006, Distance metric learning for large margin nearest neighbor classification, in Y. Weiss, B. Schölkopf and J. Platt (eds), *Advances in Neural Information Processing Systems*, MIT Press, Cambridge, MA, USA, pp. 1473–1480.
- Wu, K.-L. and Yang, M.-S.: 2003, A fuzzy-soft learning vector quantization, *Neurocomputing* **55**(3-4), 681–697.