

University of Groningen

Methods and validation of nodule measurement in a lung cancer screening

Wang, Ying

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2010

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Wang, Y. (2010). *Methods and validation of nodule measurement in a lung cancer screening*. [Thesis fully internal (DIV), University of Groningen]. [s.n.].

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Methods and validation of nodule measurement in a lung cancer screening

Ying Wang

Ying Wang

Methods and validation of nodule measurement in a lung cancer screening

PhD thesis University of Groningen, with a summary in Dutch

ISBN: 978-90-367-4407-2

Copyright © 2010 Ying Wang

No part of this thesis may be reproduced, stored, or transmitted in any form or by any means, without permission from the author.

Cover design: Xueqian Xie

Layout: Estelle J. K. Noach & Ying Wang

Printed by: Wöhrmann Print Service - Zutphen

The publication of this thesis was financially supported by the University of Groningen, Pfizer bv, Boehringer Ingelheim bv

RIJKSUNIVERSITEIT GRONINGEN

Methods and validation of nodule
measurement in a lung cancer screening

Proefschrift

ter verkrijging van het doctoraat in de
Medische Wetenschappen
aan de Rijksuniversiteit Groningen
op gezag van de
Rector Magnificus, dr. F. Zwarts,
in het openbaar te verdedigen op
woensdag 23 juni 2010
om 14.45 uur

door

Ying Wang

geboren op 16 mei 1974
te Dalian, China

Promotor:	Prof. dr. M.Oudkerk
Copromotor:	Dr. R.J.van Klaveren
Beoordelingscommissie:	Prof. dr. W.P.Th.M.Mali
	Prof. dr. M. Prokop
	Prof. Dr. H.J.M. Groen

Paranimfen :

Yingru Zhao

Anne L.M.Leusveld

Contents

Chapter 1	9
General introduction	
Chapter 2	23
Management of Lung Nodules Detected by Volume CT Scanning N Engl J Med. 2009 Dec 3; 361(23):2221-9	
Chapter 3	43
Pulmonary nodules detected at lung cancer screening: interobserver variability of semiautomated volume measurements Radiology. 2006 Oct; 241(1):251-7	
Chapter 4	59
Effect of nodule characteristics on variability of semiautomated volume measurements in pulmonary nodules detected in a lung cancer screening program Radiology. 2008 Aug;248(2):625-31	
Chapter 5	77
Volumetric measurement of pulmonary nodules at low-dose chest CT: effect of reconstruction setting on measurement variability Eur Radiol. 2010 May;20(5):1180-7	
Chapter 6	93
Benefit of consensus double reading during baseline lung cancer CT screening Submitted for publication in Radiology	
Chapter 7	109
Summary	
Chapter 8	113
Samenvatting	
Appendices	117
Acknowledgement	
Curriculum vitae	
List of publications	

