

University of Groningen

Physical frailty in late-life depression: evidence for a depression-frailty subtype?

Arts, Matheus

DOI:
[10.33612/diss.147370083](https://doi.org/10.33612/diss.147370083)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2020

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):
Arts, M. (2020). *Physical frailty in late-life depression: evidence for a depression-frailty subtype?*. University of Groningen. <https://doi.org/10.33612/diss.147370083>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Propositions belonging to the PhD dissertation

Physical frailty in late-life depression: evidence for a depression-frailty subtype?

Physical frailty appears to be a valid concept within a sample of depressed older persons (despite some overlap between the concept of frailty and late-life depression) (*Dissertation*)

Physical frailty appears to promote a more severe and more difficult to treat subtype of depression in later life. (*Dissertation*)

The 'depression-frailty subtype' seems to be a valid concept to identify depressed older patients at risk of excess mortality. (*Dissertation*)

The operationalization of the physical frailty phenotype should be adapted in an older population with depression. (*Dissertation*)

Leucocyte telomere length and the physical frailty phenotype are different markers of the ageing process (but may be complementary in studies of accelerated ageing in (late-life) depression). (*Dissertation*)

In a small subgroup of patients, medical unexplained symptoms might point to presence of frailty. (*Dissertation*)

The strong association of biomedical frailty with mental health problems, including depression, medically unexplained symptoms, and cognitive impairment, may argue for a broader operationalization of biomedical frailty. (*Dissertation*)

"The best retrenchment in today's healthcare is investing in good psychiatric elderly care." (*prof.dr. Richard Oude Voshaar*)

"Anyone who thinks education and knowledge is expensive, doesn't realize how much ignorance or stupidity costs." (*Barack Obama*)

"He who studies medicine without books sails an uncharted sea, but he who studies medicine without patients does not go to sea at all." (*Sir William Osler, 1849-1919*)

In Dutch: "Ga gewoon waar je neus je leidt, nieuwsgierigheid is vaak de beste landkaart." (Miquel Wiels, Peter Gillis, Alain van de Putte – K3)

Matheus Arts

Groningen, 21-12-2020