

University of Groningen

Sex-specific foraging

Duijns, Sjoerd

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2014

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Duijns, S. (2014). *Sex-specific foraging: The distributional ecology of a polychaete-eating shorebird*. [Thesis fully internal (DIV), University of Groningen]. [S.n.].

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

References

A

- Aarvak, T., and I. J. Oien. 2009. Norway's first bar-tailed godwit with a satellite transmitter. *Var Fuglefauna* 32:70-73.
- Abrams, P. A. 1984. Foraging time optimization and interactions in food webs. *American Naturalist* 124:80-96.
- Abrams, P. A., and L. R. Ginzburg. 2000. The nature of predation: prey dependent, ratio dependent or neither? *Trends in Ecology and Evolution* 15:337-341.
- Abzhanov, A., M. Protas, B. R. Grant, P. R. Grant, and C. J. Tabin. 2004. Bmp4 and morphological variation of beaks in Darwin's finches. *Science* 305:1462-1465.
- van Aken, H. M. 2008. Variability of the water temperature in the western Wadden Sea on tidal to centennial time scales. *Journal of Sea Research* 60:227-234.
- Alerstam T. 1990. Bird migration. Cambridge University Press, Cambridge.
- Alerstam, T., G. A. Gudmundsson, and K. Johannesson. 1992. Resources for long distance migration - Inter-tidal exploitation of *Littorina* and *Mytilus* by knots *Calidris canutus* in Iceland. *Oikos* 65:179-189.
- Alerstam, T., and G. Högstedt. 1980. Spring predictability and leap frog migration. *Ornis Scandinavica* 11:196-200.
- Alerstam, T., and Å. Lindström. 1990. Optimal bird migration: the relative importance of time, energy and safety. Pages 331-351 *In* E. Gwinner, editor. Bird migration, physiology and ecophysiology. Springer-Verlag, Berlin.
- Alves, J. A., T. G. Gunnarsson, D. B. Hayhow, G. F. Appleton, P. M. Potts, W. J. Sutherland, and J. A. Gill. 2013a. Costs, benefits, and fitness consequences of different migratory strategies. *Ecology* 94:11-17.
- Alves, J. A., T. G. Gunnarsson, P. M. Potts, G. Gélinaud, W. J. Sutherland, and J. A. Gill. 2012. Overtaking on migration: does longer distance migration always incur a penalty? *Oikos* 121:464-470.
- Alves, J. A., T. G. Gunnarsson, P. M. Potts, W. J. Sutherland, and J. A. Gill. 2013b. Sex-biases in distribution and resource use at different spatial scales in a migratory shorebird. *Ecology and Evolution* 3:1079-1090.
- Alves, J. A., P. M. Lourenço, T. Piersma, W. J. Sutherland, and J. A. Gill. 2010. Population overlap and habitat segregation in wintering black-tailed godwits *Limosa limosa*. *Bird Study* 57:381-391.
- Andersson, M. B. 1994. Sexual selection. Princeton University Press, Princeton.
- Atkinson, P. W. 1996. The origins, moult, movements and changes in numbers of bar-tailed godwits *Limosa lapponica* on the Wash, England. *Bird Study* 43:60-72.
- Atkinson, P. W., N. A. Clark, M. C. Bell, P. J. Dare, J. A. Clark, and P. L. Ireland. 2003. Changes in commercially fished shellfish stocks and shorebird populations in the Wash, England. *Biological Conservation* 114:127-141.

B

- Backwell, P. R. Y., P. D. O'Hara, and J. H. Christy. 1998. Prey availability and selective foraging in shorebirds. *Animal Behaviour* 55:1659-1667.
- Bakken, T., C. J. Glasby, and R. S. Wilson. 2009. A review of paragnath morphology in Nereididae (Polychaeta). *Zoosymposia* 2:305-316.
- Bantock, T. M., R. P. Prys-Jones, and P. L. M. Lee. 2008. New and improved molecular sexing methods for museum bird specimens. *Molecular Ecology Resources* 8:519-528.
- Barrett, R. T., C.J. Camphuysen, T. Anker-Nilssen, J. W. Chardine, R. W. Furness, S. Garthe, O. Huppopp, M. F. Leopold, W. A. Montevecchi, and R. R. Veit. 2007. Diet studies of seabirds: a review and recommendations. *ICES Journal of Marine Science* 64:1675-1691.
- Bates, D., M. Maechler, B. Bolker, and S. Walker. 2013. lme4: linear mixed-effects models using S4 classes. R package version 1.0-4.
- Bautista, L. M., J. C. Alonso, and J. A. Alonso. 1995. A field-test of ideal free distribution in flock-feeding common cranes. *Journal of Animal Ecology* 64:747-757.
- Bautista, L. M., J. C. Alonso, and J. A. Alonso. 1998. Foraging site displacement in common crane flocks. *Animal Behaviour* 56:1237-1243.
- Beauchamp, G. 1998. The effect of group size on mean food intake rate in birds. *Biological Reviews* 73:449-472.
- Beaulieu, M., and K. Sockman. 2012. One meadow for two sparrows: resource partitioning in a high elevation habitat. *Oecologia* 170:529-540.
- Bergman, C. M., J. M. Fryxell, C. C. Gates, and D. Fortin. 2001. Ungulate foraging strategies: energy maximizing or time minimizing? *Journal of Animal Ecology* 70:289-300.

- Bergmann, C. 1847. Über die Verhältnisse der Wärmeökonomie der Thiere zu ihrer Grösse, vol Pt 1. Göttinger Studien, pp 595-708.
- Bergström, U., and G. Englund. 2002. Estimating predation rates in experimental systems: scale-dependent effects of aggregative behaviour. *Oikos* 97:251-259.
- Bergström, U., and G. Englund. 2004. Spatial scale, heterogeneity and functional responses. *Journal of Animal Ecology* 73:487-493.
- Bijleveld, A. I., E. O. Folmer, and T. Piersma. 2012. Experimental evidence for cryptic interference among socially foraging shorebirds. *Behavioral Ecology* 23:806-814.
- Bijleveld, A. I., G. Massourakis, A. van der Marel, A. Dekinga, B. Spaans, J. A. van Gils, and T. Piersma. 2014. Personality drives physiological adjustments and is not related to survival. *Proceedings of the Royal Society B: Biological Sciences* 281:20133135.
- Bijleveld, A. I., J. A. van Gils, J. van der Meer, A. Dekinga, C. Kraan, H. W. van der Veer, and T. Piersma. 2012. Designing a benthic monitoring programme with multiple conflicting objectives. *Methods in Ecology and Evolution* 3:526-536.
- Bijlsma, R. G. 1990. Predation by large falcons on wintering waders on the Banc d'Arguin, Mauritania. *Ardea* 78:75-82.
- Blanckenhorn, W. U. 2005. Behavioral causes and consequences of sexual size dimorphism. *Ethology* 111:977-1016.
- Blew J. and P. Südbeck 2005. Migratory Waterbirds in the Wadden Sea 1980–2000. Wadden Sea Ecosystem No. 20. Common Wadden Sea Secretariat, Trilateral Monitoring and Assessment Group, Joint Monitoring Group of Migratory Birds in the Wadden Sea, Wilhelmshaven.
- Blew, J., K. Günther, K. Laursen, M. van Roomen, P. Südbeck, K. Eskildsen, and P. Potel. 2007. Trends of waterbird populations in the International Wadden Sea 1987-2004: an update. Pages 9-31 *In* B. Reineking and P. Südbeck, editors. Seriously declining trends in migratory waterbirds: Causes - concerns - consequences. Wadden sea ecosystem, vol. 23. Common Wadden Sea secretariat, Wilhelmshaven.
- Boag, P. T., and P. R. Grant. 1981. Intense natural selection in a population of Darwin's finches (geospizinae) in the Galápagos. *Science* 214:82-85.
- Bocher, P., T. Piersma, A. Dekinga, C. Kraan, M. G. Yates, T. Guyot, E. O. Folmer, and G. Radenac. 2007. Site- and species-specific distribution patterns of molluscs at five intertidal soft-sediment areas in northwest Europe during a single winter. *Marine Biology* 151:577-594.
- Bolnick, D. I., R. Svanback, J. A. Fordyce, L. H. Yang, J. M. Davis, C. D. Hulsey, and M. L. Forister. 2003. The ecology of individuals: incidence and implications of individual specialization. *American Naturalist* 161:1-28.
- Both, C., P. Edelaar, and W. Renema. 2003. Interference between the sexes in foraging bar-tailed godwits *Limosa lapponica*. *Ardea* 91:268-272.
- Brockmann, H. J., and C. J. Barnard. 1979. Kleptoparasitism in birds. *Animal Behaviour* 27:487-514.
- Brown, J. S., and B. P. Kotler. 2004. Hazardous duty pay and the foraging cost of predation. *Ecology Letters* 7:999-1014.
- Bruinzeel, L. W., M. R. van Eerden, R. H. Drent, and J. T. Vulink. 1998. Scaling metabolisable energy intake and daily energy expenditure in relation to the size of herbivorous waterfowl: limits set by available foraging time and digestive performance. Pages 111-132 *In* M. R. van Eerden, editor. Patchwork: Patch use, habitat exploitation and carrying capacity for water birds in Dutch freshwater wetlands, PhD Thesis, University of Groningen, The Netherlands.
- Burnham, K. P., and D. R. Anderson. 2002. Model selection and multi-model inference: a practical information-theoretic approach. Springer-Verlag, New York.
- Burns, J. G., and R. C. Ydenberg. 2002. The effects of wing loading and gender on the escape flights of least sandpipers *Calidris minutilla* and western sandpipers *Calidris mauri*. *Behavioral Ecology and Sociobiology* 52:128-136.
- Burton, N. H. K. 2000. Variation in sighting frequencies of colour-ringed redshanks *Tringa totanus* according to ringing-scheme and ring colour. *Wader Study Group Bulletin* 91:21-24.

C

- Cadée, G. C. 1976. Sediment reworking by *Arenicola marina* on tidal flats in Dutch Wadden sea. *Netherlands Journal of Sea Research* 10:440-460.

- Caldow, R. W. G., and R. W. Furness. 2001. Does Holling's disc equation explain the functional response of a kleptoparasite? *Journal of Animal Ecology* 70:650-662.
- Caldow, R. W. G., J. D. Goss-Custard, R. A. Stillman, S. Durell, R. Swinfen, and T. Bregnballe. 1999. Individual variation in the competitive ability of interference-prone foragers: the relative importance of foraging efficiency and susceptibility to interference. *Journal of Animal Ecology* 68:869-878.
- Camphuysen, C. J., C. M. Berrevoets, H. J. W. M. Cremers, A. Dekinga, R. Dekker, B. J. Ens, T. M. van der Have, R. K. H. Kats, T. Kuiken, M. F. Leopold, J. van der Meer, and T. Piersma. 2002. Mass mortality of common eiders *Somateria mollissima* in the Dutch Wadden Sea, winter 1999/2000: starvation in a commercially exploited wetland of international importance. *Biological Conservation* 106:303-317.
- Castro, G., J. P. Myers, and R. E. Ricklefs. 1992. Ecology and energetics of sanderlings migrating to four latitudes. *Ecology* 73:833-844.
- Chambers, S., and P. Garwood. 1992. Polychaetes from Scottish waters, a guide to identification: 3. Family Nereidae. NMSE - Publishing Ltd., Edinburgh.
- Chapman, B. B., C. Brönmark, J.-Å. Nilsson, and L.A. Hansson. 2011. The ecology and evolution of partial migration. *Oikos* 120:1764-1775.
- Chapman, B. B., K. Hulthén, D. R. Blomqvist, L.-A. Hansson, J.Å. Nilsson, J. Brodersen, P. Anders Nilsson, C. Skov, and C. Brönmark. 2011. To boldly go: individual differences in boldness influence migratory tendency. *Ecology Letters* 14:871-876.
- Charnov, E. L. 1976. Optimal foraging: attack strategy of a mantid. *American Naturalist* 110:141-151.
- Clark, J. A. 2009. Selective mortality of waders during severe weather. *Bird Study* 56:96-102.
- Compton, T. J., S. Holthuijsen, A. Koolhaas, A. Dekinga, J. ten Horn, J. Smith, Y. Galama, M. Brugge, D. van der Wal, J. van der Meer, H. W. van der Veer, and T. Piersma. 2013. Distinctly variable mudscapes: distribution gradients of intertidal macrofauna across the Dutch Wadden Sea. *Journal of Sea Research* 82:103-116.
- Cooper, S. D., and C. R. Goldman. 1982. Environmental-factors affecting predation rates of *Mysis relicta*. *Canadian Journal of Fisheries and Aquatic Sciences* 39:203-208.
- Cramp, S., and K. E. L. Simmons. 1983. *Handbook of the birds of Europe, the Middle East, and North Africa*. Vol. 3. Oxford University Press, Oxford.
- Cresswell, W. 1994. Age-dependent choice of redshank *Tringa totanus* feeding location: profitability or risk? *Journal of Animal Ecology* 63:589-600.
- Cresswell, W. 2008. Non-lethal effects of predation in birds. *Ibis* 150:3-17.
- Cresswell, W., J. Lind, and J. L. Quinn. 2010. Predator-hunting success and prey vulnerability: quantifying the spatial scale over which lethal and non-lethal effects of predation occur. *Journal of Animal Ecology* 79:556-562.
- Cresswell, W., and D. P. Whitfield. 1994. The effects of raptor predation on wintering wader populations at the Tynninghame estuary, southeast Scotland. *Ibis* 136:223-232.
- Cristol, D. A., M. B. Baker, and C. Carbone. 1999. Differential migration revisited: latitudinal segregation by age and sex class. *Current Ornithology* 15:33-88.
- D**
- Davis, J. 1954. Seasonal changes in bill length of certain passerine birds. *Condor* 56:142-149.
- Dekinga, A., M. W. Dietz, A. Koolhaas, and T. Piersma. 2001. Time course and reversibility of changes in the gizzards of red knots alternately eating hard and soft food. *Journal of Experimental Biology* 204:2167-2173.
- Dekinga, A., and T. Piersma. 1993. Reconstructing diet composition on the basis of faeces in a mollusc-eating wader, the knot *Calidris canutus*. *Bird Study* 40:144-156.
- Dekker, D., and R. Ydenberg. 2004. Raptor predation on wintering dunlins in relation to the tidal cycle. *Condor* 106:415-419.
- Delany, S., D. Scott, T. Dodman, and D. Stroud. 2009. *An atlas of wader populations in Africa and western Eurasia*. Wetlands International, Wageningen.
- Diamond, J. M. 1998. Evolution of biological safety factors: a cost/benefit analysis. Pages 21-27 *In* E. R. Weibel, C. R. Taylor, and L. Bolis, editors. *Principles of Animal Design: The Optimization and Symmorphosis Debate*. Cambridge University Press, Cambridge.
- Dierschke, V. 1998. High profit at high risk for juvenile dunlins *Calidris alpina* stopping over at Helgoland (German Bight). *Ardea* 86:59-69.

- Dietz M.W., Piersma T., Hedenström A. and M. Brugge 2007. Intraspecific variation in avian pectoral muscle mass: constraints on maintaining manoeuvrability with increasing body mass. *Functional Ecology* 21:317-326.
- van Dijk, J. G. B., S. Duijns, A. Gyimesi, W. F. de Boer, and B. A. Nolet. 2012. Mallards feed longer to maintain intake rate under competition on a natural food distribution. *Ethology* 118:169-177.
- Donald, P. F. 2007. Adult sex ratios in wild bird populations. *Ibis* 149:671-692.
- Drent, R., and T. Piersma. 1990. An exploration of the energetics of leap-frog migration in arctic breeding waders. Pages 399-412 *In* E. Gwinner, editor. *Bird migration, physiology and ecophysiology*. Springer-Verlag, Berlin.
- Duffy, J. E., K. S. MacDonald, J. M. Rhode, and J. D. Parker. 2001. Grazer diversity, functional redundancy, and productivity in seagrass beds: An experimental test. *Ecology* 82:2417-2434.
- Duijns, S., N. A. Hidayati, and T. Piersma. 2013. Bar-tailed godwits *Limosa l. lapponica* eat polychaete worms wherever they winter in Europe. *Bird Study* 60:509-517.
- Duijns, S., J. Jukema, B. Spaans, P. van Horssen, and T. Piersma. 2012. Revisiting the proposed leap-frog migration of bar-tailed godwits along the East-Atlantic Flyway. *Ardea* 100:37-43.
- Duijns, S., I. E. Knot, T. Piersma, and J. A. van Gils. 2014a. Field measurements give biased estimates of functional response parameters, but help explain foraging distributions. *Journal of Animal Ecology* *In press*. (doi: 10.1111/1365-2656.12309).
- Duijns, S., and T. Piersma. 2014. Interference competition in a sexually dimorphic shorebird: prey behaviour explains intraspecific competition. *Animal Behaviour* 92:195-201.
- Duijns, S., J. G. B. van Dijk, B. Spaans, J. Jukema, W. F. de Boer, and T. Piersma. 2009. Foraging site selection of two subspecies of bar-tailed godwit *Limosa lapponica*: time minimizers accept greater predation danger than energy minimizers. *Ardea* 97:51-59.
- Duijns, S., J. A. van Gils, B. Spaans, J. ten Horn, M. Brugge, and T. Piersma. 2014b. Sex-specific winter distribution in a sexually dimorphic shorebird is explained by resource partitioning. *Ecology and Evolution*. 4:4009-4018
- Durell S.E.A. Le V. dit 2000. Individual feeding specialisation in shorebirds: population consequences and conservation implications. *Biological Reviews* 75:503-518.
- Durell S.E.A. Le V. dit, J. D. Goss-Custard, and R. W. G. Caldow. 1993. Sex-related differences in diet and feeding method in the oystercatcher *Haematopus ostralegus*. *Journal of Animal Ecology* 62:205-215.
- Duriez, O., S. Bauer, A. Destin, J. Madsen, B. A. Nolet, R. A. Stillman, and M. Klaassen. 2009. What decision rules might pink-footed geese use to depart on migration? An individual-based model. *Behavioral Ecology* 20:560-569.
- E**
- Ebling, F. J. 1945. Formation and nature of the opercular chaetae of *Sabellaria alveolata*. *Quarterly Journal of Microscopical Science* 2:153-176.
- Edelaar, P., T. Piersma, and E. Postma. 2005. Retained non-adaptive plasticity: gene flow or small inherent costs of plasticity? *Evolutionary Ecology Research* 7:489-495.
- Engelmoer, M. 2008. Breeding origins of wader populations utilizing the Dutch Wadden Sea, as deduced from body dimensions, body mass, and primary moult. PhD Thesis, University of Groningen, the Netherlands.
- Engelmoer, M., and C. S. Roselaar. 1998. *Geographical variation in waders*. Kluwer, Dordrecht.
- Ens, B. J., P. Esselink, and L. Zwarts. 1990. Keptoparasitism as a problem of prey choice - a study on mudflat feeding curlews *Numenius arquata*. *Animal Behaviour* 39:219-230.
- Ens, B. J., M. Klaassen, and L. Zwarts. 1993. Flocking and feeding in the fiddler crab *Uca tangeri*: prey availability as risk-taking behaviour. *Netherlands Journal of Sea Research* 31:477-494.
- Ens, B. J., E. A. J. van Winden, C. A. M. van Turnhout, M. W. J. van Roomen, C. J. Smit, and J. M. Jansen. 2009. Changes in the abundance of intertidal birds in the Dutch Wadden Sea in 1990-2008: differences between East and West [In Dutch with English summary]. *Limosa* 82:100-112.
- Esselink, P., and L. Zwarts. 1989. Seasonal trend in burrow depth and tidal variation in feeding activity of *Nereis diversicolor*. *Marine Ecology-Progress Series* 56:243-254.
- F**
- Fairbairn, D. J. 1997. Allometry for sexual size dimorphism: pattern and process in the coevolution of body size in males and females. *Annual Review of Ecology and Systematics* 28:659-687.

- Fernandez, G., and D. B. Lank. 2007. Variation in the wing morphology of western sandpipers *Calidris mauri* in relation to sex, age class, and annual cycle. *Auk* 124:1037-1046.
- Folmer, E. O., H. Olf, and T. Piersma. 2010. How well do food distributions predict spatial distributions of shorebirds with different degrees of self-organization? *Journal of Animal Ecology* 79:747-756.
- Forbes, C., M. Evans, N. Hastings, and B. Peacock. 2011. *Statistical distributions*. John Wiley and Sons, Hoboken.
- Fortin, D., J. M. Fryxell, and R. Pilote. 2002. The temporal scale of foraging decisions in bison. *Ecology* 83:970-982.
- Fransson, T., and T. P. Weber. 1997. Migratory fuelling in blackcaps *Sylvia atricapilla* under perceived risk of predation. *Behavioral Ecology and Sociobiology* 41:75-80.
- Fretwell, S. D. 1972. *Population in a seasonal environment*. Princeton University Press, Princeton.
- Fretwell, S. D., and H. L. Lucas. 1970. On territorial behavior and other factors influencing habitat distribution in birds I. Theoretical development. *Acta Biotheoretica* 29:16-36.
- Fryxell, J. M., A. Mosser, A. R. E. Sinclair, and C. Packer. 2007. Group formation stabilizes predator-prey dynamics. *Nature* 449:1041-1043.
- ## G
- Gauvin, S., and L. A. Giraldeau. 2004. Nutmeg mannikins *Lonchura punctulata* reduce their feeding rates in response to simulated competition. *Oecologia* 139:150-156.
- Gill, J. A., K. Norris, P. M. Potts, T. G. Gunnarsson, P. W. Atkinson, and W. J. Sutherland. 2001b. The buffer effect and large-scale population regulation in migratory birds. *Nature* 412:436-438.
- Gill, J. A., W. J. Sutherland, and K. Norris. 2001a. Depletion models can predict shorebird distribution at different spatial scales. *Proceedings of the Royal Society B: Biological Sciences* 268:369-376.
- Gillings, S., P. W. Atkinson, S. L. Bardsley, N. A. Clark, S. E. Love, R. A. Robinson, R. A. Stillman, and R. G. Weber. 2007. Shorebird predation of horseshoe crab eggs in Delaware Bay: species contrasts and availability constraints. *Journal of Animal Ecology* 76:503-514.
- van Gils, J. A., S. R. de Rooij, J. van Belle, J. van der Meer, A. Dekinga, T. Piersma, and R. Drent. 2005a. Digestive bottleneck affects foraging decisions in red knots *Calidris canutus*. I. Prey choice. *Journal of Animal Ecology* 74:105-119.
- van Gils, J. A., A. Dekinga, B. Spaans, W. K. Vahl, and T. Piersma. 2005b. Digestive bottleneck affects foraging decisions in red knots *Calidris canutus*. II. Patch choice and length of working day. *Journal of Animal Ecology* 74:120-130.
- van Gils, J. A., P. Edelaar, G. Escudero, and T. Piersma. 2004. Carrying capacity models should not use fixed prey density thresholds: A plea for using more tools of behavioural ecology. *Oikos* 104:197-204.
- van Gils, J. A., C. Kraan, A. Dekinga, A. Koolhaas, J. Drent, P. de Goeij, and T. Piersma. 2009. Reversed optimality and predictive ecology: burrowing depth forecasts population change in a bivalve. *Biology Letters* 5:5-8.
- van Gils, J. A., and T. Piersma. 2004. Digestively constrained predators evade the cost of interference competition. *Journal of Animal Ecology* 73:386-398.
- van Gils, J. A., T. Piersma, A. Dekinga, and M. W. Dietz. 2003a. Cost-benefit analysis of mollusc-eating in a shorebird. II. Optimizing gizzard size in the face of seasonal demands. *Journal of Experimental Biology* 206:3369-3380.
- van Gils, J. A., T. Piersma, A. Dekinga, B. Spaans, and C. Kraan. 2006. Shellfish dredging pushes a flexible avian top predator out of a marine protected area. *PLoS Biology* 4:2399-2404.
- van Gils, J. A., I. W. Schenk, O. Bos, and T. Piersma. 2003b. Incompletely informed shorebirds that face a digestive constraint maximize net energy gain when exploiting patches. *American Naturalist* 161:777-793.
- van Gils, J. A., B. Spaans, A. Dekinga, and T. Piersma. 2006. Foraging in a tidally structured environment by red knots *Calidris canutus*: ideal, but not free. *Ecology* 87:1189-1202.
- Ginzburg, L. R., and C. X. J. Jensen. 2004. Rules of thumb for judging ecological theories. *Trends in Ecology and Evolution* 19:121-126.
- Glutz von Blotzheim, U. N., K. M. Bauer, and E. Bezzel. 1985. *Handbuch der Vögel Mitteleuropas, Band 7, teil 2*. AULA-Verlag GmbH, Wiesbaden.
- Gonzalez-Terrazas, T. P., R. A. Medellin, M. Knornschild, and M. Tschapka. 2012. Morphological specialization influences nectar extraction efficiency of sympatric nectar-feeding bats. *Journal of Experimental Biology* 215:3989-3996.

- Gordon, I.J. and A.W. Illius. 1996. The nutritional ecology of African ruminants: A reinterpretation. *Journal of Animal Ecology*, 65: 18-28.
- Goss-Custard, J. D. 1970. Feeding dispersion in some overwintering wading birds. Pages 3-35 in J. H. Crook, editor. *Social Behaviour in Birds and Mammals*. Academic Press., London.
- Goss-Custard, J. D. 1977. Ecology of the Wash III. Density-related behavior and possible effects of a loss of feeding grounds on wading birds (Charadrii). *Journal of Applied Ecology* 14:721-739.
- Goss-Custard, J. D., R. E. Jones, and P. E. Newbery. 1977a. The ecology of the Wash. I. Distribution and diet of wading birds (Charadrii). *Journal of Applied Ecology* 14:681-700.
- Goss-Custard, J. D., R. A. Jenyon, R. E. Jones, P. E. Newbery, and R. L. B. Williams. 1977b. The ecology of the Wash. II. Seasonal variation in the feeding conditions of wading birds (Charadrii). *Journal of Applied Ecology* 14:701-719.
- Goss-Custard, J. D., A. D. West, M. G. Yates, R. W. G. Caldow, R. A. Stillman, L. Bardsley, J. Castilla, M. Castro, V. Dierschke, S. Durell, G. Eichhorn, B. J. Ens, K. M. Exo, P. U. Udayangani-Fernando, P. N. Ferns, P. A. R. Hockey, J. A. Gill, I. Johnstone, B. Kalejta-Summers, J. A. Maseró, F. Moreira, R. V. Nagarajan, I. P. F. Owens, C. Pacheco, A. Perez-Hurtado, D. Rogers, G. Scheiffarth, H. Sitters, W. J. Sutherland, P. Triplet, D. H. Worrall, Y. Zharikov, L. Zwarts, and R. A. Pettifor. 2006. Intake rates and the functional response in shorebirds (Charadriiformes) eating macro-invertebrates. *Biological Reviews* 81:501-529.
- Gray, J., A. Adams, B. D. Jacobs, and J. Family. 1993. *Men are from Mars, Women are from Venus*. Harper Collins, New York.
- Griffen, B. D., and H. Mosblack. 2011. Predicting diet and consumption rate differences between and within species using gut ecomorphology. *Journal of Animal Ecology* 80:854-863.
- Griffiths, R., M. C. Double, K. Orr, and R. J. G. Dawson. 1998. A DNA test to sex most birds. *Molecular Ecology* 7:1071-1075.
- Gunnarsson, T. G., W. J. Sutherland, J. A. Alves, P. M. Potts, and J. A. Gill. 2012. Rapid changes in phenotype distribution during range expansion in a migratory bird. *Proceedings of the Royal Society B: Biological Sciences* 279:411-416.
- Gyimesi, A., R. A. Stillman, and B. A. Nolet. 2010. Cryptic interference competition in swans foraging on cryptic prey. *Animal Behaviour* 80:791-797.
- van der Graaf, S. A. J., J. Stahl, A. Klimkowska, J. P. Bakker, and R. H. Drent. 2006. Surfing on a green wave - how plant growth drives spring migration in the barnacle goose *Branta leucopsis*. *Ardea* 94:567-577.
- ## H
- Haccou, P., and E. Meelis. 1992. *Statistical analysis of behavioural data: an approach based on time-structured models*. Oxford University Press, Oxford.
- Hake, M., and J. Ekman. 1988. Finding and sharing depletable patches: when group foraging decreases intake rates. *Ornis Scandinavica* 19:275-279.
- Hartmann-Schröder, G. 1971. *Annelida, Borstenwürmer, Polychaeta*. Gustav Fischer Verlag, Jena.
- Hedenström, A. 1993. Migration by soaring or flapping flight in birds: the relative importance of energy cost and speed. *Philosophical Transactions of the Royal Society of London Series B-Biological Sciences* 342:353-361.
- Hefferan, M. 1900. Variation in the teeth of Nereis. *Biological Bulletin* 2:129-143.
- Hengeveld, G. M., F. van Langevelde, T. A. Groen, and H. J. de Knegt. 2009. Optimal foraging for multiple resources in several food species. *American Naturalist* 174:102-110.
- Hidding, B., B. A. Nolet, M. R. van Eerden, M. Guillemain, and M. Klaassen. 2009. Burial depth distribution of fennel pondweed tubers *Potamogeton pectinatus* in relation to foraging by Bewick's swans. *Aquatic Botany* 90:321-327.
- Hijmans, R. J., S. E. Cameron, J. L. Parra, P. G. Jones, and A. Jarvis. 2005. Very high resolution interpolated climate surfaces for global land areas. *International Journal of Climatology* 25:1965-1978.
- Holling, C. S. 1959. Some characteristics of simple types of predation and parasitism. *Canadian Entomologist* 91:385-398.
- Holt, C.A., G.E. Austin, N.A. Calbrade, H.J. Mellan, R.D. Hearn, D.A. Stroud, S.R. Wotton, and A.J. Musgrove. 2012. *Waterbirds in the UK 2010/11: The Wetland Bird Survey*. (p. 181 pp. Thetford, UK., BTO/RSPB/ JNCC).
- Hothorn, T., F. Bretz, and P. Westfall. 2008. Simultaneous inference in general parametric models. *Biometrical Journal* 50:346-363.

- Houston, A. I., and J. M. McNamara. 1988. The ideal free distribution when competitive abilities differ: an approach based on statistical mechanics. *Animal Behaviour* 36:166-174.
- Houston, A. I., and J. M. McNamara. 1999. *Models of adaptive behaviour: an approach based on state*. Cambridge University Press, Cambridge.
- Houston, A. I., and J. M. McNamara. 2014. Foraging currencies, metabolism and behavioural routines. *Journal of Animal Ecology* 83:30-40.
- van den Hout, P. J. 2009. Mortality is the tip of an iceberg of fear: peregrines *Falco peregrinus* and shorebirds in the Wadden Sea [In Dutch with English summary]. *Limosa* 82:122-113.
- van den Hout, P. J., K. J. Mathot, L. R. M. Maas, and T. Piersma. 2010. Predator escape tactics in birds: linking ecology and aerodynamics. *Behavioral Ecology* 21:16-25.
- van den Hout, P. J., and T. Piersma. 2013. Low-tide distribution of shorebirds in the Wadden Sea [In Dutch with English summary]. *Limosa* 86:25-30.
- van den Hout, P. J., B. Spaans, and T. Piersma. 2008. Differential mortality of wintering shorebirds on the Banc d'Arguin, Mauritania, due to predation by large falcons. *Ibis* 150 (Suppl. 1):219-230.
- van den Hout, P. J., J. A. van Gils, F. Robin, M. van der Geest, A. Dekinga, and T. Piersma. 2014. Interference from adults forces young red knots to forage for longer and in dangerous places. *Animal Behaviour* 88:137-146.
- Hulscher, J. B. 1985. Growth and abrasion of the oystercatcher bill in relation to dietary switches. *Netherlands Journal of Zoology* 35:124-154.
- Hussell, D. J. T. 2004. Incubation period and behavior at a bar-tailed godwit nest. *Wilson Bulletin* 116:177-178.
- J**
- Jacobs, J. 1974. Quantitative measurement of food selection - A modification of forage ratio and Ivlev's electivity index. *Oecologia* 14:413-417.
- Jehl, J. R., and B. G. Murray. 1986. The evolution of normal and reverse sexual size dimorphism in shorebirds and other birds. Pages 1-86 in R. F. Johnston, editor. *Current Ornithology*. Plenum Press, New York.
- Jeschke, J. M., M. Kopp, and R. Tollrian. 2002. Predator functional responses: discriminating between handling and digesting prey. *Ecological Monographs* 72:95-112.
- Jönsson, P. E. 1987. Sexual size dimorphism and disassortative mating in the dunlin *Calidris alpina schinzii* in southern Sweden. *Ornis Scandinavica* 18:257-264.
- Jönsson, P. E., and T. Alerstam. 1990. The adaptive significance of parental role division and sexual size dimorphism in breeding shorebirds. *Biological Journal of the Linnean Society* 41:301-314.
- Jukema, J., T. Piersma, J. B. Hulscher, E. J. Bunscoeke, A. Koolhaas, and A. Veenstra. 2001. *Goudplevieren en wilsterflappers: eeuwenoude fascinatie voor trekvogels*. Fryske Akademy and KNNV Uitgeverij, Leeuwarden / Utrecht.
- K**
- van de Kam, J., B. Ens, T. Piersma, and L. Zwarts. 2004. *Shorebirds: an illustrated behavioural ecology*. KNNV Publishers, Utrecht.
- Kersten, M., and T. Piersma. 1987. High levels of energy expenditure in shorebirds; metabolic adaptations to an energetically expensive way of life. *Ardea* 75:175-188.
- Kersten, M., and W. Visser. 1996. The rate of food processing in the oystercatcher: food intake and energy expenditure constrained by a digestive bottleneck. *Functional Ecology* 10:440-448.
- Ketterson, E. D., and V. Nolan. 1976. Geographic variation and its climatic correlates in the sex ratio of eastern-wintering dark-eyed Juncos *Junco hyemalis hyemalis*. *Ecology* 57:679-693.
- Klaassen, M., Å. Lindström, H. Møltofte, and T. Piersma. 2001. Arctic waders are not capital breeders. *Nature* 413:794-794.
- Kluyver, H. N., and L. Tinbergen. 1953. Territory and the regulation of density in titmice. *Archives Néerlandaises de Zoologie* 10:265-286.
- Kotler, B. P. 1992. Behavioral resource depression and decaying perceived risk of predation in 2 species of coexisting gerbils. *Behavioral Ecology and Sociobiology* 30:239-244.
- Kotrschal, K., J. Hemetsberger, and J. Dittami. 1993. Food exploitation by a winter flock of greylag geese: behavioral dynamics, competition and social status. *Behavioral Ecology and Sociobiology* 33:289-295.
- Kraan, C., G. Aarts, J. van der Meer, and T. Piersma. 2010. The role of environmental variables in structuring landscape-scale species distributions in seafloor habitats. *Ecology* 91:1583-1590.

- Kraan, C., J. van der Meer, A. Dekinga, and T. Piersma. 2009b. Patchiness of macrobenthic invertebrates in homogenized intertidal habitats: hidden spatial structure at a landscape scale. *Marine Ecology Progress Series* 383:211-224.
- Kraan, C., J. A. van Gils, B. Spaans, A. Dekinga, A. I. Bijleveld, M. van Roomen, R. Kleefstra, and T. Piersma. 2009a. Landscape-scale experiment demonstrates that Wadden Sea intertidal flats are used to capacity by molluscivore migrant shorebirds. *Journal of Animal Ecology* 78:1259-1268.
- Krebs, C. J. 1978. *Ecology: the experimental analysis of distribution and abundance*. Harper and Row, New York.
- L**
- Lank, D. B., R. W. Butler, J. Ireland, and R. C. Ydenberg. 2003. Effects of predation danger on migration strategies of sandpipers. *Oikos* 103:303-319.
- Laurson, K., and A. P. Møller. 2014. Long-term changes in nutrients and mussel stocks are related to numbers of breeding eiders *Somateria mollissima* at a large Baltic colony. *PLoS ONE* 9:e95851.
- Leyrer, J., B. Spaans, M. Camara, and T. Piersma. 2006. Small home ranges and high site fidelity in red knots *Calidris c. canutus* wintering on the Banc d'Arguin, Mauritania. *Journal of Ornithology* 147:376-384.
- Lima, S. L. 1988. Initiation and termination of daily feeding in dark-eyed juncos - influences of predation risk and energy reserves. *Oikos* 53:3-11.
- Lindström Å. 1990. The role of predation risk in stopover habitat selection in migrating Bramblings *Fringilla montifringilla*. *Behavioral Ecology* 1: 102-106.
- Lindström, Å., and T. Alerstam. 1992. Optimal fat loads in migrating birds - a test of the time-minimization hypothesis. *American Naturalist* 140:477-491.
- Lindström, Å., and T. Piersma. 1993. Mass changes in migrating birds: the evidence for fat and protein storage re-examined. *Ibis* 135:70-78.
- Lok, T., O. Overdijk, and T. Piersma. 2014. Interpreting variation in growth of Eurasian spoonbill chicks: disentangling the effects of age, sex and environment. *Ardea* 102. *In press*.
- Lok, T., O. Overdijk, J. M. Tinbergen, and T. Piersma. 2011. The paradox of spoonbill migration: most birds travel to where survival rates are lowest. *Animal Behaviour* 82:837-844.
- Losey, J. E., and R. F. Denno. 1998. Positive predator-predator interactions: enhanced predation rates and synergistic suppression of aphid populations. *Ecology* 79:2143-2152.
- Lourenço, P. M. 2007. Analysing faecal samples of ragworm predators: not just a matter of counting mandibles. *Ardea* 95:151-155.
- Lourenço, P. M., F. S. Mandema, J. C. Hooijmeijer, J. P. Granadeiro, and T. Piersma. 2010. Site selection and resource depletion in black-tailed godwits *Limosa l. limosa* eating rice during northward migration. *Journal of Animal Ecology* 79:522-528.
- M**
- MacArthur, R. H., and E. R. Pianka. 1966. On optimal use of a patchy environment. *American Naturalist* 100:603-609.
- MacLeod, R., P. Barnett, J. Clark, and W. Cresswell. 2006. Mass-dependent predation risk as a mechanism for house sparrow declines? *Biology Letters* 2:43-46.
- MacLeod, R., J. Clark, and W. Cresswell. 2008. The starvation-predation risk trade-off, body mass and population status in the common starling *Sturnus vulgaris*. *Ibis* 150:199-208.
- MacLeod, R., J. Lind, J. Clark, and W. Cresswell. 2007. Mass regulation in response to predation risk can indicate population declines. *Ecology Letters* 10:945-955.
- Martin, P., and P. Bateson. 1993. *Measuring behaviour: an introductory guide*. Cambridge University Press, Cambridge.
- Mathot, K. J., B. D. Smith, and R. W. Elner. 2007. Latitudinal clines in food distribution correlate with differential migration in the western sandpiper. *Ecology* 88:781-791.
- Matos, L., M. Prates, and V. Lachos. 2012. Linear Student-t mixed-effects models with censored data. R package version 0.0-2.
- Matthysen, E. 1989. Seasonal variation in bill morphology of nuthatches *Sitta europaea*: dietary adaptations or consequences. *Ardea* 77:117-125.
- May, R. M. 2004. Uses and abuses of mathematics in biology. *Science* 303:790-793.

- McWilliams, S. R., and W. H. Karasov. 2014. Spare capacity and phenotypic flexibility in the digestive system of a migratory bird: defining the limits of animal design. *Proceedings of the Royal Society B: Biological Sciences* 281:20140308.
- van der Meer, J., and B. J. Ens. 1997. Models of interference and their consequences for the spatial distribution of ideal and free predators. *Journal of Animal Ecology* 66:846-858.
- Metcalfe, N. B. 1984. The effects of mixed-species flocking on the vigilance of shorebirds: who do they trust? *Animal Behaviour* 32:986-993.
- Metcalfe, N. B., and R. W. Furness. 1984. Changing priorities - the effect of pre-migratory fattening on the trade-off between foraging and vigilance. *Behavioral Ecology and Sociobiology* 15:203-206.
- Milinski M. and R. Heller. 1978. Influence of a predator on the optimal foraging behaviour of sticklebacks *Gasterosteus aculeatus* L. *Nature* 275: 642-644.
- Miller, R. S. 1967. Pattern and process in competition. *Advances in Ecological Research* 4:1-74.
- Moreira, F. 1994a. Diet, prey-size selection and intake rates of black-tailed godwits *Limosa limosa* feeding on mudflats. *Ibis* 136:349-355.
- Moreira, F. 1994b. Diet and feeding rates of knots *Calidris canutus* in the Tagus estuary (Portugal). *Ardea* 82:133-135.
- Moreira, F. 1995. The winter feeding ecology of avocets *Recurvirostra avosetta* on emerged intertidal areas 2. Diet and feeding mechanisms. *Ibis* 137:99-108.
- Morton, M. L., and G. A. Morton. 1987. Seasonal changes in bill length in summering mountain white-crowned sparrows. *Condor* 89:197-200.
- Myers, J. P. 1981. A test of three hypotheses for latitudinal segregation of the sexes in wintering birds. *Canadian Journal of Zoology* 59:1527-1534.
- Myers, J. P., S. L. Williams, and F. A. Pitelka. 1980. An experimental-analysis of prey availability for sanderlings (aves, scolopacidae) feeding on sandy beach crustaceans. *Canadian Journal of Zoology* 58:1564-1574.
- N**
- Nebel, S., D. L. Jackson, and R. W. Elner. 2005. Functional association of bill morphology and foraging behaviour in calidrid sandpipers. *Animal Biology* 55:235-243.
- Nebel, S., K. G. Rogers, C. D. T. Minton, and D. I. Rogers. 2013. Is geographical variation in the size of Australian shorebirds consistent with hypotheses on differential migration? *Emu* 113:99-111.
- Newton, I. 1966. Moults of the bullfinch *Pyrrhula pyrrhula*. *Ibis* 108:41-67.
- Newton, I. 2008. The migration ecology of birds. Academic Press, London.
- Noldus, L. 2003. The observer (Version 5.0). Wageningen: Noldus Information Technology Inc.
- Nolet, B. A., and A. Gyimesi. 2013. Underuse of stopover site by migratory swans. *Journal of Ornithology* 154:695-703.
- Nolet, B. A., A. Gyimesi, and R. H. G. Klaassen. 2006. Prediction of bird-day carrying capacity on a staging site: a test of depletion models. *Journal of Animal Ecology* 75:1285-1292.
- Ntiama-Baidu, Y., A. A. Nuoh, J. Reneerkens, and T. Piersma. 2014. A growing non-breeding population of sanderling in Ghana shows site preference. *Ardea In press*.
- O**
- Onrust, J., J. de Fouw, T. Oudman, M. van der Geest, T. Piersma, and J. A. van Gils. 2013. Red knot diet reconstruction revisited: context dependence revealed by experiments at Banc d'Arguin, Mauritania. *Bird Study* 60:298-307.
- Oudman, T., J. Onrust, J. de Fouw, B. Spaans, T. Piersma, and J. A. van Gils. 2014. Digestive capacity and toxicity cause mixed diets in red knots that maximize energy intake rate. *American Naturalist* 183:650-659.
- P**
- Parker, G. A., and W. J. Sutherland. 1986. Ideal free distributions when individuals differ in competitive ability: phenotype limited ideal free models. *Animal Behaviour* 34:1222-1242.
- Peers, M. J. L., M. Wehtje, D. H. Thornton, and D. L. Murray. 2014. Prey switching as a means of enhancing persistence in predators at the trailing southern edge. *Global Change Biology* 20:1126-1135.
- Perez-Hurtado, A., J. D. Goss-Custard, and F. Garcia. 1997. The diet of wintering waders in Cadiz Bay, southwest Spain. *Bird Study* 44:45-52.

- Peters, R. H. 1983. The ecological implications of body size. Cambridge University Press, Cambridge
- Pielou, E. C. 1977. Mathematical ecology. John Wiley and Sons, New York.
- Pierce, G. J., and J. G. Ollason. 1987. Eight reasons why optimal foraging theory is a complete waste of time. *Oikos* 49:111-118.
- Piersma, T. 2007. Using the power of comparison to explain habitat use and migration strategies of shorebirds worldwide. *Journal of Ornithology* 148:S45-S59.
- Piersma, T. 2012. What is habitat quality? Dissecting a research portfolio on shorebirds. Pages 383-407 In R. J. Fuller, editor. *Birds and habitat: relationships in changing landscapes series: ecological reviews*. Cambridge University Press, Cambridge.
- Piersma, T., J. van Gils, and P. Wiersma. 1996a. Family Scolopacidae (snipes, sandpipers and phalaropes). Pages 444 - 533 In J. Del Hoyo, A. Elliot, and J. Sargatal, editors. *Handbook of Birds of the World, Vol. 3. Hoatzins to Auks*. Lynx Editions, Barcelona.
- Piersma, T., G. A. Gudmundsson, N. C. Davidson, and R. I. G. Morrison. 1996b. Do arctic-breeding red knots *Calidris canutus* accumulate skeletal calcium before egg laying? *Canadian Journal of Zoology* 74:2257-2261.
- Piersma, T., and J. Jukema. 1990. Budgeting the flight of a long-distance migrant: changes in nutrient reserve levels of bar-tailed godwits at successive spring staging sites. *Ardea* 78:315-337.
- Piersma, T., and J. Jukema. 1993. Red breasts as honest signals of migratory quality in a long-distance migrant, the bar-tailed godwit. *Condor* 95:163-177.
- Piersma, T., A. Koolhaas, and A. Dekinga. 1993. Interactions between stomach structure and diet choice in shorebirds. *Auk* 110:552-564.
- Piersma, T., A. Koolhaas, A. Dekinga, J. J. Beukema, R. Dekker, and K. Essink. 2001. Long-term indirect effects of mechanical cockle-dredging on intertidal bivalve stocks in the Wadden Sea. *Journal of Applied Ecology* 38:976-990.
- Piersma, T., and Å. Lindström. 1997. Rapid reversible changes in organ size as a component of adaptive behaviour. *Trends in Ecology and Evolution* 12:134-138.
- Piersma, T., K. G. Rogers, H. Boyd, E. J. Bunschoeke, and J. Jukema. 2005. Demography of Eurasian golden plovers *Pluvialis apricaria* staging in The Netherlands, 1949-2000. *Ardea* 93:49-64.
- Piersma, T., and B. Spaans. 2004. The power of comparison: ecological studies on waders worldwide [In Dutch with English summary]. *Limosa* 77:43-54.
- Piersma, T., J. van Gils, P. de Goeij, and J. van der Meer. 1995. Holling's functional response model as a tool to link the food-finding mechanism of a probing shorebird with its spatial distribution. *Journal of Animal Ecology* 64:493-504.
- Piersma, T., and J. A. van Gils. 2011. *The flexible phenotype: a body-centred integration of ecology, physiology, and behaviour*. Oxford University Press, Oxford.
- Piersma, T., Y. Verkuil, and I. Tulp. 1994. Resources for long-distance migration of knots *Calidris canutus islandica* and *C. c. canutus*: How broad is the temporal exploitation window of benthic prey in the western and eastern Wadden Sea? *Oikos* 71:393-407.
- Plomin, R., M. J. Owen, and P. McGuffin. 1994. The genetic-basis of complex human behaviors. *Science* 264:1733-1739.
- van de Pol, M., L. Brouwer, B. J. Ens, K. Oosterbeek, and J. M. Tinbergen. 2010. Fluctuating selection and the maintenance of individual and sex-specific diet specialization in free-living oystercatchers. *Evolution* 64:836-851.
- Pomeroy, A. C. 2006. Tradeoffs between food abundance and predation danger in spatial usage of a stopover site by western sandpipers, *Calidris mauri*. *Oikos* 112:629-637.
- Pomeroy A.C., D.A. Acevedo Seaman, R.W. Butler, R.W. Elner, T.D. Williams, and R.C. Ydenberg. 2008. Feeding-danger trade-offs underlie stopover site selection by migrants. *Avian Conservation and Ecology* 3: 7. Available at : <http://www.ace-eco.org/vol3/iss1/art7/>.
- Pomeroy, A. C., R. W. Butler, and R. C. Ydenberg. 2006. Experimental evidence that migrants adjust usage at a stopover site to trade off food and danger. *Behavioral Ecology* 17:1041-1045.
- Prater, A. J., J. H. Marchant, and J. Vuorinen. 1977. *Guide to the identification and ageing of holarctic waders*. British Trust for Ornithology, Tring.
- Prokosch, P. 1988. The Schleswig-Holstein Wadden Sea as spring staging area for arctic wader populations demonstrated by grey plover *Pluvialis squatarola*, L. 1758, knot *Calidris canutus*, L. 1758 and bar-tailed godwit *Limosa lapponica* L. 1758 [in German with English summary]. *Corax* 12:273-442.

Puttick, G. M. 1981. Sex-related differences in foraging behaviour of curlew sandpipers. *Ornis Scandinavica* 12:13-17.

Q

- Quaintenne, G., J. A. van Gils, P. Bocher, A. Dekinga, and T. Piersma. 2010. Diet selection in a molluscivore shorebird across Western Europe: does it show short- or long-term intake rate-maximization? *Journal of Animal Ecology* 79:53-62.
- Quaintenne, G., J. A. van Gils, P. Bocher, A. Dekinga, and T. Piersma. 2011. Scaling up ideals to freedom: are densities of red knots across western Europe consistent with ideal free distribution? *Proceedings of the Royal Society B: Biological Sciences* 278:2728-2736.

R

- R Development Core Team. 2013. R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna.
- R Development Core Team. 2014. R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna.
- Ratcliffe, D. 1993. The peregrine falcon. *Poysier*.
- Rayner, J. V. 1988. Form and function in avian flight. *Current Ornithology*. 5: 1-66.
- Reading, C. J., and S. McGrorty. 1978. Seasonal variations in burying depth of *Macoma balthica* (L.) and its accessibility to wading birds. *Estuarine, Coastal and Shelf Science* 6:135-144.
- Robertson, B. C., E. O. Minot, and D. M. Lambert. 1999. Molecular sexing of individual kakapo, *Strigops habroptilus* Aves, from faeces. *Molecular Ecology* 8:1349-1350.
- Rogers, C. M. 1987. Predation risk and fasting capacity: do wintering birds maintain optimal body mass? *Ecology* 68:1051-1061.
- van Roomen, M., C. van Turnhout, E. van Winden, B. Koks, P. Goedhart, M. F. Leopold, and C. J. Smit. 2005. Trends in benthivorous waterbirds in the Dutch Wadden Sea 1975-2002: large differences between shellfish-eaters and worm-eaters [In Dutch with English summary]. *Limosa* 78:21-38.
- Rubega, M. A. 1996. Sexual size dimorphism in red-necked phalaropes and functional significance of non-sexual bill structure variation for feeding performance. *Journal of Morphology* 228:45-60.
- Ruckstuhl, K. E. 2007. Sexual segregation in vertebrates: proximate and ultimate causes. *Integrative and Comparative Biology* 47:245-257.
- Ruiters, P. S. 1992. Relaties tussen verspreiding en dieetkeuzes van steltlopers en het voorkomen van macrozoöbenthos in de Westerschelde. Report 1992-04. NIOO-CEMO, Yerseke.
- Ruxton, G. D. 1995. Foraging on patches: are groups disadvantaged? *Oikos* 72:148-150.

S

- Salomonsen, F. 1955. The evolutionary significance of bird-migration. *Danske Biologiske Meddelelser* 22:1-62.
- Sanchez, M. I., A. J. Green, and E. M. Castellanos. 2005. Seasonal variation in the diet of redshank *Tringa totanus* in the Odiel Marshes, southwest Spain: a comparison of faecal and pellet analysis. *Bird Study* 52:210-216.
- Sansom, A., W. Cresswell, J. Minderman, and J. Lind. 2008. Vigilance benefits and competition costs in groups: do individual redshanks gain an overall foraging benefit? *Animal Behaviour* 75:1869-1875.
- Santamaria, L., and M. A. Rodriguez-Girones. 2002. Hiding from swans: optimal burial depth of sago pondweed tubers foraged by Bewick's swans. *Journal of Ecology* 90:303-315.
- Sarnelle, O. 1997. Daphnia effects on microzooplankton: comparisons of enclosure and whole-lake responses. *Ecology* 78:913-928.
- Scheiffarth, G. 2001a. Bar-tailed godwits *Limosa lapponica* in the Sylt-Rømø Wadden Sea: which birds, when, from where, and where to? *Die Vogelwarte* 41:53-69.
- Scheiffarth, G. 2001b. The diet of bar-tailed godwits *Limosa lapponica* in the Wadden Sea: combining visual observations and faeces analyses. *Ardea* 89:481-494.
- Scheiffarth, G. 2003. Born to fly – Migratory strategies and stopover ecology in the European Wadden Sea of a long-distance migrant, the bar-tailed godwit (*Limosa lapponica*). PhD thesis. Universität Oldenburg, Oldenburg, Germany.
- Scheiffarth, G., S. Wahls, C. Ketzenberg, and K. M. Exo. 2002. Spring migration strategies of two populations

- of bar-tailed godwits *Limosa lapponica* in the Wadden Sea: time minimizers or energy minimizers? *Oikos* 96:346-354.
- Schmaljohann, H., and V. Dierschke. 2005. Optimal bird migration and predation risk: a field experiment with Northern wheatears *Oenanthe oenanthe*. *Journal of Animal Ecology* 74:131-138.
- Schoener, T. W. 1974. Resource partitioning in ecological communities. *Science* 185:27-39.
- Scott, D., and G. Scheiffarth. 2009. Bar-tailed godwit. Pages 291-297 in S. Delany, D. Scott, T. Dodman, and D. Stroud, editors. An atlas of wader populations in Africa and Western Eurasia. Wetlands International, Wageningen, The Netherlands.
- Selander, R. K. 1966. Sexual dimorphism and differential niche utilization in birds. *Condor* 68:113-151.
- Selman, J., and J. D. Goss-Custard. 1988. Interference between foraging redshank *Tringa totanus*. *Animal Behaviour* 36:1542-1544.
- Shealer, D. A., and J. Burger. 1993. Effects of interference competition on the foraging activity of tropical roseate terns. *Condor* 95:322-329.
- Shine, R. 1989. Ecological causes for the evolution of sexual dimorphism: a review of the evidence. *Quarterly Review of Biology* 64:419-461.
- Sih, A. 1980. Optimal behavior: Can foragers balance two conflicting demands? *Science* 210:1041-1043.
- Smallegange, I. M., and J. van der Meer. 2009. The distribution of unequal predators across food patches is not necessarily (semi)truncated. *Behavioral Ecology* 20:525-534.
- Smart, S. L., R. A. Stillman, and K. J. Norris. 2008. Measuring the functional responses of farmland birds: an example for a declining seed-feeding bunting. *Journal of Animal Ecology* 77:687-695.
- Smit C.J. and T. Piersma. 1989. Numbers, mid-winter distribution and migration of wader populations using the East Atlantic Flyway. In H. Boyd and J.Y. Pirot, editors. Flyways and reserve networks for water birds. IWRB Spec. Publ. 9, Slimbridge, pp. 24-63.
- Smith, L. M., and L. A. Burgoyne. 2004. Collecting, archiving and processing DNA from wildlife samples using FTA databasing paper. *BMC Ecology* 4:4.
- Smith, P. C. 1975. A study of the winter feeding ecology and behaviour of the bar-tailed godwit *Limosa lapponica*. PhD thesis. University of Durham, Durham, UK.
- Smith, P. C., and P. R. Evans. 1973. Studies of shorebirds at Lindisfarne, Northumberland. I. Feeding ecology and behaviour of the bar-tailed godwit. *Wildfowl* 24:135-139.
- Smith, T. B., and S. Skulason. 1996. Evolutionary significance of resource polymorphisms in fishes, amphibians, and birds. *Annual Review of Ecology and Systematics* 27:111-133.
- Snyder, N. F. R., and J. W. Wiley. 1976. Sexual size dimorphism in hawks and owls of North America. *Ornithological Monographs* 20:1-96.
- Spaans, B., L. van Kooten, J. Cremer, J. Leyrer, and T. Piersma. 2011. Densities of individually marked migrants away from the marking site to estimate population sizes: a test with three wader populations. *Bird Study* 58:130-140.
- Sprugel, D. G. 1983. Correcting for bias in log-transformed allometric equations. *Ecology* 64:209-210.
- Stephens, D. W., and J. R. Krebs. 1986. Foraging theory. Princeton University Press., Princeton.
- Steuer, P., K.-H. Südekum, T. Tütken, D. W. H. Müller, J. Kaandorp, M. Bucher, M. Clauss, and J. Hummel. 2014. Does body mass convey a digestive advantage for large herbivores? *Functional Ecology* 28: 1127-1134.
- Stillman, R. A., J. D. Goss-Custard, and M. J. Alexander. 2000. Predator search pattern and the strength of interference through prey depression. *Behavioral Ecology* 11:597-605.
- Stillman, R. A., J. D. Goss-Custard, and R. W. G. Caldow. 1997. Modelling interference from basic foraging behaviour. *Journal of Animal Ecology* 66:692-703.
- Stillman, R. A., and V. L. Simmons. 2006. Predicting the functional response of a farmland bird. *Functional Ecology* 20:723-730.
- St-Louis, A., and S. D. Cote. 2012. Foraging behaviour at multiple temporal scales in a wild alpine equid. *Oecologia* 169:167-176.
- Summers, R. W., S. Pålsson, C. Corse, B. Etheridge, S. Foster, and B. Swann. 2013. Sex ratios of waders at the northern end of the East Atlantic flyway in winter. *Bird Study* 60:437-445.
- Sutherland, W. J. 1996. Predicting the consequences of habitat loss for migratory populations. *Proceedings of the Royal Society B: Biological Sciences* 263:1325-1327.
- Sutherland, W. J., and C. W. Anderson. 1993. Predicting the distribution of individuals and the consequences of habitat loss: the role of prey depletion. *Journal of Theoretical Biology* 160:223-230.

T

- Temeles, E. J., J. S. Miller, and J. L. Rifkin. 2010. Evolution of sexual dimorphism in bill size and shape of hermit hummingbirds (Phaethornithinae): a role for ecological causation. *Philosophical Transactions of the Royal Society of London Series B-Biological Sciences* 365:1053-1063.
- Tinbergen J.M. 1981. Foraging decisions in Starlings *Sturnus vulgaris*. *Ardea* 69: 1-67.
- Tomkovich, P. S., and L. Serra. 1999. Morphometrics and prediction of breeding origin in some Holarctic waders. *Ardea* 87:289-300.
- Tzvetlin, A. B. 1998. Giant pelagic larvae of phyllodocidae (Polychaeta, annelida). *Journal of Morphology* 238:93-107.

V

- Vader, W. J. M. 1964. A preliminary investigation into the reactions of the infauna of the tidal flats to tidal fluctuations in water level. *Netherlands Journal of Sea Research* 2:189-222.
- Verkuil, Y. 1996. Stomach-pumping of waders does not necessarily provide more information on diet than faecal analysis. *Wader Study Group Bulletin* 79:60-63.
- Verkuil Y. and P. de Goeij. 2003. Do reeves make different choices? Meadow selection by spring staging ruffs *Philomachus pugnax* in Southwest Friesland [In Dutch with English summary]. *Limosa* 76: 1-12.
- Večina, F., T. D. Williams, T. Piersma, and R. I. G. Morrison. 2012. Phenotypic compromises in a long-distance migrant during the transition from migration to reproduction in the High Arctic. *Functional Ecology* 26:500-512.
- Vrugt, J. A., J. van Belle, and W. Bouten. 2007. Pareto front analysis of flight time and energy use in long-distance bird migration. *Journal of Avian Biology* 38:432-442.

W

- Wanink, J., and L. Zwarts. 1985. Does an optimally foraging oystercatcher obey the functional response? *Oecologia* 67:98-106.
- Ward, J. M., B. D. Gartrell, J. R. Conklin, and P. F. Battley. 2011. Midazolam as an adjunctive therapy for capture myopathy in bar-tailed godwits *Limosa lapponica baueri* with prognostic indicators. *Journal of Wildlife Diseases* 47:925-935.
- Ward, R. M. 2000. Darvic colour-rings for shorebird studies: manufacture, application and durability. *Wader Study Group Bulletin* 91:31-34.
- Warton, D. I., and F. K. C. Hui. 2011. The arcsine is asinine: the analysis of proportions in ecology. *Ecology* 92:3-10.
- Wasser, S. K., C. S. Houston, G. M. Koehler, G. G. Cadd, and S. R. Fain. 1997. Techniques for application of faecal DNA methods to field studies of Ursids. *Molecular Ecology* 6:1091-1097.
- Weber, T. P., B. J. Ens, and A. I. Houston. 1998. Optimal avian migration: A dynamic model of fuel stores and site use. *Evolutionary Ecology* 12:377-401.
- Wells, G. P. 1966. The lugworm *Arenicola* - A study in adaptation. *Netherlands Journal of Sea Research* 3:294-313.
- Wetlands International. 2006. Waterbird Population Estimates – Fourth Edition. Wetlands International, Wageningen.
- Whitfield, D. P. 2003. Redshank *Tringa totanus* flocking behaviour, distance from cover and vulnerability to sparrowhawk *Accipiter nisus* predation. *Journal of Avian Biology* 34:163-169.
- Wiersma, P., and T. Piersma. 1994. Effects of microhabitat, flocking, climate and migratory goal on energy expenditure in the annual cycle of red knots. *Condor* 96:257-279.
- Wiersma, P., and T. Piersma. 1995. Scoring abdominal profiles to characterize migratory cohorts of shorebirds: an example with red knots. *Journal of Field Ornithology* 66:88-98.
- Wilson, E. O. 1992. *The Diversity of Life*. Harvard University Press, Harvard.
- Wilson, J. R., S. Nebel, and C. D. T. Minton. 2007. Migration ecology and morphometrics of two bar-tailed godwit populations in Australia. *Emu* 107:262-274.

Y

- Yang, H.-Y., B. Chen, Z.-J. Ma, N. Hua, J. A. van Gils, Z.-W. Zhang, and T. Piersma. 2013. Economic design in a long-distance migrating molluscivore: how fast-fuelling red knots in Bohai Bay, China, get away with small gizzards. *Journal of Experimental Biology* 216:3627-3636.

- Ydenberg, R. C., R. W. Butler, D. B. Lank, C. G. Guglielmo, M. Lemon, and N. Wolf. 2002. Trade-offs, condition dependence and stopover site selection by migrating sandpipers. *Journal of Avian Biology* 33:47-55.
- Ydenberg, R. C., R. W. Butler, D. B. Lank, B. D. Smith, and J. Ireland. 2004. Western sandpipers have altered migration tactics as peregrine falcon populations have recovered. *Proceedings of the Royal Society B: Biological Sciences* 271:1263-1269.

Z

- Zaldúa, N., and D. E. Naya. 2014. Digestive flexibility during fasting in fish: A review. *Comparative Biochemistry and Physiology A-Physiology* 169:7-14.
- Zar J.H. 1996. *Biostatistical Analysis*. Third edition. Prentice-Hall, London.
- Zharikov, Y., and G. A. Skilleter. 2002. Sex-specific intertidal habitat use in subtropically wintering bar-tailed godwits. *Canadian Journal of Zoology* 80:1918-1929.
- Zwarts, L. 1988. Numbers and distribution of coastal waders in Guinea-Bissau. *Ardea* 76:42-55.
- Zwarts, L., and A. M. Blomert. 1992. Why knot *Calidris canutus* take medium sized *Macoma balthica* when 6 prey species are available. *Marine Ecology-Progress Series* 83:113-128.
- Zwarts, L., A. M. Blomert, B. J. Ens, R. Hupkes, and T. M. van Spanje. 1990. Why do waders reach high feeding densities on the intertidal flats of the Banc d'Arguin, Mauritania. *Ardea* 78:39-52.
- Zwarts, L., and S. Dirksen. 1990. Digestive bottleneck limits the increase in food intake of whimbrels preparing for spring migration from the Banc d'Arguin, Mauritania. *Ardea* 78:257-278.
- Zwarts, L., B. J. Ens, J. D. GossCustard, J. B. Hulscher, and M. Kersten. 1996. Why oystercatchers *Haematopus ostralegus* cannot meet their daily energy requirements in a single low water period. *Ardea* 84A:269-290.
- Zwarts, L., and P. Esselink. 1989. Versatility of male curlews *Numenius arquata* preying upon *Nereis diversicolor*: deploying contrasting capture modes dependent on prey availability. *Marine Ecology-Progress Series* 56:255-269.
- Zwarts, L., J. B. Hulscher, K. Koopman, T. Piersma, and P. M. Zegers. 1996. Seasonal and annual variation in body weight, nutrient stores and mortality of oystercatchers *Haematopus ostralegus*. *Ardea* 84A:327-356.
- Zwarts, L., and J. Wanink. 1989. Siphon size and burying depth in deposit-feeding and suspension-feeding benthic bivalves. *Marine Biology* 100:227-240.
- Zwarts, L., and J. H. Wanink. 1984. How oystercatchers and curlews successively deplete clams. Pages 69-83 *In* P. R. Evans, J. D. Goss-Custard, and W. G. Hale, editors. *Coastal waders and wildfowl in winter*. Cambridge University Press., Cambridge.
- Zwarts, L., and J. H. Wanink. 1991. The macrobenthos fraction accessible to waders may represent marginal prey. *Oecologia* 87:581-587.
- Zwarts, L., and J. H. Wanink. 1993. How the food supply harvestable by waders in the Wadden Sea depends on the variation in energy density, body weight, biomass, burying depth and behavior of tidal-flat invertebrates. *Netherlands Journal of Sea Research* 31:441-476.

