

University of Groningen

The *hansenula polymorpha* pex23 family: overlooked proteins In organelle formation

Wu, Fei

DOI:
[10.33612/diss.157801525](https://doi.org/10.33612/diss.157801525)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2021

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):
Wu, F. (2021). *The hansenula polymorpha pex23 family: overlooked proteins In organelle formation*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen.
<https://doi.org/10.33612/diss.157801525>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

1. *Hansenula polymorpha* Pex32 is required to form peroxisome-ER contact sites, but not for preperoxisomal vesicle formation (Chapter II). 2. In *Hansenula polymorpha* pex23 and pex29 cells, the mitochondrial defects are most likely due to changes in lipid composition (Chapter IV). 3. Three-way contact sites between peroxisomes, the endoplasmic reticulum and the plasma-membrane contribute to peroxisomal lipid uptake (Krikken et al., 2020, *J. Cell Biol.* 219:e201906023; Hulmes et al., 2020, *J. Cell Biol.* 219:e201906021; Chapter II). 4. Studying the role of ER contact sites in recruiting and sorting functional proteins can help to better understand the observation that both mitochondrial fission and fusion occur at the ER-mitochondria contact sites (Abrisch et al., 2020, *J. Cell Biol.* 219:e201911122). 5. Bioinformatics and biochemical approaches are essential in membrane contact site research (Scorrano et al., 2019, *Nat. Commun.* 10:1287). 6. “It is the time you have wasted for your rose that makes your rose so important. (The little prince)” 7. “The water supporting a ship can also upset it. (???.???)” 8. The coronavirus will disappear in the end, while what we have learned from it will accompany us forever. 9. Exercising to get healthy is not suitable for everyone.