

University of Groningen

Biophysical self-organization of coastal wetlands

van de Vijssel, Roeland Christiaan

DOI:
[10.33612/diss.160081233](https://doi.org/10.33612/diss.160081233)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2021

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):
van de Vijssel, R. C. (2021). *Biophysical self-organization of coastal wetlands: Unraveling spatial complexity on tidal flats and marshes, from the Precambrian to today*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen. <https://doi.org/10.33612/diss.160081233>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.



References

References

- Allen, J. R. L. (1987). Streamwise erosional structures in muddy sediments, Severn Estuary, southwestern UK. *Geografiska Annaler: Series A, Physical Geography*, 69(1), 37-46.
- Andres, M. S., & Reid, R. P. (2006). Growth morphologies of modern marine stromatolites: a case study from Highborne Cay, Bahamas. *Sedimentary Geology*, 185(3-4), 319-328.
- Arkema, K. K., Guannel, G., Verutes, G., Wood, S. A., Guerry, A., Ruckelshaus, M., ... & Silver, J. M. (2013). Coastal habitats shield people and property from sea-level rise and storms. *Nature climate change*, 3(10), 913-918.
- Atwood, T. B., Connolly, R. M., Ritchie, E. G., Lovelock, C. E., Heithaus, M. R., Hays, G. C., Fourqurean, J. W. & Macreadie, P. I. (2015). Predators help protect carbon stocks in blue carbon ecosystems. *Nature Climate Change*, 5(12), 1038.
- Balke, T., Bouma, T. J., Horstman, E. M., Webb, E. L., Erfteimeijer, P. L., & Herman, P. M. (2011). Windows of opportunity: thresholds to mangrove seedling establishment on tidal flats. *Marine Ecology Progress Series*, 440, 1-9.
- Balke, T., Herman, P. M., & Bouma, T. J. (2014). Critical transitions in disturbance-driven ecosystems: identifying windows of opportunity for recovery. *Journal of Ecology*, 102(3), 700-708.
- Balke, T., Webb, E. L., van den Elzen, E., Galli, D., Herman, P. M., & Bouma, T. J. (2013). Seedling establishment in a dynamic sedimentary environment: a conceptual framework using mangroves. *Journal of Applied Ecology*, 50(3), 740-747.
- Baptist, M. J., Babovic, V., Rodríguez Uthurburu, J., Keijzer, M., Uittenbogaard, R. E., Mynett, A., & Verwey, A. (2007). On inducing equations for vegetation resistance. *Journal of Hydraulic Research*, 45(4), 435-450.
- Barbier, E. B., Koch, E. W., Silliman, B. R., Hacker, S. D., Wolanski, E., Primavera, J., ... & Stoms, D. M. (2008). Coastal ecosystem-based management with nonlinear ecological functions and values. *Science*, 319(5861), 321-323.
- Barbier, N., Couteron, P., Lejoly, J., Deblauwe, V., & Lejeune, O. (2006). Self-organized vegetation patterning as a fingerprint of climate and human impact on semi-arid ecosystems. *Journal of Ecology*, 94(3), 537-547.
- Bastiaansen, R., Jaïbi, O., Deblauwe, V., Eppinga, M. B., Siteur, K., Siero, E., Mermoz, S., Bouvet, A., Doelman, A. & Rietkerk, M. (2018). Multistability of model and real dryland ecosystems through spatial self-organization. *Proceedings of the National Academy of Sciences*, 115(44), 11256-11261.
- Best, Ü. S., van der Wegen, M., Dijkstra, J., Willemsen, P. W. J. M., Borsje, B. W., & Roelvink, D. J. (2018). Do salt marshes survive sea level rise? Modelling wave action, morphodynamics and vegetation dynamics. *Environmental modelling & software*, 109, 152-166.

- Bishop, R. C. (2008). Downward causation in fluid convection. *Synthese*, 160(2), 229-248.
- Black, M. (1933). The algal sediments of Andros Island, Bahamas. *R. Soc. Phil. Trans. B*, 122, 169-192.
- Blanchard, G. F., Paterson, D. M., Stal, L. J., Richard, P., Galois, R., Huet, V., Kelly, J., Honeywill, C., de Brouwer, J., Dyer, K., Christie, M. & Seguignes, M. (2000). The effect of geomorphological structures on potential biostabilisation by microphytobenthos on intertidal mudflats. *Continental Shelf Research*, 20(10-11), 1243-1256.
- Borsje, B. W., van Wesenbeeck, B. K., Dekker, F., Paalvast, P., Bouma, T. J., van Katwijk, M. M., & de Vries, M. B. (2011). How ecological engineering can serve in coastal protection. *Ecological Engineering*, 37(2), 113-122.
- Bosak, T., & Newman, D. K. (2003). Microbial nucleation of calcium carbonate in the Precambrian. *Geology*, 31(7), 577-580.
- Bosak, T., Knoll, A. H., & Petroff, A. P. (2013). The meaning of stromatolites. *Annual Review of Earth and Planetary Sciences*, 41, 21-44.
- Bouma, T. J., de Vries, M. B., Low, E., Peralta, G., Tánzos, I. V., van de Koppel, J., & Herman, P. M. J. (2005). Trade-offs related to ecosystem engineering: A case study on stiffness of emerging macrophytes. *Ecology*, 86(8), 2187-2199.
- Bouma, T. J., Olenin, S., Reise, K., & Ysebaert, T. (2009). Ecosystem engineering and biodiversity in coastal sediments: posing hypotheses. *Helgoland Marine Research*, 63(1), 95-106.
- Bouma, T. J., Temmerman, S., van Duren, L. A., Martini, E., Vandenbruwaene, W., Callaghan, D. P., ... & Dekker, F. (2013). Organism traits determine the strength of scale-dependent bio-geomorphic feedbacks: a flume study on three intertidal plant species. *Geomorphology*, 180, 57-65.
- Bouma, T. J., van Belzen, J., Balke, T., van Dalen, J., Klaassen, P., Hartog, A. M., ... & Herman, P. M. J. (2016). Short-term mudflat dynamics drive long-term cyclic salt marsh dynamics. *Limnology and Oceanography*, 61(6), 2261-2275.
- Bouma, T. J., van Duren, L. A., Temmerman, S., Claverie, T., Blanco-Garcia, A., Ysebaert, T., & Herman, P. M. J. (2007). Spatial flow and sedimentation patterns within patches of epibenthic structures: Combining field, flume and modelling experiments. *Continental Shelf Research*, 27(8), 1020-1045.
- Brasier, M. D. (2011). Towards a null hypothesis for stromatolites. In *Earliest life on Earth: Habitats, environments and methods of detection* (pp. 115-125). Springer, Dordrecht.
- Brinkman, A., Dankers, N. M. J. A., & van Stralen, M. (2002). An analysis of mussel bed habitats in the Dutch Wadden Sea. *Helgoland Marine Research*, 56(1), 59.
- Burne, R. V., & Moore, L. S. (1987). Microbialites: organosedimentary deposits of benthic microbial communities. *Palaios*, 241-254.
- Burton, T. M., & Uzarski, D. G. (2009). Biodiversity in protected coastal wetlands along the west coast of Lake Huron. *Aquatic Ecosystem Health & Management*, 12(1), 63-76.

- Butterfield NJ. 2004. A vaucheriacean alga from the middle Neoproterozoic of Spitsbergen: implications for the evolution of Proterozoic eukaryotes and the Cambrian explosion. *Paleobiology* **30** : 231–252.
- Cady, S. L., & Noffke, N. (2009). Geobiology: evidence for early life on Earth and the search for life on other planets. *GSA Today*, *19*(11).
- Cady, S. L., Farmer, J. D., Grotzinger, J. P., Schopf, J. W., & Steele, A. (2003). Morphological biosignatures and the search for life on Mars. *Astrobiology*, *3*(2), 351-368.
- Campbell, D. T. (1974). 'Downward causation' in hierarchically organised biological systems. In *Studies in the Philosophy of Biology* (pp. 179-186). Palgrave, London.
- Cao, H., Zhu, Z., Balke, T., Zhang, L., & Bouma, T. J. (2018). Effects of sediment disturbance regimes on *Spartina* seedling establishment: Implications for salt marsh creation and restoration. *Limnology and Oceanography*, *63*(2), 647-659.
- Carling, P. A., Williams, J. J., Croudace, I. W., & Amos, C. L. (2009). Formation of mud ridge and runnels in the intertidal zone of the Severn Estuary, UK. *Continental Shelf Research*, *29*(16), 1913-1926.
- Chmura, G. L., Anisfeld, S. C., Cahoon, D. R., & Lynch, J. C. (2003). Global carbon sequestration in tidal, saline wetland soils. *Global biogeochemical cycles*, *17*(4).
- Chow, V.T. (1959). Open-Channel Hydraulics. *McGraw-Hill*.
- Christianen, M. J., van Belzen, J., Herman, P. M., van Katwijk, M. M., Lamers, L. P., van Leent, P. J., & Bouma, T. J. (2013). Low-canopy seagrass beds still provide important coastal protection services. *PLoS one*, *8*(5), e62413.
- Corenblit, D., Tabacchi, E., Steiger, J., & Gurnell, A. M. (2007). Reciprocal interactions and adjustments between fluvial landforms and vegetation dynamics in river corridors: a review of complementary approaches. *Earth-Science Reviews*, *84*(1-2), 56-86.
- Cornacchia, L., van de Koppel, J., van der Wal, D., Wharton, G., Puijalon, S., & Bouma, T. J. (2018). Landscapes of facilitation: how self-organized patchiness of aquatic macrophytes promotes diversity in streams. *Ecology*, *99*(4), 832-847.
- Cornacchia, L., Wharton, G., Davies, G., Grabowski, R. C., Temmerman, S., van der Wal, D., ... & van de Koppel, J. (2020). Self-organization of river vegetation leads to emergent buffering of river flows and water levels. *Proceedings of the Royal Society B*, *287*(1931), 20201147.
- Couteron, P., & Lejeune, O. (2001). Periodic spotted patterns in semi-arid vegetation explained by a propagation-inhibition model. *Journal of Ecology*, *89*(4), 616-628.
- Crawley, M. J. (2015). *Statistics: an introduction using R. Second Edition*. John Wiley & Sons Ltd.
- D'Alpaos, A., Lanzoni, S., Marani, M., Fagherazzi, S., & Rinaldo, A. (2005). Tidal network ontogeny: Channel initiation and early development. *Journal of Geophysical Research: Earth Surface*, *110*(F2).
- Dabkowski, J., Royle, S. H., Antoine, P., Marca-Bell, A., & Andrews, J. E. (2015). High-resolution $\delta^{18}\text{O}$ seasonality record in a French Eemian tufa stromatolite (Caours,

- Somme Basin). *Palaeogeography, palaeoclimatology, palaeoecology*, 438, 277-284.
- Daggers, T. D., van Oevelen, D., Herman, P. M., Boschker, H. T., & van der Wal, D. (2020). Spatial variability in macrofaunal diet composition and grazing pressure on microphytobenthos in intertidal areas. *Limnology and Oceanography*.
- Davies, N. S., & Gibling, M. R. (2010). Cambrian to Devonian evolution of alluvial systems: the sedimentological impact of the earliest land plants. *Earth-Science Reviews*, 98(3-4), 171-200.
- de Boer, P. L. (1981). Mechanical effects of micro-organisms on intertidal bedform migration. *Sedimentology*, 28(1), 129-132.
- de Brouwer, J. F. C., Bjelic, S., de Deckere, E. M. G. T., & Stal, L. J. (2000). Interplay between biology and sedimentology in a mudflat (Biezelingse Ham, Westerschelde, The Netherlands). *Continental shelf research*, 20(10-11), 1159-1177.
- Doedel, E. J., Champneys, A. R., Fairgrieve, T. F., Kuznetsov, Y. A., Sandstede, B., & Wang, X. (1997). AUTO 97: Continuation and bifurcation software for ordinary differential equations (with HomCont).
- Du, M., & Noguchi, N. (2017). Monitoring of wheat growth status and mapping of wheat yield's within-field spatial variations using color images acquired from UAV-camera system. *Remote Sensing*, 9(3), 289.
- Durán, O., & Herrmann, H. J. (2006). Vegetation against dune mobility. *Physical review letters*, 97(18), 188001.
- Engle, V. D. (2011). Estimating the provision of ecosystem services by Gulf of Mexico coastal wetlands. *Wetlands*, 31(1), 179-193.
- Fagherazzi, S., FitzGerald, D. M., Fulweiler, R. W., Hughes, Z., Wiberg, P. L., McGlathery, K. J., ... & Johnson, D. S. (2013). Ecogeomorphology of tidal flats.
- Fassett, C. I., & Head III, J. W. (2005). Fluvial sedimentary deposits on Mars: Ancient deltas in a crater lake in the Nili Fossae region. *Geophysical Research Letters*, 32(14).
- Fivash, G. S., Belzen, J. V., Temmink, R. J., Didderen, K., Lengkeek, W., Heide, T. V. D., & Bouma, T. J. (2020). Elevated micro-topography boosts growth rates in *Salicornia procumbens* by amplifying a tidally driven oxygen pump: implications for natural recruitment and restoration. *Annals of Botany*, 125(2), 353-364.
- Flack, J. C. (2017). Coarse-graining as a downward causation mechanism. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 375(2109), 20160338.
- Fonseca, M. S. (1989). Sediment stabilization by *Halophila decipiens* in comparison to other seagrasses. *Estuarine, Coastal and Shelf Science*, 29(5), 501-507.
- Franca, M. J., & Lemmin, U. (2006). Cross-section periodicity of turbulent gravel-bed river flows. *Proc of the 4th River, Coastal, and Estuarine Morphodynamics: RCEM*, 1, 203-10.

- French, C. E., French, J. R., Clifford, N. J., & Watson, C. J. (2000). Sedimentation–erosion dynamics of abandoned reclamations: the role of waves and tides. *Continental Shelf Research*, 20(12-13), 1711-1733.
- Freytet, P., & Verrecchia, E. P. (1998). Freshwater organisms that build stromatolites: a synopsis of biocrystallization by prokaryotic and eukaryotic algae. *Sedimentology*, 45(3), 535-563.
- Friend, P. L., Lucas, C. H., Holligan, P. M., & Collins, M. B. (2008). Microalgal mediation of ripple mobility. *Geobiology*, 6(1), 70-82.
- Gallagher, S. B., & Humm, H. J. (1981). *Vaucheria* (Xanthophyceae, Vaucheriaceae) of the central Florida gulf coast. *Bulletin of Marine Science*, 31(1), 184-190.
- Garofalo, D. (1980). The influence of wetland vegetation on tidal stream channel migration and morphology. *Estuaries*, 3(4), 258-270.
- Garofalo, D. (1980). The influence of wetland vegetation on tidal stream channel migration and morphology. *Estuaries*, 3(4), 258-270.
- Gedan, K. B., Silliman, B. R., & Bertness, M. D. (2009). Centuries of human-driven change in salt marsh ecosystems. *Annual review of marine science*, 1, 117-141.
- Gerald, D. F., Buynevich, I., & Argow, B. (2006). Model of tidal inlet and barrier island dynamics in a regime of accelerated sea level rise. *Journal of Coastal Research*, 789-795.
- Gibling, M. R., & Davies, N. S. (2012). Palaeozoic landscapes shaped by plant evolution. *Nature Geoscience*, 5(2), 99.
- Golubić, S., Violante, C., Plenković-Moraj, A., & Grgasović, T. (2008). Travertines and calcareous tufa deposits: an insight into diagenesis. *Geologia Croatica*, 61(2-3), 363-378.
- Gouleau, D., Jouanneau, J. M., Weber, O., & Sauriau, P. G. (2000). Short-and long-term sedimentation on Montportail–Brouage intertidal mudflat, Marennes–Oleron Bay (France). *Continental Shelf Research*, 20(12-13), 1513-1530.
- Grabowski, R. C., Droppo, I. G., & Wharton, G. (2011). Erodibility of cohesive sediment: The importance of sediment properties. *Earth-Science Reviews*, 105(3-4), 101-120.
- Grotzinger, J. P., & Knoll, A. H. (1999). Stromatolites in Precambrian carbonates: evolutionary mileposts or environmental dipsticks?. *Annual review of earth and planetary sciences*, 27(1), 313-358.
- Grotzinger, J. P., & Rothman, D. H. (1996). An abiotic model for stromatolite morphogenesis. *Nature*, 383(6599), 423.
- Guichard, F., Halpin, P. M., Allison, G. W., Lubchenco, J., & Menge, B. A. (2003). Mussel disturbance dynamics: signatures of oceanographic forcing from local interactions. *The American Naturalist*, 161(6), 889-904.
- Han, K., Kokot, G., Tovkach, O., Glatz, A., Aranson, I. S., & Snezhko, A. (2020). Emergence of self-organized multivortex states in flocks of active rollers. *Proceedings of the National Academy of Sciences*, 117(18), 9706-9711.
- Hardy, T. A., & Young, I. R. (1996). Field study of wave attenuation on an offshore coral reef. *Journal of Geophysical Research: Oceans*, 101(C6), 14311-14326.

- Harzhauser, M., Peckmann, J., Birgel, D., Draganits, E., Mandic, O., Theobalt, D., & Huemer, J. (2014). Stromatolites in the Paratethys Sea during the Middle Miocene climate transition as witness of the Badenian salinity crisis. *Facies*, *60*(2), 429-444.
- HilleRisLambers, R., Rietkerk, M., van den Bosch, F., Prins, H. H., & de Kroon, H. (2001). Vegetation pattern formation in semi-arid grazing systems. *Ecology*, *82*(1), 50-61.
- Horodyski, R. J. (1982). Impressions of algal mats from the Middle Proterozoic Belt Supergroup, northwestern Montana, USA. *Sedimentology*, *29*(2), 285-289.
- Horstman, E. M., Dohmen-Janssen, C. M., Bouma, T. J., & Hulscher, S. J. (2015). Tidal-scale flow routing and sedimentation in mangrove forests: Combining field data and numerical modelling. *Geomorphology*, *228*, 244-262.
- Hu, Z., Belzen, J., Wal, D., Balke, T., Wang, Z. B., Stive, M., & Bouma, T. J. (2015). Windows of opportunity for salt marsh vegetation establishment on bare tidal flats: The importance of temporal and spatial variability in hydrodynamic forcing. *Journal of Geophysical Research: Biogeosciences*, *120*(7), 1450-1469.
- Hughes, R. G., & Paramor, O. A. L. (2004). On the loss of saltmarshes in south-east England and methods for their restoration. *Journal of applied ecology*, *41*(3), 440-448.
- Hughes, Z. J. (2012). Tidal channels on tidal flats and marshes. In *Principles of Tidal Sedimentology* (pp. 269-300). Springer, Dordrecht.
- James, R. K., Silva, R., van Tussenbroek, B. I., Escudero-Castillo, M., Mariño-Tapia, I., Dijkstra, H. A., van Westen, R. M., Pietrzak, J. D., Candy, A. S., Katsman, C. A., van der Boog, C. G., Riva, R. E. M., Slobbe, C., Klees, R., Stapel, J., van der Heide, T., van Katwijk, M., Herman, P. M. J. & Bouma, T.J. (2019). Maintaining tropical beaches with seagrass and algae: a promising alternative to engineering solutions. *BioScience*, *69*(2), 136-142.
- Jerzykiewicz, T., & Sweet, A. R. (1988). Sedimentological and palynological evidence of regional climatic changes in the Campanian to Paleocene sediments of the Rocky Mountain Foothills, Canada. *Sedimentary geology*, *59*(1-2), 29-76.
- Jones, C. G., Lawton, J. H., & Shachak, M. (1994). Organisms as ecosystem engineers. In *Ecosystem management* (pp. 130-147). Springer, New York, NY.
- Kearney, W. S., & Fagherazzi, S. (2016). Salt marsh vegetation promotes efficient tidal channel networks. *Nature communications*, *7*, 12287.
- Kéfi, S., Guttal, V., Brock, W. A., Carpenter, S. R., Ellison, A. M., Livina, V. N., Seekell, D. A., Scheffer, M., van Nes, E. H. & Dakos, V. (2014). Early warning signals of ecological transitions: methods for spatial patterns. *PLoS one*, *9*(3), e92097.
- Kéfi, S., Holmgren, M., & Scheffer, M. (2016). When can positive interactions cause alternative stable states in ecosystems?. *Functional Ecology*, *30*(1), 88-97.
- Kéfi, S., Rietkerk, M., Alados, C. L., Pueyo, Y., Papanastasis, V. P., ElAich, A., & de Ruiter, P. C. (2007). Spatial vegetation patterns and imminent desertification in Mediterranean arid ecosystems. *Nature*, *449*(7159), 213.

- Kéfi, S., Rietkerk, M., Roy, M., Franc, A., de Ruiter, P. C., & Pascual, M. (2011). Robust scaling in ecosystems and the meltdown of patch size distributions before extinction. *Ecology letters*, *14*(1), 29-35.
- Kendrick, G. A., Marbà, N., & Duarte, C. M. (2005). Modelling formation of complex topography by the seagrass *Posidonia oceanica*. *Estuarine, Coastal and Shelf Science*, *65*(4), 717-725.
- Kirwan, M. L., & Megonigal, J. P. (2013). Tidal wetland stability in the face of human impacts and sea-level rise. *Nature*, *504*(7478), 53-60.
- Kirwan, M. L., & Murray, A. B. (2007). A coupled geomorphic and ecological model of tidal marsh evolution. *Proceedings of the National Academy of Sciences*, *104*(15), 6118-6122.
- Kjerfve, B., Miranda, L. B., & Wolanski, E. (1991). Modelling water circulation in an estuary and intertidal salt marsh system. *Netherlands Journal of Sea Research*, *28*(3), 141-147.
- Klausmeier, C. A. (1999). Regular and irregular patterns in semiarid vegetation. *Science*, *284*(5421), 1826-1828.
- Knoll, A. H., & Golubic, S. (1979). Anatomy and taphonomy of a Precambrian algal stromatolite. *Precambrian Research*, *10*(1-2), 115-151.
- Kondo, S. (2002). The reaction-diffusion system: a mechanism for autonomous pattern formation in the animal skin. *Genes to Cells*, *7*(6), 535-541.
- Lanuru, M., Riethmüller, R., van Bernem, C., & Heymann, K. (2007). The effect of bedforms (crest and trough systems) on sediment erodibility on a back-barrier tidal flat of the East Frisian Wadden Sea, Germany. *Estuarine, Coastal and Shelf Science*, *72*(4), 603-614.
- Lawrence, P. J., Smith, G. R., Sullivan, M. J., & Mossman, H. L. (2018). Restored saltmarshes lack the topographic diversity found in natural habitat. *Ecological Engineering*, *115*, 58-66.
- Le Hir, P., Monbet, Y., & Orvain, F. (2007). Sediment erodability in sediment transport modelling: can we account for biota effects?. *Continental Shelf Research*, *27*(8), 1116-1142.
- Leigh, C., & Sheldon, F. (2009). Hydrological connectivity drives patterns of macroinvertebrate biodiversity in floodplain rivers of the Australian wet/dry tropics. *Freshwater Biology*, *54*(3), 549-571.
- Lettéron, A., Fournier, F., Hamon, Y., Villier, L., Margerel, J. P., Bouche, A., Feist, M., & Joseph, P. (2017). Multi-proxy paleoenvironmental reconstruction of saline lake carbonates: Paleoclimatic and paleogeographic implications (Priabonian-Rupelian, Issirac Basin, SE France). *Sedimentary Geology*, *358*, 97-120.
- Liu, Q. X., Doelman, A., Rottschäfer, V., de Jager, M., Herman, P. M., Rietkerk, M., & van de Koppel, J. (2013). Phase separation explains a new class of self-organized spatial patterns in ecological systems. *Proceedings of the National Academy of Sciences*, *110*(29), 11905-11910.

- Liu, Q. X., Herman, P. M., Mooij, W. M., Huisman, J., Scheffer, M., Olf, H., & van de Koppel, J. (2014b). Pattern formation at multiple spatial scales drives the resilience of mussel bed ecosystems. *Nature communications*, *5*, 5234.
- Liu, Q. X., Weerman, E. J., Gupta, R., Herman, P. M., Olf, H., & van de Koppel, J. (2014a). Biogenic gradients in algal density affect the emergent properties of spatially self-organized mussel beds. *Journal of The Royal Society Interface*, *11*(96), 20140089.
- Liu, Q. X., Weerman, E. J., Herman, P. M., Olf, H., & van de Koppel, J. (2012). Alternative mechanisms alter the emergent properties of self-organization in mussel beds. *Proceedings of the royal society B: biological sciences*, *279*(1739), 2744-2753.
- Loder, N. M., Irish, J. L., Cialone, M. A., & Wamsley, T. V. (2009). Sensitivity of hurricane surge to morphological parameters of coastal wetlands. *Estuarine, Coastal and Shelf Science*, *84*(4), 625-636.
- Logan B.W. 1961. Cryptozoon and Associate Stromatolites from the Recent , Shark Bay , Western Australia Author (s): Brian W . Logan Source : The Journal of Geology, Vol . 69 , No . 5 (Sep . , 1961) , pp . 517-533 Published by : The University of Chicago Press Stable UR. **69** : 517-533.
- Logan, B. W., Rezak, R., & Ginsburg, R. N. (1964). Classification and environmental significance of algal stromatolites. *The Journal of Geology*, *72*(1), 68-83.
- MacNaughton, R., Dalrymple, R., & Narbonne, G. (1997). Early Cambrian braid-delta deposits, MacKenzie Mountains, north-western Canada. *Sedimentology*, *44*(4), 587-609.
- Marani, M., Belluco, E., D'Alpaos, A., Defina, A., Lanzoni, S., & Rinaldo, A. (2003). On the drainage density of tidal networks. *Water Resources Research*, *39*(2).
- Marani, M., D'Alpaos, A., Lanzoni, S., Carniello, L., & Rinaldo, A. (2007). Biologically-controlled multiple equilibria of tidal landforms and the fate of the Venice lagoon. *Geophysical Research Letters*, *34*(11).
- Mariotti, G., & Fagherazzi, S. (2012). Channels-tidal flat sediment exchange: The channel spillover mechanism. *Journal of Geophysical Research: Oceans*, *117*(C3).
- Mariotti, G., Kearney, W. S., & Fagherazzi, S. (2016). Soil creep in salt marshes. *Geology*, *44*(6), 459-462.
- Mariotti, G., Perron, J. T., & Bosak, T. (2014). Feedbacks between flow, sediment motion and microbial growth on sand bars initiate and shape elongated stromatolite mounds. *Earth and Planetary Science Letters*, *397*, 93-100.
- Mason, C. F., Underwood, G. J. C., Baker, N. R., Davey, P. A., Davidson, I., Hanlon, A., ... & Watson, A. (2003). The role of herbicides in the erosion of salt marshes in eastern England. *Environmental Pollution*, *122*(1), 41-49.
- May, R. M. (1977). Thresholds and breakpoints in ecosystems with a multiplicity of stable states. *Nature*, *269*(5628), 471.
- McCave, I. N., & Geiser, A. C. (1979). Megaripples, ridges and runnels on intertidal flats of the Wash, England. *Sedimentology*, *26*(3), 353-369.

- McKay, C. P. (1997). The search for life on Mars. In *Planetary and Interstellar Processes Relevant to the Origins of Life* (pp. 263-289). Springer, Dordrecht.
- McLeod, E., Chmura, G. L., Bouillon, S., Salm, R., Björk, M., Duarte, C. M., Lovelock, C. E., Schlesinger, W. H. & Silliman, B. R. (2011). A blueprint for blue carbon: toward an improved understanding of the role of vegetated coastal habitats in sequestering CO₂. *Frontiers in Ecology and the Environment*, 9(10), 552-560.
- McNeil, M., Nothdurft, L., Dyriv, N. J., Webster, J. M., & Beaman, R. J. (2020). Morphotype differentiation in the Great Barrier Reef Halimeda bioherm carbonate factory: Internal architecture and surface geomorphometrics. *The Depositional Record*.
- Medeiros, S. C., & Hagen, S. C. (2013). Review of wetting and drying algorithms for numerical tidal flow models. *International journal for numerical methods in fluids*, 71(4), 473-487.
- Meinhardt, H. (2003). *The Algorithmic Beauty of Sea Shells*. Springer Science & Business Media.
- Mendelssohn, I. A., & Seneca, E. D. (1980). The influence of soil drainage on the growth of salt marsh cordgrass *Spartina alterniflora* in North Carolina. *Estuarine and Coastal Marine Science*, 11(1), 27-40.
- Millennium Ecosystem Assessment (2005). *Ecosystems and Human Well-Being: Wetlands and Water. Synthesis*. World Resources Institute, Washington, DC.
- Mistr, S., & Bercovici, D. (2003). A theoretical model of pattern formation in coral reefs. *Ecosystems*, 6(1), 0061-0074.
- Mitsch, W. J., & Wang, N. (2000). Large-scale coastal wetland restoration on the Laurentian Great Lakes: determining the potential for water quality improvement. *Ecological Engineering*, 15(3-4), 267-282.
- Möller, I., Kudella, M., Rupprecht, F., Spencer, T., Paul, M., van Wesenbeeck, B. K., ... & Schimmels, S. (2014). Wave attenuation over coastal salt marshes under storm surge conditions. *Nature Geoscience*, 7(10), 727-731.
- Montgomery, D. R., & Dietrich, W. E. (1992). Channel initiation and the problem of landscape scale. *Science*, 255(5046), 826-830.
- Morris, J. T., Sundareshwar, P. V., Nietch, C. T., Kjerfve, B., & Cahoon, D. R. (2002). Responses of coastal wetlands to rising sea level. *Ecology*, 83(10), 2869-2877.
- Morris, R. K., Reach, I. S., Duffy, M. J., Collins, T. S., & Leafe, R. N. (2004). On the loss of saltmarshes in south-east England and the relationship with *Nereis diversicolor*. *Journal of Applied Ecology*, 41(4), 787-791.
- Mossman, H. L., Davy, A. J., & Grant, A. (2012). Does managed coastal realignment create saltmarshes with 'equivalent biological characteristics' to natural reference sites?. *Journal of Applied Ecology*, 49(6), 1446-1456.
- Murray, A. B., & Paola, C. (2003). Modelling the effect of vegetation on channel pattern in bedload rivers. *Earth Surface Processes and Landforms: The Journal of the British Geomorphological Research Group*, 28(2), 131-143.

- Ndiaye, M., Davaud, E. J., Ariztegui, D., & Fall, M. (2012). A semi automated method for laminated sediments analysis. *International Journal of Geosciences*, 3(01), 206-210.
- Neumann, A. C., Gebelein, C. D., & Scoffin, T. P. (1970). The composition, structure and erodability of subtidal mats, Abaco, Bahamas. *Journal of Sedimentary Research*, 40(1), 274-297.
- Neumeier, U., & Ciavola, P. (2004). Flow resistance and associated sedimentary processes in a *Spartina maritima* salt-marsh. *Journal of Coastal Research*, 435-447.
- Newell, R. I., & Koch, E. W. (2004). Modeling seagrass density and distribution in response to changes in turbidity stemming from bivalve filtration and seagrass sediment stabilization. *Estuaries*, 27(5), 793-806.
- Nicholls, R. J., Hoozemans, F. M., & Marchand, M. (1999). Increasing flood risk and wetland losses due to global sea-level rise: regional and global analyses. *Global Environmental Change*, 9, S69-S87.
- Noffke, N. (1999). Erosional remnants and pockets evolving from biotic-physical interactions in a Recent lower supratidal environment. *Sedimentary Geology*, 123(3-4), 175-181.
- Noffke, N. (2008). Turbulent lifestyle: Microbial mats on Earth's sandy beaches—Today and 3 billion years ago. *GSA Today*, 18(10).
- Noffke, N. (2009). The criteria for the biogenicity of microbially induced sedimentary structures (MISS) in Archean and younger, sandy deposits. *Earth-Science Reviews*, 96(3), 173-180.
- Noffke, N. (2010). *Geobiology: Microbial mats in sandy deposits from the Archean Era to today*. Springer Science & Business Media.
- Noffke, N., & Awramik, S. M. (2013). Stromatolites and MISS—differences between relatives. *Gsa Today*, 23(9).
- Noffke, N., & Krumbein, W. E. (1999). A quantitative approach to sedimentary surface structures contoured by the interplay of microbial colonization and physical dynamics. *Sedimentology*, 46(3), 417-426.
- Noffke, N., Beukes, N., Bower, D., Hazen, R. M., & Swift, D. J. P. (2007). An actualistic perspective into Archean worlds—(cyano-) bacterially induced sedimentary structures in the siliciclastic Nhlazatse Section, 2.9 Ga Pongola Supergroup, South Africa. *Geobiology*, 6(1), 5-20.
- Noffke, N., Christian, D., Wacey, D., & Hazen, R. M. (2013). Microbially induced sedimentary structures recording an ancient ecosystem in the ca. 3.48 billion-year-old Dresser Formation, Pilbara, Western Australia. *Astrobiology*, 13(12), 1103-1124.
- Noffke, N., Gerdes, G., Klenke, T., & Krumbein, W. E. (2001). Microbially induced sedimentary structures: a new category within the classification of primary sedimentary structures. *Journal of Sedimentary Research*, 71(5), 649-656.

- O'Brien, D. J., Whitehouse, R. J. S., & Cramp, A. (2000). The cyclic development of a macrotidal mudflat on varying timescales. *Continental Shelf Research*, 20(12-13), 1593-1619.
- Oloff, H. D., de Leeuw, J., Bakker, J. P., Platerink, R. J., & van Wijnen, H. J. (1997). Vegetation succession and herbivory in a salt marsh: changes induced by sea level rise and silt deposition along an elevational gradient. *Journal of Ecology*, 799-814.
- Oloff, H. D., de Leeuw, J., Bakker, J. P., Platerink, R. J., & van Wijnen, H. J. (1997). Vegetation succession and herbivory in a salt marsh: changes induced by sea level rise and silt deposition along an elevational gradient. *Journal of Ecology*, 799-814.
- Oosterlee, L., Cox, T. J., Temmerman, S., & Meire, P. (2019). Effects of tidal re-introduction design on sedimentation rates in previously embanked tidal marshes. *Estuarine, Coastal and Shelf Science*, 106428.
- Paramor, O. A. L., & Hughes, R. G. (2004). The effects of bioturbation and herbivory by the polychaete *Nereis diversicolor* on loss of saltmarsh in south-east England. *Journal of Applied Ecology*, 41(3), 449-463.
- Pascual, M., & Guichard, F. (2005). Criticality and disturbance in spatial ecological systems. *Trends in ecology & evolution*, 20(2), 88-95.
- Passarelli, C., Olivier, F., Paterson, D. M., Meziane, T., & Hubas, C. (2014). Organisms as cooperative ecosystem engineers in intertidal flats. *Journal of Sea Research*, 92, 92-101.
- Paterson, D. M. (1989). Short-term changes in the erodibility of intertidal cohesive sediments related to the migratory behavior of epipellic diatoms. *Limnology and Oceanography*, 34(1), 223-234.
- Paterson, D. M. (1994). Microbiological mediation of sediment structure and behaviour. In *Microbial mats* (pp. 97-109). Springer, Berlin, Heidelberg.
- Paterson, D. M., Tolhurst, T. J., Kelly, J. A., Honeywill, C., de Deckere, E. M. G. T., Huet, V., ... & Davidson, I. (2000). Variations in sediment properties, Skeffling mudflat, Humber Estuary, UK. *Continental Shelf Research*, 20(10-11), 1373-1396.
- Pentecost, A., Merritt, R., & Carter, C. (2014). Growth and calcification of *Vaucheria* (Xanthophyta) on a travertine surface in a temperate freshwater setting. *European journal of phycology*, 49(4), 516-525.
- Perron, J. T., Dietrich, W. E., & Kirchner, J. W. (2008). Controls on the spacing of first-order valleys. *Journal of Geophysical Research: Earth Surface*, 113(F4).
- Perron, J. T., Kirchner, J. W., & Dietrich, W. E. (2009). Formation of evenly spaced ridges and valleys. *Nature*, 460(7254), 502.
- Perron, J. T., Richardson, P. W., Ferrier, K. L., & Lapôtre, M. (2012). The root of branching river networks. *Nature*, 492(7427), 100.
- Pestrong, R. (1969). The shear strength of tidal marsh sediments. *Journal of Sedimentary Research*, 39(1), 322-326.

- Petit, G., & Anfodillo, T. (2009). Plant physiology in theory and practice: an analysis of the WBE model for vascular plants. *Journal of Theoretical Biology*, 259(1), 1-4.
- Petroff, A. P., Sim, M. S., Maslov, A., Krupenin, M., Rothman, D. H., & Bosak, T. (2010). Biophysical basis for the geometry of conical stromatolites. *Proceedings of the National Academy of Sciences*, 107(22), 9956-9961.
- Prosser, I. P., & Slade, C. J. (1994). Gully formation and the role of valley-floor vegetation, southeastern Australia. *Geology*, 22(12), 1127-1130.
- Purkis, S. J., Casini, G., Hunt, D., & Colpaert, A. (2015). Morphometric patterns in Modern carbonate platforms can be applied to the ancient rock record: Similarities between Modern Alacranes Reef and Upper Palaeozoic platforms of the Barents Sea. *Sedimentary Geology*, 321, 49-69.
- Purkis, S. J., van de Koppel, J., & Burgess, P. M. (2016). Spatial self-organization in carbonate depositional environments. *SEPM Spec. Publ*, 106, 53-66.
- Raffaelli, D., Balls, P., Way, S., Patterson, I. J., Hohmann, S., & Corp, N. (1999). Major long-term changes in the ecology of the Ythan estuary, Aberdeenshire, Scotland; how important are physical factors?. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 9(2), 219-236.
- Reid, M. A., Delong, M. D., & Thoms, M. C. (2012). The influence of hydrological connectivity on food web structure in floodplain lakes. *River Research and Applications*, 28(7), 827-844.
- Riding, R. (2000). Microbial carbonates: the geological record of calcified bacterial-algal mats and biofilms. *Sedimentology*, 47, 179-214.
- Riding, R. (2011). Microbialites, stromatolites, and thrombolites. *Encyclopedia of geobiology*, 635-654.
- Rietkerk, M., & van de Koppel, J. (2008). Regular pattern formation in real ecosystems. *Trends in ecology & evolution*, 23(3), 169-175.
- Rietkerk, M., Boerlijst, M. C., van Langevelde, F., HilleRisLambers, R., van de Koppel, J., Kumar, L., Prins, H. H. T. & de Roos, A. M. (2002). Self-organization of vegetation in arid ecosystems. *The American Naturalist*, 160(4), 524-530.
- Rietkerk, M., Dekker, S. C., de Ruyter, P. C., & van de Koppel, J. (2004). Self-organized patchiness and catastrophic shifts in ecosystems. *Science*, 305(5692), 1926-1929.
- Rinaldo, A., Fagherazzi, S., Lanzoni, S., Marani, M., & Dietrich, W. E. (1999). Tidal networks: 2. Watershed delineation and comparative network morphology. *Water Resources Research*, 35(12), 3905-3917.
- Rodriguez-Iturbe, I., & Rinaldo, A. (1997). *Fractal river basins: chance and self-organization*. Cambridge University Press.
- Romano, C., Widdows, J., Brinsley, M. D., & Staff, F. J. (2003). Impact of *Enteromorpha intestinalis* mats on near-bed currents and sediment dynamics: flume studies. *Marine ecology progress series*, 256, 63-74.
- Romme, W. H., Everham, E. H., Frelich, L. E., Moritz, M. A., & Sparks, R. E. (1998). Are large, infrequent disturbances qualitatively different from small, frequent disturbances?. *Ecosystems*, 1(6), 524-534.

- Ruiz-Reynés, D., Gomila, D., Sintes, T., Hernández-García, E., Marbà, N., & Duarte, C. M. (2017). Fairy circle landscapes under the sea. *Science Advances*, *3*(8), e1603262.
- Ruiz-Reynés, D., Schönsberg, F., Hernández-García, E., & Gomila, D. (2020). General model for vegetation patterns including rhizome growth. *Physical Review Research*, *2*(2), 023402.
- Salese, F., McMahon, W. J., Balme, M. R., Ansan, V., Davis, J. M., & Kleinhans, M. G. (2020). Sustained fluvial deposition recorded in Mars' Noachian stratigraphic record. *Nature communications*, *11*(1), 1-8.
- Sarkar S, Choudhuri A, Mandal S. 2016. Microbial mat-related structures shared by both siliciclastic and carbonate formations. *Journal of Palaeogeography* **5** : 278–291.
- Sasser, C. E., Evers-Hebert, E., Holm, G. O., Milan, B., Sasser, J. B., Peterson, E. F., & DeLaune, R. D. (2018). Relationships of marsh soil strength to belowground vegetation biomass in Louisiana coastal marshes. *Wetlands*, *38*(2), 401-409.
- Scheffer, M., Carpenter, S. R., Lenton, T. M., Bascompte, J., Brock, W., Dakos, V., van de Koppel, J., van de Leemput, I. A., Levin, S. A., van Nes, E. H., Pascual, M. & Vandermeer, J. (2012). Anticipating critical transitions. *science*, *338*(6105), 344-348.
- Scheffer, M., Carpenter, S., Foley, J. A., Folke, C., & Walker, B. (2001). Catastrophic shifts in ecosystems. *Nature*, *413*(6856), 591-596.
- Schieber, J. (1999). Microbial mats in terrigenous clastics; the challenge of identification in the rock record. *Palaios*, *14*(1), 3-12.
- Schumm, S. A. (1968). Speculations concerning paleohydrologic controls of terrestrial sedimentation. *Geological Society of America Bulletin*, *79*(11), 1573-1588.
- Schwarz, C., Gourgue, O., van Belzen, J., Zhu, Z., Bouma, T. J., van de Koppel, J., ... & Temmerman, S. (2018). Self-organization of a biogeomorphic landscape controlled by plant life-history traits. *Nature Geoscience*, *11*(9), 672-677.
- Schwarz, C., Ye, Q. H., van der Wal, D., Zhang, L. Q., Bouma, T., Ysebaert, T., & Herman, P. M. J. (2014). Impacts of salt marsh plants on tidal channel initiation and inheritance. *Journal of Geophysical Research: Earth Surface*, *119*(2), 385-400.
- Sherratt, J. A., & Lord, G. J. (2007). Nonlinear dynamics and pattern bifurcations in a model for vegetation stripes in semi-arid environments. *Theoretical population biology*, *71*(1), 1-11.
- Silliman, B. R., Schrack, E., He, Q., Cope, R., Santoni, A., van der Heide, T., ... & van de Koppel, J. (2015). Facilitation shifts paradigms and can amplify coastal restoration efforts. *Proceedings of the National Academy of Sciences*, *112*(46), 14295-14300.
- Simons, J. (1975). *Vaucheria* species from estuarine areas in the Netherlands. *Netherlands Journal of Sea Research*, *9*(1), 1-23.

- Skowroński, T., de Knecht, J. A., Simons, J., & Verkleij, J. A. C. (1998). Phytochelatin synthesis in response to cadmium uptake in *Vaucheria* (Xanthophyceae). *European Journal of Phycology*, 33(1), 87-91.
- Smith, D. G. (1976). Effect of vegetation on lateral migration of anastomosed channels of a glacier meltwater river. *Geological Society of America Bulletin*, 87(6), 857-860.
- Snedden, G. A., Cretini, K., & Patton, B. (2015). Inundation and salinity impacts to above-and belowground productivity in *Spartina patens* and *Spartina alterniflora* in the Mississippi River deltaic plain: Implications for using river diversions as restoration tools. *Ecological Engineering*, 81, 133-139.
- Stal, L. J. (2010). Microphytobenthos as a biogeomorphological force in intertidal sediment stabilization. *Ecological Engineering*, 36(2), 236-245.
- Stal, L. J., & Caumette, P. (Eds.). (1994). *Microbial mats: structure, development and environmental significance* (Vol. 35). Springer Science & Business Media.
- Stallins, J. A. (2006). Geomorphology and ecology: unifying themes for complex systems in biogeomorphology. *Geomorphology*, 77(3-4), 207-216.
- Stark, J., Plancke, Y., Ides, S., Meire, P., & Temmerman, S. (2016). Coastal flood protection by a combined nature-based and engineering approach: Modeling the effects of marsh geometry and surrounding dikes. *Estuarine, Coastal and Shelf Science*, 175, 34-45.
- Sutherland, T. F., Amos, C. L., & Grant, J. (1998). The effect of buoyant biofilms on the erodibility of sublittoral sediments of a temperate microtidal estuary. *Limnology and Oceanography*, 43(2), 225-235.
- Tang, D. J., Shi, X. Y., Jiang, G. A. N. Q. I. N. G., & Wang, X. Q. (2011). Morphological association of microbially induced sedimentary structures (MISS) as a paleoenvironmental indicator: an example from the proterozoic succession of the southern North China Platform. *Microbial mats in siliciclastic depositional systems through time: Tulsa, Society of Sedimentary Geology*, 3-14.
- Tarnita, C. E., Bonachela, J. A., Sheffer, E., Guyton, J. A., Coverdale, T. C., Long, R. A., & Pringle, R. M. (2017). A theoretical foundation for multi-scale regular vegetation patterns. *Nature*, 541(7637), 398-401.
- Temmerman, S., Bouma, T. J., van de Koppel, J., van der Wal, D., de Vries, M. B., & Herman, P. M. J. (2007). Vegetation causes channel erosion in a tidal landscape. *Geology*, 35(7), 631-634.
- Temmerman, S., de Vries, M. B., & Bouma, T. J. (2012). Coastal marsh die-off and reduced attenuation of coastal floods: A model analysis. *Global and Planetary Change*, 92, 267-274.
- Temmerman, S., Meire, P., Bouma, T. J., Herman, P. M., Ysebaert, T., & de Vriend, H. J. (2013). Ecosystem-based coastal defence in the face of global change. *Nature*, 504(7478), 79-83.
- Temmink, R. J., Christianen, M. J., Fivash, G. S., Angelini, C., Boström, C., Didden, K., ... & Govers, L. L. (2020). Mimicry of emergent traits amplifies coastal restoration success. *Nature communications*, 11(1), 1-9.

- Thom, B. G. (1967). Mangrove ecology and deltaic geomorphology: Tabasco, Mexico. *The Journal of Ecology*, 301-343.
- Tice, M. M., Thornton, D. C., Pope, M. C., Olszewski, T. D., & Gong, J. (2011). Archean microbial mat communities. *Annual review of earth and planetary sciences*, 39, 297-319.
- Tolhurst, T. J., Black, K. S., Shayler, S. A., Mather, S., Black, I., Baker, K., & Paterson, D. M. (1999). Measuring the in situ erosion shear stress of intertidal sediments with the Cohesive Strength Meter (CSM). *Estuarine, Coastal and Shelf Science*, 49(2), 281-294.
- Tomescu, A. M. F., & Rothwell, G. W. (2006). Wetlands before tracheophytes: Thalloid terrestrial communities of the Early Silurian Passage Creek biota (Virginia). *SPECIAL PAPERS-GEOLOGICAL SOCIETY OF AMERICA*, 399, 41.
- Turing, A. M. (1952). The chemical basis of morphogenesis. *Philosophical Transactions of the Royal Society of London B, Biological Sciences*, 237(641), 37-72.
- Underwood, G. J. C. (1997). Microalgal colonization in a saltmarsh restoration scheme. *Estuarine, Coastal and Shelf Science*, 44(4), 471-481.
- van Belzen, J. (2018). Qualitative growth potential test for brackish *Vaucheria* species. Protocol Exchange. 10.1038/protex.2018.041.
- van Belzen, J., van de Koppel, J., Kirwan, M. L., van der Wal, D., Herman, P. M., Dakos, V., ... & Bouma, T. J. (2017). Vegetation recovery in tidal marshes reveals critical slowing down under increased inundation. *Nature Communications*, 8, 15811.
- van Bijsterveldt, C. E., van Wesenbeeck, B. K., van der Wal, D., Afiati, N., Pribadi, R., Brown, B., & Bouma, T. J. (2020). How to restore mangroves for greenbelt creation along eroding coasts with abandoned aquaculture ponds. *Estuarine, Coastal and Shelf Science*, 235, 106576.
- Van Cuong, C., Brown, S., To, H. H., & Hockings, M. (2015). Using *Melaleuca* fences as soft coastal engineering for mangrove restoration in Kien Giang, Vietnam. *Ecological Engineering*, 81, 256-265.
- van de Koppel, J., Gupta, R., & Vuik, C. (2011). Scaling-up spatially-explicit ecological models using graphics processors. *Ecological modelling*, 222(17), 3011-3019.
- van de Koppel, J., Herman, P. M., Thoolen, P., & Heip, C. H. (2001). Do alternate stable states occur in natural ecosystems? Evidence from a tidal flat. *Ecology*, 82(12), 3449-3461.
- van de Koppel, J., Rietkerk, M., Dankers, N., & Herman, P. M. (2005). Scale-dependent feedback and regular spatial patterns in young mussel beds. *The American naturalist*, 165(3), E66.
- van de Vijzel, R.C., van Belzen, J., Bouma, T.J., van der Wal, D., Cusseddu, V., Purkis, S.J., Rietkerk, M. & van de Koppel, J. (2020). Estuarine biofilm patterns: Modern analogues for Precambrian self-organization. *Earth Surface Processes and Landforms*, 45(5), 1141-1154.
- Van den Bergh, E., Vandevoorde, B., Verbessem, I., Spanoghe, G., Lionard, M., Muylaert, K., ... & Meire, P. (2005). Tidal wetland restoration at Ketenisse polder

- (Schelde Estuary, Belgium): developments in the first year. *DUNES & ESTUARIES 2005*, 522.
- Van den Neucker, T., Verbessem, I., van Braeckel, A., Stevens, M., Spanoghe, G., Gyselings, R., Soors, J., de Regge, N., de Belder, J. & Van den Bergh, E. (2007). Evaluatie van natuurontwikkelingsprojecten in het Schelde-estuarium. *Rapport van het Instituut voor Natuur-en Bosonderzoek*.
- van der Heide, T., Bouma, T. J., van Nes, E. H., van de Koppel, J., Scheffer, M., Roelofs, J. G., ... & Smolders, A. J. (2010). Spatial self-organized patterning in seagrasses along a depth gradient of an intertidal ecosystem. *Ecology*, 91(2), 362-369.
- van der Heide, T., van Nes, E. H., Geerling, G. W., Smolders, A. J., Bouma, T. J., & van Katwijk, M. M. (2007). Positive feedbacks in seagrass ecosystems: implications for success in conservation and restoration. *Ecosystems*, 10(8), 1311-1322.
- van Hulzen, J. B., van Soelen, J., & Bouma, T. J. (2007). Morphological variation and habitat modification are strongly correlated for the autogenic ecosystem engineer. *Spartina anglica*, 1-19.
- van Wesenbeeck, K., B., van de Koppel, J., MJ Herman, P., & J. Bouma, T. (2008). Does scale-dependent feedback explain spatial complexity in salt-marsh ecosystems?. *Oikos*, 117(1), 152-159.
- Vandenbruwaene, W., Bouma, T. J., Meire, P., & Temmerman, S. (2013). Biogeomorphic effects on tidal channel evolution: impact of vegetation establishment and tidal prism change. *Earth Surface Processes and Landforms*, 38(2), 122-132.
- Vreugdenhil, C. B. (1994). *Numerical Methods for Shallow-Water Flow* (Vol. 13). Springer Science & Business Media.
- Vuik, V., Jonkman, S. N., Borsje, B. W., & Suzuki, T. (2016). Nature-based flood protection: The efficiency of vegetated foreshores for reducing wave loads on coastal dikes. *Coastal engineering*, 116, 42-56
- Walter, M. R., & Heys, G. R. (1985). Links between the rise of the Metazoa and the decline of stromatolites. *Precambrian Research*, 29(1-3), 149-174.
- Wasson, K., Jeppesen, R., Endris, C., Perry, D. C., Woolfolk, A., Beheshti, K., ... & Haskins, J. (2017). Eutrophication decreases salt marsh resilience through proliferation of algal mats. *Biological Conservation*, 212, 1-11.
- Watson, E. B., Wigand, C., Oczkowski, A. J., Sundberg, K., Vendettuoli, D., Jayaraman, S., ... & Morris, J. T. (2015). Ulva additions alter soil biogeochemistry and negatively impact *Spartina alterniflora* growth. *Marine Ecology Progress Series*, 532, 59-72.
- Webber, E. E. (1967). Bluegreen algae from a Massachusetts salt marsh. *Bulletin of the Torrey Botanical Club*, 99-106.
- Weerman, E. J., Herman, P. M., & van de Koppel, J. (2011). Top-down control inhibits spatial self-organization of a patterned landscape. *Ecology*, 92(2), 487-495.
- Weerman, E. J., van Belzen, J., Rietkerk, M., Temmerman, S., Kéfi, S., Herman, P. M. J., & van de Koppel, J. (2012). Changes in diatom patch-size distribution and

- degradation in a spatially self-organized intertidal mudflat ecosystem. *Ecology*, 93(3), 608-618.
- Weerman, E. J., van de Koppel, J., Eppinga, M. B., Montserrat, F., Liu, Q. X., & Herman, P. M. (2010). Spatial self-organization on intertidal mudflats through biophysical stress divergence. *The American Naturalist*, 176(1), E15-E32.
- Whitehouse, R. J. S., Bassoullet, P., Dyer, K. R., Mitchener, H. J., & Roberts, W. (2000). The influence of bedforms on flow and sediment transport over intertidal mudflats. *Continental Shelf Research*, 20(10-11), 1099-1124.
- Whitehouse, R. J., & Mitchener, H. J. (1998). Observations of the morphodynamic behaviour of an intertidal mudflat at different timescales. *Geological Society, London, Special Publications*, 139(1), 255-271.
- Widdows, J., & Brinsley, M. (2002). Impact of biotic and abiotic processes on sediment dynamics and the consequences to the structure and functioning of the intertidal zone. *Journal of sea Research*, 48(2), 143-156.
- Widdows, J., Blauw, A., Heip, C. H. R., Herman, P. M. J., Lucas, C. H., Middelburg, J. J., Schmidt, S., Brinsley, M. D., Twisk, F. & Verbeek, H. (2004). Role of physical and biological processes in sediment dynamics of a tidal flat in Westerschelde Estuary, SW Netherlands. *Marine Ecology Progress Series*, 274, 41-56.
- Widdows, J., Lucas, J. S., Brinsley, M. D., Salkeld, P. N., & Staff, F. J. (2002). Investigation of the effects of current velocity on mussel feeding and mussel bed stability using an annular flume. *Helgoland Marine Research*, 56(1), 3.
- Wilcox, M. D. (2012). Occurrence of the marine yellow-green algae *Vaucheria velutina* C. Agardh and *Vaucheria longicaulis* Hopppaugh (Xanthophyceae: Vaucheriaceae) in Auckland, New Zealand. *New Zealand Journal of Marine and Freshwater Research*, 46(2), 285-290.
- Willemsen, P. W., Borsje, B. W., Vuik, V., Bouma, T. J., & Hulscher, S. J. (2020). Field-based decadal wave attenuating capacity of combined tidal flats and salt marshes. *Coastal engineering*, 156, 103628.
- Williams, J. J., Carling, P. A., Amos, C. L., & Thompson, C. (2008). Field investigation of ridge–runnel dynamics on an intertidal mudflat. *Estuarine, Coastal and Shelf Science*, 79(2), 213-229.
- Wilson, J. B., & Agnew, A. D. (1992). Positive-feedback switches in plant communities. In *Advances in ecological research* (Vol. 23, pp. 263-336). Academic Press.
- Wolters, M., Bakker, J. P., Bertness, M. D., Jefferies, R. L., & Möller, I. (2005). Saltmarsh erosion and restoration in south-east England: squeezing the evidence requires realignment. *Journal of Applied Ecology*, 42(5), 844-851.
- Woodhead, A. J., Hicks, C. C., Norström, A. V., Williams, G. J., & Graham, N. A. (2019). Coral reef ecosystem services in the Anthropocene. *Functional Ecology*, 33(6), 1023-1034.
- Wu, H., Guan, Q., Lu, K., Han, G., Li, B., & Yang, M. (2019). Effects of hydrological connectivity on snail assemblages in the intertidal zone of coastal wetlands. *Wetlands*, 1-8.

- Yang, S. Q., Tan, S. K., & Wang, X. K. (2012). Mechanism of secondary currents in open channel flows. *Journal of Geophysical Research: Earth Surface*, 117(F4).
- Zhou, Z., van der Wegen, M., Jagers, B., & Coco, G. (2016). Modelling the role of self-weight consolidation on the morphodynamics of accretional mudflats. *Environmental modelling & software*, 76, 167-181.
- Zhu, Z., Vuik, V., Visser, P. J., Soens, T., van Wesenbeeck, B., van de Koppel, J., ... & Bouma, T. J. (2020). Historic storms and the hidden value of coastal wetlands for nature-based flood defence. *Nature Sustainability*, 1-10.

