

## University of Groningen

### An orchestra in need of a conductor

Doesburg, Frank

DOI:  
[10.33612/diss.165632361](https://doi.org/10.33612/diss.165632361)

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*  
Publisher's PDF, also known as Version of record

*Publication date:*  
2021

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Doesburg, F. (2021). *An orchestra in need of a conductor: challenges and opportunities in multi-infusion therapy*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen.  
<https://doi.org/10.33612/diss.165632361>

#### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

#### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

*Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.*

## **An orchestra in need of a conductor**

### Challenges and opportunities in multi-infusion therapy

- 1 De meest praktische manier om flebitis vroeg en objectief te detecteren, is door middel van infrarood thermografie. – dit proefschrift
- 2 Het is weer tijd voor een landelijk Handboek Parenteralia. – dit proefschrift
- 3 Een combinatie van visuele en analytische methoden is nodig om snel en betrouwbaar Y-site verenigbaarheden te bepalen. – dit proefschrift
- 4 Het flushen van een infuussysteem met tweemaal het priming volume is een veilige vuistregel voor de klinische praktijk. – dit proefschrift
- 5 Wanneer we het infuussysteem niet als een verzameling losse pompen, maar als een geheel beschouwen, ontstaan er nieuwe kansen om intraveneuze therapie te verbeteren. – dit proefschrift
- 6 Intraveneuze therapie heeft vele parameters, maar zeker in de toekomst zal timing een veel grotere rol krijgen. – dit proefschrift
- 7 Occlusielokalisatie op basis van drukmetingen in meerdere infuuspompen ligt binnen handbereik. – dit proefschrift
- 8 "A common mistake that people make when trying to design something completely foolproof is to underestimate the ingenuity of complete fools." – Douglas Adams
- 9 "The music is not in the notes, but in the silence between." – Wolfgang Amadeus Mozart
- 10 Wie een driedubbele tosti bestelt, komt bedrogen uit.