

University of Groningen

## Prosthetic valves in the pulmonary position

Pragt, Hanna

DOI:  
[10.33612/diss.166135992](https://doi.org/10.33612/diss.166135992)

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*  
Publisher's PDF, also known as Version of record

*Publication date:*  
2021

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Pragt, H. (2021). *Prosthetic valves in the pulmonary position*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen. <https://doi.org/10.33612/diss.166135992>

### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

*Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.*

## Stellingen

Mechanisch hartkleppen zijn een goede optie voor veel patiënten met een congenitale hartafwijking aan de pulmonaalklep. (dit proefschrift)

Trombolyse moet vaker worden toegepast bij mechanische klep trombose in de pulmonaal positie. (dit proefschrift)

De druk-omstandigheden in het rechter ventrikel zorgen voor meer klep-trombose bij mechanische kleppen.

Het functioneren van pericard klep-prothesen wordt negatief beïnvloed door de druk omstandigheden in het rechter ventrikel. (dit proefschrift)

Mensen met een congenitale hartafwijking en klep-prothese hebben een verminderde kwaliteit van leven. (dit proefschrift)

Huidige klep-prothesen zijn niet optimaal voor het gebruik in de pulmonaal positie bij volwassenen. (dit proefschrift)

Open erkennen van onwetendheid behoort evengoed tot de taak der wetenschap als het verkondigen van de verworven kennis. (Moritz Lazarus)

De waarheid is altijd te vinden in eenvoud, en niet in de verscheidenheid en verwarring van de dingen. (Sir Isaac Newton)

Zichzelf te overwinnen is de beste en grootste van alle overwinningen. (Plato)