

University of Groningen

Computer-aided Ionic Liquids Design for Separation Processes

Peng, Daili

DOI:
[10.33612/diss.168550903](https://doi.org/10.33612/diss.168550903)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2021

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Peng, D. (2021). *Computer-aided Ionic Liquids Design for Separation Processes*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen. <https://doi.org/10.33612/diss.168550903>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Propositions

Accompanying the thesis

Computer-aided Ionic Liquids Design for Separation Processes

Daili Peng

1. Ionic liquids are promising alternatives to organic solvents despite their relatively high prices.
2. Many computer-aided ionic liquids design (CAILD) results in the literature are arguable because the designed ILs display very complex structures and are hard to be synthesized, making experimental verification cumbersome. (Purif. Technol., 2014, 155, 45-57; Chem. Eng. Sci., 2017, 162, 364-374)
3. The NRTL parameters reported in the literature are sometimes questionable and topological analyses are necessary to test their reliability. (J. Chem. Thermodyn., 2010, 42(4), 484-490)
4. It is better to use multi-objective optimization procedures for CAILD. (Chapter 1 & 4)
5. The toxicity of ILs is often underestimated and should be treated as a constraint when designing IL solvents. (Chapter 2)
6. The limitation of the CAILD method lies in missing parameters for the prediction of physicochemical properties of ILs. (Chapter 3)
7. Due to the recent availability of experimental data, screening methods or algorithms based on big data (e.g. machine learning) are very suitable to select ILs for separation problems. (Chapter 5)
8. Integration of the CAILD method with process design is highly desirable.
9. The thing I have learned from my Ph.D. journey is that you do not have to worry about the outcome, do what is needed.
10. We should always learn from others, by standing on the shoulders of Giants we can see further. (freely adapted from Sir. I. Newton)