

University of Groningen

Functional and clinical translation of asthma and allergy associated genetic variants in IL33 and IL1RL1

Ketelaar, Marlies

DOI:

[10.33612/diss.171580070](https://doi.org/10.33612/diss.171580070)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2021

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Ketelaar, M. (2021). *Functional and clinical translation of asthma and allergy associated genetic variants in IL33 and IL1RL1*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen. <https://doi.org/10.33612/diss.171580070>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

References



- (1) Ferreira MA, Vonk JM, Baurecht H, Marenholz I, Tian C, Hoffman JD, et al. Shared genetic origin of asthma, hay fever and eczema elucidates allergic disease biology. *Nat Genet* 2017 Dec;49(12):1752-1757.
- (2) : Nationaal Kompas Volksgezondheid CMR Nijmegen eo; 2017.
- (3) Boulet LP, FitzGerald JM, Levy ML, Cruz AA, Pedersen S, Haahntela T, et al. A guide to the translation of the Global Initiative for Asthma (GINA) strategy into improved care. *Eur Respir J* 2012 May;39(5):1220-1229.
- (4) Ross KR, Gupta R, DeBoer MD, Zein J, Phillips BR, Mauger DT, et al. Severe asthma during childhood and adolescence: A longitudinal study. *J Allergy Clin Immunol* 2019 Oct 14.
- (5) Gibson GJ, Loddenkemper R, Lundback B, Sibille Y. Respiratory health and disease in Europe: the new European Lung White Book. *Eur Respir J* 2013 Sep;42(3):559-563.
- (6) Consortium G. GINA Pocket Guideline; 2019.
- (7) Kaur R, Chupp G. Phenotypes and endotypes of adult asthma: Moving toward precision medicine. *J Allergy Clin Immunol* 2019 Jul;144(1):1-12.
- (8) Skloot GS. Asthma phenotypes and endotypes: a personalized approach to treatment. *Curr Opin Pulm Med* 2016 Jan;22(1):3-9.
- (9) McKeever TM, Lewis SA, Smith C, Collins J, Heatlie H, Frischer M, et al. Siblings, multiple births, and the incidence of allergic disease: a birth cohort study using the West Midlands general practice research database. *Thorax* 2001 Oct;56(10):758-762.
- (10) Skadhauge LR, Christensen K, Kyvik KO, Sigsgaard T. Genetic and environmental influence on asthma: a population-based study of 11,688 Danish twin pairs. *Eur Respir J* 1999 Jan;13(1):8-14.
- (11) Thomsen SF, Duffy DL, Kyvik KO, Backer V. Genetic influence on the age at onset of asthma: a twin study. *J Allergy Clin Immunol* 2010 Sep;126(3):626-630.
- (12) Fagnani C, Annesi-Maesano I, Brescianini S, D'Ippolito C, Medda E, Nistico L, et al. Heritability and shared genetic effects of asthma and hay fever: an Italian study of young twins. *Twin Res Hum Genet* 2008 Apr;11(2):121-131.
- (13) Ullemar V, Magnusson PK, Lundholm C, Zettergren A, Melen E, Lichtenstein P, et al. Heritability and confirmation of genetic association studies for childhood asthma in twins. *Allergy* 2016 Feb;71(2):230-238.
- (14) Willemsen G, de Geus EJ, Bartels M, van Beijsterveldt CE, Brooks AI, Estourgie-van Burk GF, et al. The Netherlands Twin Register biobank: a resource for genetic epidemiological studies. *Twin Res Hum Genet* 2010 Jun;13(3):231-245.
- (15) Gudbjartsson DF, Bjornsdottir US, Halapi E, Helgadóttir A, Sulem P, Jonsdóttir GM, et al. Sequence variants affecting eosinophil numbers associate with asthma and myocardial infarction. *Nat Genet* 2009 Mar;41(3):342-347.
- (16) Astle WJ, Elding H, Jiang T, Allen D, Ruklisa D, Mann AL, et al. The Allelic Landscape of Human Blood Cell Trait Variation and Links to Common Complex Disease. *Cell* 2016 Nov 17;167(5):1415-1429.e19.
- (17) Johansson A, Rask-Andersen M, Karlsson T, Ek WE. Genome-wide association analysis of 350 000 Caucasians from the UK Biobank identifies novel loci for asthma, hay fever and eczema. *Hum Mol Genet* 2019 Jul 30.
- (18) Pividori M, Schoettler N, Nicolae DL, Ober C, Im HK. Shared and distinct genetic risk factors for childhood-onset and adult-onset asthma: genome-wide and transcriptome-wide studies. *Lancet Respir Med* 2019 Jun;7(6):509-522.
- (19) Bonnelykke K, Sleiman P, Nielsen K, Kreiner-Moller E, Mercader JM, Belgrave D, et al. A genome-wide association study identifies CDHR3 as a susceptibility locus for early childhood asthma with severe exacerbations. *Nat Genet* 2014 Jan;46(1):51-55.
- (20) Ferreira MA, Matheson MC, Tang CS, Granell R, Ang W, Hui J, et al. Genome-wide association analysis identifies 11 risk variants associated with the asthma with hay fever phenotype. *J Allergy Clin Immunol* 2014 Jun;133(6):1564-1571.
- (21) Torgerson DG, Ampleford EJ, Chiu GY, Gauderman WJ, Gignoux CR, Graves PE, et al. Meta-analysis of genome-wide association studies of asthma in ethnically diverse North American populations. *Nat Genet* 2011 Jul 31;43(9):887-892.



- (22) Moffatt MF, Gut IG, Demenais F, Strachan DP, Bouzigon E, Heath S, et al. A large-scale, consortium-based genomewide association study of asthma. *N Engl J Med* 2010 Sep 23;363(13):1211-1221.
- (23) Pickrell JK, Berisa T, Liu JZ, Segurel L, Tung JY, Hinds DA. Detection and interpretation of shared genetic influences on 42 human traits. *Nat Genet* 2016 Jul;48(7):709-717.
- (24) Ferreira MA, Matheson MC, Duffy DL, Marks GB, Hui J, Le Souef P, et al. Identification of IL6R and chromosome 11q13.5 as risk loci for asthma. *Lancet* 2011 Sep 10;378(9795):1006-1014.
- (25) Vicente CT, Revez JA, Ferreira MAR. Lessons from ten years of genome-wide association studies of asthma. *Clin Transl Immunology* 2017 Dec 15;6(12):e165.
- (26) Grotenboer NS, Ketelaar ME, Koppelman GH, Nawijn MC. Decoding asthma: translating genetic variation in IL33 and IL1RL1 into disease pathophysiology. *J Allergy Clin Immunol* 2013 Mar;131(3):856-865.
- (27) Savenije OE, Kerkhof M, Reijmerink NE, Brunekreef B, de Jongste JC, Smit HA, et al. Interleukin-1 receptor-like 1 polymorphisms are associated with serum IL1RL1-a, eosinophils, and asthma in childhood. *J Allergy Clin Immunol* 2011 Mar;127(3):750-6.e1-5.
- (28) Savenije OE, Mahachie John JM, Granel R, Kerkhof M, Dijk FN, de Jongste JC, et al. Association of IL33-IL-1 receptor-like 1 (IL1RL1) pathway polymorphisms with wheezing phenotypes and asthma in childhood. *J Allergy Clin Immunol* 2014 Jul;134(1):170-177.
- (29) Schaub MA, Boyle AP, Kundaje A, Batzoglou S, Snyder M. Linking disease associations with regulatory information in the human genome. *Genome Res* 2012 Sep;22(9):1748-1759.
- (30) Sun W, Hu Y. eQTL Mapping Using RNA-seq Data. *Stat Biosci* 2013 May 1;5(1):198-219.
- (31) Ho JE, Chen WY, Chen MH, Larson MG, McCabe EL, Cheng S, et al. Common genetic variation at the IL1RL1 locus regulates IL-33/ST2 signaling. *J Clin Invest* 2013 Oct;123(10):4208-4218.
- (32) Li X, Hastie AT, Hawkins GA, Moore WC, Ampleford EJ, Milosevic J, et al. eQTL of bronchial epithelial cells and bronchial alveolar lavage deciphers GWAS-identified asthma genes. *Allergy* 2015 Oct;70(10):1309-1318.
- (33) Gorbacheva AM, Korneev KV, Kuprash DV, Mitkin NA. The Risk G Allele of the Single-Nucleotide Polymorphism rs928413 Creates a CREB1-Binding Site That Activates IL33 Promoter in Lung Epithelial Cells. *Int J Mol Sci* 2018 Sep 25;19(10):10.3390/ijms19102911.
- (34) Smith D, Helgason H, Sulem P, Bjornsdottir US, Lim AC, Sveinbjornsson G, et al. A rare IL33 loss-of-function mutation reduces blood eosinophil counts and protects from asthma. *PLoS Genet* 2017 Mar 8;13(3):e1006659.
- (35) Saglani S, Lui S, Ullmann N, Campbell GA, Sherburn RT, Mathie SA, et al. IL-33 promotes airway remodeling in pediatric patients with severe steroid-resistant asthma. *J Allergy Clin Immunol* 2013 Sep;132(3):676-685.e13.
- (36) Nechama M, Kwon J, Wei S, Kyi AT, Welner RS, Bendov IZ, et al. The IL-33-PIN1-IRAK-M axis is critical for type 2 immunity in IL-33-induced allergic airway inflammation. *Nat Commun* 2018 Apr 23;9(1):1603-018-03886-6.
- (37) Bertheloot D, Latz E. HMGB1, IL-1alpha, IL-33 and S100 proteins: dual-function alarmins. *Cell Mol Immunol* 2017 Jan;14(1):43-64.
- (38) Ali S, Mohs A, Thomas M, Klare J, Ross R, Schmitz ML, et al. The dual function cytokine IL-33 interacts with the transcription factor NF-kappaB to dampen NF-kappaB-stimulated gene transcription. *J Immunol* 2011 Aug 15;187(4):1609-1616.
- (39) Choi YS, Park JA, Kim J, Rho SS, Park H, Kim YM, et al. Nuclear IL-33 is a transcriptional regulator of NF-kappaB p65 and induces endothelial cell activation. *Biochem Biophys Res Commun* 2012 May 4;421(2):305-311.
- (40) Mirchandani AS, Salmond RJ, Liew FY. Interleukin-33 and the function of innate lymphoid cells. *Trends Immunol* 2012 Aug;33(8):389-396.
- (41) Komai-Koma M, Xu D, Li Y, McKenzie AN, McInnes IB, Liew FY. IL-33 is a chemoattractant for human Th2 cells. *Eur J Immunol* 2007 Oct;37(10):2779-2786.
- (42) Allakhverdi Z, Smith DE, Comeau MR, Delespesse G. Cutting edge: The ST2 ligand IL-33 potently activates and drives maturation of human mast cells. *J Immunol* 2007 Aug 15;179(4):2051-2054.



- (43) Enoksson M, Lyberg K, Möller-Westerberg C, Fallon PG, Nilsson G, Lunderius-Andersson C. Mast cells as sensors of cell injury through IL-33 recognition. *J Immunol* 2011 Feb 15;186(4):2523-2528.
- (44) Smithgall MD, Comeau MR, Yoon BR, Kaufman D, Armitage R, Smith DE. IL-33 amplifies both Th1- and Th2-type responses through its activity on human basophils, allergen-reactive Th2 cells, iNKT and NK cells. *Int Immunol* 2008 Aug;20(8):1019-1030.
- (45) Cherry WB, Yoon J, Bartemes KR, Iijima K, Kita H. A novel IL-1 family cytokine, IL-33, potently activates human eosinophils. *J Allergy Clin Immunol* 2008 Jun;121(6):1484-1490.
- (46) Suzukawa M, Iikura M, Koketsu R, Nagase H, Tamura C, Komiya A, et al. An IL-1 cytokine member, IL-33, induces human basophil activation via its ST2 receptor. *J Immunol* 2008 Nov 1;181(9):5981-5989.
- (47) Pecaric-Petkovic T, Didichenko SA, Kaempfer S, Spiegl N, Dahinden CA. Human basophils and eosinophils are the direct target leukocytes of the novel IL-1 family member IL-33. *Blood* 2009 Feb 12;113(7):1526-1534.
- (48) Yagami A, Orihara K, Morita H, Futamura K, Hashimoto N, Matsumoto K, et al. IL-33 mediates inflammatory responses in human lung tissue cells. *J Immunol* 2010 Nov 15;185(10):5743-5750.
- (49) Holgado A, Braun H, Van Nuffel E, Detry S, Schuijs MJ, Deswarte K, et al. IL-33trap is a novel IL-33-neutralizing biologic that inhibits allergic airway inflammation. *J Allergy Clin Immunol* 2019 Jul;144(1):204-215.
- (50) Poulsen NN, Bjerregaard A, Khoo SK, Laing IA, Le Souef P, Backer V, et al. Airway Interleukin-33 and type 2 cytokines in adult patients with acute asthma. *Respir Med* 2018 Jul;140:50-56.
- (51) Hamzaoui A, Berraies A, Kaabachi W, Haifa M, Ammar J, Kamel H. Induced sputum levels of IL-33 and soluble ST2 in young asthmatic children. *J Asthma* 2013 Oct;50(8):803-809.
- (52) Gasiuniene E, Janulaityte I, Zemeckiene Z, Barkauskiene D, Sitkauskiene B. Elevated levels of interleukin-33 are associated with allergic and eosinophilic asthma. *Scand J Immunol* 2019 May;89(5):e12724.
- (53) Wang W, Li Y, Lv Z, Chen Y, Li Y, Huang K, et al. Bronchial Allergen Challenge of Patients with Atopic Asthma Triggers an Alarmin (IL-33, TSLP, and IL-25) Response in the Airways Epithelium and Submucosa. *J Immunol* 2018 Oct 15;201(8):2221-2231.
- (54) Demenais F, Margaritte-Jeannin P, Barnes KC, Cookson WOC, Altmuller J, Ang W, et al. Multiancestry association study identifies new asthma risk loci that colocalize with immune-cell enhancer marks. *Nat Genet* 2018 Jan;50(1):42-53.
- (55) Kristjansson RP, Benonisdottir S, Davidsson OB, Oddsson A, Tragante V, Sigurdsson JK, et al. A loss-of-function variant in ALOX15 protects against nasal polyps and chronic rhinosinusitis. *Nat Genet* 2019 Feb;51(2):267-276.
- (56) Shrine N, Portelli MA, John C, Soler Artigas M, Bennett N, Hall R, et al. Moderate-to-severe asthma in individuals of European ancestry: a genome-wide association study. *Lancet Respir Med* 2019 Jan;7(1):20-34.
- (57) Wan YI, Shrine NR, Soler Artigas M, Wain LV, Blakey JD, Moffatt MF, et al. Genome-wide association study to identify genetic determinants of severe asthma. *Thorax* 2012 Sep;67(9):762-768.
- (58) Waage J, Standl M, Curtin JA, Jessen LE, Thorsen J, Tian C, et al. Genome-wide association and HLA fine-mapping studies identify risk loci and genetic pathways underlying allergic rhinitis. *Nat Genet* 2018 Aug;50(8):1072-1080.
- (59) Hinds DA, McMahon G, Kiefer AK, Do CB, Eriksson N, Evans DM, et al. A genome-wide association meta-analysis of self-reported allergy identifies shared and allergy-specific susceptibility loci. *Nat Genet* 2013 Aug;45(8):907-911.
- (60) Bønnelykke K, Matheson MC, Pers TH, Granell R, Strachan DP, Alves AC, et al. Meta-analysis of genome-wide association studies identifies ten loci influencing allergic sensitization. *Nat Genet* 2013 Aug;45(8):902-906.
- (61) Paternoster L, Standl M, Waage J, Baurecht H, Hotze M, Strachan DP, et al. Multi-ancestry genome-wide association study of 21,000 cases and 95,000 controls identifies new risk loci for atopic dermatitis. *Nat Genet*



- 2015 Dec;47(12):1449-1456.
- (62) Hirota T, Takahashi A, Kubo M, Tsunoda T, Tomita K, Sakashita M, et al. Genome-wide association study identifies eight new susceptibility loci for atopic dermatitis in the Japanese population. *Nat Genet* 2012 Nov;44(11):1222-1226.
- (63) Kanai M, Akiyama M, Takahashi A, Matoba N, Momozawa Y, Ikeda M, et al. Genetic analysis of quantitative traits in the Japanese population links cell types to complex human diseases. *Nat Genet* 2018 Mar;50(3):390-400.
- (64) Bousquet J, Clark TJ, Hurd S, Khaltaev N, Lenfant C, O'byrne P, et al. GINA guidelines on asthma and beyond. *Allergy* 2007 Feb;62(2):102-112.
- (65) Masoli M, Fabian D, Holt S, Beasley R, Global Initiative for Asthma (GINA) Program. The global burden of asthma: executive summary of the GINA Dissemination Committee report. *Allergy* 2004 May;59(5):469-478.
- (66) Sakashita M, Yoshimoto T, Hirota T, Harada M, Okubo K, Osawa Y, et al. Association of serum interleukin-33 level and the interleukin-33 genetic variant with Japanese cedar pollinosis. *Clin Exp Allergy* 2008 Dec;38(12):1875-1881.
- (67) Ramasamy A, Kuokkanen M, Vedantam S, Gajdos ZK, Couto Alves A, Lyon HN, et al. Genome-wide association studies of asthma in population-based cohorts confirm known and suggested loci and identify an additional association near HLA. *PLoS One* 2012;7(9):e44008.
- (68) Belpinati F, Malerba G, Trabetti E, Galavotti R, Xumerle L, Pescolliderung L, et al. Association of childhood allergic asthma with markers flanking the IL33 gene in Italian families. *J Allergy Clin Immunol* 2011 Sep;128(3):667-668.
- (69) Melén E, Himes BE, Brehm JM, Boutaoui N, Klanderma BJ, Sylvia JS, et al. Analyses of shared genetic factors between asthma and obesity in children. *J Allergy Clin Immunol* 2010 Sep;126(3):631-7.e1-8.
- (70) Reijmerink NE, Postma DS, Bruinenberg M, Nolte IM, Meyers DA, Bleecker ER, et al. Association of IL1RL1, IL18R1, and IL18RAP gene cluster polymorphisms with asthma and atopy. *J Allergy Clin Immunol* 2008 Sep;122(3):651-4.e8.
- (71) Wu H, Romieu I, Shi M, Hancock DB, Li H, Sienna-Monge JJ, et al. Evaluation of candidate genes in a genome-wide association study of childhood asthma in Mexicans. *J Allergy Clin Immunol* 2010 Feb;125(2):321-327.e13.
- (72) Bossé Y, Lemire M, Poon AH, Daley D, He JQ, Sandford A, et al. Asthma and genes encoding components of the vitamin D pathway. *Respir Res* 2009 Oct 24;10(1):98-9921-10-98.
- (73) Ferreira MA, McRae AF, Medland SE, Nyholt DR, Gordon SD, Wright MJ, et al. Association between ORMDL3, IL1RL1 and a deletion on chromosome 17q21 with asthma risk in Australia. *Eur J Hum Genet* 2011 Apr;19(4):458-464.
- (74) Li X, Ampleford EJ, Howard TD, Moore WC, Torgerson DG, Li H, et al. Genome-wide association studies of asthma indicate opposite immunopathogenesis direction from autoimmune diseases. *J Allergy Clin Immunol* 2012 Oct;130(4):861-8.e7.
- (75) Schadt EE, Molony C, Chudin E, Hao K, Yang X, Lum PY, et al. Mapping the genetic architecture of gene expression in human liver. *PLoS Biol* 2008 May 6;6(5):e107.
- (76) Nica AC, Parts L, Glass D, Nisbet J, Barrett A, Sekowska M, et al. The architecture of gene regulatory variation across multiple human tissues: the MuTHER study. *PLoS Genet* 2011 Feb 3;7(2):e1002003.
- (77) Murphy A, Chu JH, Xu M, Carey VJ, Lazarus R, Liu A, et al. Mapping of numerous disease-associated expression polymorphisms in primary peripheral blood CD4+ lymphocytes. *Hum Mol Genet* 2010 Dec 1;19(23):4745-4757.
- (78) Xia K, Shabalin AA, Huang S, Madar V, Zhou YH, Wang W, et al. seeQTL: a searchable database for human eQTLs. *Bioinformatics* 2012 Feb 1;28(3):451-452.
- (79) Zeller T, Wild P, Szymczak S, Rotival M, Schillert A, Castagne R, et al. Genetics and beyond--the transcriptome of human monocytes and disease susceptibility. *PLoS One* 2010 May 18;5(5):e10693.
- (80) Shimizu M, Matsuda A, Yanagisawa K, Hirota T, Akahoshi M, Inomata N, et al. Functional SNPs in the distal promoter of the ST2 gene are associated with atopic dermatitis. *Hum Mol Genet* 2005 Oct



1;14(19):2919-2927.

(81) Reijmerink NE, Postma DS, Koppelman GH. The candidate gene approach in asthma: what happens with the neighbours? *Eur J Hum Genet* 2010 Jan;18(1):17; author reply 17-8.

(82) Liew FY, Pitman NI, McInnes IB. Disease-associated functions of IL-33: the new kid in the IL-1 family. *Nat Rev Immunol* 2010 Feb;10(2):103-110.

(83) Lingel A, Weiss TM, Niebuhr M, Pan B, Appleton BA, Wiesmann C, et al. Structure of IL-33 and its interaction with the ST2 and IL-1RAcP receptors--insight into heterotrimeric IL-1 signaling complexes. *Structure* 2009 Oct 14;17(10):1398-1410.

(84) Yang TP, Beazley C, Montgomery SB, Dimas AS, Gutierrez-Arcelus M, Stranger BE, et al. Genevar: a database and Java application for the analysis and visualization of SNP-gene associations in eQTL studies. *Bioinformatics* 2010 Oct 1;26(19):2474-2476.

(85) Basith S, Manavalan B, Govindaraj RG, Choi S. In silico approach to inhibition of signaling pathways of Toll-like receptors 2 and 4 by ST2L. *PLoS One* 2011;6(8):e23989.

(86) Wheeler DL, Church DM, Lash AE, Leipe DD, Madden TL, Pontius JU, et al. Database resources of the National Center for Biotechnology Information. *Nucleic Acids Res* 2001 Jan 1;29(1):11-16.

(87) Brint EK, Xu D, Liu H, Dunne A, McKenzie AN, O'Neill LA, et al. ST2 is an inhibitor of interleukin 1 receptor and Toll-like receptor 4 signaling and maintains endotoxin tolerance. *Nat Immunol* 2004 Apr;5(4):373-379.

(88) Liu J, Buckley JM, Redmond HP, Wang JH. ST2 negatively regulates TLR2 signaling, but is not required for bacterial lipoprotein-induced tolerance. *J Immunol* 2010 May 15;184(10):5802-5808.

(89) Reijmerink NE, Bottema RW, Kerkhof M, Gerritsen J, Stelma FF, Thijs C, et al. TLR-related pathway analysis: novel gene-gene interactions in the development of asthma and atopy. *Allergy* 2010 Feb;65(2):199-207.

(90) Barlow JL, Bellosi A, Hardman CS, Drynan LF, Wong SH, Cruickshank JP, et al. Innate IL-13-producing nuocytes arise during allergic lung inflammation and contribute to airways hyperreactivity. *J Allergy Clin Immunol* 2012 Jan;129(1):191-8.e1-4.

(91) Klein Wolterink RG, Kleinjan A, van Nimwegen M, Bergen I, de Bruijn M, Levani Y, et al. Pulmonary innate lymphoid cells are major producers of IL-5 and IL-13 in murine models of allergic asthma. *Eur J Immunol* 2012 May;42(5):1106-1116.

(92) Bartemes KR, Iijima K, Kobayashi T, Kephart GM, McKenzie AN, Kita H. IL-33-responsive lineage- CD25+ CD44(hi) lymphoid cells mediate innate type 2 immunity and allergic inflammation in the lungs. *J Immunol* 2012 Feb 1;188(3):1503-1513.

(93) Roussel L, Erard M, Cayrol C, Girard JP. Molecular mimicry between IL-33 and KSHV for attachment to chromatin through the H2A-H2B acidic pocket. *EMBO Rep* 2008 Oct;9(10):1006-1012.

(94) Carriere V, Roussel L, Ortega N, Lacorre DA, Americh L, Aguilar L, et al. IL-33, the IL-1-like cytokine ligand for ST2 receptor, is a chromatin-associated nuclear factor in vivo. *Proc Natl Acad Sci U S A* 2007 Jan 2;104(1):282-287.

(95) Kunisch E, Chaklam S, Gandesiri M, Kinne RW. IL-33 regulates TNF- α dependent effects in synovial fibroblasts. *Int J Mol Med* 2012 Apr;29(4):530-540.

(96) Schmitz J, Owyang A, Oldham E, Song Y, Murphy E, McClanahan TK, et al. IL-33, an interleukin-1-like cytokine that signals via the IL-1 receptor-related protein ST2 and induces T helper type 2-associated cytokines. *Immunity* 2005 Nov;23(5):479-490.

(97) Watters TM, Kenny EF, O'Neill LA. Structure, function and regulation of the Toll/IL-1 receptor adaptor proteins. *Immunol Cell Biol* 2007 Aug-Sep;85(6):411-419.

(98) Kakkar R, Lee RT. The IL-33/ST2 pathway: therapeutic target and novel biomarker. *Nat Rev Drug Discov* 2008 Oct;7(10):827-840.

(99) Pichery M, Mirey E, Mercier P, Lefrancais E, Dujardin A, Ortega N, et al. Endogenous IL-33 is highly expressed in mouse epithelial barrier tissues, lymphoid organs, brain, embryos, and inflamed tissues: in situ analysis using a novel IL-33-LacZ gene trap reporter strain. *J Immunol* 2012 Apr 1;188(7):3488-3495.

(100) Enoksson M, Lyberg K, Möller-Westerberg C, Fallon PG, Nilsson G, Lunderius-Andersson C. Mast cells as sensors of cell injury through IL-33 recognition. *J Immunol* 2011 Feb 15;186(4):2523-2528.



- (101) Smithgall MD, Comeau MR, Yoon BR, Kaufman D, Armitage R, Smith DE. IL-33 amplifies both Th1- and Th2-type responses through its activity on human basophils, allergen-reactive Th2 cells, iNKT and NK cells. *Int Immunol* 2008 Aug;20(8):1019-1030.
- (102) Yagami A, Orihara K, Morita H, Futamura K, Hashimoto N, Matsumoto K, et al. IL-33 mediates inflammatory responses in human lung tissue cells. *J Immunol* 2010 Nov 15;185(10):5743-5750.
- (103) Cho KA, Suh JW, Sohn JH, Park JW, Lee H, Kang JL, et al. IL-33 induces Th17-mediated airway inflammation via mast cells in ovalbumin-challenged mice. *Am J Physiol Lung Cell Mol Physiol* 2012 Feb 15;302(4):L429-40.
- (104) Hueber AJ, Alves-Filho JC, Asquith DL, Michels C, Millar NL, Reilly JH, et al. IL-33 induces skin inflammation with mast cell and neutrophil activation. *Eur J Immunol* 2011 Aug;41(8):2229-2237.
- (105) Bonilla WV, Fröhlich A, Senn K, Kallert S, Fernandez M, Johnson S, et al. The alarmin interleukin-33 drives protective antiviral CD8⁺ T cell responses. *Science* 2012 Feb 24;335(6071):984-989.
- (106) Monticelli LA, Sonnenberg GF, Abt MC, Alenghat T, Ziegler CG, Doering TA, et al. Innate lymphoid cells promote lung-tissue homeostasis after infection with influenza virus. *Nat Immunol* 2011 Nov;12(11):1045-1054.
- (107) Kurowska-Stolarska M, Kewin P, Murphy G, Russo RC, Stolarski B, Garcia CC, et al. IL-33 induces antigen-specific IL-5⁺ T cells and promotes allergic-induced airway inflammation independent of IL-4. *J Immunol* 2008 Oct 1;181(7):4780-4790.
- (108) Halim TY, Krauss RH, Sun AC, Takei F. Lung natural helper cells are a critical source of Th2 cell-type cytokines in protease allergen-induced airway inflammation. *Immunity* 2012 Mar 23;36(3):451-463.
- (109) Kim SH, Cho BY, Park CS, Shin ES, Cho EY, Yang EM, et al. Alpha-T-catenin (CTNNA3) gene was identified as a risk variant for toluene diisocyanate-induced asthma by genome-wide association analysis. *Clin Exp Allergy* 2009 Feb;39(2):203-212.
- (110) Chang YJ, Kim HY, Albacker LA, Baumgarth N, McKenzie AN, Smith DE, et al. Innate lymphoid cells mediate influenza-induced airway hyper-reactivity independently of adaptive immunity. *Nat Immunol* 2011 May 29;12(7):631-638.
- (111) Kurokawa M, Matsukura S, Kawaguchi M, Ieki K, Suzuki S, Odaka M, et al. Expression and effects of IL-33 and ST2 in allergic bronchial asthma: IL-33 induces eotaxin production in lung fibroblasts. *Int Arch Allergy Immunol* 2011;155 Suppl 1:12-20.
- (112) Moro K, Yamada T, Tanabe M, Takeuchi T, Ikawa T, Kawamoto H, et al. Innate production of T(H)2 cytokines by adipose tissue-associated c-Kit(+)/Sca-1(+) lymphoid cells. *Nature* 2010 Jan 28;463(7280):540-544.
- (113) Neill DR, Wong SH, Bellosi A, Flynn RJ, Daly M, Langford TK, et al. Nuocytes represent a new innate effector leukocyte that mediates type-2 immunity. *Nature* 2010 Apr 29;464(7293):1367-1370.
- (114) Spits H, Di Santo JP. The expanding family of innate lymphoid cells: regulators and effectors of immunity and tissue remodeling. *Nat Immunol* 2011 Jan;12(1):21-27.
- (115) Kondo Y, Yoshimoto T, Yasuda K, Futatsugi-Yumikura S, Morimoto M, Hayashi N, et al. Administration of IL-33 induces airway hyperresponsiveness and goblet cell hyperplasia in the lungs in the absence of adaptive immune system. *Int Immunol* 2008 Jun;20(6):791-800.
- (116) Mjösberg JM, Trifari S, Crellin NK, Peters CP, van Drunen CM, Piet B, et al. Human IL-25- and IL-33-responsive type 2 innate lymphoid cells are defined by expression of CRTH2 and CD161. *Nat Immunol* 2011 Sep 11;12(11):1055-1062.
- (117) Borish L, Steinke JW. Interleukin-33 in asthma: how big of a role does it play? *Curr Allergy Asthma Rep* 2011 Feb;11(1):7-11.
- (118) Iikura M, Suto H, Kajiwara N, Oboki K, Ohno T, Okayama Y, et al. IL-33 can promote survival, adhesion and cytokine production in human mast cells. *Lab Invest* 2007 Oct;87(10):971-978.
- (119) Ho LH, Ohno T, Oboki K, Kajiwara N, Suto H, Iikura M, et al. IL-33 induces IL-13 production by mouse mast cells independently of IgE-FcepsilonRI signals. *J Leukoc Biol* 2007 Dec;82(6):1481-1490.
- (120) Silver MR, Margulis A, Wood N, Goldman SJ, Kasaian M, Chaudhary D. IL-33 synergizes with IgE-dependent and IgE-independent agents to promote



- mast cell and basophil activation. *Inflamm Res* 2010 Mar;59(3):207-218.
- (121) Komai-Koma M, Brombacher F, Pushparaj PN, Arendse B, McSharry C, Alexander J, et al. Interleukin-33 amplifies IgE synthesis and triggers mast cell degranulation via interleukin-4 in naïve mice. *Allergy* 2012 Sep;67(9):1118-1126.
- (122) Kurowska-Stolarska M, Stolarski B, Kewin P, Murphy G, Corrigan CJ, Ying S, et al. IL-33 amplifies the polarization of alternatively activated macrophages that contribute to airway inflammation. *J Immunol* 2009 Nov 15;183(10):6469-6477.
- (123) Préfontaine D, Lajoie-Kadoch S, Foley S, Audusseau S, Olivenstein R, Halayko AJ, et al. Increased expression of IL-33 in severe asthma: evidence of expression by airway smooth muscle cells. *J Immunol* 2009 Oct 15;183(8):5094-5103.
- (124) Préfontaine D, Nadigel J, Chouiali F, Audusseau S, Semlali A, Chakir J, et al. Increased IL-33 expression by epithelial cells in bronchial asthma. *J Allergy Clin Immunol* 2010 Mar;125(3):752-754.
- (125) Sleiman PM, Flory J, Imielinski M, Bradfield JP, Annaiah K, Willis-Owen SA, et al. Variants of DENND1B associated with asthma in children. *N Engl J Med* 2010 Jan 7;362(1):36-44.
- (126) Torgerson DG, Capurso D, Mathias RA, Graves PE, Hernandez RD, Beaty TH, et al. Resequencing candidate genes implicates rare variants in asthma susceptibility. *Am J Hum Genet* 2012 Feb 10;90(2):273-281.
- (127) Manolio TA, Collins FS, Cox NJ, Goldstein DB, Hindorff LA, Hunter DJ, et al. Finding the missing heritability of complex diseases. *Nature* 2009 Oct 8;461(7265):747-753.
- (128) International HapMap 3 Consortium, Altshuler DM, Gibbs RA, Peltonen L, Altshuler DM, Gibbs RA, et al. Integrating common and rare genetic variation in diverse human populations. *Nature* 2010 Sep 2;467(7311):52-58.
- (129) Stranger BE, Montgomery SB, Dimas AS, Parts L, Stegle O, Ingle CE, et al. Patterns of cis regulatory variation in diverse human populations. *PLoS Genet* 2012;8(4):e1002639.
- (130) Dimas AS, Deutsch S, Stranger BE, Montgomery SB, Borel C, Attar-Cohen H, et al. Common regulatory variation impacts gene expression in a cell type-dependent manner. *Science* 2009 Sep 4;325(5945):1246-1250.
- (131) GTEx Consortium. Human genomics. The Genotype-Tissue Expression (GTEx) pilot analysis: multitissue gene regulation in humans. *Science* 2015 May 8;348(6235):648-660.
- (132) Jostins L, Ripke S, Weersma RK, Duerr RH, McGovern DP, Hui KY, et al. Host-microbe interactions have shaped the genetic architecture of inflammatory bowel disease. *Nature* 2012 Nov 1;491(7422):119-124.
- (133) Franke L, Westra HJ. 2019; Available at: <http://www.bbmrwiki.nl/wiki/ImputationTool>, 2018.
- (134) Dubois PC, Trynka G, Franke L, Hunt KA, Romanos J, Curtotti A, et al. Multiple common variants for celiac disease influencing immune gene expression. *Nat Genet* 2010 Apr;42(4):295-302.
- (135) Hunt KA, Zhernakova A, Turner G, Heap GA, Franke L, Bruinenberg M, et al. Newly identified genetic risk variants for celiac disease related to the immune response. *Nat Genet* 2008 Apr;40(4):395-402.
- (136) Ho LH, Ohno T, Oboki K, Kajiwara N, Suto H, Iikura M, et al. IL-33 induces IL-13 production by mouse mast cells independently of IgE-FcεRI signals. *J Leukoc Biol* 2007 Dec;82(6):1481-1490.
- (137) Moussion C, Ortega N, Girard JP. The IL-1-like cytokine IL-33 is constitutively expressed in the nucleus of endothelial cells and epithelial cells in vivo: a novel 'alarmin'? *PLoS One* 2008 Oct 6;3(10):e3331.
- (138) Hsu CL, Neilsen CV, Bryce PJ. IL-33 is produced by mast cells and regulates IgE-dependent inflammation. *PLoS One* 2010 Aug 3;5(8):e11944.
- (139) Joshi AD, Oak SR, Hartigan AJ, Finn WG, Kunkel SL, Duffy KE, et al. Interleukin-33 contributes to both M1 and M2 chemokine marker expression in human macrophages. *BMC Immunol* 2010 Oct 19;11:52-2172-11-52.
- (140) Blom L, Poulsen LK. IL-1 family members IL-18 and IL-33 upregulate the inflammatory potential of differentiated human Th1 and Th2 cultures. *J Immunol*



- 2012 Nov 1;189(9):4331-4337.
- (141) Blom L, Poulsen BC, Jensen BM, Hansen A, Poulsen LK. IL-33 induces IL-9 production in human CD4+ T cells and basophils. *PLoS One* 2011;6(7):e21695.
- (142) Chow JY, Wong CK, Cheung PF, Lam CW. Intracellular signaling mechanisms regulating the activation of human eosinophils by the novel Th2 cytokine IL-33: implications for allergic inflammation. *Cell Mol Immunol* 2010 Jan;7(1):26-34.
- (143) Matsuda A, Okayama Y, Terai N, Yokoi N, Ebihara N, Tanioka H, et al. The role of interleukin-33 in chronic allergic conjunctivitis. *Invest Ophthalmol Vis Sci* 2009 Oct;50(10):4646-4652.
- (144) Tung HY, Plunkett B, Huang SK, Zhou Y. Murine mast cells secrete and respond to interleukin-33. *J Interferon Cytokine Res* 2014 Mar;34(3):141-147.
- (145) Baba Y, Maeda K, Yashiro T, Inage E, Kasakura K, Suzuki R, et al. GATA2 is a critical transactivator for the human IL1RL1/ST2 promoter in mast cells/basophils: opposing roles for GATA2 and GATA1 in human IL1RL1/ST2 gene expression. *J Biol Chem* 2012 Sep 21;287(39):32689-32696.
- (146) Fux M, Pecaric-Petkovic T, Odermatt A, Hausmann OV, Lorentz A, Bischoff SC, et al. IL-33 is a mediator rather than a trigger of the acute allergic response in humans. *Allergy* 2014 Feb;69(2):216-222.
- (147) Hamawy MM, Mergenhagen SE, Siraganian RP. Adhesion molecules as regulators of mast-cell and basophil function. *Immunol Today* 1994 Feb;15(2):62-66.
- (148) Dastyh J, Metcalfe DD. Stem cell factor induces mast cell adhesion to fibronectin. *J Immunol* 1994 Jan 1;152(1):213-219.
- (149) Thompson HL, Burbelo PD, Metcalfe DD. Regulation of adhesion of mouse bone marrow-derived mast cells to laminin. *J Immunol* 1990 Nov 15;145(10):3425-3431.
- (150) Shin K, Nigrovic PA, Crish J, Boilard E, McNeil HP, Larabee KS, et al. Mast cells contribute to autoimmune inflammatory arthritis via their tryptase/heparin complexes. *J Immunol* 2009 Jan 1;182(1):647-656.
- (151) Andrade MV, Iwaki S, Ropert C, Gazzinelli RT, Cunha-Melo JR, Beaven MA. Amplification of cytokine production through synergistic activation of NFAT and AP-1 following stimulation of mast cells with antigen and IL-33. *Eur J Immunol* 2011 Mar;41(3):760-772.
- (152) Moulin D, Donzé O, Talabot-Ayer D, Mézin F, Palmer G, Gabay C. Interleukin (IL)-33 induces the release of pro-inflammatory mediators by mast cells. *Cytokine* 2007 Dec;40(3):216-225.
- (153) Jung MY, Smrž D, Desai A, Bandara G, Ito T, Iwaki S, et al. IL-33 induces a hyporesponsive phenotype in human and mouse mast cells. *J Immunol* 2013 Jan 15;190(2):531-538.
- (154) Saluja R, Metz M, Maurer M. Role and relevance of mast cells in fungal infections. *Front Immunol* 2012 Jun 13;3:146.
- (155) Sabatino G, Nicoletti M, Neri G, Saggini A, Rosati M, Conti F, et al. Impact of IL-9 and IL-33 in mast cells. *J Biol Regul Homeost Agents* 2012 Oct-Dec;26(4):577-586.
- (156) Theoharides TC, Zhang B, Kempuraj D, Tagen M, Vasiadi M, Angelidou A, et al. IL-33 augments substance P-induced VEGF secretion from human mast cells and is increased in psoriatic skin. *Proc Natl Acad Sci USA* 2010 Mar 2;107(9):4448-4453.
- (157) Altman MC, Lai Y, Nolin JD, Long S, Chen CC, Piliponsky AM, et al. Airway epithelium-shifted mast cell infiltration regulates asthmatic inflammation via IL-33 signaling. *J Clin Invest* 2019 Aug 22.
- (158) Uchida M, Anderson EL, Squillace DL, Patil N, Maniak PJ, Iijima K, et al. Oxidative stress serves as a key checkpoint for IL-33 release by airway epithelium. *Allergy* 2017 Oct;72(10):1521-1531.
- (159) Scholtens S, Smidt N, Swertz MA, Bakker SJ, Dotinga A, Vonk JM, et al. Cohort Profile: LifeLines, a three-generation cohort study and biobank. *Int J Epidemiol* 2015 Aug;44(4):1172-1180.
- (160) Gao J, Wu F. Association between fractional exhaled nitric oxide, sputum induction and peripheral blood eosinophil in uncontrolled asthma. *Allergy Asthma Clin Immunol* 2018 May 23;14:21-018-0248-7. eCollection 2018.
- (161) Nieuwenhuis MA, Siedlinski M, van den Berge M, Granell R, Li X, Niens M, et al. Combining genomewide association study and lung eQTL analysis provides

- evidence for novel genes associated with asthma. *Allergy* 2016 Dec;71(12):1712-1720.
- (162) ENCODE Project Consortium. An integrated encyclopedia of DNA elements in the human genome. *Nature* 2012 Sep 6;489(7414):57-74.
- (163) Davis CA, Hitz BC, Sloan CA, Chan ET, Davidson JM, Gabdank I, et al. The Encyclopedia of DNA elements (ENCODE): data portal update. *Nucleic Acids Res* 2018 Jan 4;46(D1):D794-D801.
- (164) Adzhubei I, Jordan DM, Sunyaev SR. Predicting functional effect of human missense mutations using PolyPhen-2. *Curr Protoc Hum Genet* 2013 Jan;Chapter 7:Unit7.20.
- (165) Purcell S, Neale B, Todd-Brown K, Thomas L, Ferreira MA, Bender D, et al. PLINK: a tool set for whole-genome association and population-based linkage analyses. *Am J Hum Genet* 2007 Sep;81(3):559-575.
- (166) Marchini J, Howie B, Myers S, McVean G, Donnelly P. A new multipoint method for genome-wide association studies by imputation of genotypes. *Nat Genet* 2007 Jul;39(7):906-913.
- (167) Willer CJ, Li Y, Abecasis GR. METAL: fast and efficient meta-analysis of genomewide association scans. *Bioinformatics* 2010 Sep 1;26(17):2190-2191.
- (168) Core Team R. R: A language and environment for statistical computing. 2013; Available at: <http://www.R-project.org/>.
- (169) Slater M, Torr E, Harrison T, Forrester D, Knox A, Shaw D, et al. The differential effects of azithromycin on the airway epithelium in vitro and in vivo. *Physiol Rep* 2016 Sep;4(18):10.14814/phy2.12960.
- (170) Portelli MA, Stewart CE, Hall IP, Brightling CE, Sayers I. Cigarette Smoke and the Induction of Urokinase Plasminogen Activator Receptor In Vivo: Selective Contribution of Isoforms to Bronchial Epithelial Phenotype. *Am J Respir Cell Mol Biol* 2015 Aug;53(2):174-183.
- (171) Al Efraij K, FitzGerald JM. Benralizumab for the add-on maintenance treatment of patients with severe asthma aged 12 years and older with an eosinophilic phenotype. *Expert Rev Clin Pharmacol* 2018 Jul;11(7):669-676.
- (172) Farne HA, Wilson A, Powell C, Bax L, Milan SJ. Anti-IL5 therapies for asthma. *Cochrane Database Syst Rev* 2017 Sep 21;9:CD010834.
- (173) Emdin CA, Khera AV, Kathiresan S. Mendelian Randomization. *JAMA* 2017 Nov 21;318(19):1925-1926.
- (174) Cayrol C, Girard JP. Interleukin-33 (IL-33): A nuclear cytokine from the IL-1 family. *Immunol Rev* 2018 Jan;281(1):154-168.
- (175) Molofsky AB, Savage AK, Locksley RM. Interleukin-33 in Tissue Homeostasis, Injury, and Inflammation. *Immunity* 2015 Jun 16;42(6):1005-1019.
- (176) Lambrecht BN, Hammad H. The immunology of asthma. *Nat Immunol* 2015 Jan;16(1):45-56.
- (177) Vieira Braga FA, Kar G, Berg M, Carpaij OA, Polanski K, Simon LM, et al. A cellular census of human lungs identifies novel cell states in health and in asthma. *Nat Med* 2019 Jul;25(7):1153-1163.
- (178) Heijink IH, Nawijn MC, Hackett TL. Airway epithelial barrier function regulates the pathogenesis of allergic asthma. *Clin Exp Allergy* 2014;44(5):620-630.
- (179) Lambrecht BN, Hammad H. The airway epithelium in asthma. *Nat Med* 2012 May 4;18(5):684-692.
- (180) Wark PAB, Ramsahai JM, Pathinayake P, Malik B, Bartlett NW. Respiratory Viruses and Asthma. *Semin Respir Crit Care Med* 2018 Feb;39(1):45-55.
- (181) Jurak LM, Xi Y, Landgraf M, Carroll ML, Murray L, Upham JW. Interleukin 33 Selectively Augments Rhinovirus-Induced Type 2 Immune Responses in Asthmatic but not Healthy People. *Front Immunol* 2018 Aug 16;9:1895.
- (182) Schiller HB, Montoro DT, Simon LM, Rawlins EL, Meyer KB, Strunz M, et al. The Human Lung Cell Atlas: A High-Resolution Reference Map of the Human Lung in Health and Disease. *Am J Respir Cell Mol Biol* 2019 Jul;61(1):31-41.
- (183) Nagakumar P, Puttur F, Gregory LG, Denney L, Fleming L, Bush A, et al. Pulmonary type-2 innate lymphoid cells in paediatric severe asthma: phenotype and response to steroids. *Eur Respir J* 2019 Aug 29;54(2):10.1183/13993003.01809-2018. Print 2019 Aug.



- (184) Kanterakis A, Deelen P, van Dijk F, Byelas H, Dijkstra M, Swertz MA. Molgenis-impute: imputation pipeline in a box. *BMC Res Notes* 2015 Aug 19;8:359-015-1309-3.
- (185) Price AL, Patterson NJ, Plenge RM, Weinblatt ME, Shadick NA, Reich D. Principal components analysis corrects for stratification in genome-wide association studies. *Nat Genet* 2006 Aug;38(8):904-909.
- (186) 1000 Genomes Project Consortium, Abecasis GR, Auton A, Brooks LD, DePristo MA, Durbin RM, et al. An integrated map of genetic variation from 1,092 human genomes. *Nature* 2012 Nov 1;491(7422):56-65.
- (187) Klijs B, Scholtens S, Mandemakers JJ, Snieder H, Stolk RP, Smidt N. Representativeness of the LifeLines Cohort Study. *PLoS One* 2015 Sep 2;10(9):e0137203.
- (188) Ward LD, Kellis M. HaploReg: a resource for exploring chromatin states, conservation, and regulatory motif alterations within sets of genetically linked variants. *Nucleic Acids Res* 2012 Jan;40(Database issue):D930-4.
- (189) Hao K, Bosse Y, Nickle DC, Pare PD, Postma DS, Laviolette M, et al. Lung eQTLs to help reveal the molecular underpinnings of asthma. *PLoS Genet* 2012;8(11):e1003029.
- (190) Imkamp K, Berg M, Vermeulen CJ, Heijink IH, Guryev V, Kerstjens HAM, et al. Nasal epithelium as a proxy for bronchial epithelium for smoking-induced gene expression and expression Quantitative Trait Loci. *J Allergy Clin Immunol* 2018 Jul;142(1):314-317.e15.
- (191) Torr E, Heath M, Mee M, Shaw D, Sharp TV, Sayers I. Expression of polycomb protein BMI-1 maintains the plasticity of basal bronchial epithelial cells. *Physiol Rep* 2016 Aug;4(16):10.14814/phy2.12847.
- (192) Emi N, Friedmann T, Yee JK. Pseudotype formation of murine leukemia virus with the G protein of vesicular stomatitis virus. *J Virol* 1991 Mar;65(3):1202-1207.
- (193) Stewart SA, Dykxhoorn DM, Palliser D, Mizuno H, Yu EY, An DS, et al. Lentivirus-delivered stable gene silencing by RNAi in primary cells. *RNA* 2003 Apr;9(4):493-501.
- (194) Chemometec ea. 2019; Available at: <https://chemometec.com/resources/application-notes/>, 2018.
- (195) Heijink IH, Brandenburg SM, Noordhoek JA, Postma DS, Slebos DJ, van Oosterhout AJ. Characterisation of cell adhesion in airway epithelial cell types using electric cell-substrate impedance sensing. *Eur Respir J* 2010 Apr;35(4):894-903.
- (196) Pruim RJ, Welch RP, Sanna S, Teslovich TM, Chines PS, Gliedt TP, et al. LocusZoom: regional visualization of genome-wide association scan results. *Bioinformatics* 2010 Sep 15;26(18):2336-2337.
- (197) Shaw D. SI. Asthma. *Handbook of Pharmacogenomics and Stratified Medicine: Academic Press* 2014:617-652.
- (198) Portelli MA, Hodge E, Sayers I. Genetic risk factors for the development of allergic disease identified by genome-wide association. *Clin Exp Allergy* 2015 Jan;45(1):21-31.
- (199) Hayakawa H, Hayakawa M, Kume A, Tominaga S. Soluble ST2 blocks interleukin-33 signaling in allergic airway inflammation. *J Biol Chem* 2007 Sep 7;282(36):26369-26380.
- (200) Iwahana H, Yanagisawa K, Ito-Kosaka A, Kuroiwa K, Tago K, Komatsu N, et al. Different promoter usage and multiple transcription initiation sites of the interleukin-1 receptor-related human ST2 gene in UT-7 and TM12 cells. *Eur J Biochem* 1999 Sep;264(2):397-406.
- (201) Li Y, Oosting M, Deelen P, Ricaño-Ponce I, Smeekens S, Jaeger M, et al. Inter-individual variability and genetic influences on cytokine responses to bacteria and fungi. *Nat Med* 2016 Aug;22(8):952-960.
- (202) Han M, Rajput C, Hong JY, Lei J, Hinde JL, Wu Q, et al. The Innate Cytokines IL-25, IL-33, and TSLP Cooperate in the Induction of Type 2 Innate Lymphoid Cell Expansion and Mucous Metaplasia in Rhinovirus-Infected Immature Mice. *J Immunol* 2017 Aug 15;199(4):1308-1318.
- (203) Machiela MJ, Chanock SJ. LDlink: a web-based application for exploring population-specific haplotype structure and linking correlated alleles of possible functional variants. *Bioinformatics* 2015 Nov 1;31(21):3555-3557.
- (204) Machiela MJ, Chanock SJ. LDassoc: an online tool for interactively exploring genome-wide association study results and prioritizing variants for functional investigation. *Bioinformatics* 2018 Mar 1;34(5):887-889.

- (205) Marchini J, Howie B. Genotype imputation for genome-wide association studies. *Nat Rev Genet* 2010 Jul;11(7):499-511.
- (206) Ramirez-Carrozzi V, Dressen A, Lupardus P, Yaspan B, Pappu R. Functional analysis of protective IL1RL1 variants associated with asthma risk. *J Allergy Clin Immunol* 2015 Apr;135(4):1080-3.e3.
- (207) Li Y, Qi X, Liu B, Huang H. The STAT5-GATA2 pathway is critical in basophil and mast cell differentiation and maintenance. *J Immunol* 2015 May 1;194(9):4328-4338.
- (208) Wan H, Kaestner KH, Ang SL, Ikegami M, Finkelman FD, Stahlman MT, et al. Foxa2 regulates alveolarization and goblet cell hyperplasia. *Development* 2004 Feb;131(4):953-964.
- (209) Spooner CJ, Lesch J, Yan D, Khan AA, Abbas A, Ramirez-Carrozzi V, et al. Specification of type 2 innate lymphocytes by the transcriptional determinant Gfi1. *Nat Immunol* 2013 Dec;14(12):1229-1236.
- (210) Zhu Y, Li Y, Jun Wei JW, Liu X. The role of Sox genes in lung morphogenesis and cancer. *Int J Mol Sci* 2012 Nov 26;13(12):15767-15783.
- (211) Traister RS, Uvalle CE, Hawkins GA, Meyers DA, Bleecker ER, Wenzel SE. Phenotypic and genotypic association of epithelial IL1RL1 to human TH2-like asthma. *J Allergy Clin Immunol* 2015 Jan;135(1):92-99.
- (212) Gordon ED, Palandra J, Wesolowska-Andersen A, Ringel L, Rios CL, Lachowicz-Scroggins ME, et al. IL1RL1 asthma risk variants regulate airway type 2 inflammation. *JCI Insight* 2016 Sep 8;1(14):e87871.
- (213) Sarnowski C, Sugier PE, Granell R, Jarvis D, Dizier MH, Ege M, et al. Identification of a new locus at 16q12 associated with time to asthma onset. *J Allergy Clin Immunol* 2016 Oct;138(4):1071-1080.
- (214) Shaw DE, Sousa AR, Fowler SJ, Fleming LJ, Roberts G, Corfield J, et al. Clinical and inflammatory characteristics of the European U-BIOPRED adult severe asthma cohort. *Eur Respir J* 2015 Nov;46(5):1308-1321.
- (215) Dijk FN, Xu C, Melen E, Carsin AE, Kumar A, Nolte IM, et al. Genetic regulation of IL1RL1 methylation and IL1RL1-a protein levels in asthma. *Eur Respir J* 2018 Mar 8;51(3):10.1183/13993003.01377-2017. Print 2018 Mar.
- (216) Akhbari L, Bérubé JC, Bossé Y, Laviolette M, Hao K, Nickle DC, et al. Lung expression quantitative trait loci data set identifies important functional polymorphisms in the asthma-associated IL1RL1 region. *J Allergy Clin Immunol* 2014 Sep;134(3):729-731.
- (217) Carithers LJ, Ardlie K, Barcus M, Branton PA, Britton A, Buia SA, et al. A Novel Approach to High-Quality Postmortem Tissue Procurement: The GTEx Project. *Biopreserv Biobank* 2015 Oct;13(5):311-319.
- (218) Sun BB, Maranville JC, Peters JE, Stacey D, Staley JR, Blackshaw J, et al. Genomic atlas of the human plasma proteome. *Nature* 2018 Jun;558(7708):73-79.
- (219) Piyadasa H, Altieri A, Basu S, Schwartz J, Halayko AJ, Mookherjee N. Biosignature for airway inflammation in a house dust mite-challenged murine model of allergic asthma. *Biol Open* 2016 Jan 6;5(2):112-121.
- (220) Zoltowska AM, Lei Y, Fuchs B, Rask C, Adner M, Nilsson GP. The interleukin-33 receptor ST2 is important for the development of peripheral airway hyperresponsiveness and inflammation in a house dust mite mouse model of asthma. *Clin Exp Allergy* 2016 Mar;46(3):479-490.
- (221) Que J, Okubo T, Goldenring JR, Nam KT, Kurotani R, Morrisey EE, et al. Multiple dose-dependent roles for Sox2 in the patterning and differentiation of anterior foregut endoderm. *Development* 2007 Jul;134(13):2521-2531.
- (222) Que J, Luo X, Schwartz RJ, Hogan BL. Multiple roles for Sox2 in the developing and adult mouse trachea. *Development* 2009 Jun;136(11):1899-1907.
- (223) Domyan ET, Ferretti E, Throckmorton K, Mishina Y, Nicolis SK, Sun X. Signaling through BMP receptors promotes respiratory identity in the foregut via repression of Sox2. *Development* 2011 Mar;138(5):971-981.
- (224) Faiz A, van den Berge M, Vermeulen CJ, Ten Hacken NHT, Guryev V, Pouwels SD. AGER expression and alternative splicing in bronchial biopsies of smokers and never smokers. *Respir Res* 2019 Apr 10;20(1):70-019-1038-6.
- (225) Kim D, Langmead B, Salzberg SL. HISAT: a fast spliced aligner with low memory requirements. *Nat Methods* 2015 Apr;12(4):357-360.



- (226) Li H, Handsaker B, Wysoker A, Fennell T, Ruan J, Homer N, et al. The Sequence Alignment/Map format and SAMtools. *Bioinformatics* 2009 Aug 15;25(16):2078-2079.
- (227) Anders S, Pyl PT, Huber W. HTSeq--a Python framework to work with high-throughput sequencing data. *Bioinformatics* 2015 Jan 15;31(2):166-169.
- (228) Brown J, Pirrung M, McCue LA. FQC Dashboard: integrates FastQC results into a web-based, interactive, and extensible FASTQ quality control tool. *Bioinformatics* 2017 Oct 1;33(19):3137-3139.
- (229) Dijk FN, Xu C, Melén E, Carsin AE, Kumar A, Nolte IM, et al. Genetic regulation of IL1RL1 methylation and IL1RL1-a protein levels in asthma. *Eur Respir J* 2018 Mar 8;51(3):1701377. doi: 10.1183/13993003.01377-2017. Print 2018 Mar.
- (230) Roorda RJ, Gerritsen J, van Aalderen WM, Schouten JP, Veltman JC, Weiss ST, et al. Follow-up of asthma from childhood to adulthood: influence of potential childhood risk factors on the outcome of pulmonary function and bronchial responsiveness in adulthood. *J Allergy Clin Immunol* 1994 Mar;93(3):575-584.
- (231) Vonk JM, Nieuwenhuis MAE, Dijk FN, Boudier A, Siroux V, Bouzigon E, et al. Novel genes and insights in complete asthma remission: A genome-wide association study on clinical and complete asthma remission. *Clin Exp Allergy* 2018 Oct;48(10):1286-1296.
- (232) Portelli MA, Dijk FN, Ketelaar ME, Shrine N, Hankinson J, Bhaker S, et al. Phenotypic and functional translation of IL1RL1 locus polymorphisms in lung tissue and asthmatic airway epithelium. *JCI Insight* 2020 Apr 23;5(8):e132446. doi: 10.1172/jci.insight.132446.
- (233) Chen H, Schürch CM, Noble K, Kim K, Krutzik PO, O'Donnell E, et al. Functional comparison of PBMCs isolated by Cell Preparation Tubes (CPT) vs. Lymphoprep Tubes. *BMC Immunol* 2020 Mar 30;21(1):15-020-00345-0.
- (234) Rio DC, Ares M, Jr, Hannon GJ, Nilsen TW. Purification of RNA using TRIzol (TRI reagent). *Cold Spring Harb Protoc* 2010 Jun;2010(6):pdb.prot5439.
- (235) Lécart S, Lecointe N, Subramaniam A, Alkan S, Ni D, Chen R, et al. Activated, but not resting human Th2 cells, in contrast to Th1 and T regulatory cells, produce soluble ST2 and express low levels of ST2L at the cell surface. *Eur J Immunol* 2002 Oct;32(10):2979-2987.
- (236) Peine M, Marek RM, Löhning M. IL-33 in T Cell Differentiation, Function, and Immune Homeostasis. *Trends Immunol* 2016 May;37(5):321-333.
- (237) Ketelaar ME, Portelli MA, Dijk FN, Shrine N, Faiz A, Vermeulen CJ, et al. Phenotypic and functional translation of IL33 genetics in asthma. *J Allergy Clin Immunol* 2020 May 19.
- (238) Luo W, Obeidat M, Di Narzo AF, Chen R, Sin DD, Paré PD, et al. Airway Epithelial Expression Quantitative Trait Loci Reveal Genes Underlying Asthma and Other Airway Diseases. *Am J Respir Cell Mol Biol* 2016 Feb;54(2):177-187.
- (239) Dijk FN, Xu C, Melen E, Carsin AE, Kumar A, Nolte IM, et al. Genetic regulation of IL1RL1 methylation and IL1RL1-a protein levels in asthma. *Eur Respir J* 2018 Mar 8;51(3):10.1183/13993003.01377-2017. Print 2018 Mar.
- (240) Ketelaar ME, van de Kant KD, Dijk FN, Klaassen EM, Grotenboer NS, Nawijn MC, et al. Predictive value of serum sST2 in preschool wheezers for development of asthma with high FeNO. *Allergy* 2017 Nov;72(11):1811-1815.
- (241) North ML, Ellis AK. The role of epigenetics in the developmental origins of allergic disease. *Ann Allergy Asthma Immunol* 2011 May;106(5):355-61; quiz 362.
- (242) Hudon Thibeault AA, Laprise C. Cell-Specific DNA Methylation Signatures in Asthma. *Genes (Basel)* 2019 Nov 15;10(11):932. doi: 10.3390/genes10110932.
- (243) Martino DJ, Prescott SL. Silent mysteries: epigenetic paradigms could hold the key to conquering the epidemic of allergy and immune disease. *Allergy* 2010 Jan;65(1):7-15.
- (244) Guo L, Wei G, Zhu J, Liao W, Leonard WJ, Zhao K, et al. IL-1 family members and STAT activators induce cytokine production by Th2, Th17, and Th1 cells. *Proc Natl Acad Sci U S A* 2009 Aug 11;106(32):13463-13468.
- (245) Braun DA, Fribourg M, Sealson SC. Cytokine response is determined by duration of receptor and signal transducers and activators of transcription 3 (STAT3) activation. *J Biol Chem* 2013 Feb 1;288(5):2986-2993.



- (246) Zhou X, Fragala MS, McElhanev JE, Kuchel GA. Conceptual and methodological issues relevant to cytokine and inflammatory marker measurements in clinical research. *Curr Opin Clin Nutr Metab Care* 2010 Sep;13(5):541-547.
- (247) Aziz N, Detels R, Quint JJ, Li Q, Gjertson D, Butch AW. Stability of cytokines, chemokines and soluble activation markers in unprocessed blood stored under different conditions. *Cytokine* 2016 Aug;84:17-24.
- (248) Chen WY, Tsai TH, Yang JL, Li LC. Therapeutic Strategies for Targeting IL-33/ST2 Signalling for the Treatment of Inflammatory Diseases. *Cell Physiol Biochem* 2018;49(1):349-358.
- (249) Fajt ML, Wenzel SE. Asthma phenotypes and the use of biologic medications in asthma and allergic disease: the next steps toward personalized care. *J Allergy Clin Immunol* 2015 Feb;135(2):299-310; quiz 311.
- (250) Ober C, McKennan CG, Magnaye KM, Altman MC, Washington C, Stanhope C, et al. Expression quantitative trait locus fine mapping of the 17q12-21 asthma locus in African American children: a genetic association and gene expression study. *Lancet Respir Med* 2020 May;8(5):482-492.
- (251) Licona-Limón P, Kim LK, Palm NW, Flavell RA. TH2, allergy and group 2 innate lymphoid cells. *Nat Immunol* 2013 Jun;14(6):536-542.
- (252) Afonina IS, Müller C, Martin SJ, Beyaert R. Proteolytic Processing of Interleukin-1 Family Cytokines: Variations on a Common Theme. *Immunity* 2015 Jun 16;42(6):991-1004.
- (253) Guo Z, Wu J, Zhao J, Liu F, Chen Y, Bi L, et al. IL-33 promotes airway remodeling and is a marker of asthma disease severity. *J Asthma* 2014 Oct;51(8):863-869.
- (254) Asaka D, Yoshikawa M, Nakayama T, Yoshimura T, Moriyama H, Otori N. Elevated levels of interleukin-33 in the nasal secretions of patients with allergic rhinitis. *Int Arch Allergy Immunol* 2012;158 Suppl 1:47-50.
- (255) Rivière E, Ly B, Boudaoud S, Chavez H, Nocturne G, Chanson P, et al. Pitfalls for detecting interleukin-33 by ELISA in the serum of patients with primary Sjögren syndrome: comparison of different kits. *Ann Rheum Dis* 2016 Mar;75(3):633-635.
- (256) Voloshyna I, Mucci T, Sher J, Fonacier LS, Littlefield MJ, Carsons S, et al. Plasma IL-33 in atopic patients correlates with pro-inflammatory cytokines and changes cholesterol transport protein expression: a surprising neutral overall impact on atherogenicity. *Clin Exp Allergy* 2015 Oct;45(10):1554-1565.
- (257) Savenije OE, Kerkhof M, Koppelman GH, Postma DS. Predicting who will have asthma at school age among preschool children. *J Allergy Clin Immunol* 2012 Aug;130(2):325-331.
- (258) Klaassen EM, van de Kant KD, Jöbsis Q, van Schayck OC, Smolinska A, Dallinga JW, et al. Exhaled biomarkers and gene expression at preschool age improve asthma prediction at 6 years of age. *Am J Respir Crit Care Med* 2015 Jan 15;191(2):201-207.
- (259) Nygaard U, Hvid M, Johansen C, Buchner M, Fölster-Holst R, Deleuran M, et al. TSLP, IL-31, IL-33 and sST2 are new biomarkers in endophenotypic profiling of adult and childhood atopic dermatitis. *J Eur Acad Dermatol Venereol* 2016 Nov;30(11):1930-1938.
- (260) Cayrol C, Girard JP. IL-33: an alarm cytokine with crucial roles in innate immunity, inflammation and allergy. *Curr Opin Immunol* 2014 Dec;31:31-37.
- (261) van de Kant KD, Klaassen EM, Jöbsis Q, Nijhuis AJ, van Schayck OC, Dompeling E. Early diagnosis of asthma in young children by using non-invasive biomarkers of airway inflammation and early lung function measurements: study protocol of a case-control study. *BMC Public Health* 2009 Jun 29;9:210-2458-9-210.
- (262) Ali M, Zhang G, Thomas WR, McLean CJ, Bizzintino JA, Laing IA, et al. Investigations into the role of ST2 in acute asthma in children. *Tissue Antigens* 2009 Mar;73(3):206-212.
- (263) Dweik RA, Boggs PB, Erzurum SC, Irvin CG, Leigh MW, Lundberg JO, et al. An official ATS clinical practice guideline: interpretation of exhaled nitric oxide levels (FENO) for clinical applications. *Am J Respir Crit Care Med* 2011 Sep 1;184(5):602-615.
- (264) Klaassen EM, van de Kant KD, Jöbsis Q, Høvig ST, van Schayck CP, Rijkers GT, et al. Symptoms, but not a biomarker response to inhaled corticosteroids, predict asthma in preschool children with recurrent wheeze. *Mediators Inflamm* 2012;2012:162571.



- (265) Petsky HL, Kew KM, Chang AB. Exhaled nitric oxide levels to guide treatment for children with asthma. *Cochrane Database Syst Rev* 2016 Nov 9;11(11):CD011439.
- (266) Malerba M, Radaeli A, Olivini A, Ragnoli B, Ricciardolo F, Montuschi P. The Combined Impact of Exhaled Nitric Oxide and Sputum Eosinophils Monitoring in Asthma Treatment: A Prospective Cohort Study. *Curr Pharm Des* 2015;21(32):4752-4762.
- (267) van de Kant KD, Koers K, Rijkers GT, Lima Passos V, Klaassen EM, Mommers M, et al. Can exhaled inflammatory markers predict a steroid response in wheezing preschool children? *Clin Exp Allergy* 2011 Aug;41(8):1076-1083.
- (268) Lee HY, Rhee CK, Kang JY, Byun JH, Choi JY, Kim SJ, et al. Blockade of IL-33/ST2 ameliorates airway inflammation in a murine model of allergic asthma. *Exp Lung Res* 2014 Mar;40(2):66-76.
- (269) Yin H, Li XY, Liu T, Yuan BH, Zhang BB, Hu SL, et al. Adenovirus-mediated delivery of soluble ST2 attenuates ovalbumin-induced allergic asthma in mice. *Clin Exp Immunol* 2012 Oct;170(1):1-9.
- (270) Marino R, Magrini L, Orsini F, Russo V, Cardelli P, Salerno G, et al. Comparison Between Soluble ST2 and High-Sensitivity Troponin I in Predicting Short-Term Mortality for Patients Presenting to the Emergency Department With Chest Pain. *Ann Lab Med* 2017 Mar;37(2):137-146.
- (271) Aimo A, Vergaro G, Passino C, Ripoli A, Ky B, Miller WL, et al. Prognostic Value of Soluble Suppression of Tumorigenicity-2 in Chronic Heart Failure: A Meta-Analysis. *JACC Heart Fail* 2017 Apr;5(4):280-286.
- (272) Ishikawa S, Shimizu M, Ueno K, Sugimoto N, Yachie A. Soluble ST2 as a marker of disease activity in systemic juvenile idiopathic arthritis. *Cytokine* 2013 May;62(2):272-277.
- (273) van Ginkel CD, Pettersson ME, Dubois AEJ, Koppelman GH. Association of STAT6 gene variants with food allergy diagnosed by double-blind placebo-controlled food challenges. *Allergy* 2018 Jun;73(6):1337-1341.
- (274) Takatori H, Makita S, Ito T, Matsuki A, Nakajima H. Regulatory Mechanisms of IL-33-ST2-Mediated Allergic Inflammation. *Front Immunol* 2018 Sep 4;9:2004.
- (275) Han H, Roan F, Johnston LK, Smith DE, Bryce PJ, Ziegler SF. IL-33 promotes gastrointestinal allergy in a TSLP-independent manner. *Mucosal Immunol* 2018 Mar;11(2):394-403.
- (276) Ellinghaus D, Baurecht H, Esparza-Gordillo J, Rodriguez E, Matanovic A, Marenholz I, et al. High-density genotyping study identifies four new susceptibility loci for atopic dermatitis. *Nat Genet* 2013 Jul;45(7):808-812.
- (277) van Ginkel CD, Flokstra-de Blok BM, Kollen BJ, Kukler J, Koppelman GH, Dubois AE. Loss-of-function variants of the filaggrin gene are associated with clinical reactivity to foods. *Allergy* 2015 Apr;70(4):461-464.
- (278) Gordon ED, Simpson LJ, Rios CL, Ringel L, Lachowicz-Scroggins ME, Peters MC, et al. Alternative splicing of interleukin-33 and type 2 inflammation in asthma. *Proc Natl Acad Sci U S A* 2016 Aug 2;113(31):8765-8770.
- (279) Salter BM, Oliveria JP, Nusca G, Smith SG, Tworek D, Mitchell PD, et al. IL-25 and IL-33 induce Type 2 inflammation in basophils from subjects with allergic asthma. *Respir Res* 2016 Jan 14;17:5-016-0321-z.
- (280) Oshikawa K, Kuroiwa K, Tago K, Iwahana H, Yanagisawa K, Ohno S, et al. Elevated soluble ST2 protein levels in sera of patients with asthma with an acute exacerbation. *Am J Respir Crit Care Med* 2001 Jul 15;164(2):277-281.
- (281) Kotsiou OS, Gourgoulis KI, Zarogiannis SG. IL-33/ST2 Axis in Organ Fibrosis. *Front Immunol* 2018 Oct 24;9:2432.
- (282) Werder RB, Zhang V, Lynch JP, Snape N, Upham JW, Spann K, et al. Chronic IL-33 expression predisposes to virus-induced asthma exacerbations by increasing type 2 inflammation and dampening antiviral immunity. *J Allergy Clin Immunol* 2018 May;141(5):1607-1619.e9.
- (283) Allinne J, Scott G, Lim WK, Birchard D, Erjefält JS, Sandén C, et al. IL-33 blockade affects mediators of persistence and exacerbation in a model of chronic airway inflammation. *J Allergy Clin Immunol* 2019 Dec;144(6):1624-1637.e10.
- (284) Scott IC, Majithiya JB, Sanden C, Thornton P, Sanders PN, Moore T, et al. Interleukin-33 is activated by

- allergen- and necrosis-associated proteolytic activities to regulate its alarmin activity during epithelial damage. *Sci Rep* 2018 Feb 20;8(1):3363-018-21589-2.
- (285) Cohen ES, Scott IC, Majithiya JB, Rapley L, Kemp BP, England E, et al. Oxidation of the alarmin IL-33 regulates ST2-dependent inflammation. *Nat Commun* 2015 Sep 14;6:8327.
- (286) Leva-Bueno J, Peyman SA, Millner PA. A review on impedimetric immunosensors for pathogen and biomarker detection. *Med Microbiol Immunol* 2020 Jun;209(3):343-362.
- (287) Dijk FN, Folkersma C, Gruzieva O, Kumar A, Wijga AH, Gehring U, et al. Genetic risk scores do not improve asthma prediction in childhood. *J Allergy Clin Immunol* 2019 Sep;144(3):857-860.e7.
- (288) Porsbjerg CM, Sverrild A, Lloyd CM, Menzies-Gow AN, Bel EH. Anti-alarmins in asthma: targeting the airway epithelium with next-generation biologics. *Eur Respir J* 2020 Jun 25.
- (289) Al-Sajee D, Oliveria JP, Sehmi R, Gauvreau GM. Antialarmins for treatment of asthma: future perspectives. *Curr Opin Pulm Med* 2018 Jan;24(1):32-41.
- (290) Lei Y, Boinapally V, Zoltowska A, Adner M, Hellman L, Nilsson G. Vaccination against IL-33 Inhibits Airway Hyperresponsiveness and Inflammation in a House Dust Mite Model of Asthma. *PLoS One* 2015 Jul 27;10(7):e0133774.
- (291) Li D, Guabiraba R, Besnard AG, Komai-Koma M, Jabir MS, Zhang L, et al. IL-33 promotes ST2-dependent lung fibrosis by the induction of alternatively activated macrophages and innate lymphoid cells in mice. *J Allergy Clin Immunol* 2014 Dec;134(6):1422-1432.e11.
- (292) Liu X, Li M, Wu Y, Zhou Y, Zeng L, Huang T. Anti-IL-33 antibody treatment inhibits airway inflammation in a murine model of allergic asthma. *Biochem Biophys Res Commun* 2009 Aug 14;386(1):181-185.
- (293) Kim YH, Yang TY, Park CS, Ahn SH, Son BK, Kim JH, et al. Anti-IL-33 antibody has a therapeutic effect in a murine model of allergic rhinitis. *Allergy* 2012 Feb;67(2):183-190.
- (294) Mizutani N, Nabe T, Yoshino S. Interleukin-33 and alveolar macrophages contribute to the mechanisms underlying the exacerbation of IgE-mediated airway inflammation and remodelling in mice. *Immunology* 2013 Jun;139(2):205-218.
- (295) Qiu C, Li Y, Li M, Li M, Liu X, McSharry C, et al. Anti-interleukin-33 inhibits cigarette smoke-induced lung inflammation in mice. *Immunology* 2013 Jan;138(1):76-82.
- (296) Ramaprakash H, Shibata T, Duffy KE, Ismailoglu UB, Bredernitz RM, Moreira AP, et al. Targeting ST2L potentiates CpG-mediated therapeutic effects in a chronic fungal asthma model. *Am J Pathol* 2011 Jul;179(1):104-115.
- (297) Galand C, Leyva-Castillo JM, Yoon J, Han A, Lee MS, McKenzie ANJ, et al. IL-33 promotes food anaphylaxis in epicutaneously sensitized mice by targeting mast cells. *J Allergy Clin Immunol* 2016 Nov;138(5):1356-1366.
- (298) Ramirez-Carrozzi V, Sambandam A, Zhou M, Yan D, Kang J, Wu X, et al. Combined blockade of the IL-13 and IL-33 pathways leads to a greater inhibition of type 2 inflammation over inhibition of either pathway alone. *J Allergy Clin Immunol* 2017 Feb;139(2):705-708.e6.
- (299) Imai Y, Yasuda K, Sakaguchi Y, Haneda T, Mizutani H, Yoshimoto T, et al. Skin-specific expression of IL-33 activates group 2 innate lymphoid cells and elicits atopic dermatitis-like inflammation in mice. *Proc Natl Acad Sci U S A* 2013 Aug 20;110(34):13921-13926.
- (300) Fahy JV. Type 2 inflammation in asthma--present in most, absent in many. *Nat Rev Immunol* 2015 Jan;15(1):57-65.
- (301) Normansell R, Walker S, Milan SJ, Walters EH, Nair P. Omalizumab for asthma in adults and children. *Cochrane Database Syst Rev* 2014 Jan 13;(1):CD003559. doi(1):CD003559.
- (302) Zayed Y, Kheiri B, Banifadel M, Hicks M, Aburahma A, Hamid K, et al. Dupilumab safety and efficacy in uncontrolled asthma: a systematic review and meta-analysis of randomized clinical trials. *J Asthma* 2019 Oct;56(10):1110-1119.
- (303) Kim H, Ellis AK, Fischer D, Noseworthy M, Olivenstein R, Chapman KR, et al. Asthma biomarkers in the age of biologics. *Allergy Asthma Clin Immunol* 2017 Nov 17;13:48-017-0219-4. eCollection 2017.



- (304) Carr TF, Zeki AA, Kraft M. Eosinophilic and Noneosinophilic Asthma. *Am J Respir Crit Care Med* 2018 Jan 1;197(1):22-37.
- (305) Corren J, Garcia Gil E, Parnes J. Tezepelumab treatment effect on annualized rate of exacerbations by baseline biomarkers in uncontrolled severe asthma patients: phase 2b PATHWAY study. *Am J Respir Crit Care Med* 2019;1999(A2621).
- (306) Sanada S, Hakuno D, Higgins LJ, Schreiter ER, McKenzie AN, Lee RT. IL-33 and ST2 comprise a critical biomechanically induced and cardioprotective signaling system. *J Clin Invest* 2007 Jun;117(6):1538-1549.
- (307) Chen WY, Hong J, Gannon J, Kakkar R, Lee RT. Myocardial pressure overload induces systemic inflammation through endothelial cell IL-33. *Proc Natl Acad Sci U S A* 2015 Jun 9;112(23):7249-7254.
- (308) Veeraveedu PT, Sanada S, Okuda K, Fu HY, Matsuzaki T, Araki R, et al. Ablation of IL-33 gene exacerbate myocardial remodeling in mice with heart failure induced by mechanical stress. *Biochem Pharmacol* 2017 Aug 15;138:73-80.
- (309) Miller AM, Xu D, Asquith DL, Denby L, Li Y, Sattar N, et al. IL-33 reduces the development of atherosclerosis. *J Exp Med* 2008 Feb 18;205(2):339-346.
- (310) Abston ED, Barin JG, Cihakova D, Bucek A, Coronado MJ, Brandt JE, et al. IL-33 independently induces eosinophilic pericarditis and cardiac dilation: ST2 improves cardiac function. *Circ Heart Fail* 2012 May 1;5(3):366-375.
- (311) Luo Y, Zhou Y, Xiao W, Liang Z, Dai J, Weng X, et al. Interleukin-33 ameliorates ischemic brain injury in experimental stroke through promoting Th2 response and suppressing Th17 response. *Brain Res* 2015 Feb 9;1597:86-94.
- (312) Korhonen P, Kanninen KM, Lehtonen S, Lemarchant S, Puttonen KA, Oksanen M, et al. Immunomodulation by interleukin-33 is protective in stroke through modulation of inflammation. *Brain Behav Immun* 2015 Oct;49:322-336.
- (313) Yang Y, Liu H, Zhang H, Ye Q, Wang J, Yang B, et al. ST2/IL-33-Dependent Microglial Response Limits Acute Ischemic Brain Injury. *J Neurosci* 2017 May 3;37(18):4692-4704.
- (314) Pomeschchik Y, Kidin I, Korhonen P, Savchenko E, Jaronen M, Lehtonen S, et al. Interleukin-33 treatment reduces secondary injury and improves functional recovery after contusion spinal cord injury. *Brain Behav Immun* 2015 Feb;44:68-81.
- (315) Gadani SP, Walsh JT, Smirnov I, Zheng J, Kipnis J. The glia-derived alarmin IL-33 orchestrates the immune response and promotes recovery following CNS injury. *Neuron* 2015 Feb 18;85(4):703-709.
- (316) Du WY, Chen CW, Lin FK, Chuang CC. IL-33 mediates the expressions of IL-5 and IL-13 in *Angiostrongylus cantonensis*-infected mice. *Exp Parasitol* 2013 Nov;135(3):587-594.
- (317) Peng H, Sun R, Zhang Q, Zhao J, Wei J, Zeng X, et al. Interleukin 33 mediates type 2 immunity and inflammation in the central nervous system of mice infected with *Angiostrongylus cantonensis*. *J Infect Dis* 2013 Mar 1;207(5):860-869.
- (318) Chen H, Sun Y, Lai L, Wu H, Xiao Y, Ming B, et al. Interleukin-33 is released in spinal cord and suppresses experimental autoimmune encephalomyelitis in mice. *Neuroscience* 2015 Nov 12;308:157-168.
- (319) Jiang HR, Milovanović M, Allan D, Niedbala W, Besnard AG, Fukada SY, et al. IL-33 attenuates EAE by suppressing IL-17 and IFN- γ production and inducing alternatively activated macrophages. *Eur J Immunol* 2012 Jul;42(7):1804-1814.
- (320) Li M, Li Y, Liu X, Gao X, Wang Y. IL-33 blockade suppresses the development of experimental autoimmune encephalomyelitis in C57BL/6 mice. *J Neuroimmunol* 2012 Jun 15;247(1-2):25-31.
- (321) Du LX, Wang YQ, Hua GQ, Mi WL. IL-33/ST2 Pathway as a Rational Therapeutic Target for CNS Diseases. *Neuroscience* 2018 Jan 15;369:222-230.
- (322) Hodzic Z, Schill EM, Bolock AM, Good M. IL-33 and the intestine: The good, the bad, and the inflammatory. *Cytokine* 2017 Dec;100:1-10.
- (323) Sedhom MA, Pichery M, Murdoch JR, Foligné B, Ortega N, Normand S, et al. Neutralisation of the interleukin-33/ST2 pathway ameliorates experimental colitis through enhancement of mucosal healing in mice. *Gut* 2013 Dec;62(12):1714-1723.



(324) Duan L, Chen J, Zhang H, Yang H, Zhu P, Xiong A, et al. Interleukin-33 ameliorates experimental colitis through promoting Th2/Foxp3⁺ regulatory T-cell responses in mice. *Mol Med* 2012 Jul 18;18(1):753-761.

(325) Schiering C, Krausgruber T, Chomka A, Fröhlich A, Adelmann K, Wohlfert EA, et al. The alarmin IL-33 promotes regulatory T-cell function in the intestine. *Nature* 2014 Sep 25;513(7519):564-568.





