

University of Groningen

Patient perspectives in the benefit-risk evaluation of drugs

de Vries, Sietske

DOI:

[10.1016/j.jpsychores.2013.11.003](https://doi.org/10.1016/j.jpsychores.2013.11.003)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2015

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

de Vries, S. (2015). *Patient perspectives in the benefit-risk evaluation of drugs*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen. <https://doi.org/10.1016/j.jpsychores.2013.11.003>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Appendices

Appendix 1. Patient-reported adverse drug event questionnaire

<p style="text-align: center;">Questionnaire Drug use and side effects experienced by patients</p>
--

This questionnaire contains questions about the drugs that you take and any side effects (adverse effects) that you experience from these drugs. The questionnaire is made up of two parts:

Part A: general information, your drug use and the symptoms you experience

Part B: side effects that you have experienced during the past four weeks

Your details will remain confidential at all times.

Instructions

Most of the questions can be answered by checking the box next to the most applicable answer. There are no right or wrong answers and there will generally only be one possible answer, unless stated otherwise. There are also a number of questions that ask you to provide additional information on the dotted lines.

If you check the box next to the wrong answer, you can color that box black and then check the box next to the right answer. For example:

Are you married?

No

Yes

The intended answer in this example was 'Yes'.

Most respondents take between 20 and 40 minutes to complete the questionnaire. You may need more time or less time to complete it yourself.

Please feel free to take a break during the questionnaire, but we do ask that you complete it at a later time, as incomplete questionnaires cannot be used for this research.

Thank you very much for your cooperation

General Information

1. What is your gender?

- Male
- Female

2. How old are you?

years

3. What town/city do you live in?

.....

4. What is your highest level of completed education?

- No education completed
- Elementary school, special education
- Junior secondary vocational education, pre-vocational education
(for example VMBO, LTS, LEAO)
- Junior general secondary education
(for example MAVO, MULO, ULO, VMBO-t)
- Senior secondary vocational education, other vocational education
(for example MBO, MEAO, MTS, BBL)
- Senior general secondary education
(for example HAVO, VWO, Athenaeum, HBS)
- Higher professional education
(for example HBO, HTS, HEAO)
- University education (research university)
- Other (please specify).....

5. What is your country of birth?

- The Netherlands
- Other (please specify).....

6. What is your father's country of birth?

- The Netherlands
- Other (please specify).....
- Don't know

7. What is your mother's country of birth?

- The Netherlands
- Other (please specify).....
- Don't know

8. How would you describe your general health?

- Excellent
- Very good
- Good
- Fair
- Poor

Part A

Drug use

9. Which prescription drugs did you take during the **past 4 weeks**?

Example: I took metformin 500mg for diabetes.

Example name + strength	Example disease/disorder
<i>metformin 500mg</i>	<i>diabetes</i>

Please enter all prescription drugs that you took during the past 4 weeks below:

Name + strength of the drug	For which disorder/disease /ailment did or do you take this drug?

Question 9. Drug use, continued

Name + strength of the drug	For which disorder/disease /ailment did or do you take this drug?

10. Do you suffer from other disorders or diseases besides those mentioned above?

- No
- Yes (please specify).....

11. Did you use drugs during the past 4 weeks for which you did not require a prescription (for example self-help drugs, incidental drugs or alternative, homeopathic or natural drugs)?

- No
- Yes (please specify).....

Symptoms

12. Did you experience symptoms during the **past 4 weeks**?

- If yes, you can find lists of symptoms per body part on the following pages. You should first consider in which part of your body you experienced the symptoms. You can then go to the page mentioned for each of the body parts. There you can check the box next to the applicable symptom.
- Yes**, I experienced symptoms in the following parts of my body:
- Eyes and/or eyelids → go to page 7
 - Throat, nose, ears (hearing) and/or swallowing → go to page 8
 - Sweating, blushing, temperature increase or decrease, colds
and/or flu → go to page 9
 - Mouth, lips, speech and/or voice → go to page 10
 - Tongue, teeth, gums and/or taste → go to page 11
 - Lungs, heart, chest, breathing (including sleep apnea) and/or blood
(blood pressure, bleeding) → go to page 12
 - Bladder and/or urination → go to page 13
 - Intestines, stomach, vomiting (including vomiting blood), stool
and/or bowel movements → go to page 14
 - Skin (including wounds, bruises, rashes), hair and/or nails..... → go to page 15
 - Genitals, sexuality, menopause, breasts and/or menstruation → go to page 16
 - Muscles, bones, joints and/or bodily complaints..... → go to page 17
 - Dizziness, falling and/or balance → go to page 18
 - Head, brain, moods and/or emotions → go to page 19
 - Sleep, dreams, fatigue, yawning and/or more energy or less energy → go to page 20
 - Eating, drinking, weight and/or blood sugar → go to page 20
 - Inflammation, edema, fungal infection and/or All other complaints → go to page 21
- No, I did not experience any symptoms..... → go to page 26 (in Part B)

Part A

Eyes and/or eyelids

13. Which symptoms involving your 'eyes and/or eyelids' did you experience during the **past 4 weeks** (you may give more than one answer)?

	Yes, I experienced this symptom and ...	
	I don't think the drug caused it or I'm not sure	I do think that it is, or could be, a side effect of my drug
Blurred vision -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Double vision -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Seeing less or poorer vision -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Seeing (black) spots -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Night blindness -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Flashes of light -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Painful eyes -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Teary, watery eyes -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Dry eyes -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Burning, itchy or irritated eyes -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Inflamed eyes -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Itchy or irritated eyelids -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Inflamed eyelids -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Puffy or swollen eyes or eyelids -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Enlarged pupils -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Pressure on the eyes -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Burst eye vessels -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Inability to move eyes -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Unusual eye movements -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Other (please specify)	<input type="checkbox"/> -----	<input type="checkbox"/> -----

Throat, nose, ears (hearing) and/or swallowing

14. Which symptoms involving your ‘throat, nose, ears (hearing) and/or swallowing’ did you experience during the **past 4 weeks** (you may give more than one answer)?

	Yes, I experienced this symptom and ...	
	I don't think the drug caused it or I'm not sure	I do think that it is, or could be, a side effect of my drug
	▼	▼
Painful throat, throat-ache-----	<input type="checkbox"/>	<input type="checkbox"/>
Inflamed throat -----	<input type="checkbox"/>	<input type="checkbox"/>
Dry throat -----	<input type="checkbox"/>	<input type="checkbox"/>
Difficulty swallowing, food sticks in the throat -----	<input type="checkbox"/>	<input type="checkbox"/>
Choking -----	<input type="checkbox"/>	<input type="checkbox"/>
Changed sense of smell (for example sensitivity to odors)-----	<input type="checkbox"/>	<input type="checkbox"/>
Bloody nose, nosebleed -----	<input type="checkbox"/>	<input type="checkbox"/>
Dry nostrils -----	<input type="checkbox"/>	<input type="checkbox"/>
Blocked nose-----	<input type="checkbox"/>	<input type="checkbox"/>
Runny nose-----	<input type="checkbox"/>	<input type="checkbox"/>
Ear infection -----	<input type="checkbox"/>	<input type="checkbox"/>
Earache -----	<input type="checkbox"/>	<input type="checkbox"/>
Buzzing or ringing in the ear or ears -----	<input type="checkbox"/>	<input type="checkbox"/>
Impaired hearing, difficulty hearing or deafness -----	<input type="checkbox"/>	<input type="checkbox"/>
Other (please specify)	<input type="checkbox"/>	<input type="checkbox"/>

Part A

Sweating, blushing, temperature increase or decrease, colds and/or flu

15. Which symptoms involving 'sweating, blushing, temperature, colds and/or the flu' did you experience during the **past 4 weeks** (you may give more than one answer)?

	Yes, I experienced this symptom and ...	
	I don't think the drug caused it or I'm not sure	I do think that it is, or could be, a side effect of my drug
	▼	▼
Shivering, shivery-----	<input type="checkbox"/>	<input type="checkbox"/>
Goose bumps -----	<input type="checkbox"/>	<input type="checkbox"/>
Cold limbs (for example cold feet and/or hands)-----	<input type="checkbox"/>	<input type="checkbox"/>
Often cold -----	<input type="checkbox"/>	<input type="checkbox"/>
Lower body temperature -----	<input type="checkbox"/>	<input type="checkbox"/>
Higher body temperature (not fever) -----	<input type="checkbox"/>	<input type="checkbox"/>
Fever (temperature above 38 degrees Celsius) -----	<input type="checkbox"/>	<input type="checkbox"/>
Insufficient sweating/transpiration -----	<input type="checkbox"/>	<input type="checkbox"/>
Excessive sweating/transpiration-----	<input type="checkbox"/>	<input type="checkbox"/>
Blushing -----	<input type="checkbox"/>	<input type="checkbox"/>
Cold-----	<input type="checkbox"/>	<input type="checkbox"/>
Flu-like symptoms-----	<input type="checkbox"/>	<input type="checkbox"/>
Coughing, barking, hawking-----	<input type="checkbox"/>	<input type="checkbox"/>
Sneezing -----	<input type="checkbox"/>	<input type="checkbox"/>
Swollen glands -----	<input type="checkbox"/>	<input type="checkbox"/>
Other (please specify)	<input type="checkbox"/>	<input type="checkbox"/>

Mouth, lips, speech and/or voice

16. Which symptoms involving your 'mouth, lips, speech and/or voice' did you experience during the **past 4 weeks** (you may give more than one answer)?

	Yes, I experienced this symptom and ...	
	I don't think the drug caused it or I'm not sure	I do think that it is, or could be, a side effect of my drug
	▼	▼
Ulcers or bumps in the mouth and/or on the roof of the mouth -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Increased saliva in the mouth -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Dry mouth, less saliva in the mouth -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Painful or sensitive mouth -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Lockjaw -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Bad breath -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Inflamed lips-----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Painful or sensitive lips-----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Dry lips -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Swollen lips -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Voice change (for example hoarseness, huskiness) -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Unclear speech, mumbling, speech difficulties-----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Word-finding problems, stumbling speech--	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Other (please specify)	<input type="checkbox"/> -----	<input type="checkbox"/> -----

Part A

Tongue, teeth, gums and/or taste

17. Which symptoms involving your 'tongue, teeth, gums and/or taste did you experience during the **past 4 weeks** (you may give more than one answer)?

	Yes, I experienced this symptom and ...	
	I don't think the drug caused it or I'm not sure	I do think that it is, or could be, a side effect of my drug
▼	▼	
Tooth discoloration-----	<input type="checkbox"/>	<input type="checkbox"/>
Plaque-----	<input type="checkbox"/>	<input type="checkbox"/>
Caries, tooth decay -----	<input type="checkbox"/>	<input type="checkbox"/>
Toothache -----	<input type="checkbox"/>	<input type="checkbox"/>
Teeth grinding-----	<input type="checkbox"/>	<input type="checkbox"/>
Inflamed or irritated gums -----	<input type="checkbox"/>	<input type="checkbox"/>
Bleeding gums-----	<input type="checkbox"/>	<input type="checkbox"/>
Sensitive gums -----	<input type="checkbox"/>	<input type="checkbox"/>
Painful or sensitive tongue -----	<input type="checkbox"/>	<input type="checkbox"/>
Swollen tongue-----	<input type="checkbox"/>	<input type="checkbox"/>
Tingling tongue -----	<input type="checkbox"/>	<input type="checkbox"/>
Changed sense of taste -----	<input type="checkbox"/>	<input type="checkbox"/>
Tongue blistering -----	<input type="checkbox"/>	<input type="checkbox"/>
Dry tongue -----	<input type="checkbox"/>	<input type="checkbox"/>
Tongue discoloration -----	<input type="checkbox"/>	<input type="checkbox"/>
Other (please specify)	<input type="checkbox"/>	<input type="checkbox"/>

Lungs, heart, chest, breathing (including sleep apnea) and/or blood (blood pressure, bleeding)

18. Which symptoms involving your 'lungs, heart, chest, breathing and/or blood' did you experience during the **past 4 weeks** (you may give more than one answer)?

	Yes, I experienced this symptom and ...	
	I don't think the drug caused it or I'm not sure	I do think that it is, or could be, a side effect of my drug
	▼	▼
Hiccups -----	<input type="checkbox"/>	<input type="checkbox"/>
Lung disorder -----	<input type="checkbox"/>	<input type="checkbox"/>
Pneumonia -----	<input type="checkbox"/>	<input type="checkbox"/>
Pneumothorax-----	<input type="checkbox"/>	<input type="checkbox"/>
Respiratory infection -----	<input type="checkbox"/>	<input type="checkbox"/>
Hyperventilation-----	<input type="checkbox"/>	<input type="checkbox"/>
Apnea (gap between breaths longer than 10 seconds) -----	<input type="checkbox"/>	<input type="checkbox"/>
Sleep apnea (gaps or pauses between breaths while sleeping) -----	<input type="checkbox"/>	<input type="checkbox"/>
Slow breathing -----	<input type="checkbox"/>	<input type="checkbox"/>
Rapid breathing -----	<input type="checkbox"/>	<input type="checkbox"/>
Shortness of breath, wheeziness, difficulty breathing, quickly out of breath -----	<input type="checkbox"/>	<input type="checkbox"/>
Panting, puffing, wheezing, whistling (heavy breath)-----	<input type="checkbox"/>	<input type="checkbox"/>
Palpitations -----	<input type="checkbox"/>	<input type="checkbox"/>
Rapid heartbeat -----	<input type="checkbox"/>	<input type="checkbox"/>
Slow heartbeat -----	<input type="checkbox"/>	<input type="checkbox"/>
Irregular heartbeat, arrhythmia -----	<input type="checkbox"/>	<input type="checkbox"/>
Chest pain or pressure-----	<input type="checkbox"/>	<input type="checkbox"/>
Blood poisoning-----	<input type="checkbox"/>	<input type="checkbox"/>
Hemorrhage -----	<input type="checkbox"/>	<input type="checkbox"/>
High blood pressure-----	<input type="checkbox"/>	<input type="checkbox"/>
Low blood pressure -----	<input type="checkbox"/>	<input type="checkbox"/>
Anemia-----	<input type="checkbox"/>	<input type="checkbox"/>
Thrombosis -----	<input type="checkbox"/>	<input type="checkbox"/>
Other (please specify)	<input type="checkbox"/>	<input type="checkbox"/>

Part A

Bladder and/or urination

19. Which symptoms involving your 'bladder and/or urination' did you experience during the **past 4 weeks** (you may give more than one answer)?

	Yes, I experienced this symptom and ...	
	I don't think the drug caused it or I'm not sure	I do think that it is, or could be, a side effect of my drug
	▼	▼
Blood in urine -----	<input type="checkbox"/>	<input type="checkbox"/>
Urine discoloration-----	<input type="checkbox"/>	<input type="checkbox"/>
Pain when urinating-----	<input type="checkbox"/>	<input type="checkbox"/>
Burning sensation when urinating-----	<input type="checkbox"/>	<input type="checkbox"/>
Less frequent and/or difficulty urinating-----	<input type="checkbox"/>	<input type="checkbox"/>
More frequent need to urinate-----	<input type="checkbox"/>	<input type="checkbox"/>
Less urine per toilet visit -----	<input type="checkbox"/>	<input type="checkbox"/>
Urine incontinence (involuntary urine loss) --	<input type="checkbox"/>	<input type="checkbox"/>
Pressure on the bladder-----	<input type="checkbox"/>	<input type="checkbox"/>
Bladder infection -----	<input type="checkbox"/>	<input type="checkbox"/>
Other (please specify)	<input type="checkbox"/>	<input type="checkbox"/>

Intestines, stomach, vomiting (including vomiting blood), stool and/or bowel movements

20. Which symptoms involving your ‘intestines, stomach, vomiting, feces and/or bowel movements’ did you experience during the **past 4 weeks** (you may give more than one answer)?

	Yes, I experienced this symptom and ...	
	I don't think the drug caused it or I'm not sure	I do think that it is, or could be, a side effect of my drug
	▼	▼
(Excessive) burping, belching -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Nauseous, sick -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Acid indigestion, stomach acid, heartburn --	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Vomiting reflex -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Vomiting -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Vomiting blood -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Bloated feeling -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Bloated stomach -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Intestinal, stomach, abdominal cramps and/or pain -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Gurgling or rumbling in the intestines and/or stomach -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Flatulence (gas) -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Hemorrhoids -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Fecal incontinence (involuntary loss of feces) -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Diarrhea -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Runnier, softer feces (not diarrhea) -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Mucus in feces -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Blood with feces -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Blood in feces -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Blockage, constipation, hard feces -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Black feces -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
More frequent bowel movements -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Other (please specify)	<input type="checkbox"/> -----	<input type="checkbox"/> -----

Part A

Skin (including wounds, bruises, rashes), hair and/or nails
--

21. Which symptoms involving your 'skin, hair and/or nails' did you experience during the **past 4 weeks** (you may give more than one answer)?

	Yes, I experienced this symptom and ...	
	I don't think the drug caused it or I'm not sure	I do think that it is, or could be, a side effect of my drug
	▼	▼
Greasy skin-----	<input type="checkbox"/>	<input type="checkbox"/>
Warm/burning skin-----	<input type="checkbox"/>	<input type="checkbox"/>
Dry, rough skin -----	<input type="checkbox"/>	<input type="checkbox"/>
Painful skin -----	<input type="checkbox"/>	<input type="checkbox"/>
Itchiness -----	<input type="checkbox"/>	<input type="checkbox"/>
Flaking -----	<input type="checkbox"/>	<input type="checkbox"/>
Acne -----	<input type="checkbox"/>	<input type="checkbox"/>
Blisters-----	<input type="checkbox"/>	<input type="checkbox"/>
Rashes (for example red patches, pimples) -	<input type="checkbox"/>	<input type="checkbox"/>
Spot (painful), ulcer, wound -----	<input type="checkbox"/>	<input type="checkbox"/>
Skin discoloration (for example yellow or pale skin) -----	<input type="checkbox"/>	<input type="checkbox"/>
Pigment stains-----	<input type="checkbox"/>	<input type="checkbox"/>
Patches of little or no skin pigment (pale patches of skin) -----	<input type="checkbox"/>	<input type="checkbox"/>
Bruises, contusions-----	<input type="checkbox"/>	<input type="checkbox"/>
Increased sensitivity of the skin to light -----	<input type="checkbox"/>	<input type="checkbox"/>
Weak hair-----	<input type="checkbox"/>	<input type="checkbox"/>
Loss of hair-----	<input type="checkbox"/>	<input type="checkbox"/>
Increased hair growth -----	<input type="checkbox"/>	<input type="checkbox"/>
Nail discoloration-----	<input type="checkbox"/>	<input type="checkbox"/>
Wrinkled nails-----	<input type="checkbox"/>	<input type="checkbox"/>
Brittle, fragile nails -----	<input type="checkbox"/>	<input type="checkbox"/>
Other (please specify)	<input type="checkbox"/>	<input type="checkbox"/>

Genitals, sexuality, menopause, breasts and/or menstruation

22. Which symptoms involving your ‘genitals, sexuality, menopause, breasts and/or menstruation’ did you experience **during the past 4 weeks** (you may give more than one answer)?

	Yes, I experienced this symptom and ...	
	I don't think the drug caused it or I'm not sure	I do think that it is, or could be, a side effect of my drug
	▼	▼
Vaginal discharge -----	<input type="checkbox"/>	<input type="checkbox"/>
Vaginal bleeding -----	<input type="checkbox"/>	<input type="checkbox"/>
Vaginal dryness (insufficient moisture production in the vagina) -----	<input type="checkbox"/>	<input type="checkbox"/>
Burning sensation in the vagina -----	<input type="checkbox"/>	<input type="checkbox"/>
Irritated vagina-----	<input type="checkbox"/>	<input type="checkbox"/>
Menstruation pain-----	<input type="checkbox"/>	<input type="checkbox"/>
Irregular menstruation-----	<input type="checkbox"/>	<input type="checkbox"/>
Heavy menstruation (excessive loss of blood or excessively long menstruation) ---	<input type="checkbox"/>	<input type="checkbox"/>
Absence of menstruation -----	<input type="checkbox"/>	<input type="checkbox"/>
Painful breasts or breast -----	<input type="checkbox"/>	<input type="checkbox"/>
Prostate complaints-----	<input type="checkbox"/>	<input type="checkbox"/>
Sperm discoloration-----	<input type="checkbox"/>	<input type="checkbox"/>
Erection problems, impotence-----	<input type="checkbox"/>	<input type="checkbox"/>
Painful erection -----	<input type="checkbox"/>	<input type="checkbox"/>
Painful penis-----	<input type="checkbox"/>	<input type="checkbox"/>
Irritated penis -----	<input type="checkbox"/>	<input type="checkbox"/>
Testicle pain -----	<input type="checkbox"/>	<input type="checkbox"/>
Breast growth (in men) -----	<input type="checkbox"/>	<input type="checkbox"/>
Pain during and/or after intercourse-----	<input type="checkbox"/>	<input type="checkbox"/>
Reduced sexual desire/interest in sex-----	<input type="checkbox"/>	<input type="checkbox"/>
Increased sexual desire/interest in sex -----	<input type="checkbox"/>	<input type="checkbox"/>
Difficulty having an orgasm -----	<input type="checkbox"/>	<input type="checkbox"/>
No orgasm-----	<input type="checkbox"/>	<input type="checkbox"/>
Painful orgasm -----	<input type="checkbox"/>	<input type="checkbox"/>
Hot flushes -----	<input type="checkbox"/>	<input type="checkbox"/>
Premature menopause -----	<input type="checkbox"/>	<input type="checkbox"/>
Other (please specify)	<input type="checkbox"/>	<input type="checkbox"/>

Part A

Muscles, bones, joints and/or bodily complaints
--

23. Which symptoms involving your 'muscles, bones, joints and/or bodily complaints' did you experience during the **past 4 weeks** (you may give more than one answer)?

	Yes, I experienced this symptom and ...	
	I don't think the drug caused it or I'm not sure	I do think that it is, or could be, a side effect of my drug
	▼	▼
Muscle cramps (for example leg cramp) ----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Muscle pain, susceptible to muscle ache ----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Muscle contractions -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Weak muscles, decreased muscular strength -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Tired, heavy muscles -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Stiff muscles, stiffness (for example stiff neck) -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Muscle tension -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Quivering, trembling, shaking muscles -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Restless legs -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Bone fracture or fractures -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Bone pain -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Painful joints -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Inflammatory arthritis (gout) -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Stiff joints -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Unusual and/or involuntary movements or twitches -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Difficulty walking -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
No or numb sensation in	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Tingling or prickling sensation in	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Pain in	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Bruised or damaged muscle, bone, body part	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Other (please specify)	<input type="checkbox"/> -----	<input type="checkbox"/> -----

Dizziness, falling and/or balance

24. Which symptoms involving ‘dizziness, falling and/or balance’ did you experience during the **past 4 weeks** (you may give more than one answer)?

	Yes, I experienced this symptom and ...	
	I don't think the drug caused it or I'm not sure	I do think that it is, or could be, a side effect of my drug
	▼	▼
Unsteadiness, insecure, unsteady feeling ----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Balance problems-----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Falling-----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Fainting-----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Light-headedness-----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Dizziness -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Poorer coordination -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Other (please specify)	<input type="checkbox"/> -----	<input type="checkbox"/> -----

Part A

Head, brain, moods and/or emotions

25. Which symptoms involving your 'head, brain, moods and/or emotions' did you experience during the **past 4 weeks** (you may give more than one answer)?

	Yes, I experienced this symptom and ...	
	I don't think the drug caused it or I'm not sure	I do think that it is, or could be, a side effect of my drug
	▼	▼
Stroke -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Headache -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Migraine -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
High, drunken sensation -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Impaired consciousness -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Lack of concentration -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Lower reaction time -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Memory loss -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Forgetfulness -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Black-out -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Confusion -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Over-sensitive, irritable -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Restless -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Aggressive -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Nervous, tense -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Anxious, fretful, worried -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Absent-minded -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Disorientated -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Lack of emotions -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Over-emotional -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Depressed, somber -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Crying fits -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Changed mood -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Mood swings -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Changed personality -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Voices in the head -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Hallucinations -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Psychosis -----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Other (please specify)	<input type="checkbox"/> -----	<input type="checkbox"/> -----

Sleep, dreams, fatigue, yawning and/or more or less energy

26. Which symptoms involving 'sleep, dreams, tiredness, yawning and/or energy' did you experience during the **past 4 weeks** (you may give more than one answer)?

	Yes, I experienced this symptom and ...	
	I don't think the drug caused it or I'm not sure	I do think that it is, or could be, a side effect of my drug
	▼	▼
Sleep attacks-----	<input type="checkbox"/>	<input type="checkbox"/>
Sleep problems, sleeplessness-----	<input type="checkbox"/>	<input type="checkbox"/>
Sleepiness, dullness, heavy eyelids-----	<input type="checkbox"/>	<input type="checkbox"/>
Dreams, nightmares-----	<input type="checkbox"/>	<input type="checkbox"/>
Fatigue-----	<input type="checkbox"/>	<input type="checkbox"/>
Yawning-----	<input type="checkbox"/>	<input type="checkbox"/>
More energetic-----	<input type="checkbox"/>	<input type="checkbox"/>
Listlessness, dullness, lethargy, lack of energy-----	<input type="checkbox"/>	<input type="checkbox"/>
Other (please specify)	<input type="checkbox"/>	<input type="checkbox"/>

Eating, drinking, weight and/or blood sugar

27. Which symptoms involving 'eating, drinking, weight and/or blood sugar' did you experience during the **past 4 weeks** (you may give more than one answer)?

	Yes, I experienced this symptom and ...	
	I don't think the drug caused it or I'm not sure	I do think that it is, or could be, a side effect of my drug
	▼	▼
Decreased appetite-----	<input type="checkbox"/>	<input type="checkbox"/>
Increased appetite-----	<input type="checkbox"/>	<input type="checkbox"/>
Excessive thirst-----	<input type="checkbox"/>	<input type="checkbox"/>
Sensitive to alcohol (less able or unable to handle alcohol)-----	<input type="checkbox"/>	<input type="checkbox"/>
Increased weight-----	<input type="checkbox"/>	<input type="checkbox"/>
Loss of weight-----	<input type="checkbox"/>	<input type="checkbox"/>
Low blood sugar level (hypoglycemia)-----	<input type="checkbox"/>	<input type="checkbox"/>
High blood sugar level (hyperglycemia)-----	<input type="checkbox"/>	<input type="checkbox"/>
Unstable blood sugar level-----	<input type="checkbox"/>	<input type="checkbox"/>
Other (please specify)	<input type="checkbox"/>	<input type="checkbox"/>

Part A

Inflammation, edema, fungal infection and/or all other complaints

28. Which symptoms involving ‘infection, fungus infection edema and/or all other complaints’ did you experience during the **past 4 weeks** (you may give more than one answer)?

	Yes, I experienced this symptom and ...	
	I don't think the drug caused it or I'm not sure	I do think that it is, or could be, a side effect of my drug
	▼	▼
Fungal infection-----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Edema, bloating-----	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Inflammation of	<input type="checkbox"/> -----	<input type="checkbox"/> -----
Other symptoms:		
.....	<input type="checkbox"/> -----	<input type="checkbox"/> -----
.....	<input type="checkbox"/> -----	<input type="checkbox"/> -----
.....	<input type="checkbox"/> -----	<input type="checkbox"/> -----
.....	<input type="checkbox"/> -----	<input type="checkbox"/> -----
.....	<input type="checkbox"/> -----	<input type="checkbox"/> -----

Part B. Questions per side effect

In Part A of the questionnaire you were asked which symptoms you experienced in the past 4 weeks. In each case you indicated whether you thought it could be a side effect of your drugs.

In Part B you are asked to provide more information about these possible side effects. Please answer the questions 29 to 43 for **each side effect**.

In other words, you answer the questions on the **first side effect** on pages 23 to 25, the questions on the **second side effect** on the next three pages, etc.

Feel free to refer to Part A to see which side effects you checked.

Did you not experience any side effects of your drugs during the **past 4 weeks**?

→ Please go to **page 26**

Part B

Side effect 1.

29. Can you describe the side effect in your own words?

.....

30. When did you **first** experience this side effect of your drugs?

- | | |
|---|--|
| <input type="checkbox"/> Today | <input type="checkbox"/> Between 1 and 6 months ago |
| <input type="checkbox"/> Yesterday | <input type="checkbox"/> Between 6 and 12 months ago |
| <input type="checkbox"/> 2-7 days ago | <input type="checkbox"/> More than 12 months ago |
| <input type="checkbox"/> Between 1 week and 1 month ago | |

31. Has this side effect gone away by now or improved?

- No, the side effect has not gone away yet
 No, but the side effect has clearly improved
 No, but the side effect was treated and has now improved
 Yes, the side effect:
 went away by itself
 went away after I stopped taking the drug
 went away after treatment
 other (please specify)

32. How often did you experience this side effect during the past 4 weeks (on how many or which days)?

.....

33. On the days that you experienced this side effect, how much did it bother you (how bad or intense was it)?

- Not at all
 Only a bit
 Somewhat
 Quite a lot
 Very much

34. On the days that you experienced this side effect, how much influence did it have on your daily functioning?

- None
 Only a bit
 Somewhat
 Quite a lot
 Very much

35. Did this side effect result in serious medical situations for yourself during the past 4 weeks?

- No
 Yes, please specify (you may select more than one answer):
 Admitted to hospital
 Permanent incapacity to work
 Life-threatening situation
 Other (please specify)

36. What action did you take in relation to this side effect during the past 4 weeks?
- Nothing
 - In consultation with a healthcare professional, the drug dosage was reduced
 - I reduced the dosage of the drug by myself
 - In consultation with a healthcare professional, I stopped taking the drug temporarily
 - I stopped taking the drug temporarily by myself
 - In consultation with a healthcare professional, I stopped taking the drug permanently
 - I stopped taking the drug by myself
 - A drug and/or remedy has been prescribed to reduce/relieve the side effect, please specify.....
 - I started using other drugs and/or remedy by myself to reduce/relieve the side effect, please specify
 - Other, please specify.....
37. Why do you think this symptom was caused by your drug (you may give more than one answer)?
- I did not experience this symptom before I started taking the drug
 - The symptom started soon after I started taking the drug
 - I experienced this symptom less often before I started taking the drug
 - The symptom was less serious before I started taking the drug
 - The symptom went away when I stopped taking the drug and came back when I started taking it again
 - The symptom went away when I stopped taking the drug
 - The symptom started or grew worse when the drug dosage was increased
 - The symptom decreased or went away when the drug dosage was decreased
 - A healthcare professional (for example a doctor or pharmacist) confirmed this
 - The symptom is described in the patient leaflet
 - Other (please specify).....
38. Which drug or drugs do you think caused this side effect?
- One drug that I use (please specify):.....
 - More than one drug that I use (please specify):
.....
 - I don't know → please go to **question 42**
39. How sure are you that this side effect is caused by this drug or these drugs?
- Very sure
 - Quite sure
 - Not very sure
 - Very unsure
40. How long had you been using this drug or these drugs before this side effect started occurring?
.....

Part B

41. How satisfied are you with the drug (or drugs) described in question 38 when you consider both **this particular** side effect and the effect of the drug or drugs?

- Very satisfied
- Satisfied
- Neither satisfied or dissatisfied
- Dissatisfied
- Very dissatisfied

42. Do you think there are other reasons for your experiencing this side effect (other than your drugs)?

- No
- Yes (please specify):

.....

43. Have you experienced this side effect in the past in combination with **other drugs**?

- No
- Yes (please specify which drug):

Please note!

Have you completed Part B for all the side effects you experienced in the last 4 weeks?

Are there not enough forms to complete the questions? Please ask the researcher for more copies.

This is the end of the questionnaire. Please check whether you have answered all the questions.

You may make any further remarks below:

.....

.....

.....

.....

.....

Once again, thank you very much for your cooperation

Appendix 2. Supplemental tables chapter 1

Supplemental table 1. 2x2 tables for test-retest reliability at Patient level, MedDRA® level and ADE specific level

			T2		Total
			No ADE	≥1 ADE	
Patient level	T1	No ADE	28	5	33
		≥1 ADE	4	8	12
	Total		32	13	45
MedDRA level	T1	No ADE in MedDRA	764	13	777
		≥1 ADE in MedDRA	16	17	33
	Total		780	30	810
ADE specific level	T1	ADE not reported	11247	29	11276
		ADE reported	42	22	64
	Total		11289	51	11340

T1 = First measurement; T2 = Second measurement after one week period

Supplemental table 2. 2x2 tables for reliability of body categories at patient level, MedDRA® level and ADE specific level

			T2		Total	
			No ADE	≥1 ADE		
Patient level	<i>Group with body categories at T1</i>	T1	No ADE	31	3	34
			≥1 ADE	3	8	11
		Total		34	11	45
	<i>Group with body categories at T2</i>	T1	No ADE	28	6	34
			≥1 ADE	4	7	11
		Total		32	13	45
MedDRA level	<i>Group with body categories at T1</i>	T1	No ADE in MedDRA	768	18	786
			≥1 ADE in MedDRA	13	11	24
		Total		781	29	810
	<i>Group with body categories at T2</i>	T1	No ADE in MedDRA	747	23	770
			≥1 ADE in MedDRA	29	11	40
		Total		776	34	810
ADE specific level	<i>Group with body categories at T1</i>	T1	ADE not reported	11280	25	11305
			ADE reported	26	9	35
		Total		11306	34	11340
	<i>Group with body categories at T2</i>	T1	ADE not reported	11216	50	11266
			ADE reported	63	11	74
		Total		11279	61	11340

T1 = First measurement; T2 = Second measurement after one week period

Supplemental table 3. 2x2 tables and kappa values for test-retest reliability at patient level, MedDRA® level and ADE specific level (only patients who completed second questionnaire within 10 days)

			T2		Total	Kappa value (95% CI)
Patient level			No ADE	≥1 ADE		0.510 (0.16-0.86)
T1	No ADE		21	5	26	
	≥1 ADE		1	5	6	
Total			22	10	32	
MedDRA level			No ADE in MedDRA	≥1 ADE in MedDRA		0.453 (0.19-0.72)
T1	No ADE in MedDRA		553	10	563	
	≥1 ADE in MedDRA		6	7	13	
Total			559	17	576	
ADE specific level			ADE not reported	ADE reported		0.300 (0.07-0.52)
T1	ADE not reported		8019	22	8041	
	ADE reported		15	8	23	
Total			8034	30	8064	

T1 = First measurement; T2 = Second measurement after one week period. CI = Confidence interval.

Supplemental table 4. 2x2 tables and kappa values for reliability of body categories at patient level, MedDRA® level and ADE specific level (only patients who completed second questionnaire within 10 days)

			T2		Total	Kappa value (95% CI)
Patient level			No ADE	≥1 ADE		
<i>Group with body categories at T1</i>	T1	No ADE	22	3	25	0.633
		≥1 ADE	1	5	6	(0.30-0.97)
Total			23	8	31	
<i>Group with body categories at T2</i>	T1	No ADE	19	4	23	0.439
		≥1 ADE	2	4	6	(0.04-0.84)
Total			21	8	29	
MedDRA level			No ADE in MedDRA	≥1 ADE in MedDRA		
<i>Group with body categories at T1</i>	T1	No ADE in MedDRA	532	10	542	0.541
		≥1 ADE in MedDRA	6	10	16	(0.32-0.76)
Total			538	20	558	
<i>Group with body categories at T2</i>	T1	No ADE in MedDRA	490	16	506	0.335
		≥1 ADE in MedDRA	9	7	16	(0.08-0.59)
Total			499	23	522	
ADE specific level			ADE not reported	ADE reported		
<i>Group with body categories at T1</i>	T1	ADE not reported	7773	15	7788	0.373
		ADE reported	15	9	24	(0.15-0.60)
Total			7788	24	7812	
<i>Group with body categories at T2</i>	T1	ADE not reported	7247	35	7282	0.176
		ADE reported	20	6	26	(0.00-0.39)
Total			7267	41	7308	

T1 = First measurement; T2 = Second measurement after one week period. CI = Confidence interval.

Appendix 3. Supplemental tables chapter 2

Supplemental table 1. Algorithm of the patient-reported causality assessment

Item	Description	Answer	Scores
Causality 1	I did not experience this symptom before I started taking the medication	Yes	1
Causality 2	The symptom started soon after I started taking the medication	Yes	1
Causality 3	I experienced this symptom less often before I started taking the medication	Yes	1
Causality 4	The symptom was less serious before I started taking the medication	Yes	1
Causality 5	The symptom went away when I stopped taking the medication and came back when I started taking it again	Yes	2
Causality 6	The symptom went away when I stopped taking the medication	Yes	1
Causality 7	The symptom started or grew worse when the medication dosage was increased	Yes	1
Causality 8	The symptom decreased or went away when the medication dosage was decreased	Yes	1
Other reasons	Do you think there are other reasons for your experiencing this side effect (other than your medication)?	Yes	-1
Which drug + certainty	No drug reported	I don't know	-1
	One or more drugs reported	One drug More than one	1
	+ Patient's certainty	Very sure Quite sure	
	One or more drugs reported	One drug More than one	0
+ Patient's uncertainty	Not very sure Very unsure		

Supplemental table 2. Characteristics of patients who mentioned ≥ 1 particular drugs and who mentioned no particular drug for their ADE

	Patients who mentioned ≥ 1 particular drugs to ≥ 1 ADEs (N=25)	Patients who did not mention a particular drug to any of their ADEs (N=12)	P-value
Mean age in years (SD)	61 (10)	67 (10)	0.118*
Education (%)			1.000 [†]
Lower education	7 (28)	4 (33)	
Middle education	8 (32)	4 (33)	
Higher education	9 (36)	4 (33)	
Other	1 (4)	0 (0)	
Female (%)	8 (32)	3 (25)	0.663 [‡]

ADE = Adverse drug event; SD = Standard deviation
* T-test; [†] Fisher-Freeman-Halton test; [‡] χ^2 -test

Supplemental table 3. Characteristics of ADEs for which ≥ 1 particular drugs and no particular drugs were mentioned

	ADEs for which ≥ 1 particular drug(s) were mentioned (N=78)	ADEs for which no particular drugs were mentioned (N=68)	P-value
First time experiencing the ADE (%)			0.021 [†]
Today	2 (3)	4 (6)	
Yesterday	0 (0)	1 (2)	
2-7 days ago	5 (6)	0 (0)	
Between 1 week and 1 month ago	12 (15)	2 (3)	
Between 1 and 6 months ago	8 (10)	6 (9)	
Between 6 and 12 months ago	10 (13)	11 (16)	
More than 12 months ago	41 (53)	44 (65)	
ADE gone away or improved (%)			0.041 [†]
Not yet	57 (73)	63 (93)	
Clearly improved	11 (14)	3 (4)	
ADE was treated and has improved	3 (4)	1 (2)	
ADE went away by itself	0 (0)	0 (0)	
ADE went away after quitting medication	1 (1)	0 (0)	
ADE went away after treatment	1 (1)	0 (0)	
Other	5 (6)	1 (2)	
How much bothersome (%)			0.239 [†]
Not at all	5 (6)	6 (9)	
Only a bit	9 (12)	13 (19)	
Somewhat	37 (47)	34 (50)	
Quite a lot	18 (23)	13 (19)	
Very much	9 (12)	2 (3)	
Influence daily functioning (%)			0.090 [†]
None	29 (37)	18 (27)	
Only a bit	7 (9)	17 (25)	
Somewhat	31 (40)	23 (34)	
Quite a lot	10 (13)	8 (12)	
Very much	1 (1)	1 (2)	
Causality assessment (%)			
I did not experience this symptom before I started taking the medication	47 (60)	40 (59)	0.860 [‡]
The symptom started soon after I started taking the medication	26 (33)	7 (10)	0.001 [‡]
I experienced this symptom less often before I started taking the medication	4 (5)	13 (19)	0.010 [†]
The symptom was less serious before I started taking the medication	3 (4)	5 (7)	0.473 [†]
The symptom went away when I stopped taking the medication and came back when I started taking it again	2 (3)	0 (0)	0.499 [†]
The symptom went away when I stopped taking the medication	0 (0)	1 (2)	0.466 [†]
The symptom started or grew worse when the medication dosage was increased	9 (12)	0 (0)	0.004 [†]
The symptom decreased or went away when the medication dosage was decreased	1 (1)	0 (0)	1.000 [†]
A healthcare professional confirmed this	18 (23)	4 (6)	0.005 [†]
The symptom is described in the patient leaflet	12 (15)	10 (15)	0.909 [‡]

ADE = Adverse drug event; [†] Fisher-Freeman-Halton test; [‡] χ^2 -test

Supplemental table 4. Patient-reported ADE–drug association and information in Summary of Product Characteristics (SPC)

Medical Dictionary for Regulatory Activities (MedDRA®) terminology of the reported ADE	Name of particular drugs mentioned for the ADE (RVG ^c /EU number ^d ; date of the SPC)	ADE in SPC
<i>Clustered ADEs^a</i>		
Dry throat + Dry mouth + Tongue dry + Thirst	Amitriptyline (RVG 52947-52948; date 09-2010)	Yes
Blurred vision + Vision decreased	Rosuvastatin (RVG 26872; date 09-07-2012)	No
Bloated feeling + Abdominal distension	Macrogol, combination (RVG 100287; date 16-05-2012)	Yes
Dry mouth + Fall + Libido decreased	- Formoterol/budesonide (RVG 25887; date 01-11-2011) - Simvastatin (RVG 25536-25539, 33211; date 18-04-2012) - Metformin (RVG 25368, 21698; date 08-2011) - Acenocoumarol (RVG 04464; date 01-2012)	1x Yes based on description 3x No
Hypoglycaemia + Blood glucose Fluctuation	Quetiapine (RVG 20826-20828, 25602-25603, 25128; date 22-02-2012)	No
Dizziness + Balance Difficulty	Irbesartan (EU/1/97/046/001-003, 010, 013; date 22-04-2009)	Yes
Dysphasia + Dysarthria + Sore Mouth	- Quetiapine (RVG 20826-20828, 25602-25603, 25128; date 22-02-2012) - Valproic acid (RVG 06175-06176, 07419, 08659-08661; date 16-04-2012)	1x Yes 1x No
Gastrointestinal pain + Flatulence	Metformin (RVG 25368, 21698; date 08-2011)	Yes
Diarrhoea + Increased stool frequency	Metformin (RVG 25368, 21698; date 08-2011)	Yes
Myalgia + Muscle stiffness	Atorvastatin (RVG 21081-21083, 27148; date 14-06-2012)	Yes
Vomiting reflex + Gastrointestinal pain	- Metformin (RVG 25368, 21698; date 08-2011) - Tolbutamide (RVG 15523-15524; date 30-10-2012)	2x Yes
Diarrhoea + Faecal incontinence	- Metformin (RVG 25368, 21698; date 08-2011) - Tolbutamide (RVG 15523-15524; date 30-10-2012)	2x Yes
Taste alteration + Decreased appetite	- Metformin (RVG 25368, 21698; date 08-2011) - Tolbutamide (RVG 15523-15524; date 30-10-2012)	1x Yes 1x No
Mycosis + Other classified as itching	Metformin (RVG 25368, 21698; date 08-2011)	No
Listlessness + Insomnia + Fatigue	- Atorvastatin (RVG 21081-21083, 27148; date 14-06-2012) - Rosuvastatin (RVG 26872; date 09-07-2012)	2x Yes
Balance difficulty + Balance disorder	- Quetiapine (RVG 20826-20828, 25602-25603, 25128; date 22-02-2012) - Valproic acid (RVG 06175-06176, 07419, 08659-08661; date 16-04-2012)	2x Yes

Single ADEs

Hypohidrosis ^{b,c}	Metformin (RVG 25368, 21698; date 08-2011)	No
Heartburn ^{b,c,d}	Metformin (RVG 25368, 21698; date 08-2011)	Yes
Hearing impaired ^{b,c,d}	Hydroquinine)RVG 03166; date 09-03-2009)	Yes
Stools loose ^{b,c,d}	Metformin (RVG 25368, 21698; date 08-2011)	Yes
Increased appetite ^{b,c,d}	Pramipexole (RVG 101918-101920; date 05-10-2010)	Yes
Flatulence ^{b,c,d}	Metformin (RVG 25368, 21698; date 08-2011)	Yes
Black stools ^{b,c,d}	Ferrous fumarate (RVG 50165; date 10-09-2012)	Yes
Flu like symptoms ^{b,c}	Rosuvastatin (RVG 26872; date 09-07-2012)	Yes based on description
Other classified as numbness ^{b,c,d}	Perindopril (RVG 33327-33328; date 12-2010)	Yes
Urine discoloration ^{b,c}	Vildagliptin (EU/1/07/414/001-010, 018; date 17-09-2009)	Yes based on description
Sore throat ^b	Lisinopril (RVG 28424-6; date 11-2012)	Yes based on description
Diarrhoea ^{b,c}	Macrogol, combination (RVG 100287; date 16-05-2012)	Yes
Tongue dry ^{b,c}	Metformin (RVG 25368, 21698; date 08-2011)	No
Abdominal discomfort ^{b,c}	Macrogol, combination (RVG 100287; date 16-05-2012)	Yes
Hyperhidrosis	- Metformin (RVG 25368, 21698; date 08-2011) - Candesartan (RVG 21704-21706, 30755; date 31-12-2011)	2x No
Tingling tongue ^{b,c}	Candesartan (RVG 21704-21706, 30755; date 31-12-2011)	No
Increased stool frequency ^{b,c}	Macrogol, combination (RVG 100287; date 16-05-2012)	Yes
Diarrhoea ^b	Liraglutide (EU/1/09/529/001-005; date 08-07-2009)	Yes
Abdominal discomfort ^b	Liraglutide (EU/1/09/529/001-005; date 08-07-2009)	Yes
Weight decreased ^b	Liraglutide (EU/1/09/529/001-005; date 08-07-2009)	Yes
Hyperglycaemia ^b	Liraglutide (EU/1/09/529/001-005; date 08-07-2009)	No
Flatulence ^b	Liraglutide (EU/1/09/529/001-005; date 08-07-2009)	Yes
Weight increased ^{b,c}	Insulin aspart (EU/1/00/142/004, 005; date 11-05-2012)	Yes
Other classified as concentration impairment	- Tramadol (RVG 21626; date 28-09-2012) - Amitriptyline (RVG 52947-52948; date 09-2010) - Naproxen (11195-6; 08-2012)	3x Yes
Hair loss	- Tramadol (RVG 21626; date 28-09-2012) - Amitriptyline (RVG 52947-52948; date 09-2010) - Naproxen (11195-6; 08-2012)	1x No 2x Yes
Weight increased	- Glimepiride (RVG 31961-31965; date 21-10-2010) - Simvastatin (RVG 25536-25539, 33211; date 18-04-2012)	2x No
Increased appetite ^{b,c}	Metformin (RVG 25368, 21698; date 08-2011)	No
Haemorrhage ^{b,c}	Acetylsalicylic acid (RVG 16466; date 10-11-2008) http://www.whocc.no/atc_ddd_index/?code=N02BA01&showdescription=yes	Yes

Appendices

Nausea ^{b,c}	Methotrexate (RVG 28636-28638; date 03-2012)	Yes
Sleep apnea	- Irbesartan (EU/1/97/046/001-003, 010, 013; date 22-04-2009)	1x No
	- Hydrochlorothiazide (RVG 09640-09641; date 20-03-2012)	2x Yes
	- Sotalol (RVG 16723-16724; date 24-12-2008)	
Weight increased ^b	Quetiapine (RVG 20826-20828, 25602-25603, 25128; date 22-02-2012)	Yes
Constipation ^{b,c}	Paracetamol/codeine (RVG 12030; date 31-07-2012)	Yes
Hypertonia ^b	Metformin (RVG 25368, 21698; date 08-2011)	No
Abdominal discomfort ^{b,c}	Metformin (RVG 25368, 21698; date 08-2011)	No
Depressed mood	- Metformin (RVG 25368, 21698; date 08-2011)	1x No
	- Tolbutamide (RVG 15523-15524; date 30-10-2012)	1x Yes
Irritability	- Metformin (RVG 25368, 21698; date 08-2011)	1x No
	- Tolbutamide (RVG 15523-15524; date 30-10-2012)	1x Yes
Hyperglycaemia	- Metformin (RVG 25368, 21698; date 08-2011)	2x No
	- Tolbutamide (RVG 15523-15524; date 30-10-2012)	
Increased stool frequency	- Metformin (RVG 25368, 21698; date 08-2011)	2x Yes
	- Tolbutamide (RVG 15523-15524; date 30-10-2012)	
Tooth discolouration	Metformin (RVG 25368, 21698; date 08-2011) or perindopril (RVG 33327-33328; date 12-2010)	No
Vaginal irritation	Glibenclamide (RVG 56114-56115; date 10-2010) or metformin (RVG 25368, 21698; date 08-2011)	No

ADE = Adverse drug event

^a Clustered ADEs are multiple related ADEs reported by a patient that were clustered into one overall ADE by the researchers

^b Single ADE-single drug = included in patient-reported causality assessment

^c Single ADE-single drug associations with a causality score higher than or equal to the median

^d Single ADE-single drug associations with a causality score higher than or equal to the third quartile

^e RVG number: Drug registration has been conducted in the Netherlands

^f EU number: Drug registration is for the whole European Union

Appendix 4. Supplemental tables chapter 3

Supplemental table 1. Sensitivity analyses of the validity of reporting adverse drug events at MedDRA® primary class level in the questionnaire with a recall period of 4 weeks and 3 months

	TP	FP	TN	FN	Se (95% CI)	PPV (95% CI)
<i>Excluding delayed diary completers^a</i>						
4-week recall; last 4 weeks of diary (N=30*18)	2	16	518	4	33% (4-78)	11% (1-35)
3-month recall; full 3-month diary (N=31*18)	16	16	491	35	32% (19-46)	50% (32-68)
<i>Excluding delayed questionnaire completers^b</i>						
4-week recall; last 4 weeks of diary (N=37*18)	2	19	641	4	33% (4-78)	10% (1-30)
3-month recall; full 3-month diary (N=34*18)	17	16	548	31	35% (22-51)	52% (34-69)
<i>Excluding both the delayed diary and questionnaire completers</i>						
4-week recall; last 4 weeks of diary (N=29*18)	2	16	500	4	33% (4-78)	11% (1-35)
3-month recall; full 3-month diary (N=26*18)	15	15	409	29	34% (20-50)	50% (31-69)

^a Patients who returned the diary after >14 days. The diary was returned within 2 to 121 days (median: 8, interquartile range: 5-11) from the last date reported in the 3-month diary, which was not significantly different between the two recall groups (P=0.09).

^b Patients who completed the questionnaire after >14 days. The questionnaire was completed within 0 to 42 days (median: 1, interquartile range: 0-4) after sending, which was not significantly different between the two recall groups (P=0.65). TP = True positive; FP = False positive; TN = True negative; FN = False negative; Se = Sensitivity; PPV = Positive Predictive Value; CI = Confidence interval.

Appendix 5. Supplemental tables chapter 4

Supplemental table 1. Comparison of possible adverse drug events (ADEs) related to blood pressure-lowering or glucose-lowering treatment between patients with or without potential overtreatment

	Blood pressure lowering treatment – possible ADEs ¹	
	Patients not overtreated	Patients with overtreatment
Y_m1, N (%)	413 (3.7)	15 (3.9)
Y, N (%)	518 (4.1)	19 (4.6)
Y_p1, N (%)	663 (4.7)	29 (6.1)
Y_p2, N (%)	540 (4.8)	37 (8.4)***
Y_p3, N (%)	304 (6.9)	19 (11.7)*
	Glucose lowering treatment – possible ADEs ²	
	Patients not overtreated	Patients with overtreatment
Y_m1, N (%)	363 (3.1)	17 (5.7)**
Y, N (%)	521 (3.9)	15 (4.8)
Y_p1, N (%)	607 (4.1)	16 (4.7)
Y_p2, N (%)	670 (5.8)	23 (9.6)*
Y_p3, N (%)	432 (9.8)	11 (10.7)

¹ ADEs included for blood pressure-lowering treatment were hypotension, dizziness, headache as well as unspecified coded ADEs (ICPC code A85 or WCIA code 1830) assigned to blood pressure-lowering drugs in the electronic medical record during the corresponding year.

² ADEs included for glucose-lowering treatment were hypoglycaemia as well as unspecified coded ADEs (ICPC code A85 or WCIA code 1830) assigned to glucose-lowering drugs in the electronic medical record during the corresponding year.

* P <0.05; ** P<0.01; *** P=0.001.

Supplemental table 2. Sensitivity analyses using more relaxed definitions of overtreatment.

	Baseline	Entry DM-program	Follow-up year 1	Follow-up year 2	Follow-up year 3
<i>Blood pressure-lowering treatment</i>					
With SBP measurement (% of all patients)	11,522 (84.4)	12,929 (86.9)	14,580 (89.8)	11,706 (91.2)	4,575 (94.1)
N SBP <120 mmHg	888	934	977	872	343
N SBP <120 mmHg with potential overtreatment (% of eligible patients)	115 (13.0)	126 (13.5)	141 (14.4)	127 (14.6)	54 (15.7)
N classes >= 3 [†]	100 (11.3)	113 (12.1)	124 (12.7)	116 (13.3)	46 (13.4)
N intensified [†]	21 (2.4)	24 (2.6)	25 (2.6)	16 (1.8)	13 (3.8)
<i>Glucose-lowering treatment</i>					
With HbA _{1c} measurement (% of all patients)	12,121 (88.8)	13,549 (91.1)	15,002 (92.4)	11,886 (92.6)	4,503 (92.6)
N HbA _{1c} <6% (42 mmol/mol)	1,300	1,208	1,267	984	349
N HbA _{1c} <6% (42 mmol/mol) with potential overtreatment (% of eligible patients)	77 (5.9)	71 (5.9)	72 (5.7)	52 (5.3)	32 (9.2)
N classes >= 3 [†]	11 (0.8)	5 (0.4)	5 (0.4)	2 (0.2)	1 (0.3)
N insulin use [†]	47 (3.6)	39 (3.2)	45 (3.6)	38 (3.9)	22 (6.3)
N intensified [†]	20 (1.5)	28 (2.3)	24 (1.9)	12 (1.2)	11 (3.2)
Baseline = Year before entry to the disease management program; Entry DM-program = Entry to disease management program; Follow-up year 1 = 1 year after entry; Follow-up year 2 = 2 years after entry; Follow-up year 3 = 3 years after entry; SBP = Systolic blood pressure; HbA _{1c} = glycohemoglobin.					
† Percentages do not sum to the percentages of patients with potential overtreatment because patients can be included in multiple categories of overtreatment.					

Supplemental table 3. General practices with a $\geq 5\%$ increase, $\geq 5\%$ decrease or stable percentage of under- and overtreated patients to systolic blood pressure (SBP) or glycohemoglobin (HbA_{1c}) at one year after entry to the disease management program compared to baseline

		SBP overtreatment (% within SBP undertreatment) ¹			Row total (% of total)	P-value*
		Decrease	Stable	Increase		
SBP undertreatment						0.02
	Decrease	26 (45.6)	11 (19.3)	20 (35.1)	57 (43.5)	
	Stable	15 (36.6)	20 (48.8)	6 (14.6)	41 (31.3)	
	Increase	13 (39.4)	8 (24.2)	12 (36.4)	33 (25.2)	
	Row total (% of total)	54 (41.2)	39 (29.8)	38 (29.0)		
		HbA _{1c} overtreatment (% within HbA _{1c} undertreatment)			Row total (% of total)	P-value*
		Decrease	Stable	Increase		
HbA _{1c} undertreatment						0.13
	Decrease	3 (9.1)	17 (51.5)	13 (39.4)	33 (24.8)	
	Stable	10 (27.0)	19 (51.4)	8 (21.6)	37 (27.8)	
	Increase	14 (22.2)	37 (58.7)	12 (19.0)	63 (47.4)	
	Row total (% of total)	27 (20.3)	73 (54.9)	33 (24.8)		

* χ^2 -test; ¹Numbers do not sum to 133 GPs because two GPs were excluded due to no denominator (no patients with an SBP <130mmHg).

Appendix 6. Supplemental tables chapter 5

Supplemental table 1. Association between self-reported life-expectancy and age[†]

		Self-reported life-expectancy**			
		≤2 years	>2 and ≤5 years	>5 and ≤10 years	>10 years
Age	<65 years	0 (0%)	0 (0%)	2 (4%)	45 (96%)
	≥65 and <75 years	0 (0%)	1 (2%)	12 (24%)	36 (73%)
	≥75 and <85 years	2 (8%)	12 (48%)	6 (24%)	5 (20%)
	≥85 years	0 (0%)	3 (75%)	0 (0%)	1 (25%)

* N = 126 since 26 patients did not report their life-expectancy

† The age of how old patients expect they will become ranged from 70 to 100 for both males and females.

‡ Most patients reported to become 80 years (30% of the males, 37% of the females)

† Fisher freeman-halton test revealed a P-value of <0.001

Supplemental table 2. Preferences of patients aged <75 years and ≥75 years including patients who failed the dominant choice set

Constant and attributes	<75 years ^a		≥75 years ^b	
	Coefficient (95% CI)	P-value	Coefficient (95% CI)	P-value
Constant (additional drug)	-0.79 (-1.31 – -0.26)	0.003	-1.19 (-1.98 – -0.39)	0.003
Blood pressure	-0.09 (-0.10 – -0.07)	0.000	-0.05 (-0.07 – -0.03)	0.000
Death within the next 5 years	-20.67 (-28.18 – -13.16)	0.000	-21.58 (-33.22 – -9.94)	0.000
Limitations heart attack	-6.24 (-21.15 – 8.66)	0.412	-8.55 (-31.67 – 14.57)	0.469
Limitations stroke	-25.55 (-40.55 – -10.56)	0.001	-10.12 (-33.26 – 13.03)	0.392
Adverse drug events	-15.22 (-18.36 – -12.07)	0.000	-9.52 (-14.22 – -4.82)	0.000
Additional tablet in the evening	0.13 (-0.07 – 0.33)	0.193	0.04 (-0.26 – 0.35)	0.778
Combination tablet	0.13 (-0.08 – 0.33)	0.224	0.16 (-0.14 – 0.46)	0.302

^a Number of observations 3,330 (111 patients * 10 choice sets * 3 alternatives per choice set)

^b Number of observations 1,500 (50 patients * 10 choice sets * 3 alternatives per choice set)

Supplemental table 3. Preferences of patients aged <65 years and ≥80 years

Constant and attributes	<65 years ^a		≥80 years ^b	
	Coefficient (95% CI)	P-value	Coefficient (95% CI)	P-value
Constant (additional drug)	-0.09 (-0.83 – 0.65)	0.813	-0.24 (-1.82 – 1.34)	0.765
Blood pressure	-0.07 (-0.09 – -0.04)	0.000	-0.06 (-0.11 – -0.01)	0.017
Death within the next 5 years	-22.41 (-33.25 – -11.58)	0.000	-15.81 (-40.24 – 8.62)	0.205
Limitations heart attack	-10.76 (-32.07 – 10.55)	0.323	29.90 (-18.91 – 78.72)	0.230
Limitations stroke	-27.92 (-49.29 – -6.54)	0.010	-20.15 (-69.44 – 29.15)	0.423
Adverse drug events	-18.42 (-22.99 – -13.86)	0.000	-21.60 (-32.02 – -11.19)	0.000
Additional tablet in the evening	0.09 (-0.19 – 0.38)	0.532	-0.40 (-1.05 – 0.24)	0.219
Combination tablet	0.07 (-0.22 – 0.36)	0.645	0.07 (-0.54 – 0.68)	0.828

^a Number of observations 1,560 (52 patients * 10 choice sets * 3 alternatives per choice set)

^b Number of observations 450 (15 patients * 10 choice sets * 3 alternatives per choice set)

Appendix 7. Supplemental tables chapter 6

Supplemental table 1. Differences between patients included and excluded from analyses

	Included	Excluded	P-value
<i>Glucose-lowering drugs</i>			
Females (%)	38 (44.7)	28 (58.3)	0.131*
Mean age in years (SD)	65.8 (9.5)	67.1 (9.7)	0.471 [†]
Education (%)			0.261*
Low education	41 (48.8)	29 (60.4)	
Middle education	23 (27.4)	6 (12.5)	
High education	15 (17.9)	10 (20.8)	
Other	5 (6.0)	3 (6.3)	
Mean BMI (SD)	29.0 (4.0)	29.9 (4.9)	0.252 [†]
Median diabetes duration (IQR)	7 (5.0 – 11.0)	5 (3.0 – 9.0)	0.039 [‡]
<i>Blood pressure-lowering drugs</i>			
Females (%)	34 (50.7)	32 (48.5)	0.794*
Mean age in years (SD)	65.9 (10.1)	66.6 (9.1)	0.644 [†]
Education (%)			0.702*
Low education	32 (48.5)	38 (57.6)	
Middle education	17 (25.8)	12 (18.2)	
High education	13 (19.7)	12 (18.2)	
Other	4 (6.1)	4 (6.1)	
Mean BMI (SD)	29.7 (4.7)	29.0 (3.9)	0.367 [†]
Median diabetes duration (IQR)	7 (5.0 – 11.0)	6 (3.0 – 10.0)	0.206 [‡]
<i>Lipid-lowering drugs</i>			
Females (%)	39 (45.9)	27 (56.3)	0.251*
Mean age in years (SD)	65.7 (9.9)	67.3 (9.0)	0.373 [†]
Education (%)			0.341*
Low education	42 (50.0)	28 (58.3)	
Middle education	22 (26.2)	7 (14.6)	
High education	14 (16.7)	11 (22.9)	
Other	6 (7.1)	2 (4.2)	
Mean BMI (SD)	29.2 (4.3)	29.6 (4.4)	0.676 [†]
Median diabetes duration (IQR)	7 (3.0 – 10.0)	6.5 (4.0 – 10.8)	0.609 [‡]

BMI = Body mass index; SD = Standard deviation; IQR = Interquartile range

* Pearson χ^2 -test; [†] T-test; [‡] Mann-Whitney U test

Supplemental table 2. Patient characteristics of the adherers, unintentional non-adherers and intentional non-adherers to glucose-, blood pressure-, and lipid-lowering drugs

	Adherers	Unintentional non-adherers	Intentional non-adherers	P-value
<i>Glucose-lowering drugs</i>				
N	53	22	10	
Females (%)	28 (52.8)	8 (36.4)	2 (20.0)	0.105*
Mean age in years (SD)	67.2 (10.0)	64.1 (7.4)	62.3 (10.0)	0.209 [†]
Education (%)				0.274*
Low education	31 (59.6)	7 (31.8)	3 (30.0)	
Middle education	11 (21.2)	9 (40.9)	3 (30.0)	
High education	8 (15.4)	4 (18.2)	3 (30.0)	
Other	2 (3.8)	2 (9.1)	1 (10.0)	
Mean BMI (SD)	29.1 (4.2)	27.7 (3.2)	31.6 (3.2)	0.033 ^{† 1}
Median diabetes duration (IQR)	7 (3.0-10.0)	8 (6.0-12.5)	7 (5.5-14.5)	0.196 [‡]
Measurement outside GPs office				0.012 ²
Yes (%)	8 (16.0)	9 (40.9)	5 (55.6)	
<i>Blood pressure-lowering drugs</i>				
N	53	10	4	
Females (%)	26 (49.1)	5 (50.0)	3 (75.0)	0.605*
Mean age in years (SD)	66.1 (0.9)	67.9 (10.1)	58.3 (16.5)	0.259 [†]
Education (%)				0.147*
Low education	29 (55.8)	2 (20.0)	1 (25.0)	
Middle education	12 (23.1)	4 (40.0)	1 (25.0)	
High education	9 (17.3)	2 (20.0)	2 (50.0)	
Other	2 (3.8)	2 (20.0)	0 (0.0)	
Mean BMI (SD)	30.1 (0.5)	27.6 (2.7)	28.9 (6.3)	0.290 [†]
Median diabetes duration (IQR)	7 (5.0-9.0)	12 (6.8-14.5)	4.5 (2.5-6.5)	0.030 ^{‡3}
Measurement outside GPs office				0.078*
Yes (%)	13 (24.5)	2 (20.0)	3 (75.0)	
<i>Lipid-lowering drugs</i>				
N	67	15	3	
Females (%)	31 (46.3)	7 (46.7)	1 (33.3)	0.906*
Mean age in years (SD)	66.4 (9.1)	62.5 (9.1)	66.7 (25.8)	0.394 [†]
Education (%)				0.084*
Low education	38 (57.6)	3 (20.0)	1 (33.3)	
Middle education	16 (24.2)	5 (33.3)	1 (33.3)	
High education	7 (10.6)	6 (40.0)	1 (33.3)	
Other	5 (7.6)	1 (6.7)	0 (0.0)	
Mean BMI (SD)	29.5 (4.5)	28.3 (3.3)	27.9 (1.7)	0.515 [†]
Median diabetes duration (IQR)	6 (3.0-9.0)	8 (5.8-12.3)	3 ^a	0.090 [‡]
Measurement outside GPs office				0.741*
Yes (%)	6 (9.0)	2 (13.3)	0 (0.0)	

GPs = General practitioners; BMI = Body mass index; SD = Standard deviation; IQR = Interquartile range;

* Pearson χ^2 -test; [†] One-way analysis of variance; [‡] Kruskal-Wallis test

^a No IQR due to low numbers

¹ Significance due to difference between unintentional and intentional non-adherers (P = 0.003)

² Significance due to difference between adherers and intentional non-adherers (P = 0.008)

³ Post-hoc analysis did not reveal any significant differences

Curriculum vitae

Sieta de Vries was born on July 27th, 1986 in Drachten, the Netherlands. After finishing secondary school in 2003, she started her study, Sport & Health, at the Hanze University in Groningen. In 2007, she graduated from this educational program and continued with a pre-master program Psychology at the University of Groningen. She combined this educational program with a research project at the Hanze University Sports Science Research Group, where she evaluated the Groninger Sport Model.

In 2009, she started the master program Social Psychology at the University of Groningen, and obtained her master's degree in 2010. At the department of Health Psychology of the University Medical Center Groningen (UMCG), Sieta wrote her master thesis "The reliability and validity of an implicit coping- and wellbeing-test".

From December 2010 to December 2014, she worked at the department of Clinical Pharmacy and Pharmacology of the UMCG on her PhD-project on patient perspectives in the benefit-risk evaluation of drugs. In the period 2011 – 2013, she was a member of the PhD council of the graduate school SHARE of the University of Groningen.

In December 2014, she started working as a post-doc researcher on the Innovative Medicines Initiative (IMI) Web-RADR project and the Strengthening Collaboration for Operating Pharmacovigilance in Europe (SCOPE) project at the department of Clinical Pharmacy and Pharmacology of the UMCG.

Dankwoord

Ik herinner het me nog goed: de eerste promotie die ik ooit bijgewoond heb. Samen met oud-studiegenootje Eveline Hamstra keek ik met grote overweldiging naar de verdediging van onze oud-leraar dr. J. de Jong. Wat een happening! Toen dr. J. de Jong zei: "Misschien jij ooit ook?" wist ik zeker dat dát nooit zou gaan gebeuren. Tsja... het kan soms gek lopen. Johan, ontzettend bedankt voor je begeleiding tijdens mijn allereerste onderzoek. Door jou is mijn interesse in het doen van onderzoek gewekt.

Mijn interesse in onderzoek is verder gegroeid door het master-onderzoek dat ik op de afdeling Gezondheidswetenschappen van het UMCG uit mocht voeren. Beste Adelita (Prof. dr. A.V. Ranchor), Maya (dr. M.J. Schroevers) en Robbert (Prof. dr. R. Sanderman), bedankt voor de begeleiding, het vertrouwen en het in contact brengen met Prof. dr. P. Denig en Prof. dr. F.M. Haaijer-Ruskamp wat geleid heeft tot mijn promotietraject.

Voor de totstandkoming van dit proefschrift ben ik vele mensen mijn dank verschuldigd. Een aantal mensen wil ik via deze weg graag in het bijzonder bedanken.

Prof. dr. P. Denig: Beste Petra, de meeste dank ben ik aan jou verschuldigd. Als eerste promotor en dagelijks begeleider moet je het behoorlijk druk met me hebben gehad. Ik waardeer je behulpzaamheid, passie voor de wetenschap en je altijd kritische blik die mij geholpen hebben mij verder als onderzoeker te ontwikkelen. Bedankt voor de prettige samenwerking die zich hopelijk nog lang mag voortzetten.

Prof. dr. F.M. Haaijer-Ruskamp: Beste Floor, jij doet me vaak denken aan m'n oma; geen blad voor de mond nemen en zeggen waar het op staat. Bedankt voor het vertrouwde gevoel dat dit gaf.

Prof. dr. D. de Zeeuw: Beste Dick, met je medische kennis kwam je vaak met een heel andere kijk op het geheel, dank hiervoor. Bedankt ook voor je bezorgdheid over de effecten van deze andere kijk op eventuele slaapproblemen. Gelukkig lijkt dit effect er niet te zijn.

Alle co-auteurs wil ik bedanken voor hun bijdrage aan de studies. Een speciaal dankwoord voor dr. P.G.M. Mol, dr. J. Voorham en dr. T. Dekker:

Beste Peter, bedankt voor je regulatoire kijk op het geheel en de kans die je me geeft om te werken aan het IMI Web-RADR project en het SCOPE project.

Beste Jaco, bedankt voor je statistische input en het me leren werken met Stata.

Beste Thijs, bedankt voor al je hulp met het discrete choice experiment.

De beoordelingscommissie, bestaande uit Prof. dr. G. Nijpels, Prof. dr. E.P. van Puijenbroek en Prof. dr. B.H. Stricker, dank ik voor hun bereidheid het proefschrift te lezen en te beoordelen.

Dit proefschrift maakt deel uit van de SHARE graduate school van de Rijksuniversiteit Groningen en het Escher project van Top Institute Pharma. Betrokkenen van de SHARE graduate school, waaronder Truus van Ittersum en Renate Kroese, en van het Escher project, in het bijzonder Prof. dr. H.G.M. Leufkens en dr. P. Stolk, wil ik bedanken voor het mogelijk maken van de studies in dit proefschrift.

De aanwezigen tijdens de Monday Morning Meetings, dRUGs/M2O meetings, het gangoverleg en de Escher-bijeenkomsten wil ik bedanken voor de interessante discussies.

Mijn directe collega's: Arna, Yan, Paul, Mathijs, Sigrid, Grigory, Yunyu, Michelle, Tobias, Derbew, Sergei, Ellen, Mishgina, Bauk(j)e, Kirsten, Tomoko, Sophie, Ruben, Rudolf, Skander, Sara, Jarno, Maartje, Frank, Margje, Taco, Patrick, Judith, Wessel, Janny, Manfred, Ronald, Ardy, Alexandra, Marja, Hidde en alle andere medewerkers en (PhD)studenten van de afdeling Klinische Farmacie en Farmacologie wil ik bedanken voor onder andere:

- de geboden adviserende en/of praktische hulp;
- the help with English texts;
- de 'daily doses of rock';
- het zingen van diverse liedjes;
- de hulp bij etiketjes plakken en vragenlijsten versturen;
- de consequente consistentie;
- het bouwen van een fort met verhuisdozen;
- saving my life several times;
- het gipsen van een buik;
- de noodzakelijke quarantaine situatie;
- het Friese tintje in Groningen;
- het constante herinneren aan de deadline van het promotie-traject;
- en voor alle andere geboden hulp en onvergetelijke momenten.

Daarnaast wil ik alle professionals die betrokken zijn geweest bij het benaderen van patiënten heel hartelijk danken voor hun hulp. Een speciaal dankwoord uiteraard naar alle patiënten die deelgenomen hebben.

Dianna, bedankt voor de prettige samenwerking tijdens de discrete choice studie en dat je mijn paranimf wilt zijn.

Lieve Marrit, Freya, Hanne en Marlijn, onze vriendschap is er al vanaf de basisschool/middelbare school en betekent veel voor me. Ondanks dat we elkaar tegenwoordig iets minder vaak zien dan vroeger is het altijd goed. Bedankt dat jullie mijn (in)officiële paranimfen willen zijn.

Lieve Gerard, Gretha, Nola, Henk, Anneke, Edwin, Judith, Stijn, Marcel, Marijke, alle andere familieleden en (voetbal)vrienden: bedankt voor de andere belangrijke dingen in het leven. Een speciaal dankwoord aan Alberta en Beppie: bedankt voor jullie tekstuele feedback.

Leave pake Tjibbe, beppe Sytske, pake Geert en beppe Gryt, spitigernôch kinne jimme dit momint net meimeitse mar ik bin der wis fan dat jimme it prachtich fûn hiene. Leave heit en mem, ik bin jimme hiel tankber dat jimme altyd foar my klear stean en it altyd mooglik hawwe makke om the studearjen. Tige, tige tank.

Tot slot mijn grote steun en toeverlaat: Lieve Jeroen, je bent er altijd voor me en haalt het beste in me naar boven. Jouw relativiseringsvermogen is bovendien een noodzakelijke vereiste in mijn leven. Ik hoop dat we samen een gelukkige toekomst tegemoet mogen gaan.

Groningen, December 2014
Sieta de Vries

SHARE publications

Research Institute SHARE

This thesis is published within the **Research Institute SHARE** (Science in Healthy Ageing and healthcaRE) of the University Medical Center Groningen / University of Groningen. Further information regarding the institute and its research can be obtained from our internetsite: www.share.umcg.nl.

More recent theses can be found in the list below.
((co-) supervisors are between brackets)

2015

Febrianna SA

Skin problems related to Indonesian leather & shoe production and the use of footwear in Indonesia

(prof PJ Coenraads, prof H Soebono, dr MLA Schuttelaar)

2014

Schneeberger C

Asymptomatic bacteriuria and urinary tract infections in women: focus on diabetes mellitus and pregnancy

(prof RP Stolk, prof JJHM Erwich, dr SE Geerlings)

Skorvanek, M

Fatigue, apathy and quality of life in patients with Parkinson's disease

(prof JW Groothoff, prof Z Gdovinova, dr JP van Dijk, dr J Rosenberger)

Kolvek G

Etiology and prognosis of chronic kidney disease in children: Roma ethnicity and other risk factors

(prof SAREijneveld, prof L Podracka, dr JP van Dijk, dr J Rosenberger)

Mikula P

Health related quality of life in people with multiple sclerosis; the role of coping, social participation and self-esteem

(prof JW Groothoff, prof Z Gdovinova, dr JP van Dijk, dr I Nagyova)

Amalia R

Improving a school-based dental programme through a sociodental risk group approach
(*prof RMH Schaub, prof JW Groothoff, prof N Widyanti*)

Christoffers WA

Hand eczema; interventions and contact allergies
(*prof PJ Coenraads, dr MLA Schuttelaar*)

Troquete NAC

START-ing risk assessment and shared care planning in out-patient forensic psychiatry; results from a cluster randomized controlled trial
(*prof D Wiersma, prof RA Schoevers, dr RHS van den Brink*)

Golea E

Functioning of young individuals with upper limb reduction deficiencies
(*prof CK van der Sluis, dr RM Bongers, dr HA Reinders-Messelink*)

Nguyen HT

Medication safety in Vietnamese hospitals; a focus on medication errors and safety culture
(*prof K Taxis, prof FM Haaijer-Ruskamp, prof JRB Brouwers, dr TD Nguyen*)

Lehmann V

Singlehood and partnerships in healthy people and childhood cancer survivors; a focus on satisfaction
(*prof M hagedoorn, prof R Sanderma, dr MA Tuinman*)

Jaarsma EA

Sports participation and physical disabilities: taking the hurdle?!
(*prof JHB Geertzen, prof PU Dijkstra, dr R Dekker*)

Ockenburg SL van

Psychological states and physical fates; studying the role of psychosocial stress in the etiology of cardiovascular disease: a nomothetic versus an idiographic approach
(*prof JGM Rosmalen, prof P de Jonge, prof ROB Gans*)

Beijers CGHM

Unhealthy behaviors during pregnancy; who continues to smoke and consume alcohol, and is treatment of anxiety and depressive symptoms effective?

(prof J Ormel, prof CLH Bockting, dr H Burger)

Kerdijk W

Strategic choices in curriculum design to facilitate knowledge and competency development

(prof J Cohen-Schotanus, prof JW Snoek, dr R Tio)

Spaans F

Hemopexin activity and extracellular ATP in the pathogenesis of preeclampsia

(prof H van Goor, dr MM Faas, dr WW Bakker)

Brinksma A

Nutritional status in children with cancer

(prof PF Roodbol, prof R Sanderman, prof ESJM de Bont, dr WJE Tissing)

Prihodova L

Psychological and medical determinants of long-term patient outcomes; a specific focus on patients after kidney transplantation and with haemophilia

(prof JW Groothoff, dr JP van Dijk, dr I Rajnicova-Nagyova, dr J Rosenberger)

Snippe E

Understanding change in psychological treatments for depressive symptoms; the individual matters

(prof R Sanderman, prof PMG Emmelkamp, dr MJ Schroevers, dr J Fleer)

Groen B

Complications in diabetic pregnancy; role of immunology and Advanced Glycation End products

(prof TP Links, prof PP van den Berg, dr MM Faas)

Visser L

Early detection and prevention of adolescent alcohol use; parenting and psychosocial factors

(prof SA Reijneveld, dr AF de Winter)

Tovote KA

Acceptance or challenge? Psychological treatments for depressive symptoms in patients with diabetes

(prof R Sanderman, prof PMG Emmelkamp, prof TP Links)

Trippolini M

Evaluation of functioning in workers with whiplash-associated disorders and back pain

(prof MF Reneman, prof PU Dijkstra, prof JHB Geertzen)

Eriks-Hoogland IE

Shoulder impairment in persons with a spinal cord injury & associations with activities and participation

(prof LHV van der Woude, prof G Stucki, prof MWM Post, dr S de Groot)

Suwantika AA

Economic evaluations of non-traditional vaccinations in middle-income countries: Indonesia as a reference case

(prof M Postma, dr K Lestari)

Behanova M

Area- and individual-level socioeconomic differences in health and health-risk behaviours; a comparison of Slovak and Dutch cities

(prof SA Reijneveld, dr JP van Dijk, dr I Rajnicova-Nagyova, dr Z Katreniakova)

Dekker H

Teaching and learning professionalism in medical education

(prof J Cohen-Schotanus, prof T van der Molen, prof JW Snoek)

Dontje ML

Daily physical activity in patients with a chronic disease

(prof CP van der Schans, prof RP Stolk)

Gefenaite G

Newly introduced vaccines; effectiveness and determinants of acceptance

(prof E Hak, prof RP Stolk)

Dagan M

The role of spousal supportive behaviors in couples' adaptation to colorectal cancer
(prof M Hagedoorn, prof R Sanderman)

Monteiro SP

Driving-impairing medicines and traffic safety; patients' perspectives
(prof JJ de Gier, dr L van Dijk)

Bredeweg S

Running related injuries
(prof JHB Geertzen, dr J Zwerver)

Mahmood SI

Selection of medical students and their specialty choices
(prof JCC Borleffs, dr RA Tio)

For more 2014 and earlier theses visit our website.

Patient perspectives in the benefit-risk evaluation of drugs

The patient perspective in the process of drug evaluation and drug use is high on the agenda, which is demonstrated by an increased use of patient-reported outcome instruments to evaluate drugs and a shift towards patient-centred care in clinical practice. This thesis contains studies focusing on 1) the development and validation of a patient-reported outcome instrument to assess adverse drug events (ADEs), and 2) the role of patient characteristics and preferences on treatment decisions in clinical practice. The first part presents the development of a generic questionnaire to assess ADEs from the patient perspective. Although this questionnaire showed sufficient content and concurrent validity to detect ADEs at a general level, it was not sensitive enough to detect all ADEs perceived by patients. Suggestions are provided to improve the questionnaire for future use. In the second part, insight in decisions to start or intensify treatment with special attention for different patient age groups is provided. It was found that age influenced prescribing behaviour as well as the patient's willingness to add a drug. For all patients, preventing death and ADEs were important considerations when choosing an additional drug. The influence of beliefs about benefits and risks on patients' drug adherence, however, differed among types of drugs. These findings can be used to improve the assessment of ADEs from the patient perspective, to incorporate the patient perspective in treatment decisions and to develop better tailored interventions for improving drug adherence.



Part of:

