

University of Groningen

Effect of morphology and microstructure on the thermal conductivity of chalcogenide thermoelectric materials

Lian, Hong

DOI:

[10.33612/diss.180380682](https://doi.org/10.33612/diss.180380682)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2021

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Lian, H. (2021). *Effect of morphology and microstructure on the thermal conductivity of chalcogenide thermoelectric materials*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen. <https://doi.org/10.33612/diss.180380682>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

**Effect of morphology and
microstructure on the thermal
conductivity of chalcogenide
thermoelectric materials**

Hong Lian

The work described in this thesis was performed in the research group Solid State Materials for Electronics of the Zernike Institute for Advanced Materials at the University of Groningen, The Netherlands. This research was financially supported by the China Scholarship Council (CSC).

Zernike Institute PhD thesis series 2021-29
ISSN: 1570-1530



Cover art : Hong Lian & Ewout van der Veer
Printed by : Ridderprint, Ridderkerk, The Netherlands



university of
 groningen

faculty of science
 and engineering

zernike institute for
 advanced materials



university of
 groningen

Effect of morphology and microstructure on the thermal conductivity of chalcogenide thermoelectric materials

PhD thesis

to obtain the degree of PhD at the
 University of Groningen
 on the authority of the
 Rector Magnificus Prof. C. Wijmenga
 and in accordance with
 the decision by the College of Deans.

This thesis will be defended in public on

Friday 1 October 2021 at 9.00 hours

by

Hong Lian

born on 7 June 1989
 in Hebei, China

Supervisors

Prof. M.A. Loi
Prof. G. Portale

Co-supervisor

Dr. G.R. Blake

Assessment Committee

Prof. L.J.A. Koster
Prof. M. Huijben
Prof. O. Oeckler

To my parents

(献给我的父母)

Contents

1 Introduction.....	1
1.1 Overview of thermoelectric materials	2
1.1.1 Seebeck effect.....	2
1.1.2 Peltier effect	4
1.1.3 Thomson effect.....	6
1.2 Thermoelectric performance	6
1.2.1 Seebeck coefficient.....	8
1.2.2 Electrical conductivity.....	9
1.2.3 Thermal conductivity	9
1.3 Methods to increase the value of ZT	11
1.3.1 Optimization of carrier concentration	11
1.3.2 Reduction of thermal conductivity	12
1.4 Research status of thermoelectric materials	13
1.4.1 PbTe-based thermoelectric materials	14
1.4.2 Cu ₂ Se and Cu ₂ S thermoelectric materials	17
1.5 Significance and overview of this thesis	20
References	21
2 Experimental Strategies.....	25
Abstract	25
2.1 Synthesis Methods.....	26
2.2 Structural and physical properties characterization.....	27
2.2.1 X-ray diffraction.....	27
2.2.2 Scanning electron microscopy and energy dispersive X-ray spectroscopy ...	27
2.2.3 Seebeck and resistivity measurements	29
2.2.4 Thermal diffusivity measurements	30
References	31

3 Controlling phase separation in thermoelectric $Pb_{1-x}Ge_xTe$ to minimize thermal conductivity.....	33
Abstract	33
3.1 Introduction	34
3.2 Experimental	35
3.3 Results and discussion.....	36
3.3.1 Crystal structure analysis.....	36
3.3.2 Morphological analysis	37
3.3.3 Thermoelectric properties.....	47
3.4 Conclusions	51
Appendix	52
References	61
4 Morphology of melt-quenched lead telluride single crystals.....	65
Abstract	65
4.1 Introduction	66
4.2 Experimental	67
4.2.1 Crystal synthesis.....	67
4.2.2 Characterization Methods.....	67
4.3 Results and discussion.....	68
4.3.1 Crystal structure analysis.....	68
4.3.2 Morphological analysis	70
4.4 Conclusions	79
Appendix	79
References	81
5 Thermoelectric properties of mixed-phase copper sulfides.....	83
Abstract	83
5.1 Introduction	84
5.2 Experimental	86
5.3 Results and Discussion.....	87
5.3.1 Crystal structure analysis	87
5.3.2 Morphological analysis	91
5.3.3 Thermoelectric properties	92
5.4 Conclusions	94
References	95

6 Structure and thermoelectric performance of Cu₂Se doped with rare-earth elements.....	97
Abstract	97
6.1 Introduction	98
6.2 Experimental	99
6.2.1 Synthesis of Cu _{2+x} X _{0.01} Se (X = Cu, Gd, Ho, Yb).....	99
6.2.2 Sample characterization	100
6.3 Results and Discussion.....	101
6.3.1 Crystal structure analysis.....	101
6.3.2 Morphological analysis	103
6.3.3 Thermoelectric properties.....	106
6.4 Conclusion.....	109
References	109
Summary.....	113
Samenvatting.....	115
Publications	117
Acknowledgements	119

