

University of Groningen

Studies on sleep patterns and sleep homeostasis in birds

van Hasselt, Sjoerd J.

DOI:
[10.33612/diss.182116715](https://doi.org/10.33612/diss.182116715)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2021

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):
van Hasselt, S. J. (2021). *Studies on sleep patterns and sleep homeostasis in birds: An ecological approach*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen.
<https://doi.org/10.33612/diss.182116715>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

APPENDIX I

References

A

- Adidharma, W., Leach, G. and Yan, L. (2012) “Orexinergic signalling mediates light-induced neuronal activation in the dorsal raphe nucleus,” *Neuroscience*, 220, pp. 201–207. doi: 10.1016/j.neuroscience.2012.06.020.
- Aguiar, M. R. and Sala, O. E. (1998) “Interactions among grasses, shrubs, and herbivores in Patagonian grass-shrub steppes,” *Ecologia Austral*, 8(2), pp. 201–210. doi: 10.18637/jss.v067.i01.
- Allada, R. and Siegel, J. M. (2008) “Unearthing the Phylogenetic Roots of Sleep,” *Current Biology*, 18(15). doi: 10.1016/j.cub.2008.06.033.
- Allocca, G. *et al.* (2019) “Validation of ‘somnivore’, a machine learning algorithm for automated scoring and analysis of polysomnography data,” *Frontiers in Neuroscience*, 13. doi: 10.3389/fnins.2019.00207.
- Amici, R. *et al.* (1998) “The influence of a heavy thermal load on REM sleep in the rat,” *Brain Research*, 781(1–2), pp. 252–258. doi: 10.1016/S0006-8993(97)01242-0.
- Amici, R. *et al.* (2008) “Cold exposure and sleep in the rat: REM sleep homeostasis and body size,” *Sleep*, 31(5), pp. 708–715. doi: 10.1093/sleep/31.5.708.
- Aulsebrook, A. E. *et al.* (2016) “Sleep Ecophysiology: Integrating Neuroscience and Ecology,” *Trends in Ecology and Evolution*, 31(8), pp. 590–599. doi: 10.1016/j.tree.2016.05.004.
- Aulsebrook, A. E. *et al.* (2018) “Impacts of artificial light at night on sleep: A review and prospectus,” *Journal of Experimental Zoology Part A: Ecological and Integrative Physiology*, 329(8–9), pp. 409–418. doi: 10.1002/jez.2189.
- Aulsebrook, A. E. *et al.* (2020a) “Streetlights Disrupt Night-Time Sleep in Urban Black Swans,” *Frontiers in Ecology and Evolution*, 8, p. 131. doi: 10.3389/fevo.2020.00131.
- Aulsebrook, A. E. *et al.* (2020b) “White and Amber Light at Night Disrupt Sleep Physiology in Birds,” *Current Biology*. doi: 10.1016/j.cub.2020.06.085.
- Ayala-Guerrero, F. (1989) “Sleep patterns in the parakeet *Melopsittacus undulatus*,” *Physiology and Behavior*, 46(5), pp. 787–791. doi: 10.1016/0031-9384(89)90038-3.
- Ayala-Guerrero, F. and Mexicano, G. (2008) “Sleep and wakefulness in the green iguanid lizard (*Iguana iguana*),” *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 151(3), pp. 305–312. doi: <https://doi.org/10.1016/j.cbpa.2007.03.027>.

B

- Bäckman, J. *et al.* (2017) “Actogram analysis of free-flying migratory birds: new perspectives based on acceleration logging,” *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology*, 203(6–7), pp. 543–564. doi: 10.1007/s00359-017-1165-9.
- Bates, D. *et al.* (2015) “Fitting linear mixed-effects models using lme4,” *Journal of Statistical Software*, 67(1). doi: 10.18637/jss.v067.i01.
- Batra, T. *et al.* (2020) “Sleep in unnatural times: illuminated night negatively affects sleep and associated hypothalamic gene expressions in diurnal zebra finches,” *Proceedings. Biological sciences*, 287(1928), p. 20192952. doi: 10.1098/rspb.2019.2952.
- Beckers, G. J. L. and Rattenborg, N. C. (2015) “An in depth view of avian sleep,” *Neuroscience and Biobehavioral Reviews*, 50, pp. 120–127. doi: 10.1016/j.neubiorev.2014.07.019.
- Benington, J. H. (2000) “Sleep homeostasis and the function of sleep,” *Sleep*, 23(7), pp. 959–966. doi: 10.1093/sleep/23.7.1j.
- Benington, J. H. (2002) “Debating how REM sleep is regulated (and by what),” *Journal of Sleep Research*, 11(1), pp. 29–31. doi: 10.1046/j.1365-2869.2002.0282a.x.
- Benington, J. H. and Craig Heller, H. (1995) “Restoration of brain energy metabolism as the function of sleep,” *Progress in Neurobiology*, pp. 347–360. doi: 10.1016/0301-0082(94)00057-O.
- Benington, J. H. and Frank, M. G. (2003) “Cellular and molecular connections between sleep and synaptic plasticity,” *Progress in Neurobiology*, 69(2), pp. 71–101. doi: 10.1016/S0301-0082(03)00018-2.
- Benington, J. H. and Heller, H. C. (1994) “Does the function of REM sleep concern non-REM sleep or waking?,” *Progress in Neurobiology*, 44(5), pp. 433–449. doi: 10.1016/0301-0082(94)90005-1.
- Benton, M. J. and Donoghue, P. C. J. (2007) “Paleontological Evidence to Date the Tree of Life,” *Molecular Biology and Evolution*, 24(1), pp. 26–53. doi: 10.1093/molbev/msl150.
- Berger, R. J. and Walker, J. M. (1972) “Sleep in the burrowing owl (*Speotyto cunicularia hypugaea*),” *Behavioral Biology*, 7(2), pp. 183–194. doi: 10.1016/S0091-6773(72)80198-6.
- Blake, H. and Gerard, R. W. (1937) “Brain Potentials During Sleep,” *American Journal of Physiology-Legacy Content*, 119(4), pp. 692–703. doi: 10.1152/ajplegacy.1937.119.4.692.
- Blumberg, M. S. (2015) “Developing Sensorimotor Systems in Our Sleep,” *Current Directions in*

Psychological Science, 24(1), pp. 32–37. doi: 10.1177/0963721414551362.

de Boer, R. *et al.* (2014) “A comparison of spring migration between three populations of Barnacle Geese *Branta leucopsis* using GPS satellite transmitters,” *Limosa*, 87(2), pp. 99–106.

Borbély, A. A. *et al.* (1981) “Sleep deprivation: Effect on sleep stages and EEG power density in man,” *Electroencephalography and Clinical Neurophysiology*, 51(5), pp. 483–493. doi: 10.1016/0013-4694(81)90225-X.

Borbély, A. A. (2001) “From slow waves to sleep homeostasis: New perspectives,” *Archives Italiennes de Biologie*, 139(1–2), pp. 53–61. doi: 10.4449/aib.v139i1.204.

Borbély, A. A. and Neuhaus, H. U. (1979) “Sleep-deprivation: Effects on sleep and EEG in the rat,” *Journal of Comparative Physiology*, 133(1), pp. 71–87. doi: 10.1007/BF00663111.

Borbély, A. A., Tobler, I. and Hanagasioglu, M. (1984) “Effect of sleep deprivation on sleep and EEG power spectra in the rat,” *Behavioural Brain Research*, 14(3), pp. 171–182. doi: 10.1016/0166-4328(84)90186-4.

van der Borght, K. *et al.* (2006) “Hippocampal cell proliferation across the day: Increase by running wheel activity, but no effect of sleep and wakefulness,” *Behavioural Brain Research*, 167(1), pp. 36–41. doi: 10.1016/j.bbr.2005.08.012.

Bortle, J. E. (2001) “Introducing the Bortle Dark Sky Scale,” *Sky & Telescope*, 101(2), p. 126.

Brawn, T. P., Nusbaum, H. C. and Margoliash, D. (2010) “Sleep-dependent consolidation of auditory discrimination learning in adult starlings,” *Journal of Neuroscience*, 30(2), pp. 609–613. doi: 10.1523/JNEUROSCI.4237-09.2010.

Brawn, T. P., Nusbaum, H. C. and Margoliash, D. (2018) “Sleep-dependent reconsolidation after memory destabilization in starlings,” *Nature Communications*, 9(1). doi: 10.1038/s41467-018-05518-5.

Bridi, M. C. D. *et al.* (2015) “Rapid eye movement sleep promotes cortical plasticity in the developing brain,” *Science Advances*, 1(6). doi: 10.1126/sciadv.1500105.

Buckland, S. T., Davison, A. C. and Hinkley, D. V. (1998) “Bootstrap Methods and Their Application,” *Biometrics*, 54(2), p. 795. doi: 10.2307/3109789.

C

- Cajochen, C. *et al.* (2013) “Evidence that the lunar cycle influences human sleep,” *Current Biology*, 23(15), pp. 1485–1488. doi: 10.1016/j.cub.2013.06.029.
- Campbell, S. S. and Tobler, I. (1984) “Animal sleep: A review of sleep duration across phylogeny,” *Neuroscience and Biobehavioral Reviews*, 8(3), pp. 269–300. doi: 10.1016/0149-7634(84)90054-X.
- Canavan, S. V. and Margoliash, D. (2020) “Budgerigars have complex sleep structure similar to that of mammals,” *PLoS Biology*, 18(11). doi: 10.1371/journal.pbio.3000929.
- Cartwright, R. D., Monroe, L. J. and Palmer, C. (1967) “Individual Differences in Response to REM Deprivation,” *Archives of General Psychiatry*, 16(3), pp. 297–303. doi: 10.1001/archpsyc.1967.01730210037007.
- Cerri, M. *et al.* (2005) “Cold exposure and sleep in the rat: Effects on sleep architecture and the electroencephalogram,” *Sleep*, 28(6), pp. 694–705. doi: 10.1093/sleep/28.6.694.
- Chapman, S. (1913) “The Moon’s influence on the Earth’s magnetism,” *The Observatory*, 36, pp. 435–438.
- Chauvette, S., Seigneur, J. and Timofeev, I. (2012) “Sleep Oscillations in the Thalamocortical System Induce Long-Term Neuronal Plasticity,” *Neuron*, 75(6), pp. 1105–1113. doi: 10.1016/j.neuron.2012.08.034.
- Clarke, J. A., Chopko, J. T. and Mackessy, S. P. (1996) *The Effect of Moonlight on Activity Patterns of Adult and Juvenile Prairie Rattlesnakes (Crotalus viridis viridis)*, *Journal of Herpetology*. doi: 10.2307/1565509.
- Coolen, A. *et al.* (2012) “Telemetric study of sleep architecture and sleep homeostasis in the day-active tree shrew *Tupaia belangeri*,” *Sleep*, 35(6), pp. 879–888. doi: 10.5665/sleep.1894.
- Coulson, J. C. (2001) “Colonial breeding in seabirds,” in *Biology of Marine Birds*, pp. 87–113. doi: 10.1201/9781420036305.
- Czeisler, C. A. (2013) “Perspective: Casting light on sleep deficiency,” *Nature*, 497(7450), p. S13. doi: 10.1038/497S13a.

D

- Davimes, J. G. *et al.* (2018) “Seasonal variations in sleep of free-ranging Arabian oryx (*Oryx leucoryx*) under natural hyperarid conditions,” *Sleep*, 41(5). doi: 10.1093/sleep/zsy038.
- Deboer, T. (2007) “Technologies of sleep research,” *Cellular and Molecular Life Sciences*, 64(10), pp. 1227–1235. doi: 10.1007/s00018-007-6533-0.
- Deboer, T. (2013) “Behavioral and electrophysiological correlates of sleep and sleep homeostasis,” in *Current Topics in Behavioral Neurosciences*. Springer, Berlin, Heidelberg, pp. 1–24. doi: 10.1007/7854_2013_248.
- Deboer, T., Franken, P. and Tobler, L. (1994) “Sleep and cortical temperature in the Djungarian hamster under baseline conditions and after sleep deprivation,” *Journal of Comparative Physiology A*, 174(2), pp. 145–155. doi: 10.1007/BF00193782.
- Deboer, T. and Tobler, I. (1996) “Shortening of the photoperiod affects sleep distribution, EEG and cortical temperature in the Djungarian hamster,” *Journal of Comparative Physiology - A Sensory, Neural, and Behavioral Physiology*, 179(4), pp. 483–492. doi: 10.1007/BF00192315.
- Dement, W. (1960) “The effect of dream deprivation.,” *Science*, 131, pp. 1705–1707. doi: 10.1126/science.131.3415.1705.
- Derégnaucourt, S. *et al.* (2005) “How sleep affects the developmental learning of bird song,” *Nature*, pp. 710–716. doi: 10.1038/nature03275.
- Diekelmann, S. and Born, J. (2010) “The memory function of sleep,” *Nature Reviews Neuroscience*, 11(2), pp. 114–126. doi: 10.1038/nrn2762.
- Dijk, D. J. (1995) “EEG slow waves and sleep spindles: windows on the sleeping brain,” *Behavioural Brain Research*, 69(1–2), pp. 109–116. doi: 10.1016/0166-4328(95)00007-G.
- Dijk, D. J., Beersma, D. G. M. and Daan, S. (1987) “EEG Power Density during Nap Sleep: Reflection of an Hourglass Measuring the Duration of Prior Wakefulness,” *Journal of Biological Rhythms*, 2(3), pp. 207–219. doi: 10.1177/074873048700200304.
- Dominoni, D. M. *et al.* (2013) “Urban-like night illumination reduces melatonin release in European blackbirds (*Turdus merula*): Implications of city life for biological time-keeping of songbirds,” *Frontiers in Zoology*, 10(1). doi: 10.1186/1742-9994-10-60.
- Duriez, O. *et al.* (2014) “How cheap is soaring flight in raptors? A preliminary investigation in freely-flying vultures,” *PLoS ONE*, 9(1). doi: 10.1371/journal.pone.0084887.

E

- Ebbinge, B., Canters, K. and Drent, R. (1975) "Foraging routines and estimated daily food intake in Barnacle Geese wintering in the northern Netherlands," *Wildfowl*, 26(26), pp. 5–19.
- Eens, M., Pinxten, R. and Verheyen, R. F. (1992) "Song learning in captive European starlings, *Sturnus vulgaris*," *Animal Behaviour*, 44(6), pp. 1131–1143. doi: 10.1016/S0003-3472(05)80325-2.
- Eichhorn, G. *et al.* (2006) "Spring stopover routines in Russian Barnacle Geese *Branta leucopsis* tracked by resightings and geolocation," *Ardea*, 94(3), pp. 667–678.
- Eichhorn, G., *et al.* (2009) "Skipping the Baltic: The emergence of a dichotomy of alternative spring migration strategies in Russian barnacle geese," *Journal of Animal Ecology*, 78(1), pp. 63–72. doi: 10.1111/j.1365-2656.2008.01485.x.
- Eiland, M. M., Lyamin, O. I. and Siegel, J. M. (2001) "State-related discharge of neurons in the brainstem of freely moving box turtles, *Terrapene carolina major*," *Archives italiennes de biologie*, 139(1–2), pp. 23–36.
- Endo, T. *et al.* (1998) "Selective REM sleep deprivation in humans: Effects on sleep and sleep EEG," *American Journal of Physiology - Regulatory Integrative and Comparative Physiology*, 274(4 43-4). doi: 10.1152/ajpregu.1998.274.4.r1186.
- Erren, T. C. and Reiter, R. J. (2009) "Light Hygiene: Time to make preventive use of insights - old and new - into the nexus of the drug light, melatonin, clocks, chronodisruption and public health," *Medical Hypotheses*, 73(4), pp. 537–541. doi: 10.1016/j.mehy.2009.06.003.

F

- Falchi, F. *et al.* (2016) "The new world atlas of artificial night sky brightness," *Science Advances*, 2(6), p. e1600377. doi: 10.1126/sciadv.1600377.
- Farrell, T. M. *et al.* (2012) "Song bout length is indicative of spatial learning in European starlings," *Behavioral Ecology*, 23(1), pp. 101–111. doi: 10.1093/beheco/arr162.
- Franken, P. (2002) "Long-term vs. short-term processes regulating REM sleep," *Journal of Sleep Research*, 11(1), pp. 17–28. doi: 10.1046/j.1365-2869.2002.00275.x.
- Franken, P., Tobler, I. and Borbély, A. A. (1991) "Sleep homeostasis in the rat: Simulation of the time course of EEG slow-wave activity," *Neuroscience Letters*, 130(2), pp. 141–144. doi:

10.1016/0304-3940(91)90382-4.

Franken, P., Tobler, I. and Borbély, A. A. (1993) “Effects of 12-h sleep deprivation and of 12-h cold exposure on sleep regulation and cortical temperature in the rat,” *Physiology and Behavior*, 54(5), pp. 885–894. doi: 10.1016/0031-9384(93)90297-S.

Friedman, L., Bergmann, B. M. and Rechtschaffen, A. (1979) “Effects of sleep deprivation on sleepiness, sleep intensity, and subsequent sleep in the rat,” *Sleep*, 1(4), pp. 369–391. doi: 10.1093/sleep/1.4.369.

G

Gassel, M. M., Marchiafava, P. L. and Pompeiano, O. (1964) “Tonic and phasic inhibition of spinal reflexes during deep, desynchronized sleep in unrestrained cats,” *Archives italiennes de biologie*, 102, pp. 471–479. doi: 10.4449/aib.v102i3.1838.

Gassel, M. M., Marchifava, P. L. and Pompeiano, O. (1965) “An analysis of the supraspinal influences acting on motoneurons during sleep in the unrestrained cat. Modification of the recurrent discharge of the alpha motoneurons during sleep,” *Archives italiennes de biologie*, 103, pp. 25–44.

Gaston, K. J., Visser, M. E. and Hölker, F. (2015) “The biological impacts of artificial light at night: The research challenge,” *Philosophical Transactions of the Royal Society B: Biological Sciences*, 370(1667). doi: 10.1098/rstb.2014.0133.

Gill, R. E. *et al.* (2005) “Crossing the ultimate ecological barrier: Evidence for an 11 000-km-long nonstop flight from Alaska to New Zealand and eastern Australia by bar-tailed godwits,” *Condor*. doi: 10.1650/7613.

Gnone, G., Moriconi, T. and Gambini, G. (2006) “Sleep behaviour: Activity and sleep in dolphins,” *Nature*, 441(7096). doi: 10.1038/nature04899.

Goldshmid, R. *et al.* (2004) “Aeration of corals by sleep-swimming fish,” *Limnology and Oceanography*, 49(5), pp. 1832–1839. doi: 10.4319/lo.2004.49.5.1832.

Gravett, N. *et al.* (2017) “Inactivity/sleep in two wild free-roaming African elephant matriarchs - Does large body size make elephants the shortest mammalian sleepers?,” *PLoS ONE*, 12(3). doi: 10.1371/journal.pone.0171903.

H

- Haba-Rubio, J. *et al.* (2015) “Bad sleep? Don’t blame the moon! A population-based study,” *Sleep Medicine*, 16(11), pp. 1321–1326. doi: 10.1016/j.sleep.2015.08.002.
- Hagewoud, R. *et al.* (2010) “Sleep deprivation impairs spatial working memory and reduces hippocampal AMPA receptor phosphorylation,” *Journal of Sleep Research*, 19(2), pp. 280–288. doi: 10.1111/j.1365-2869.2009.00799.x.
- Hara, J. *et al.* (2001) “Genetic ablation of orexin neurons in mice results in narcolepsy, hypophagia, and obesity,” *Neuron*, 30(2), pp. 345–354. doi: 10.1016/S0896-6273(01)00293-8.
- van Hasselt, S. J. *et al.* (2020a) “The European starling (*Sturnus vulgaris*) shows signs of NREM sleep homeostasis but has very little REM sleep and no REM sleep homeostasis,” *Sleep*, 43(6), pp. 1–10. doi: 10.1093/sleep/zsz311.
- van Hasselt, S. J. *et al.* (2020b) “Sleep Time in the European Starling Is Strongly Affected by Night Length and Moon Phase,” *Current Biology*, 30(9), pp. 1664–1671.e2. doi: 10.1016/j.cub.2020.02.052.
- van Hasselt, S. J. *et al.* (2020c) “Seasonal variation in sleep homeostasis in migratory geese: a rebound of NREM sleep following sleep deprivation in summer but not in winter,” *Sleep*. doi: 10.1093/sleep/zsaa244.
- Hedenström, A. *et al.* (2016) “Annual 10-Month Aerial Life Phase in the Common Swift *Apus apus*,” *Current Biology*, 26(22). doi: 10.1016/j.cub.2016.09.014.
- Hedges, S. B. *et al.* (2015) “Tree of Life Reveals Clock-Like Speciation and Diversification,” *Molecular Biology and Evolution*, 32(4), pp. 835–845. doi: 10.1093/molbev/msv037.
- Helm, B. *et al.* (2017) “Two sides of a coin: Ecological and chronobiological perspectives of timing in the wild,” *Philosophical Transactions of the Royal Society B: Biological Sciences*, 372(1734), p. 20160246. doi: 10.1098/rstb.2016.0246.
- Hood, D. C. and Finkelstein, M. A. (1986) “Sensitivity to light,” in Boff, K., Kaufman, L., and J., T. (eds) *Handbook of Perception and Human Performance*. 1st edn. New York: WILEY, pp. 1–600.
- Huber, R., Deboer, T. and Tobler, I. (2000) “Effects of sleep deprivation on sleep and sleep EEG in three mouse strains: Empirical data and simulations,” *Brain Research*, 857(1–2), pp. 8–19. doi: 10.1016/S0006-8993(99)02248-9.

I

Iliff, J. J. *et al.* (2013) “Brain-wide pathway for waste clearance captured by contrast-enhanced MRI,” *Journal of Clinical Investigation*, 123(3), pp. 1299–1309. doi: 10.1172/JCI67677.

Irwin, M. (2002a) “Effects of sleep and sleep loss on immunity and cytokines,” *Brain, Behavior, and Immunity*, 16(5), pp. 503–512. doi: 10.1016/S0889-1591(02)00003-X.

Irwin, M. (2002b) “Effects of sleep and sleep loss on immunity and cytokines,” *Brain, Behavior, and Immunity*, 16(5), pp. 503–512. doi: 10.1016/S0889-1591(02)00003-X.

Irwin, M. and Opp, M. (2017a) “Sleep Health: Reciprocal Regulation of Sleep and Innate Immunity,” *Neuropsychopharmacology*, 42(1), pp. 129–155. doi: 10.1038/npp.2016.148.

Irwin, M. and Opp, M. (2017b) “Sleep Health: Reciprocal Regulation of Sleep and Innate Immunity,” *Neuropsychopharmacology*, 42(1), pp. 129–155. doi: 10.1038/npp.2016.148.

J

Jackson, C. *et al.* (2008) “Dynamics of a Memory Trace: Effects of Sleep on Consolidation,” *Current Biology*, 18(6), pp. 393–400. doi: 10.1016/j.cub.2008.01.062.

Jarvis, E. *et al.* (2005) “Avian brains and a new understanding of vertebrate brain evolution,” *Nature Reviews Neuroscience*, pp. 151–159. doi: 10.1038/nrn1606.

Jechow, A., Hölker, F. and Kyba, C. C. M. (2019) “Using all-sky differential photometry to investigate how nocturnal clouds darken the night sky in rural areas,” *Scientific Reports*, 9(1). doi: 10.1038/s41598-018-37817-8.

van der Jeugd, H. P. *et al.* (2003) “Breeding barnacle geese in Kolokolkova Bay, Russia: number of breeding pairs, reproductive success and morphology,” *Polar Biology*, 26(11), pp. 700–706. doi: 10.1007/s00300-003-0535-7.

Jones, S. G. *et al.* (2008) “Homeostatic regulation of sleep in the white-crowned sparrow (*Zonotrichia leucophrys gambelii*),” *BMC Neuroscience*, 9(1), p. 47. doi: 10.1186/1471-2202-9-47.

Jones, S. G. *et al.* (2010) “Seasonal influences on sleep and executive function in the migratory White-crowned Sparrow (*Zonotrichia leucophrys gambelii*),” *BMC Neuroscience*, 11(1), p. 87. doi: 10.1186/1471-2202-11-87.

Jouvet, M. and Michel, F. (1959) “Corrélations électromyographique du sommeil chez le chat

décortiqué et mésencéphalique chronique.,” *Comptes rendus des séances de la Société de biologie et de ses filiales*, 153(3), pp. 422–425.

K

Kahlert, J. (2002) “The constraint on habitat use in wing-moulting Greylag Geese Anser anser caused by anti-predator displacements,” *Ibis*, 145(1), pp. E45–E52. doi: 10.1046/j.1474-919x.2003.00146.x.

Kahlert, J. (2006) “Effects of feeding patterns on body mass loss in moulting Greylag Geese Anser anser,” *Bird Study*, 53(1), pp. 20–31. doi: 10.1080/00063650609461412.

Kernbach, M. E. *et al.* (2020) “Broad-spectrum light pollution suppresses melatonin and increases West Nile virus-induced mortality in House Sparrows (*Passer domesticus*),” *The Condor*. doi: 10.1093/condor/duaa018.

Komagata, N. *et al.* (2019) “Dynamic REM Sleep Modulation by Ambient Temperature and the Critical Role of the Melanin-Concentrating Hormone System,” *Current Biology*, 29(12), pp. 1976–1987.e4. doi: 10.1016/j.cub.2019.05.009.

Krueger, J. M. *et al.* (2016) “Sleep function: Toward elucidating an enigma,” *Sleep Medicine Reviews*, 28, pp. 46–54. doi: 10.1016/j.smrv.2015.08.005.

Kumar, S. *et al.* (2017) “TimeTree: A Resource for Timelines, Timetrees, and Divergence Times,” *Molecular Biology and Evolution*, 34(7), pp. 1812–1819. doi: 10.1093/molbev/msx116.

Kyba, C. C. M. *et al.* (2011) “Cloud coverage acts as an amplifier for ecological light pollution in urban ecosystems,” *PLoS ONE*, 6(3). doi: 10.1371/journal.pone.0017307.

L

Lameris, T. (2020) “A long-distance shift in nest site of an otherwise site-faithful Barnacle Goose: evidence from GPS-tracking data,” pp. 31–37.

Lameris, T. K. *et al.* (2017) “A novel harness for attaching tracking devices to migratory geese,” *Goose Bulletin*, (22), pp. 25–30.

Lameris, T. K. *et al.* (2018) “Effects of harness-attached tracking devices on survival, migration, and reproduction in three species of migratory waterfowl,” *Animal Biotelemetry*, 6(1). doi: 10.1186/s40317-018-0153-3.

- Lenth, R. V. (2016) “Least-squares means: The R package lsmeans,” *Journal of Statistical Software*, 69(1), pp. 1–33. doi: 10.18637/jss.v069.i01.
- Lesku, J. A. *et al.* (2006) “A phylogenetic analysis of sleep architecture in mammals: The integration of anatomy, physiology, and ecology,” *American Naturalist*, 168(4), pp. 441–453. doi: 10.1086/506973.
- Lesku, J. A. *et al.* (2008) “Phylogenetics and the correlates of mammalian sleep: A reappraisal,” *Sleep Medicine Reviews*, 12(3), pp. 229–244. doi: 10.1016/j.smrv.2007.10.003.
- Lesku, J. A., Vyssotski, A. L., *et al.* (2011) “Local sleep homeostasis in the avian brain: Convergence of sleep function in mammals and birds?,” *Proceedings of the Royal Society B: Biological Sciences*, 278(1717), pp. 2419–2428. doi: 10.1098/rspb.2010.2316.
- Lesku, J. A., Meyer, L. C. R., *et al.* (2011) “Ostriches sleep like platypuses,” *PLoS ONE*. Edited by E. Balaban, 6(8), p. e23203. doi: 10.1371/journal.pone.0023203.
- Lesku, J. A. *et al.* (2012) “Adaptive sleep loss in polygynous pectoral sandpipers,” *Science*, 337(6102), pp. 1654–1658. doi: 10.1126/science.1220939.
- Lesku, J. A., Martinez-Gonzalez, D. and Rattenborg, N. C. (2009) “Sleep and sleep states: Phylogeny and ontogeny,” in *Encyclopedia of Neuroscience*, pp. 953–961. doi: 10.1016/B978-008045046-9.00047-4.
- Lesku, J. A. and Rattenborg, N. C. (2014) “Avian sleep,” *Current Biology*, 24(1), pp. R12–R14. doi: 10.1016/j.cub.2013.10.005.
- Lin, L. *et al.* (1999) “The sleep disorder canine narcolepsy is caused by a mutation in the hypocretin (orexin) receptor 2 gene,” *Cell*, 98(3), pp. 365–376. doi: 10.1016/S0092-8674(00)81965-0.
- Low, P. S. *et al.* (2008) “Mammalian-like features of sleep structure in zebra finches,” *Proceedings of the National Academy of Sciences of the United States of America*, 105(26), pp. 9081–9086. doi: 10.1073/pnas.0703452105.
- Lyamin, O. I. *et al.* (2008) “Cetacean sleep: An unusual form of mammalian sleep,” *Neuroscience and Biobehavioral Reviews*, 32(8), pp. 1451–1484. doi: 10.1016/j.neubiorev.2008.05.023.
- Lyamin, O. I. *et al.* (2018) “Fur Seals Suppress REM Sleep for Very Long Periods without Subsequent Rebound,” *Current Biology*, 28(12), pp. 2000–2005.e2. doi: 10.1016/j.cub.2018.05.022.

M

- Madsen, J., Bregnballe, T. and Mehlum, F. (1989) “Study of the breeding ecology and behaviour of the Svalbard population of light-bellied brent goose *Branta bernicla hrota*,” *Polar Research*, 7(1), pp. 1–21. doi: 10.3402/polar.v7i1.6826.
- Martinez-Gonzalez, D., Lesku, J. A. and Rattenborg, N. C. (2008) “Increased EEG spectral power density during sleep following short-term sleep deprivation in pigeons (*Columba livia*): Evidence for avian sleep homeostasis,” *Journal of Sleep Research*, 17(2), pp. 140–153. doi: 10.1111/j.1365-2869.2008.00636.x.
- Massot, B. *et al.* (2019) “ONEIROS, a new miniature standalone device for recording sleep electrophysiology, physiology, temperatures and behavior in the lab and field,” *Journal of Neuroscience Methods*, 316, pp. 103–116. doi: 10.1016/j.jneumeth.2018.08.030.
- McGregor, R. *et al.* (2011) “Highly specific role of hypocretin (Orexin) neurons: Differential activation as a function of diurnal phase, operant reinforcement versus operant avoidance and light level,” *Journal of Neuroscience*, 31(43), pp. 15455–15467. doi: 10.1523/JNEUROSCI.4017-11.2011.
- Meddis, R. (1975) “On the function of sleep,” *Animal Behaviour*, 23(PART 3), pp. 676–691. doi: 10.1016/0003-3472(75)90144-X.
- Medina, L. and Reiner, A. (2000) “Do birds possess homologues of mammalian primary visual, somatosensory and motor cortices?,” *Trends in Neurosciences*, pp. 1–12. doi: 10.1016/S0166-2236(99)01486-1.
- Meerlo, P. *et al.* (2001) “Restraint increases prolactin and REM sleep in C57BL/6J mice but not in BALB/cJ mice,” *American Journal of Physiology - Regulatory Integrative and Comparative Physiology*, 281(3 50-3). doi: 10.1152/ajpregu.2001.281.3.r846.
- Van Der Meij, J. *et al.* (2019) “Intra-”cortical” activity during avian non-REM and REM sleep: Variant and invariant traits between birds and mammals,” *Sleep*, 42(2). doi: 10.1093/sleep/zsy230.
- Mexicano, G., Montoya-Loaiza, B. and Ayala-Guerrero, F. (2014) “Sleep characteristics in the quail *Coturnix coturnix*,” *Physiology and Behavior*, 129, pp. 167–172. doi: 10.1016/j.physbeh.2014.02.041.
- de Miguel, A. S. *et al.* (2017) “Sky quality meter measurements in a colour-changing world,” *Monthly Notices of the Royal Astronomical Society*, 467(3), pp. 2966–2979. doi: 10.1093/mnras/

stx145.

Mileykovskiy, B. Y., Kiyashchenko, L. I. and Siegel, J. M. (2005) “Behavioral correlates of activity in identified hypocretin/orexin neurons,” *Neuron*, 46(5), pp. 787–798. doi: 10.1016/j.neuron.2005.04.035.

Miller, P.J. O. *et al.* (2008) “Stereotypical resting behavior of the sperm whale,” *Current Biology*, 18(1), pp. R21–R23. doi: 10.1016/j.cub.2007.11.003.

Milsom, T. P., Rochard, J. B. A. and Poole, S. J. (1990) “Activity patterns of lapwings *Vanellus vanellus* in relation to the lunar cycle,” *Ornis Scandinavica*, 21(2), pp. 147–156. doi: 10.2307/3676811.

Mitani, Y. *et al.* (2010) “Three-dimensional resting behaviour of northern elephant seals: Drifting like a falling leaf,” *Biology Letters*, 6(2), pp. 163–166. doi: 10.1098/rsbl.2009.0719.

Morlet, J. *et al.* (1982a) “Wave propagation and sampling theory - Part I. Complex signal and scattering in multilayered media.,” *Geophysics*, 47(2), pp. 203–221. doi: 10.1190/1.1441328.

Morlet, J. *et al.* (1982b) “Wave propagation and sampling theory - Part II. Sampling theory and complex waves.,” *Geophysics*, 47(2), pp. 222–236. doi: 10.1190/1.1441329.

Morris, J. S. (2002) “The BLUPs are not ‘best’ when it comes to bootstrapping,” *Statistics and Probability Letters*, 56(4), pp. 425–430. doi: 10.1016/S0167-7152(02)00041-X.

Mountjoy, D. J. and Lemon, R. E. (1995) “Extended song learning in wild European starlings,” *Animal Behaviour*, 49(2), pp. 357–366. doi: 10.1006/anbe.1995.0048.

Mouritsen, H. and Hore, P.J. (2012) “The magnetic retina: Light-dependent and trigeminal magnetoreception in migratory birds,” *Current Opinion in Neurobiology*, 22(2), pp. 343–352. doi: 10.1016/j.conb.2012.01.005.

N

Nakagawa, S. and Schielzeth, H. (2013) “A general and simple method for obtaining R² from generalized linear mixed-effects models,” *Methods in Ecology and Evolution*, 4(2), pp. 133–142. doi: 10.1111/j.2041-210x.2012.00261.x.

Nath, R. D. *et al.* (2017) “The Jellyfish *Cassiopea* Exhibits a Sleep-like State,” *Current Biology*, 27(19), pp. 2984–2990.e3. doi: 10.1016/j.cub.2017.08.014.

Newman, S. M. *et al.* (2008) “Sleep deprivation in the pigeon using the Disk-Over-Water method,” *Physiology and Behavior*, 93(1–2), pp. 50–58. doi: 10.1016/j.physbeh.2007.07.012.

O

Ocampo-Garcés, A. *et al.* (2000) “Homeostasis of REM sleep after total and selective sleep deprivation in the rat,” *Journal of Neurophysiology*, 84(5), pp. 2699–2702. doi: 10.1152/jn.2000.84.5.2699.

Olkowicz, S. *et al.* (2016) “Birds have primate-like numbers of neurons in the forebrain,” *Proceedings of the National Academy of Sciences of the United States of America*, 113(26), pp. 7255–7260. doi: 10.1073/pnas.1517131113.

van Oort, B. E. H. *et al.* (2005) “Circadian organization in reindeer,” *Nature*, 438(7071), pp. 1095–1096. doi: 10.1038/4381095a.

van Oort, B. E. H. *et al.* (2007) “Where clocks are redundant: Weak circadian mechanisms in reindeer living under polar photic conditions,” *Naturwissenschaften*, 94(3), pp. 183–194. doi: 10.1007/s00114-006-0174-2.

Ouyang, J. Q. *et al.* (2017) “Restless roosts: Light pollution affects behavior, sleep, and physiology in a free-living songbird,” *Global Change Biology*, 23(11), pp. 4987–4994. doi: 10.1111/gcb.13756.

P

Parmeggiani, P. L. *et al.* (1975) “Hypothalamic temperature during the sleep cycle at different ambient temperatures,” *Electroencephalography and Clinical Neurophysiology*, 38(6), pp. 589–596. doi: 10.1016/0013-4694(75)90159-5.

Pigarev, I. N. *et al.* (2011) “Visually triggered K-complexes: A study in New Zealand rabbits,” *Experimental Brain Research*, 210(1), pp. 131–142. doi: 10.1007/s00221-011-2606-2.

Pika, S. *et al.* (2020) “Ravens parallel great apes in physical and social cognitive skills,” *Scientific Reports*, 10(1), p. 20617. doi: 10.1038/s41598-020-77060-8.

Pinet, P. *et al.* (2011) “Celestial moderation of tropical seabird behavior,” *PLoS ONE*, 6(11). doi: 10.1371/journal.pone.0027663.

Porkka-Heiskanen, T. (2013) “Sleep homeostasis,” *Current Opinion in Neurobiology*, 23(5), pp. 799–805. doi: 10.1016/j.conb.2013.02.010.

Portugal, S. J. *et al.* (2014) “Upwash exploitation and downwash avoidance by flap phasing in ibis formation flight,” *Nature*, 505(7483), pp. 399–402. doi: 10.1038/nature12939.

Portugal, S. J. *et al.* (2019) “Impacts of ‘supermoon’ events on the physiology of a wild bird,” *Ecology and Evolution*, 9(14), pp. 7974–7984. doi: 10.1002/ece3.5311.

R

R Development Core Team 3.0.1. (2013) “A Language and Environment for Statistical Computing,” *R Foundation for Statistical Computing*. Vienna, Austria, p. <https://www.R-project.org>.

Raap, T., Pinxten, R. and Eens, M. (2015) “Light pollution disrupts sleep in free-living animals,” *Scientific Reports*, 5(1). doi: 10.1038/srep13557.

Rampin, C. *et al.* (1991) “Immobilisation stress induces a paradoxical sleep rebound in rat,” *Neuroscience Letters*, 126(2), pp. 113–118. doi: 10.1016/0304-3940(91)90532-X.

Rattenborg, N. C. *et al.* (2004) “Migratory sleeplessness in the white-crowned sparrow (*Zonotrichia leucophrys gambelii*),” *PLoS Biology*. Edited by Richard G. M. Morris, 2(7), p. e212. doi: 10.1371/journal.pbio.0020212.

Rattenborg, N. C. *et al.* (2005) “Acute effects of light and darkness on sleep in the pigeon (*Columba livia*),” *Physiology and Behavior*, 84(4), pp. 635–640. doi: 10.1016/j.physbeh.2005.02.009.

Rattenborg, N. C. (2007) “Response to commentary on evolution of slow-wave sleep and palliopallial connectivity in mammals and birds: A hypothesis,” *Brain Research Bulletin*, 72(4), pp. 187–193. doi: <https://doi.org/10.1016/j.brainresbull.2007.02.010>.

Rattenborg, N. C. *et al.* (2008) “Sleeping outside the box: Electroencephalographic measures of sleep in sloths inhabiting a rainforest,” *Biology Letters*, 4(4), pp. 402–405. doi: 10.1098/rsbl.2008.0203.

Rattenborg, N. C. *et al.* (2016) “Evidence that birds sleep in mid-flight,” *Nature Communications*, 7, p. 12468. doi: 10.1038/ncomms12468.

Rattenborg, N. C. *et al.* (2017) “Sleep research goes wild: New methods and approaches to investigate the ecology, evolution and functions of sleep,” *Philosophical Transactions of the Royal Society B: Biological Sciences*, 372(1734), p. 20160251. doi: 10.1098/rstb.2016.0251.

Rattenborg, N. C. (2017) “Sleeping on the wing,” *Interface Focus*, 7(1). doi: 10.1098/rsfs.2016.0082.

- Rattenborg, N. C. *et al.* (2019) “Local Aspects of Avian Non-REM and REM Sleep,” *Frontiers in Neuroscience*, 13, p. 567. doi: 10.3389/fnins.2019.00567.
- Rattenborg, N. C., Amlaner, C. J. and Lima, S. L. (2001) “Unilateral eye closure and inter-hemispheric EEG asymmetry during sleep in the pigeon (*Columba livia*),” *Brain, Behavior and Evolution*, 58(6), pp. 323–332. doi: 10.1159/000057573.
- Rattenborg, N. C., Lima, S. L. and Amlaner, C. J. (1999) “Facultative control of avian uni-hemispheric sleep under the risk of predation,” *Behavioural Brain Research*, 105(2), pp. 163–172. doi: 10.1016/S0166-4328(99)00070-4.
- Rattenborg, N. C. and Martinez-Gonzalez, D. (2015) “Avian Versus Mammalian Sleep: the Fruits of Comparing Apples and Oranges,” *Current Sleep Medicine Reports*, 1(1), pp. 55–63. doi: 10.1007/s40675-014-0001-9.
- Rattenborg, N. C., Martinez-Gonzalez, D. and Lesku, J. A. (2009) “Avian sleep homeostasis: Convergent evolution of complex brains, cognition and sleep functions in mammals and birds,” *Neuroscience and Biobehavioral Reviews*, 33(3), pp. 253–270. doi: 10.1016/j.neubiorev.2008.08.010.
- Raven, F. *et al.* (2018) “The role of sleep in regulating structural plasticity and synaptic strength: Implications for memory and cognitive function,” *Sleep Medicine Reviews*, 39, pp. 3–11. doi: 10.1016/j.smrv.2017.05.002.
- Rechtschaffen, A. *et al.* (1983) “Physiological correlates of prolonged sleep deprivation in rats,” *Science*, 221(4606), pp. 182–184. doi: 10.1126/science.6857280.
- Rechtschaffen, A. and Bergmann, B. M. (1995) “Sleep deprivation in the rat by the disk-over-water method,” *Behavioural Brain Research*, 69(1–2). doi: 10.1016/0166-4328(95)00020-T.
- Reinberg, A., Smolensky, M. H. and Touitou, Y. (2016) “The full moon as a synchronizer of circa-monthly biological rhythms: Chronobiologic perspectives based on multi-disciplinary naturalistic research,” *Chronobiology International*, 33(5), pp. 465–479. doi: 10.3109/07420528.2016.1157083.
- Reynolds, C. F. and Buysse, D. J. (1991) “Why We Steep: The Functions of Sleep in Humans and Other Mammals,” in *American Journal of Psychiatry*. Oxford University Press, pp. 944-a-945. doi: 10.1176/ajp.148.7.944-a.
- Rodgers, C. T. and Hore, P. J. (2009) *Chemical magnetoreception in birds: The radical pair mechanism*, *Proceedings of the National Academy of Sciences of the United States of America*. doi: 10.1073/

pnas.0711968106.

Roesch, A. and Schmidbauer, H. (2018) “WaveletComp: Computational Wavelet Analysis,” pp. 1–89.

Roth, T. C. *et al.* (2006) “A phylogenetic analysis of the correlates of sleep in birds,” *Journal of Sleep Research*, 15(4), pp. 395–402. doi: 10.1111/j.1365-2869.2006.00559.x.

Roussel, B., Turrillot, P. and Kitahama, K. (1984) “Effect of ambient temperature on the sleep-waking cycle in two strains of mice,” *Brain Research*, 294(1), pp. 67–73. doi: 10.1016/0006-8993(84)91310-6.

Ruckebusch, Y. (1972) “The relevance of drowsiness in the circadian cycle of farm animals,” *Animal Behaviour*, 20(4), pp. 637–643. doi: 10.1016/S0003-3472(72)80136-2.

S

Samson, D. R. *et al.* (2017) “Hadza sleep biology: Evidence for flexible sleep-wake patterns in hunter-gatherers,” *American Journal of Physical Anthropology*, 162(3), pp. 573–582. doi: 10.1002/ajpa.23160.

Samson, D. R. *et al.* (2018) “Does the moon influence sleep in small-scale societies?,” *Sleep Health*, 4(6), pp. 509–514. doi: 10.1016/j.sleh.2018.08.004.

Sanford, L. D. *et al.* (2010) “Differential effects of controllable and uncontrollable footshock stress on sleep in mice,” *Sleep*, 33(5), pp. 621–630. doi: 10.1093/sleep/33.5.621.

Schmidt, M. H. (2014) “The energy allocation function of sleep: A unifying theory of sleep, torpor, and continuous wakefulness,” *Neuroscience and Biobehavioral Reviews*, pp. 122–153. doi: 10.1016/j.neubiorev.2014.08.001.

Scriba, M. F. *et al.* (2013) “Linking melanism to brain development: Expression of a melanism-related gene in barn owl feather follicles covaries with sleep ontogeny,” *Frontiers in Zoology*, 10(1). doi: 10.1186/1742-9994-10-42.

Shank, S. S. and Margoliash, D. (2009) “Sleep and sensorimotor integration during early vocal learning in a songbird,” *Nature*, 458(7234), pp. 73–77. doi: 10.1038/nature07615.

Shein-Idelson, M. *et al.* (2016) “Slow waves, sharp waves, ripples, and REM in sleeping dragons,” *Science*, 352(6285), p. 590. doi: 10.1126/science.aaf3621.

- Siegel, J. M. *et al.* (1996) “The echidna *Tachyglossus aculeatus* combines REM and non-REM aspects in a single sleep state: Implications for the evolution of sleep,” *Journal of Neuroscience*, 16(10), pp. 3500–3506. doi: 10.1523/jneurosci.16-10-03500.1996.
- Siegel, J. M. *et al.* (1999) “Sleep in the platypus,” *Neuroscience*, 91(1), pp. 391–400. doi: 10.1016/S0306-4522(98)00588-0.
- Siegel, J. M. (2005) “Clues to the functions of mammalian sleep,” *Nature*, 437(7063), pp. 1264–1271. doi: 10.1038/nature04285.
- Siegel, J. M. (2008) “Do all animals sleep?,” *Trends in Neurosciences*, 31(4), pp. 208–213. doi: 10.1016/j.tins.2008.02.001.
- Siegel, J. M. (2009) “Sleep viewed as a state of adaptive inactivity,” *Nature Reviews Neuroscience*, 10(10), pp. 747–753. doi: 10.1038/nrn2697.
- Silva, A. Da *et al.* (2014) “Artificial night lighting rather than traffic noise affects the daily timing of dawn and dusk singing in common European songbirds,” *Behavioral Ecology*, 25(5), pp. 1037–1047. doi: 10.1093/beheco/aru103.
- Silva, A. Da, Diez-Méndez, D. and Kempenaers, B. (2017) “Effects of experimental night lighting on the daily timing of winter foraging in common European songbirds,” *Journal of Avian Biology*, 48(6), pp. 862–871. doi: 10.1111/jav.01232.
- Silverin, B. *et al.* (2009) “Persistent diel melatonin rhythmicity during the Arctic summer in free-living willow warblers,” *Hormones and Behavior*, 56(1), pp. 163–168. doi: 10.1016/j.yhbeh.2009.04.002.
- Spoelstra, K. *et al.* (2018) “Artificial light at night shifts daily activity patterns but not the internal clock in the great tit (*Parus major*),” *Proceedings of the Royal Society B: Biological Sciences*, 285(1875). doi: 10.1098/rspb.2017.2751.
- Steiger, S. S. *et al.* (2013) “When the sun never sets: Diverse activity rhythms under continuous daylight in free-living arctic-breeding birds,” *Proceedings of the Royal Society B: Biological Sciences*, 280(1764). doi: 10.1098/rspb.2013.1016.
- Steinmeyer, C. *et al.* (2010) “Variation in sleep behaviour in free-living blue tits, *Cyanistes caeruleus*: Effects of sex, age and environment,” *Animal Behaviour*, 80(5), pp. 853–864. doi: 10.1016/j.anbehav.2010.08.005.
- Stevens, R. G. and Zhu, Y. (2015) “Electric light, particularly at night, disrupts human circadian rhythmicity: Is that a problem?,” *Philosophical Transactions of the Royal Society B: Biological*

Sciences, 370(1667). doi: 10.1098/rstb.2014.0120.

Stokkan, K. A., Mortensen, A. and Schytte Blix, A. (1986) “Food intake, feeding rhythm, and body mass regulation in Svalbard rock ptarmigan,” *American Journal of Physiology - Regulatory Integrative and Comparative Physiology*, 251(2). doi: 10.1152/ajpregu.1986.251.2.r264.

St-Onge, M. P. (2013) “The Role of Sleep Duration in the Regulation of Energy balance: Effects on Energy intakes and Expenditure,” *Journal of Clinical Sleep Medicine*, pp. 73–80. doi: 10.5664/jcsm.2348.

Stuber, E. F. *et al.* (2015) “Sources of intraspecific variation in sleep behaviour of wild great tits,” *Animal Behaviour*, 106, pp. 201–221. doi: 10.1016/j.anbehav.2015.05.025.

Sun, J. *et al.* (2017) “Artificial light at night affects sleep behaviour differently in two closely related songbird species,” *Environmental Pollution*, 231, pp. 882–889. doi: 10.1016/j.envpol.2017.08.098.

Szymczak, J. T. (1985) “Sleep pattern in the starling (*Sturnus vulgaris*).,” *Acta physiologica Polonica*, 36(5–6), pp. 323–331.

Szymczak, J. T. (1986a) “Seasonal changes of daily sleep pattern in the starling, *Sturnus vulgaris*,” *Journal of Interdisciplinary Cycle Research*, 17(3), pp. 189–196. doi: 10.1080/09291018609359910.

Szymczak, J. T. (1986b) “Daily distribution of sleep states in the jackdaw, *Corvus monedula*.,” *Chronobiologia*, 13(3), pp. 227–235.

Szymczak, J. T. (1987) “Daily distribution of sleep states in the rook *Corvus frugilegus*,” *Journal of Comparative Physiology A*, 161(2), pp. 321–327. doi: 10.1007/BF00615252.

Szymczak, J. T. *et al.* (1996) “A study of sleep in the European blackbird,” *Physiology and Behavior*, 60(4), pp. 1115–1120. doi: 10.1016/0031-9384(96)00231-4.

T

Tinkler, E., Montgomery, W. I. and Elwood, R. W. (2009) “Foraging ecology, fluctuating food availability and energetics of wintering brent geese,” *Journal of Zoology*, 278(4), pp. 313–323. doi: 10.1111/j.1469-7998.2009.00578.x.

Tisdale, R. K. *et al.* (2017) “Sleep-Related Electrophysiology and Behavior of Tinamous (*Eudromia elegans*): Tinamous Do Not Sleep Like Ostriches,” *Brain, Behavior and Evolution*, 89(4), pp. 249–261. doi: 10.1159/000475590.

- Tobler, I. and Borbély, A. A. (1986) “Sleep EEG in the rat as a function of prior waking,” *Electroencephalography and Clinical Neurophysiology*, 64(1), pp. 74–76. doi: 10.1016/0013-4694(86)90044-1.
- Tobler, I. and Borbély, A. A. (1988) “Sleep and EEG spectra in the pigeon (*Columba livia*) under baseline conditions and after sleep deprivation,” *Journal of Comparative Physiology A*, 163(6), pp. 729–738. doi: 10.1007/BF00604050.
- Tombre, I. M. *et al.* (2019) “Northward range expansion in spring-staging barnacle geese is a response to climate change and population growth, mediated by individual experience,” *Global Change Biology*, 25(11), pp. 3680–3693. doi: 10.1111/gcb.14793.
- Tononi, G. and Cirelli, C. (2006) “Sleep function and synaptic homeostasis,” *Sleep Medicine Reviews*, 10(1), pp. 49–62. doi: 10.1016/j.smr.2005.05.002.
- Tononi, G. and Cirelli, C. (2014) “Sleep and the Price of Plasticity: From Synaptic and Cellular Homeostasis to Memory Consolidation and Integration,” *Neuron*, 81(1), pp. 12–34. doi: 10.1016/j.neuron.2013.12.025.
- Turányi, C. Z. *et al.* (2014) “Association between lunar phase and sleep characteristics,” *Sleep Medicine*, 15(11), pp. 1411–1416. doi: 10.1016/j.sleep.2014.06.020.

U

- Ungurean, G. *et al.* (2020) “Rapid iris movements during REM sleep in pigeons: a new window into the sleeping brain,” in *JOURNAL OF SLEEP RESEARCH*, p. 168.

V

- Voirin, B. *et al.* (2014) “Ecology and Neurophysiology of Sleep in Two Wild Sloth Species,” *Sleep*, 37(4), pp. 753–761. doi: 10.5665/sleep.3584.
- Vyazovskiy, V. V. *et al.* (2011) “Local sleep in awake rats,” *Nature*, 472(7344), pp. 443–447. doi: 10.1038/nature10009.
- Vyssotski, A. L. *et al.* (2006) “Miniature neurologgers for flying pigeons: Multichannel EEG and action and field potentials in combination with GPS recording,” *Journal of Neurophysiology*, 95(2), pp. 1263–1273. doi: 10.1152/jn.00879.2005.

Vyssotski, A. L. *et al.* (2009) “EEG Responses to Visual Landmarks in Flying Pigeons,” *Current Biology*, 19(14), pp. 1159–1166. doi: 10.1016/j.cub.2009.05.070.

W

Walker, L. E. *et al.* (1983) “A continuum of sleep and shallow torpor in fasting doves,” *Science*, 221(4606), pp. 194–195. doi: 10.1126/science.221.4606.194.

Wascher, C. A. F., Kotrschal, K. and Arnold, W. (2018) “Free-living greylag geese adjust their heart rates and body core temperatures to season and reproductive context,” *Scientific Reports*, 8(1). doi: 10.1038/s41598-018-20655-z.

Wiltschko, W. and Wiltschko, R. (1996) “Magnetic orientation in birds,” *Journal of Experimental Biology*, 199(1), pp. 29–38. doi: 10.1007/978-1-4615-6787-5_2.

Woelders, T. *et al.* (2018) “Integration of color and intensity increases time signal stability for the human circadian system when sunlight is obscured by clouds,” *Scientific Reports*, 8(1). doi: 10.1038/s41598-018-33606-5.

Wright, A. A. *et al.* (2017) “Corvids Outperform Pigeons and Primates in Learning a Basic Concept,” *Psychological Science*, 28(4), pp. 437–444. doi: 10.1177/0956797616685871.

X

Xie, L. *et al.* (2013) “Sleep drives metabolite clearance from the adult brain,” *Science*, 342(6156), pp. 373–377. doi: 10.1126/science.1241224.

Y

Yetish, G. *et al.* (2015) “Natural sleep and its seasonal variations in three pre-industrial societies,” *Current Biology*, 25(21), pp. 2862–2868. doi: 10.1016/j.cub.2015.09.046.

York, J. E., Young, A. J. and Radford, A. N. (2014) “Singing in the moonlight: Dawn song performance of a diurnal bird varies with lunar phase,” *Biology Letters*, 10(1). doi: 10.1098/rsbl.2013.0970.

Yorzinski, J. L. *et al.* (2015) “Artificial light pollution increases nocturnal vigilance in peahens,” *PeerJ*, 2015(8). doi: 10.7717/peerj.1174.

APPENDIX II

Nederlandse Samenvatting

Slaap is een staat van rust en herstel en alle dieren die zijn bestudeerd laten een vorm van rust-activiteit patronen zien. Echter, het gros van wat bekend is over slaap en slaap-regulatie komt voort uit onderzoek dat is gedaan in nacht-actieve knaagdieren zoals ratten en muizen. Studies in deze zoogdieren hebben aangetoond dat een minimale hoeveelheid slaap per nacht nodig is om goed te functioneren. Zodra deze hoeveelheid niet is gehaald wordt dit verlies gecompenseerd door meer en dieper te slapen in de daaropvolgende nacht. Recent onderzoek naar slaap in vogels laat zien dat deze regel voor de regulatie van slaap niet altijd van toepassing is. Met name als vogels lange vluchten moeten maken van meerde dagen of tijdens drukke periodes in het broedseizoen. Tijdens deze periodes waarbij het noodzakelijk is om dagen achter elkaar wakker en actief te zijn is er geen duidelijke herstelfase. Om de fundamenteën van slaapregulatie in vogels beter te begrijpen hebben we in dit proefschrift drie vogelsoorten onderworpen aan verschillende slaap experimenten in het lab, maar ook daarbuiten.

In hoofdstuk 2 en 3 hebben we slaap onthouden in kauwen en spreeuwen om de regulatie van slaap te bepalen. Hierbij hebben we de hersenactiviteit gemeten. Kauwen en spreeuwen behoren tot dezelfde orde van zangvogels maar laten een groot verschil in samenstelling van slaap zien. Slaap bestaat uit twee componenten die beiden een eigen functie wordt toegedicht: REM slaap en NREM slaap. De NREM slaap wordt gekarakteriseerd door een afwisselend verminderde en sterk gesynchroniseerde activiteit van de zenuwcellen in het brein. Tijdens de REM slaap daarentegen zijn de zenuwcellen in de hersenen juist erg actief, ook al is het organisme in rust en zich vrijwel onbewust van zijn omgeving. Van de totale hoeveelheid slaap die de vogels tijdens de nacht hebben, laten kauwen een behoorlijk aandeel van REM slaap zien terwijl bij de spreeuwen dit nagenoeg nihil is. Na slaapdeprivaties van 4 en 8 uur laten beide diersoorten een toename zien in de hoeveelheid NREM slaap. Kauwen hebben ook duidelijk een toename in REM slaap na slaapdeprivatie, dit in tegenstelling tot de spreeuwen. Deze experimenten zijn gedaan onder gestandaardiseerde laboratorium condities, wat betekent dat naast een licht-donker cyclus alle andere omgevingsfactoren zoals temperatuur niet veranderen.

Om een beter beeld te krijgen hoe vogels slapen onder meer natuurlijke omstandigheden hebben we de spreeuwen en brandganzen tijdens verschillende seizoenen in buitenverblijven gehuisvest. Uit deze metingen blijken brandganzen in de zomer 1.5 uur minder te slapen dan in de winter. Spreeuwen slapen zelfs 5 uur minder (hoofdstuk 4). Dit komt omdat de zomernachten een stuk korter zijn dan in de winter. De reden waarom bij brandganzen dit verschil tussen de seizoenen kleiner is

komt hoogstwaarschijnlijk doordat de ganzen in de zomer geen 24-uurs ritmiek meer hebben en daardoor overdag net zoveel kunnen slapen als tijdens de nacht. De spreeuwen behouden hun 24-uurs ritmiek wel en ervaren daardoor tijdens die korte zomernachten dan ook een hogere slaapdruk. Deze data duidt erop dat onder natuurlijke omstandigheden de regulatie van slaap niet op elk moment van het jaar hetzelfde is.

In hoofdstuk 5 hebben we de brandgans onderworpen aan slaapdeprivaties in de winter en de zomer om te testen of de regulatie van slaap verschilt tussen de seizoenen. Deze metingen laten zien dat brandgans in de zomer het slaapverlies volledig compenseren door meer te gaan slapen. In de winter daarentegen is er geen enkele compensatie waargenomen. Dit betekent dat de regulatie van slaap in brandgans inderdaad seizoensafhankelijk is.

Naast seizoenseffecten op slaap in spreeuwen en brandgans heeft de maan ook invloed op de hoeveelheid NREM slaap. Beide diersoorten slapen 1,5 – 2 uur minder tijdens nachten met een volle maan vergeleken met nachten zonder maan (hoofdstuk 4 en 5). Het is aannemelijk dat het maanlicht ervoor zorgt dat de dieren wakkerder zijn. Dit kan als voordeel hebben om 's nachts te kunnen foerageren en tegelijkertijd potentiële predatoren zien. Vogels blijken dit niet alleen te doen tijdens nachten met een volle maan, maar ook tijdens bewolkte nachten (hoofdstuk 6). Dit komt doordat in stedelijke gebieden het kunstlicht wordt weerkaatst door het wolkendeek en zo weer terug op de aarde komt. De hoeveelheid kunstlicht rondom onze onderzoeksfaciliteit bleek even sterk te zijn als tijdens wolkeloze nachten met een volle maan.

Slaapstudies onder natuurlijke omstandigheden blijkt waardevol te zijn in het verkrijgen van nieuwe inzichten over de regulatie van slaap. Het is niet altijd even makkelijk om slaap in het wild te meten. Dit hangt af van de grootte van het diersoort en zijn habitat. Een alternatief hiervoor zou het meten van activiteit zijn. Om dit te testen, hebben we gekeken hoe betrouwbaar activiteit metingen zijn voor het bepalen van slaap in brandgans (hoofdstuk 7). De activiteit metingen kan in hoge mate slaap en waken voorspellen. Om de gedetailleerde aspecten van slaap te kunnen bepalen, zoals het onderscheid tussen NREM en REM slaap neemt de onzekerheid sterk toe. Naast activiteit metingen kan het ook handig zijn om interval metingen te doen in plaats van continue slaap metingen. Dit kan de batterijduur behoorlijk verlengen en tegelijkertijd loopt de geheugenopslag ook minder snel vol. Om dit te testen hebben we de brandgans dataset gemanipuleerd en verschillende opname schema's gemaakt dat oploopt van 1 minuut per 5 minuten tot 1 minuut per 60 minuten (hoofdstuk 8).

Met het toenemen van het opname interval neemt de betrouwbaarheid af vergeleken met de continue dataset. Tot en met een interval van 1 minuut per 40 minuten kan een hoge nauwkeurigheid behaald worden als naar uurgemiddelden gekeken wordt. Dit kan een uitkomst bieden om in de toekomst lange metingen in het veld te kunnen uitvoeren.

De bovenstaande analyses kunnen met name gebruikt worden om te bestuderen hoe brandganzen slapen tijdens de tweejaarlijkse migraties tussen Nederland en Rusland. Met behulp van deze data kunnen we erachter komen of brandganzen tijdens de vluchten met één hersenhelft kan slapen terwijl de andere wakker is, of in het geval dat ze helemaal niet slapen of dit slaapverlies ingheaald moet worden. Om deze vragen te kunnen beantwoorden moeten brandganzen gevangen worden in het Arctische broedgebied en uitgerust worden met EEG loggers en GPS zenders. In 2018 zijn we naar een veldstation in Tobseda in Rusland geweest om te verkennen of dit een goede studielocatie is voor toekomstige slaapstudies in brandganzen (hoofdstuk 9). Op deze locatie zijn de aantallen ganzen flink afgenomen maar dat weerhoudt ons niet om te zoeken naar alternatieve plekken om deze studie voort te zetten. Wordt vervolgd...

Conclusie

De studies beschreven in deze thesis waarbij slaap is gemeten in vogels en rekening werd gehouden met de ecologie van slaap leverden belangrijke nieuwe inzichten op over de regulatie van slaap. Vogels laten een (seizoensafhankelijke) homeostatische regulatie van NREM slaap zien. De bevindingen over de regulatie van REM slaap is in tegenstelling tot NREM slaap niet eenduidig en voedt hierdoor de discussie over de functie van REM slaap. Met behulp van kleine dataloggers kunnen we de ecologie van slaap bestuderen. Slaap onder seminatuurlijke omstandigheden laat een enorme hoeveelheid aan flexibiliteit in slaap zien dat onopgemerkt zou zijn gebleven bij studies onder traditionele lab condities.

APPENDIX III

English summary

Sleep is a state of rest and recovery and all animals that have been studied show some form of rest-activity patterns. However, most of what is known about sleep and sleep regulation are derived from research done in nocturnal rodents such as rats and mice. Studies in these mammals have shown that a minimum amount of sleep is needed for optimal function. When this minimum amount of sleep is not reached, sleep is recovered by sleeping more and/or deeper. Recent research on sleep in birds shows that this rule of sleep regulation does not always apply. These birds disregard this rule when they need to be active for several days in a row, for instance during migration or busy breeding seasons. When these busy periods of activity end, there is not a clear recovery phase. To better understand the fundamentals of sleep regulation in birds, we present a series of unique studies in this thesis where we have subjected three bird species to different sleep experiments in the lab, but also beyond.

In Chapters 2 and 3, we deprived sleep in jackdaws and starlings to determine the homeostatic regulation of sleep by measuring brain activity. Jackdaws and starlings belong to the same order of songbirds but show large variations in the composition of sleep. Sleep consists of two components, each of which has its own function: REM sleep and NREM sleep. NREM sleep is characterized by an alternation between reduced and highly synchronized activity of the nerve cells in the brain. During REM sleep, on the other hand, the nerve cells in the brain are very active, even though the organism is at rest and almost unconscious of its environment. Of the total amount of sleep that the birds have during the night, jackdaws show a considerable portion of REM sleep. Starlings, on the other hand, show almost no REM sleep at all. After 4 and 8 hours of sleep deprivation, both birds showed an increase in the amount of NREM sleep. Jackdaws also clearly showed a response in REM sleep after sleep deprivation compared to no REM sleep response in the starlings. These experiments were done under standardized laboratory conditions, which means that besides a light-dark cycle, all other environmental factors such as temperature are kept constant.

To better understand the regulation of sleep under natural conditions, we housed starlings and barnacle geese in outdoor enclosures across different seasons. These measurements show that barnacle geese sleep 1.5 hours less in the summer than in the winter. Also, starlings show a difference in the amount of sleep across the seasons with 5 hours less sleep in summer compared to winter (chapter 4). This difference in the amount of sleep across the seasons can be explained by the differences in daylength between winter and summer. Barnacle geese show less variation across

the seasons and this is probably because barnacle geese lost their daily rhythm in sleep and therefore they can sleep as much during the day as they do during the night. The starlings, on the other hand, retain their 24-hour rhythm and sleep much less during the day. During the summer nights, starlings experience more sleep pressure compared to the winter nights. These data indicate that the regulation of sleep changes across the year under natural conditions

In chapter 5, subjected the barnacle geese to sleep deprivations in the winter and the summer to test seasonal changes in sleep regulation. The outcome of this experiment is that barnacle geese show a clear regulation of sleep in summer. In winter, on the other hand, no sign of a sleep compensatory response has been observed. This means that the regulation of sleep in barnacle geese is season-dependent.

Other environmental factors, such as the moon, have a clear effect on sleep in starlings and barnacle geese. Both species sleep 1.5 – 2 hours less during nights with full moon compared to no moon nights (chapter 4 and 5). It is most likely that the light reflected from the moon's surface cause the suppressing of sleep. This extra light at night might be useful for the birds to safely forage during the night where they can see potential threats and predators. Birds also do this during cloudy nights, independent of full moon (chapter 6). This is because cloud cover reflects artificial light at night back to the surface of the earth. The intensity of artificial light at night around our research facility reaches similar levels as the full moon.

Sleep studies under natural conditions prove to be valuable in gaining new insights into the regulation of sleep. It is not always easy to measure sleep in the wild. This depends on the size of the species of interest and its habitat. An alternative to measuring sleep based on electrophysiology is to measure activity only. To test how reliable activity is in determining sleep, we correlated sleep to activity in our barnacle geese dataset (chapter 7). Activity measurements alone can largely predict sleep and wakefulness. However, to determine the detailed components of sleep, such as NREM and REM sleep, the reliability of using activity as a proxy for sleep rapidly decreases. Besides measuring activity, it might be also beneficial to measure sleep based on electrophysiology intermittently. Measuring sleep intermittently significantly saves battery life and memory capacity. To test how reliable intermittent sleep recordings are, we manipulated the goose dataset and converted it into 12 datasets where we simulated a recording scheme of measuring sleep 1 minute every 5 minutes up to 1 minute every 60 minutes in steps of 5 minutes (chapter 8). The reliability of inter-

mittent recordings rapidly decreases when the recording interval increases. However, high hourly accuracy can be achieved up to a recording scheme of 1 minute per 40 minutes. These intermittent sampling techniques can be very valuable for future sleep studies, particularly for sleep studies in the wild.

The outcomes of the analyses in the previous paragraph can be used to study how barnacle geese sleep during the biennial migrations between the Netherlands and Russia. Recording sleep during the migration can provide insights into whether geese are capable of sleeping during flight by sleeping with one hemisphere at the time, or in case they forgo sleep whether they need to recover from it. To answer these questions, barnacle geese have to be captured in the Arctic breeding area and equipped with EEG loggers and GPS transmitters. In 2018 we went to a field station in Tobseda, Russia to explore whether this is a good study location for future sleep studies with barnacle geese (chapter 9). The numbers of geese have decreased considerably at this location, but that does not prevent us from looking for alternatives to pursue this study. To be continued...

Conclusion

The studies presented in this thesis revealed important new insights in the flexibility and regulation of sleep. Birds show (season-dependent) homeostatic regulation of NREM sleep. The findings on the regulation of REM sleep are inconclusive and fuel the discussion on the function and necessity of REM sleep in birds. By using small dataloggers, we have shown that it is possible and important to include the ecology in sleep studies. Sleep under semi-natural conditions shows a tremendous amount of flexibility that would have gone unnoticed in traditional laboratory conditions. Taken together, our research can be used as building blocks to further unravel the mysteries that lie behind the evolution of sleep.

APPENDIX IV

Chinese summary

睡眠是一种休息和恢复的状态，所有被研究过的动物都表现出某种形式的休息模式。然而，目前为止我们对睡眠和睡眠调节的绝大多数认知都来自于对大鼠和小鼠等夜间啮齿动物的研究。对这些哺乳动物的研究表明，这些哺乳动物都需要至少达到一定的睡眠时间才能维持最佳身体功能。当这个最低睡眠量没有达到的时候，这些哺乳动物通过更多和或更深的睡眠来恢复身体功能状态。然而，近期关于鸟类睡眠的研究显示，鸟类睡眠调节机制并不总和哺乳动物中的睡眠弥补机制一致。当鸟类需要维持连续几天活跃状态时，例如在迁徙过程中或者在繁忙的繁殖季节中，这些鸟类会无视睡眠弥补机制。当这些繁忙的活动期结束后，这些鸟类并没有明确的睡眠恢复阶段。为了更好地了解鸟类睡眠调节的基本原理，我们在本论文中进行了一系列独特的研究，我们使用了三种不同鸟类在实验室内以及实验室外进行了几种不同的睡眠实验。

在第2和第3章中，我们分别在寒鸦和椋鸟中进行了睡眠剥夺实验并且测量了它们的脑部活动以此来研究它们的睡眠平衡调节机制。寒鸦和椋鸟是同属于一个鸣禽目的鸟，但它们的睡眠组成却有很大的差异。睡眠由两部分组成，每部分都有自己的功能：快速眼动睡眠（REM）和非快速眼动睡眠（NREM）。非快速眼动睡眠的特点是大脑中神经细胞在低频和高度同步活动的不断交替。另一方面，在快速眼动睡眠期间，即使机体处于休息状态并且几乎对外界环境毫无意识，大脑中的神经细胞却非常活跃。相比于鸟类夜间的总睡眠量，寒鸦显示了相当一部分的快速眼动睡眠。另一方面，椋鸟几乎完全没有快速眼动睡眠。在对它们进行4和8小时的睡眠剥夺实验后，这两种鸟类的非快速眼动睡眠量都有所增加。在睡眠剥夺实验后，寒鸦的快速眼动睡眠量也清楚地显示出了变化，然而椋鸟的快速眼动睡眠量并没有任何变化。这些实验是在标准化的实验室条件下进行的，这意味着除了昼夜循环外，所有其他环境因素（如温度）都保持恒定。

为了更好地了解睡眠在自然条件下的调节机制，我们将棕鸟和藤壶鹅安置在户外的鸟圈中并且跨越不同的季节。这些实验测量结果显示，藤壶鹅在夏天的睡眠时间比冬天的少1.5小时。此外，棕鸟在不同季节的睡眠量也有所不同，与冬季相比，它们夏季睡眠时间要少5小时（第4章）。这种不同季节睡眠量的差异可以用冬季和夏季之间的昼长差异来解释。藤壶鹅的睡眠量在不同季节的变化较小，这可能是由于藤壶鹅失去了睡眠的昼夜规律，所以它们白天的睡眠量可以和夜间的一样多。另一方面，棕鸟依然保持着24小时的节奏，所以它们白天的睡眠时间要少得多。与冬夜相比，棕鸟在夏夜的睡眠压力更大。这些数据表明，在自然条件下，睡眠调节机制全年都在发生变化。

在第5章中，我们对藤壶鹅在冬季和夏季分别进行了睡眠剥夺实验以此来测试睡眠调节机制的季节性变化。这个实验的结果是，藤壶鹅在夏季中表现出明显的睡眠稳态调节。在另一方面，在冬季，藤壶鹅的睡眠中没有显示任何睡眠补偿机制的存在。这意味着藤壶鹅的睡眠调节显然是受季节影响的。

其他环境因素，例如月亮，对棕鸟和藤壶鹅的睡眠有明显影响。与没有月亮的夜晚相比，这两个物种在有满月的夜晚睡眠时间要少1.5到2小时（第4章和第5章）。从月球表面反射的光很可能会抑制睡眠。这种夜间额外的光线可能有助于鸟类在夜间安全觅食，帮助它们看到潜在的威胁和捕食者。和满月无关的是，这些鸟类的睡眠时间在多云的夜晚也同样有所降低（第6章）。这是因为云层在夜间将人造光反射回地球表面。我们研究所设施周围夜间人造光的亮度与满月的光强相似。

自然条件下的睡眠研究被证明了它们对于获得有关睡眠调节机制的新见解很有价值。然而在野外测量睡眠并不总是那么容易。这取

决于研究物种的大小及其栖息地。除了电生理学测量睡眠的方式以为，测量睡眠的另一种方式是仅测量活动。为了测试活动在研究睡眠方面的可靠性，我们用藤壶鹅的数据测试了睡眠和活动之间的关联（第7章）。单独活动测量可以在很大程度上预测睡眠和觉醒状态。然而，为了确定睡眠的详细组成部分，例如非快速眼动睡眠和快速眼动睡眠，这种使用活动来测量睡眠的方式的可靠性迅速降低。除了测量活动外，使用间歇性地电生理学测试方式来测量睡眠也可能是有益的。间歇性地测量睡眠可显著节省电池寿命和内存容量。为了测试间歇性睡眠记录的可靠性，我们操作了藤壶鹅的数据集并将其转换为12个子数据集，我们根据模拟了一个记录方案，从每5分钟测量睡眠1分钟到每60分钟1分钟的记录方案（每次五分钟不同）（第8章）。当记录间隔增加时，间歇性睡眠记录的可靠性迅速降低。然而，一直到每40分钟1分钟的记录方案依然可以达到很高的每小时精准度。这些间歇采样技术对于未来的睡眠研究非常有价值，特别是对于野外的睡眠研究。

之前段落中的分析成果可以被用于研究藤壶鹅在荷兰和俄罗斯的年度迁移过程中的睡眠。记录迁徙过程中的睡眠可以用来了解藤壶鹅是否能够在飞行过程中通过一个半球来睡觉。要回答这些问题，我们在北极繁殖区捕获藤壶鹅，并配备EEG记录器和GPS发射器。2018年，我们前往了位于Tobseda（俄罗斯）的一个野外站，探讨这里是否是一个好的研究基地进行未来的藤壶鹅睡眠研究（第9章）。在这个地点的藤壶鹅的数量已经大大减少，但这并不影响我们寻找其它地点来进行进一步的研究。未完待续…

结论

本论文中展示的研究揭示了关于睡眠灵活性和调节的重要新见解。鸟类表现出（取决于季节）非快速眼动睡眠的稳态调节机制。关

于快速眼动睡眠调节的研究结果尚无定论有待进一步研究，但推动了对于鸟类快速眼动睡眠功能和必要性的讨论。通过使用小型数据记录器，我们已经证明将生态学纳入睡眠研究是可能且重要的。半自然条件下的睡眠显示出极大的灵活性，这在传统的实验室条件下是不会被注意到的。我们在本论文中提及的研究成果为接下来进一步解密不同物种睡眠进化背后的奥秘进行了奠基。

APPENDIX V

Acknowledgements

Na iets meer dan 4 jaar en 172 uur aan slaapdeprivaties later, sta ik hier nu met mijn dokters titel! Dit avontuur begon al tijdens mijn master waar ik als studentje slaap ging meten in spreeuwen. Ik ben trots dat mijn masteronderzoek ook onderdeel is van mijn proefschrift. Tijdens mijn promotietraject heb ik de meest fantastische vaardigheden geleerd en heb ik ervaren hoe veelzijdig de wetenschap is. Bijvoorbeeld, het bedenken, ontwerpen en het uitvoeren van een experiment, de data plotten in figuren en het schrijven en presenteren ervan vergt dan ook veel energie, creativiteit en aandacht. Daarnaast heb ik drie bijzondere expedities mogen maken naar het Arctisch gebied in Alaska en Rusland. Ik ben dan ook ontzettend trots op het eindresultaat. Het traject van beginnend PhD'er tot een zelfstandige wetenschapper gaat niet vanzelf, en hiervoor wil ik een aantal mensen bedanken die me hierbij geholpen hebben.

De eerste persoon die ik wil bedanken is **Peter Meerlo**, mijn dagelijkse begeleider. Vanaf het eerste moment dat ik bij jou aanklopte voor een masterproject in 2014 heb je mij razend enthousiast gemaakt over de ecologie van slaap en met name slaap in vogels. Je vertelde me dat er nog bijna niets bekend was over de fundamenteën van slaapregulatie in vogels. Het voelde meteen als een missie voor mij om dit te gaan uitzoeken. Ik had net een minor ecologie achter de rug gehad en zag direct in dat slaap in het wild wel eens heel anders zou kunnen zijn dan in het lab. Gaandeweg bleek dit ook te kloppen en je hebt mij tijdens het gehele traject geholpen met suggesties voor extra analyses en het bedenken van aanvullende experimenten. Gelukkig wilde je met mij de gok wilde wagen om ons tweede spreeuwen artikel naar *Current Biology* te studeren, deze publicatie is een kers op de taart. Ook heb je mij geleerd hoe belangrijk het is om prioriteiten te stellen en dat het soms verstandiger is om experimenten te laten schieten en de tijd te gebruiken voor het volledig analyseren van de data die we al hebben. Zo had je in mijn laatste jaar mij geadviseerd eerst de hoofdstukken in dit thesis af te maken in plaats van nieuwe experimenten te starten met Tupaia's. Ik ben heel blij dat ik na mijn promotietraject nog 3 jaar bij jou aan de slag kan als postdoc. En ook daarna hoop ik nog veel samenwerkingen te kunnen doen in het fantastische veld van slaap onderzoek!

Niels Rattenborg, as co-promotor you have taught me a lot about sleep in birds. You taught me how to perform the surgeries in barnacle geese and jackdaws and how to perform a spectral analysis of EEG signals. Also, you have made every chapter of my thesis better with your useful comments and suggestions.

Theunis Piersma, bedankt voor jouw input als promotor in dit project. Jouw sug-

gesties om de ecologische aspecten in mijn proefschrift te benadrukken waardeerde ik enorm. Ook heb je mij gemotiveerd om een exploratieve expeditie te organiseren naar Alaska zodat ik me extra goed kon voorbereiden op de expedities die later in Rusland zouden plaatsvinden. Door deze trip naar Alaska kwam ik erachter dat je eigenlijk geen veldwerk kan doen zonder een goede verrekijker!

Naast mijn officiële begeleiders wil ik ook **Roelof Hut** en **Simon Verhulst** bedanken. Ik heb jullie ook als mijn begeleiders beschouwd. Roelof, jij bent altijd heel enthousiast geweest bij het zien van mijn data en jouw tips en adviezen over analyses en het uitvoeren van experimenten hebben mij zeer geholpen. Simon, ook jij was tijdens mijn master in 2014 ook één van mijn begeleiders. Ik heb ook jouw adviezen op statistisch vlak erg gewaardeerd. De korte momenten dat ik met jou het veldwerk heb gedaan met als doel de kauwen vangen heb ik heel leuk gevonden. Zeker dat ik daarna de kauwen voor een maand heb bijgevoerd. De discussies die ik met jullie beiden heb gevoerd heb ik als zeer aangenaam ervaren en hebben dit proefschrift een stuk beter gemaakt!

Alexei Vyssotski, thank you for your endless support on solving technical issues with the neurologgers. I also really appreciated your quick responses by e-mail to all my questions. When you visited us in 2018, you offered me to use your spare loggers so I could measure EEG in the jackdaws much more efficiently. In the end, this meant that I only had to do 4 sleep deprivation sessions instead of 8.

I would like to thank the assessment committee: **John Lesku**, **Barbara Helm** and **Tom de Boer** for reading and approving my thesis and the PhD examining committee for taking part of the graduation ceremony.

Gert-Jan Mekenkamp, jij was mijn eerste masterstudent die ik begeleidde, en wat voor één! Het eerste wat je mij vertelde was dat de kauwen behoorden tot één van je favoriete vogel soorten, maar ik verwacht dat de (brand)ganzen nu ook in dat rijtje staan. Jij hebt mij geholpen met alle operaties in de brandganzen en de kauwen. Naast de operaties heb je mij ook geholpen met het uitvoeren van de eindeloze slaapdeprivaties. Tijdens deze slaapdeprivaties hadden we altijd de beste verhalen en grappen. De brandgans experimenten zaten officieel niet in jouw masterproject en toch heb je mij daarbij geholpen, ook al was het -8°C buiten. Bedankt voor al jouw hulp!

My paranymphs, **Yifan Wang** and **Kevin Ike**, thank you for standing by my side during the defense and for organizing everything around my PhD ceremony. Yifan,

thank you for translating my summary to Chinese and for thoroughly checking my thesis for grammar and spelling mistakes, which were a lot. Kevin, we go way back, we kennen elkaar al sinds de start van onze bachelor in 2010. Ik vond het geweldig om samen met jou na de master als PhD student te beginnen. I am honored that you both are my paranympths.

I would also like to thank **Götz Eichhorn** and **Chiel Boom** from the Netherlands Institute of Ecological Research (NIOO). I am very grateful that I could join you on two expeditions to the Arctic in Russia. You have taught me a lot about the Arctic (bird) species. Chiel, I especially enjoyed talks about football and playing FIFA! Even though the wild experiments did not go as planned, I do hope we can still get some nice results from the accelerometer and GPS data that we could collect.

De support staff is altijd belangrijk in het doen van onderzoek en daarom wil ik van de dierverzorging **Martijn, Brendan, Diane** and **Saskia** bedanken voor het helpen met de verzorging van de spreeuwen, brandganzen en kauwen. Ook **Pleuni**, bedankt voor het helpen met de administratieve zaken. **Wanda** en **Kunja**, bedankt voor alle adviezen en gezellige lunches.

Although doing a PhD is mainly about research and work, it is also important to relax, have some drinks and have casual discussions with colleagues. The chronolab: **Peter, Roelof, Yifan, Laura, Lauren, Maarten, Jiaoyue, Xianpang, Minqi**, and the fledged chronomembers, **Sjaak, Tom, Renske, Giulia** and **Moniek**, it was always great to hang out with you after work. Also, the other members of the 3rd floor office **Anouk, Renate, Iris, Maria, Suzanne, Tim, Remco** and **Aurelia**. Thank you for organizing the fantastic 'bachelorette' party in Stadspark where it became painfully clear that my 'hoofdrekenen' is not the best.

Frank, Youri, Betty, Iris, Maria and **Natalia**, thank you for all the sportive events after work, including running, badminton and fitness at the Noorderplantsoen. **Frank**, I really enjoyed all the crazy badminton matches that we played and mostly won! Also, thank you for helping me with one of the last sleep deprivations in summer with the barnacle geese.

Onmisbaar in dit rijtje zijn mijn **Passiemakers**, bedankt voor alle leuke passie momenten en vakanties van de afgelopen jaren. Dat waren de momenten dat ik van het werk kon ontladen, al had ik na de vakanties ook wel een herstelperiode nodig. Zulke momenten had ik bijna wekelijks met **Lars** en **Till**, waarbij we FIFA speelden, (horror)films keken en bordspellen speelden. **Daniel**, bedankt voor het maken van

de prachtige cover voor deze thesis.

Ik wil ook mijn familie bedanken. Mijn **ouders**, jullie hebben me altijd geweldig ondersteund tijdens mijn PhD. Jullie luisterden naar mijn presentaties als ik die moest oefenen en kwamen met goede tips om die ook te verbeteren. Ik vond het heel leuk om te zien hoe blij en trots jullie waren toen mijn eerste onderzoek was gepubliceerd en toen ik werd geïnterviewd voor het dagblad Trouw. **Maarten, Jelmer** en **Ellen**, jullie waren altijd heel geïnteresseerd in wat ik voor onderzoek deed en ik waardeerde de geneeskundige discussies over het uitvoeren van operaties in mensen vergeleken met mijn methode in vogels. **Jelmer**, het was supergaaf dat je me hebt geholpen met het slaapdepriveren van de ganzen tijdens de korte zomernachten. Ook wou je maar al te graag helpen met het voeren van de kauwen, en met name onze favoriet: XT.

Lastly, I want to thank **Yifi**. You were my great support during my PhD. You listened to all my thoughts, ideas and worries about the project and you knew exactly what to say to help me further. I love our scientific discussions and that we can help each other with analyses and our experiments. Besides science, you also encouraged me in doing sports, organizing nice trips together and most importantly, enjoying life outside of work. Thank you so much for everything. I look forward to the future journeys we will have together.