

University of Groningen

Potential benefits of intensity-modulated proton therapy in head and neck cancer

van de Water, Tara Arpana

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Final author's version (accepted by publisher, after peer review)

Publication date:
2013

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

van de Water, T. A. (2013). *Potential benefits of intensity-modulated proton therapy in head and neck cancer*. [S.n.].

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

References

References

- [1] Ågren Cronquist A. Quantification of the response of heterogeneous tumours and organized normal tissues to fractionated radiotherapy. Doctoral Thesis. Stockholm University; 1995.
- [2] Albertini F, Bolsi A, Lomax AJ *et al.* Sensitivity of intensity modulated proton therapy plans to changes in patient weight. *Radiother Oncol* 2008;86:187-194.
- [3] Albertini F, Casiraghi M, Lorentini S *et al.* Experimental verification of IMPT treatment plans in an anthropomorphic phantom in the presence of delivery uncertainties. *Phys Med Biol* 2011;56:4415-4431.
- [4] Albertini F, Hug EB, Lomax AJ. Is it necessary to plan with safety margins for actively scanned proton therapy? *Phys Med Biol* 2011;56:4399-4413.
- [5] Ares C, Hug EB, Lomax AJ *et al.* Effectiveness and Safety of Spot Scanning Proton Radiation Therapy for Chordomas and Chondrosarcomas of the Skull Base: First Long-Term Report. *Int J Radiat Oncol Biol Phys* 2009;75:1111-1118.
- [6] Ask A, Bjork-Eriksson T, Zackrisson B *et al.* The potential of proton beam radiation therapy in head and neck cancer. *Acta Oncol* 2005;44:876-880.
- [7] Attanasi F, Knopf A, Parodi K *et al.* Extension and validation of an analytical model for in vivo PET verification of proton therapy--a phantom and clinical study. *Phys Med Biol* 2011;56:5079-5098.
- [8] Barker JL, Jr., Garden AS, Ang KK *et al.* Quantification of volumetric and geometric changes occurring during fractionated radiotherapy for head-and-neck cancer using an integrated CT/linear accelerator system. *Int J Radiat Oncol Biol Phys* 2004;59:960-970.
- [9] Battista J.J., Rider WD, van Dyk J. Computed tomography for radiotherapy planning. *Int J Radiat Oncol Biol Phys* 1980;6:99-107.
- [10] Beetz I, Schilstra C, Burlage FR *et al.* Development of NTCP models for head and neck cancer patients treated with three-dimensional conformal radiotherapy for xerostomia and sticky saliva: The role of dosimetric and clinical factors. *Radiother Oncol* 2012; 105:86-93.
- [11] Beetz I, Schilstra C, van Luijk P *et al.* External validation of three dimensional conformal radiotherapy based NTCP models for patient-rated xerostomia and sticky saliva among patients treated with intensity modulated radiotherapy. *Radiother Oncol* 2012; 105:94-100.

- [12] Bentzen SM. Randomized controlled trials in health technology assessment: overkill or overdue? *Radiother Oncol* 2008;86:142-147.
- [13] Bethe HA, Ashkin J. Passage of Radiations Through Matter. *Experimental Nuclear Physics* 1953;1:176.
- [14] Bichsel H. Passage of charged particles through matter. In: *American Institute of physics handbook*. 3 ed. New York: McGraw-Hill; 1972. p. 142-185.
- [15] Bjordal K, Hammerlid E, hlner-Elmqvist M *et al*. Quality of life in head and neck cancer patients: validation of the European Organization for Research and Treatment of Cancer Quality of Life Questionnaire-H&N35. *J Clin Oncol* 1999;17:1008-1019.
- [16] Black JB. The structure of the salivary glands of the human soft palate. *J Morphol* 1977;153:107-117.
- [17] Boyer AL. The physics of Intensity-Modulated Radiation Therapy. *Physics Today* 2002;55:38-44.
- [18] Braam PM, Roesink JM, Moerland MA *et al*. Long-term parotid gland function after radiotherapy. *Int J Radiat Oncol Biol Phys* 2005;62:659-664.
- [19] Braam PM, Roesink JM, Raaijmakers CP *et al*. Quality of life and salivary output in patients with head-and-neck cancer five years after radiotherapy. *Radiat Oncol* 2007;2:3.
- [20] Brada M, Pijls-Johannesma M, De Ruyscher D. Current clinical evidence for proton therapy. *Cancer J* 2009;15:319-324.
- [21] Bragg WH, Kleeman R. On the ionization curves of radium. *Philosophical Magazine* 1904;S6:726-738.
- [22] Brown AP, Urie MM, Chisin R *et al*. Proton therapy for carcinoma of the nasopharynx: A study in comparative treatment planning. *Int J Radiat Oncol Biol Phys* 1989;16:1607-1614.
- [23] Bucci MK, Bevan A, Roach M. Advances in radiation therapy: conventional to 3D, to IMRT, to 4D, and beyond. *CA Cancer J Clin* 2005;55:117-134.
- [24] Burman C, Kutcher GJ, Emami B *et al*. Fitting of normal tissue tolerance data to an analytic function. *Int J Radiat Oncol Biol Phys* 1991;21:123-135.
- [25] Castadot P, Geets X, Lee JA *et al*. Assessment by a deformable registration method of the volumetric and positional changes of target volumes and organs at risk in pharyngo-laryngeal tumors treated with concomitant chemo-radiation. *Radiother Oncol* 2010;95:209-217.

References

- [26] Castro JR, Reimers MM. Charged particle radiotherapy of selected tumors in the head and neck. *Int J Radiat Oncol Biol Phys* 1988;14:711-720.
- [27] Caudell JJ, Burnett OL, III, Schaner PE *et al.* Comparison of methods to reduce dose to swallowing-related structures in head and neck cancer. *Int J Radiat Oncol Biol Phys* 2010;77:462-467.
- [28] Chan A., Leibsch N., Deschler DG. Proton radiotherapy for T4 nasopharyngeal carcinoma (Abstr.). *Proc Am Soc Clin Oncol* 2004.
- [29] Chan AW, Pommier P, Deschler DG. Change in patterns of relapse after combined proton and photon irradiation for locally advanced paranasal sinus cancer (Abstr.). *Int J Radiat Oncol Biol Phys* 2004;60:S320.
- [30] Chan AW, Leibsch NJ. Proton radiation therapy for head and neck cancer. *J Surg Oncol* 2008;97:697-700.
- [31] Chera BS, Malyapa R, Louis D *et al.* Proton therapy for maxillary sinus carcinoma. *Am J Clin Oncol Cancer Clin Trials* 2009;32:296-303.
- [32] Christianen M, Schilstra C, Bijl HP *et al.* Predictive models for dysphagia after (chemo)radiation in head and neck cancer: a multi-center prospective cohort study. *Radiother Oncol* 2011;98, Supplement 2:S6.
- [33] Christianen ME, Langendijk JA, Westers HE *et al.* Delineation of organs at risk involved in swallowing for radiotherapy treatment planning. *Radiother Oncol* 2011;101:394-402.
- [34] Christianen ME, Schilstra C, Beetz I *et al.* Predictive modelling for swallowing dysfunction after primary (chemo)radiation: Results of a prospective observational study. *Radiother Oncol* 2012; 105:107-114.
- [35] Christianen MEMC, Bijl HP, Langendijk JA. A systematic review on dose effect relationships for swallowing dysfunction after radiotherapy for head and neck cancer. *Radiat Oncol* 2012;work in progress, to be submitted.
- [36] College voor zorgverzekeringen Indicaties voor protontherapie (deel2): Model-based indicaties. Diemen.2011; publicatienummer 304.
- [37] Collier DC, Burnett SS, Amin M *et al.* Assessment of consistency in contouring of normal-tissue anatomic structures. *J Appl Clin Med Phys* 2003;4:17-24.
- [38] Cooper JS, Fu K, Marks J *et al.* Late effects of radiation therapy in the head and neck region. *Int J Radiat Oncol Biol Phys* 1995;31:1141-1164.
- [39] Cox JD, Stetz J, Pajak TF. Toxicity criteria of the Radiation Therapy Oncology Group (RTOG) and the European Organization for Research and Treatment of Cancer (EORTC). *Int J Radiat Oncol Biol Phys* 1995;31:1341-1346.

- [40] Cozzi L, Fogliata A, Lomax A *et al.* A treatment planning comparison of 3D conformal therapy, intensity modulated photon therapy and proton therapy for treatment of advanced head and neck tumours. *Radiother Oncol* 2001;61:287-297.
- [41] Cozzia L, Bolsi A, Nicolinia G *et al.* The simultaneous integrated boost with proton beams in head and neck patients. *Z Med Physik* 2004;14:180-188.
- [42] Dawes C How much saliva is enough for avoidance of xerostomia? *Caries Res* 2004;38:236-240.
- [43] Dawes C. Salivary flow patterns and the health of hard and soft oral tissues. *J Am Dent Assoc* 2008;139 Suppl:18S-24S.
- [44] Deasy JO, Moiseenko V, Marks L *et al.* Radiotherapy dose-volume effects on salivary gland function. *Int J Radiat Oncol Biol Phys* 2010;76:S58-S63.
- [45] Delaney TF, Kooy H.M. Proton and charged particle radiotherapy. Philadelphia: Lippincott Williams & Wilkins; 2008.
- [46] Dijkema T, Terhaard CH, Roesink JM *et al.* Large Cohort Dose-Volume Response Analysis of Parotid Gland Function After Radiotherapy: Intensity-Modulated VERSUS Conventional Radiotherapy. *Int J Radiat Oncol Biol Phys* 2008.
- [47] Dirix P, Nuyts S. Evidence-based organ-sparing radiotherapy in head and neck cancer. *Lancet Oncol* 2010;11:85-91.
- [48] Dirix P, Nuyts S, Van den BW. Radiation-induced xerostomia in patients with head and neck cancer: a literature review. *Cancer* 2006;107:2525-2534.
- [49] DiSabato-Mordarski T, Kleinberg I. Measurement and comparison of the residual saliva on various oral mucosal and dentition surfaces in humans. *Arch Oral Biol* 1996;41:655-665.
- [50] Eisbruch A, Kim HM, Feng FY *et al.* Chemo-IMRT of oropharyngeal cancer aiming to reduce dysphagia: swallowing organs late complication probabilities and dosimetric correlates. *Int J Radiat Oncol Biol Phys* 2011;81:e93-e99.
- [51] Eisbruch A, Kim HM, Terrell JE *et al.* Xerostomia and its predictors following parotid-sparing irradiation of head-and-neck cancer. *Int J Radiat Oncol Biol Phys* 2001;50:695-704.
- [52] Eisbruch A, Lyden T, Bradford CR *et al.* Objective assessment of swallowing dysfunction and aspiration after radiation concurrent with chemotherapy for head-and-neck cancer. *Int J Radiat Oncol Biol Phys* 2002;53:23-28.
- [53] Eisbruch A, Schwartz M, Rasch C *et al.* Dysphagia and aspiration after chemoradiotherapy for head-and-neck cancer: which anatomic structures are

References

- affected and can they be spared by IMRT? *Int J Radiat Oncol Biol Phys* 2004;60:1425-1439.
- [54] Eisbruch A, Ship JA, Dawson LA *et al.* Salivary gland sparing and improved target irradiation by conformal and intensity modulated irradiation of head and neck cancer. *World J Surg* 2003;27:832-837.
- [55] Eisbruch A, Ten Haken RK, Kim HM *et al.* Dose, volume, and function relationships in parotid salivary glands following conformal and intensity-modulated irradiation of head and neck cancer. *Int J Radiat Oncol Biol Phys* 1999;45:577-587.
- [56] Eliasson L, Almstahl A, Lingstrom P *et al.* Minor gland saliva flow rate and proteins in subjects with hyposalivation due to Sjogren's syndrome and radiation therapy. *Arch Oral Biol* 2005;50:293-299.
- [57] Eliasson L, Birkhed D, Carlen A. Feeling of dry mouth in relation to whole and minor gland saliva secretion rate. *Arch Oral Biol* 2009;54:263-267.
- [58] Eliasson L, Birkhed D, Heyden G *et al.* Studies on human minor salivary gland secretions using the Periotron method. *Arch Oral Biol* 1996;41:1179-1182.
- [59] Emami B, Lyman J, Brown A *et al.* Tolerance of normal tissue to therapeutic irradiation. *Int J Radiat Oncol Biol Phys* 1991;21:109-122.
- [60] Ferlay J, Shin HR, Bray F, Forman D, Mathers C, Parkin MD. GLOBOCAN 2008, Cancer Incidence and Mortality Worldwide. Lyon, France: International Agency for Research on Cancer; 2010. URL: <http://globocan.iarc.fr>; 2010.
- [61] Flynn RT, Bowen SR, Bentzen SM *et al.* Intensity-modulated x-ray (IMXT) versus proton (IMPT) therapy for theragnostic hypoxia-based dose painting. *Phys Med Biol* 2008;53:4153-4167.
- [62] Forastiere AA, Goepfert H, Maor M *et al.* Concurrent chemotherapy and radiotherapy for organ preservation in advanced laryngeal cancer. *N Engl J Med* 2003;349:2091-2098.
- [63] Fua TF, Corry J, Milner AD *et al.* Intensity-modulated radiotherapy for nasopharyngeal carcinoma: clinical correlation of dose to the pharyngo-esophageal axis and dysphagia. *Int J Radiat Oncol Biol Phys* 2007;67:976-981.
- [64] Geets X, Daisne JF, Arcangeli S *et al.* Inter-observer variability in the delineation of pharyngo-laryngeal tumor, parotid glands and cervical spinal cord: comparison between CT-scan and MRI. *Radiother Oncol* 2005;77:25-31.
- [65] Glimelius B, Montelius A. Proton beam therapy - do we need the randomised trials and can we do them? *Radiother Oncol* 2007;83:105-109.

- [66] Goitein M. Radiation Oncology: A physicist's eye view. New York: Springer Science + Business Media; 2008.
- [67] Goitein M., Lomax A.J., Pedroni ES. Treating Cancer with Protons. *Physics Today* 2002;55:45-50.
- [68] Goitein M. Magical protons? *Int J Radiat Oncol Biol Phys* 2008;70:654-656.
- [69] Goitein M. Trials and tribulations in charged particle radiotherapy. *Radiother Oncol* 2010;95:23-31.
- [70] Goitein M, Cox JD. Should randomized clinical trials be required for proton radiotherapy? *J Clin Oncol* 2008;26:175-176.
- [71] Goitein M, Jermann M. The relative costs of proton and X-ray radiation therapy. *Clin Oncol (R Coll Radiol)* 2003;15:S37-S50.
- [72] Gregoire V, Eisbruch A, Hamoir M *et al.* Proposal for the delineation of the nodal CTV in the node-positive and the post-operative neck. *Radiother Oncol* 2006;79:15-20.
- [73] Gregoire V, Levendag P, Ang KK *et al.* CT-based delineation of lymph node levels and related CTVs in the node-negative neck: DAHANCA, EORTC, GORTEC, NCIC, RTOG consensus guidelines. *Radiother Oncol* 2003;69:227-236.
- [74] Hand AR, Pathmanathan D, Field RB. Morphological features of the minor salivary glands. *Arch Oral Biol* 1999;44 Suppl 1:S3-10.
- [75] Harnsberger HR, Osborn AG, Ross J *et al.* Head and Neck. In: *Diagnostic and Surgical Imaging Anatomy: brain, head and neck, spine*. Salt Lake City, UT: Amirsys; 2006. p.
- [76] Harrison LB, Zelefsky MJ, Pfister DG *et al.* Detailed quality of life assessment in patients treated with primary radiotherapy for squamous cell cancer of the base of the tongue. *Head Neck* 1997;19:169-175.
- [77] Health Council of the Netherlands Proton radiotherapy. Horizon scanning report. The Hague: Health Council of the Netherlands. 2009; publication no. 2009/17.
- [78] Hermans R, Van der GA, Baert AL. Image interpretation in CT of laryngeal carcinoma: a study on intra- and interobserver reproducibility. *Eur Radiol* 1997;7:1086-1090.
- [79] Hug EB, Slater JD. Proton radiation therapy for chordomas and chondrosarcomas of the skull base. *Neurosurg Clin North Am* 2000;11:627-638.

References

- [80] Huguenin PU, Taussky D, Moe K *et al.* Quality of life in patients cured from a carcinoma of the head and neck by radiotherapy: the importance of the target volume. *Int J Radiat Oncol Biol Phys* 1999;45:47-52.
- [81] Humphrey SP, Williamson RT. A review of saliva: normal composition, flow, and function. *J Prosthet Dent* 2001;85:162-169.
- [82] Integraal kankercentrum Nederland. URL: www.iknl.nl 2012.
- [83] International Commission on Radiation Units and Measurements Prescribing, recording, and reporting photon-beam intensity-modulated radiation therapy (IMRT). ICRU Report 83 Bethesda, MD 2010;
- [84] International Commission on Radiation Units and Measurements. Prescribing, Recording, and Reporting Photon Beam Therapy. ICRU Report 50. Bethesda MD: ICRU; 1993.
- [85] International Commission on Radiation Units and Measurements Prescribing, recording, and reporting proton-beam therapy. ICRU Report 78 Bethesda, MD 2007.
- [86] Jellema AP, Doornaert P, Slotman BJ *et al.* Does radiation dose to the salivary glands and oral cavity predict patient-rated xerostomia and sticky saliva in head and neck cancer patients treated with curative radiotherapy? *Radiother Oncol* 2005;77:164-171.
- [87] Jellema AP, Slotman BJ, Doornaert P *et al.* Impact of Radiation-Induced Xerostomia on Quality of Life after Primary Radiotherapy among Patients with Head and Neck Cancer. *Int J Radiat Oncol Biol Phys* 2007;69:751-760.
- [88] Jensen K, Lambertsen K, Grau C. Late swallowing dysfunction and dysphagia after radiotherapy for pharynx cancer: frequency, intensity and correlation with dose and volume parameters. *Radiother Oncol* 2007;85:74-82.
- [89] Jereczek-Fossa BA, Orecchia R. Radiotherapy-induced mandibular bone complications. *Cancer Treat Rev* 2002;28:65-74.
- [90] Jereczek-Fossa BA, Zarowski A, Milani F *et al.* Radiotherapy-induced ear toxicity. *Cancer Treat Rev* 2003;29:417-430.
- [91] Jha N, Seikaly H, McGaw T *et al.* Submandibular salivary gland transfer prevents radiation-induced xerostomia. *Int J Radiat Oncol Biol Phys* 2000;46:7-11.
- [92] Johansson J, Blomquist E, Montelius A *et al.* Potential outcomes of modalities and techniques in radiotherapy for patients with hypopharyngeal carcinoma. *Radiother Oncol* 2004;72:129-138.

- [93] Joiner M, Van der Kogel A. Basic Clinical Radiobiology. 4th. London: Hodder Arnold; 2009.
- [94] Kaiser FJ, Bassler N, Jakel O COTS Silicon diodes as radiation detectors in proton and heavy charged particle radiotherapy 1. *Radiat Environ Biophys* 2010;49:365-371.
- [95] Kam MK, Leung SF, Zee B *et al.* Prospective randomized study of intensity-modulated radiotherapy on salivary gland function in early-stage nasopharyngeal carcinoma patients. *J Clin Oncol* 2007;25:4873-4879.
- [96] Ketting CH, ustin-Seymour M, Kalet I *et al.* Consistency of three-dimensional planning target volumes across physicians and institutions. *Int J Radiat Oncol Biol Phys* 1997;37:445-453.
- [97] Khan FM. The Physics of Radiation Therapy. 4th. Philadelphia: Lippincott Williams & Wilkins; 2009.
- [98] Khan MA, Hill RP, Van DJ. Partial volume rat lung irradiation: an evaluation of early DNA damage. *Int J Radiat Oncol Biol Phys* 1998;40:467-476.
- [99] Kiemeney LA, Lemmers FA, Verhoeven RH *et al.* [The risk of cancer in the Netherlands]. *Ned Tijdschr Geneesk* 2008;152:2233-2241.
- [100] Knopf A. Physical and clinical potential of offline PET/CT imaging after proton radiotherapy. 2009; Ph.D. thesis, University of Heidelberg.
- [101] Konings AW, Cotteleer F, Faber H *et al.* Volume effects and region-dependent radiosensitivity of the parotid gland. *Int J Radiat Oncol Biol Phys* 2005;62:1090-1095.
- [102] Konings AW, Faber H, Cotteleer F *et al.* Secondary radiation damage as the main cause for unexpected volume effects: a histopathologic study of the parotid gland. *Int J Radiat Oncol Biol Phys* 2006;64:98-105.
- [103] Kooy HM, Clasié BM, Lu HM *et al.* A case study in proton pencil-beam scanning delivery. *Int J Radiat Oncol Biol Phys* 2010;76:624-630.
- [104] Legendijk JJ, Raaymakers BW, Raaijmakers AJ *et al.* MRI/linac integration. *Radiother Oncol* 2008;86:25-29.
- [105] Langendijk JA, Doornaert P, Verdonck-de L, I *et al.* Impact of late treatment-related toxicity on quality of life among patients with head and neck cancer treated with radiotherapy. *J Clin Oncol* 2008;26:3770-3776.
- [106] Laramore GE. Role of particle radiotherapy in the management of head and neck cancer. *Curr Opin Oncol* 2009;21:224-231.

References

- [107] Lee CT, Bilton SD, Famiglietti RM *et al.* Treatment planning with protons for pediatric retinoblastoma, medulloblastoma, and pelvic sarcoma: how do protons compare with other conformal techniques? *Int J Radiat Oncol Biol Phys* 2005;63:362-372.
- [108] Lee IJ, Koom WS, Lee CG *et al.* Risk factors and dose-effect relationship for mandibular osteoradionecrosis in oral and oropharyngeal cancer patients. *Int J Radiat Oncol Biol Phys* 2009;75:1084-1091.
- [109] Levendag PC, Teguh DN, Voet P *et al.* Dysphagia disorders in patients with cancer of the oropharynx are significantly affected by the radiation therapy dose to the superior and middle constrictor muscle: a dose-effect relationship. *Radiother Oncol* 2007;85:64-73.
- [110] Liao ZX, Travis EL, Tucker SL. Damage and morbidity from pneumonitis after irradiation of partial volumes of mouse lung. *Int J Radiat Oncol Biol Phys* 1995;32:1359-1370.
- [111] Liu XK, Su Y, Jha N *et al.* Submandibular salivary gland transfer for the prevention of radiation-induced xerostomia in patients with nasopharyngeal carcinoma: 5-Year outcomes. *Head Neck* 2011;33:389-395.
- [112] Lomax A. Intensity modulation methods for proton radiotherapy. *Phys Med Biol* 1999;44:185-205.
- [113] Lomax AJ. Intensity modulated proton therapy and its sensitivity to treatment uncertainties 1: the potential effects of calculational uncertainties. *Phys Med Biol* 2008;53:1027-1042.
- [114] Lomax AJ. Intensity modulated proton therapy and its sensitivity to treatment uncertainties 2: the potential effects of inter-fraction and inter-field motions. *Phys Med Biol* 2008;53:1043-1056.
- [115] Lomax AJ. Charged particle therapy: the physics of interaction. *Cancer J* 2009;15:285-291.
- [116] Lomax AJ, Bohringer T, Bolsi A *et al.* Treatment planning and verification of proton therapy using spot scanning: initial experiences. *Med Phys* 2004;31:3150-3157.
- [117] Lomax AJ, Goitein M, Adams J. Intensity modulation in radiotherapy: photons versus protons in the paranasal sinus. *Radiother Oncol* 2003;66:11-18.
- [118] Machtay M, Moughan J, Trotti A *et al.* Factors associated with severe late toxicity after concurrent chemoradiation for locally advanced head and neck cancer: an RTOG analysis. *J Clin Oncol* 2008;26:3582-3589.

- [119] Maes A, Weltens C, Flamen P *et al.* Preservation of parotid function with uncomplicated conformal radiotherapy. *Radiother Oncol* 2002;63:203-211.
- [120] Mendenhall NP, Malyapa RS, Su Z *et al.* Proton therapy for head and neck cancer: rationale, potential indications, practical considerations, and current clinical evidence. *Acta Oncol* 2011;50:763-771.
- [121] Min CH, Lee HR, Kim CH *et al.* Development of array-type prompt gamma measurement system for in vivo range verification in proton therapy. *Med Phys* 2012;39:2100-2107.
- [122] Miralbell R, Crowell C, Suit HD. Potential improvement of three dimension treatment planning and proton therapy in the outcome of maxillary sinus cancer. *Int J Radiat Oncol Biol Phys* 1992;22:305-310.
- [123] Miralbell R, Lomax A, Cella L *et al.* Potential reduction of the incidence of radiation-induced second cancers by using proton beams in the treatment of pediatric tumors. *Int J Radiat Oncol Biol Phys* 2002;54:824-829.
- [124] Miyatake A, Nishio T, Ogino T. Development of activity pencil beam algorithm using measured distribution data of positron emitter nuclei generated by proton irradiation of targets containing (^{12}C) , (^{16}O) , and (^{40}Ca) nuclei in preparation of clinical application. *Med Phys* 2011;38:5818-5829.
- [125] Miyatake A, Nishio T, Ogino T *et al.* Measurement and verification of positron emitter nuclei generated at each treatment site by target nuclear fragment reactions in proton therapy. *Med Phys* 2010;37:4445-4455.
- [126] Mock U, Georg D, Bogner J *et al.* Treatment planning comparison of conventional, 3D conformal, and intensity-modulated photon (IMRT) and proton therapy for paranasal sinus carcinoma. *Int J Radiat Oncol Biol Phys* 2004;58:147-154.
- [127] Moteabbed M, Espana S, Paganetti H. Monte Carlo patient study on the comparison of prompt gamma and PET imaging for range verification in proton therapy. *Phys Med Biol* 2011;56:1063-1082.
- [128] Murdoch-Kinch CA, Kim HM, Vineberg KA *et al.* Dose-effect relationships for the submandibular salivary glands and implications for their sparing by intensity modulated radiotherapy. *Int J Radiat Oncol Biol Phys* 2008;72:373-382.
- [129] Muzik J, Soukup M, Alber M. Comparison of fixed-beam IMRT, helical tomotherapy, and IMPT for selected cases. *Med Phys* 2008;35:1580-1592.
- [130] Nguyen NP, Frank C, Moltz CC *et al.* Impact of dysphagia on quality of life after treatment of head-and-neck cancer. *Int J Radiat Oncol Biol Phys* 2005;61:772-778.

References

- [131] Niedermeier W, Huber M, Fischer D *et al.* Significance of saliva for the denture-wearing population. *Gerodontology* 2000;17:104-118.
- [132] Nishio T, Miyatake A, Ogino T *et al.* The Development and Clinical Use of a Beam ON-LINE PET System Mounted on a Rotating Gantry Port in Proton Therapy. *Int J Radiat Oncol Biol Phys* 2010;76:277-286.
- [133] Noel G, Feuvret L, Calugaru V *et al.* Chordomas of the base of the skull and upper cervical spine. One hundred patients irradiated by a 3D conformal technique combining photon and proton beams. *Acta Oncol* 2005;44:700-708.
- [134] Nutting CM, Morden JP, Harrington KJ *et al.* Parotid-sparing intensity modulated versus conventional radiotherapy in head and neck cancer (PARSPORT): a phase 3 multicentre randomised controlled trial. *Lancet Oncol* 2011;12:127-136.
- [135] Pacholke HD, Amdur RJ, Morris CG *et al.* Late xerostomia after intensity-modulated radiation therapy versus conventional radiotherapy. *Am J Clin Oncol* 2005;28:351-358.
- [136] Paganetti H, Niemierko A, Ancukiewicz M *et al.* Relative biological effectiveness (RBE) values for proton beam therapy. *Int J Radiat Oncol Biol Phys* 2002;53:407-421.
- [137] Park PC, Zhu XR, Lee AK *et al.* A beam-specific planning target volume (PTV) design for proton therapy to account for setup and range uncertainties. *Int J Radiat Oncol Biol Phys* 2012;82:e329-e336.
- [138] Parodi K, Paganetti H, Shih HA *et al.* Patient study of in vivo verification of beam delivery and range, using positron emission tomography and computed tomography imaging after proton therapy. *Int J Radiat Oncol Biol Phys* 2007;68:920-934.
- [139] Particle Therapy Co-Operative Group Centers in Operation. URL: <http://ptcog.web.psi.ch/ptcentres.html> 2010.
- [140] Pedroni E, Bacher R, Blattmann H *et al.* The 200-MeV proton therapy project at the Paul Scherrer Institute: conceptual design and practical realization. *Med Phys* 1995;22:37-53.
- [141] Pedroni E, Scheib S, Bohringer T *et al.* Experimental characterization and physical modelling of the dose distribution of scanned proton pencil beams. *Phys Med Biol* 2005;50:541-561.
- [142] Peeters A, Grutters JP, Pijls-Johannesma M *et al.* How costly is particle therapy? Cost analysis of external beam radiotherapy with carbon-ions, protons and photons. *Radiother Oncol* 2010;95:45-53.

- [143] Petti PL. Differential-pencil-beam dose calculations for charged particles. *Med Phys* 1992;19:137-149.
- [144] Pflugfelder D, Wilkens JJ, Oelfke U. Worst case optimization: a method to account for uncertainties in the optimization of intensity modulated proton therapy. *Phys Med Biol* 2008;53:1689-1700.
- [145] Pommier P, Zucca L, Naslund I *et al.* Light ion facility projects in Europe: Methodological aspects for the calculation of the treatment cost per protocol. *Radiother Oncol* 2004;73:S183-S185.
- [146] Pow EH, Kwong DL, McMillan AS *et al.* Xerostomia and quality of life after intensity-modulated radiotherapy vs. conventional radiotherapy for early-stage nasopharyngeal carcinoma: initial report on a randomized controlled clinical trial. *Int J Radiat Oncol Biol Phys* 2006;66:981-991.
- [147] Raaymakers BW, Lagendijk JJ, Overweg J *et al.* Integrating a 1.5 T MRI scanner with a 6 MV accelerator: proof of concept. *Phys Med Biol* 2009;54:N229-N237.
- [148] Raaymakers BW, Raaijmakers AJ, Lagendijk JJ. Feasibility of MRI guided proton therapy: magnetic field dose effects. *Phys Med Biol* 2008;53:5615-5622.
- [149] Raju MR. Protons. In: Heavy particle radiotherapy. New York; London; Sydney; Toronto; San Francisco: Academic Press; 1980. p. 188-251.
- [150] Rancati T, Sanguineti G, Fiorino C. NTCP modeling of subacute/late laryngeal edema scored by fiberoptic examination: Evidence of a large volume effect. *Radiother Oncol* 2007;84:S158-S159.
- [151] Rasch C, Eisbruch A, Remeijer P *et al.* Irradiation of paranasal sinus tumors, a delineation and dose comparison study. *Int J Radiat Oncol Biol Phys* 2002;52:120-127.
- [152] Riva A, Loffredo F, Puxeddu R *et al.* A scanning and transmission electron microscope study of the human minor salivary glands. *Arch Oral Biol* 1999;44 Suppl 1:S27-S31.
- [153] Roesink JM, Moerland MA, Battermann JJ *et al.* Quantitative dose-volume response analysis of changes in parotid gland function after radiotherapy in the head-and-neck region. *Int J Radiat Oncol Biol Phys* 2001;51:938-946.
- [154] Roesink JM, Moerland MA, Hoekstra A *et al.* Scintigraphic assessment of early and late parotid gland function after radiotherapy for head-and-neck cancer: a prospective study of dose-volume response relationships. *Int J Radiat Oncol Biol Phys* 2004;58:1451-1460.

References

- [155] Saarilahti K, Kouri M, Collan J *et al.* Sparing of the submandibular glands by intensity modulated radiotherapy in the treatment of head and neck cancer. *Radiother Oncol* 2006;78:270-275.
- [156] Saarnak AE, Boersma M, van Bunningen BN *et al.* Inter-observer variation in delineation of bladder and rectum contours for brachytherapy of cervical cancer. *Radiother Oncol* 2000;56:37-42.
- [157] Schaffner B, Pedroni E. The precision of proton range calculations in proton radiotherapy treatment planning: experimental verification of the relation between CT-HU and proton stopping power. *Phys Med Biol* 1998;43:1579-1592.
- [158] Schaffner B, Pedroni E, Lomax A. Dose calculation models for proton treatment planning using a dynamic beam delivery system: an attempt to include density heterogeneity effects in the analytical dose calculation. *Phys Med Biol* 1999;44:27-41.
- [159] Scheib S, Pedroni E. Dose calculation and optimization for 3D conformal voxel scanning. *Radiat Environ Biophys* 1992;31:251-256.
- [160] Schilstra C, Meertens H. Calculation of the uncertainty in complication probability for various dose-response models, applied to the parotid gland. *Int J Radiat Oncol Biol Phys* 2001;50:147-158.
- [161] Schippers JM, Lomax AJ. Emerging technologies in proton therapy. *Acta Oncol* 2011;50:838-850.
- [162] Schulz-Ertner D. The clinical experience with particle therapy in adults. *Cancer J* 2009;15:306-311.
- [163] Schwartz DL, Hutcheson K, Barringer D *et al.* Candidate dosimetric predictors of long-term swallowing dysfunction after oropharyngeal intensity-modulated radiotherapy. *Int J Radiat Oncol Biol Phys* 2010;78:1356-1365.
- [164] Semenenko VA, Li XA. Lyman-Kutcher-Burman NTCP model parameters for radiation pneumonitis and xerostomia based on combined analysis of published clinical data. *Phys Med Biol* 2008;53:737-755.
- [165] Shankar L, Khan A, Cheung G. Head and Neck imaging. United States of America: The McGraw-Hill companies; 1998.
- [166] Sivarajasingam V, Drummond JR. Measurements of human minor salivary gland secretions from different oral sites. *Arch Oral Biol* 1995;40:723-729.
- [167] Slater JD, Yonemoto LT, Mantik DW *et al.* Proton radiation for treatment of cancer of the oropharynx: Early experience at Loma Linda University Medical Center using a concomitant boost technique. *Int J Radiat Oncol Biol Phys* 2005;62:494-500.

- [168] Slater JM, Slater JD, Archambeau JO. Carcinoma of the tonsillar region: Potential for use of proton beam therapy. *Int J Radiat Oncol Biol Phys* 1992;22:311-319.
- [169] Smeets J, Roellinghoff F, Prieels D *et al.* Prompt gamma imaging with a slit camera for real-time range control in proton therapy. *Phys Med Biol* 2012;57:3371-3405.
- [170] Steneker M, Lomax A, Schneider U. Intensity modulated photon and proton therapy for the treatment of head and neck tumors. *Radiother Oncol* 2006;80:263-267.
- [171] Sumi M, Yamada T, Takagi Y *et al.* MR imaging of labial glands. *AJNR Am J Neuroradiol* 2007;28:1552-1556.
- [172] Taheri-Kadkhoda Z, Bjork-Eriksson T, Nill S *et al.* Intensity-modulated radiotherapy of nasopharyngeal carcinoma: a comparative treatment planning study of photons and protons. *Radiat Oncol* 2008;3:4.
- [173] Thornton AF, Fitzek MM, Varvarres M. Accelerated, hyperfractionated proton/photon irradiation for advanced paranasal sinus cancer: results of a prospective phase I-II study (Abstr.). *Int J Radiat Oncol Biol Phys* 1998;42:222.
- [174] Thorwarth D, Soukup M, Alber M Dose painting with IMPT, helical tomotherapy and IMXT: a dosimetric comparison. *Radiother Oncol* 2008;86:30-34.
- [175] Tokuuye K, Akine Y, Kagei K *et al.* Proton Therapy for Head and Neck Malignancies at Tsukuba. *Strahlenther Onkol* 2004;180:96-101.
- [176] Truong MT, Kamat UR, Liebsch NJ *et al.* Proton radiation therapy for primary sphenoid sinus malignancies: treatment outcome and prognostic factors. *Head Neck* 2009;31:1297-1308.
- [177] Unkelbach J, Bortfeld T, Martin BC *et al.* Reducing the sensitivity of IMPT treatment plans to setup errors and range uncertainties via probabilistic treatment planning. *Med Phys* 2009;36:149-163.
- [178] Unkelbach J, Chan TC, Bortfeld T. Accounting for range uncertainties in the optimization of intensity modulated proton therapy. *Phys Med Biol* 2007;52:2755-2773.
- [179] van de Water TA, Bijl HP, Schilstra C *et al.* The potential benefit of radiotherapy with protons in head and neck cancer with respect to normal tissue sparing: a systematic review of literature. *Oncologist* 2011;16:366-377.
- [180] van de Water TA, Bijl HP, Westerlaan HE *et al.* Delineation guidelines for organs at risk involved in radiation-induced salivary dysfunction and xerostomia. *Radiother Oncol* 2009;93:545-552.

References

- [181] van de Water TA, Lomax AJ, Bijl HP *et al.* Potential benefits of scanned intensity-modulated proton therapy versus advanced photon therapy with regard to sparing of the salivary glands in oropharyngeal cancer. *Int J Radiat Oncol Biol Phys* 2011;79:1216-1224.
- [182] van de Water TA, Lomax AJ, Bijl HP *et al.* Using a Reduced Spot Size for Intensity-Modulated Proton Therapy Potentially Improves Salivary Gland-Sparing in Oropharyngeal Cancer. *Int J Radiat Oncol Biol Phys* 2012;82:e313-319.
- [183] van der Laan HP, Christianen ME, Bijl HP *et al.* The potential benefit of swallowing sparing intensity modulated radiotherapy to reduce swallowing dysfunction: An in silico planning comparative study. *Radiother Oncol* 2012;103:76-81.
- [184] van Nieuw Amerongen A, Veerman ECI, Vissink A. Samenstelling en eigenschappen van speeksel: van dun-vloeibare tot viskeuze mondvlloeistof. In: *Speeksel, speekselklieren en mondgezondheid*. 2 ed. Houten: Bohn Stafleu Van Loghum bv; 2008. p. 37-51.
- [185] Vasquez Osorio EM, Hoogeman MS, Al-Mamgani A *et al.* Local anatomic changes in parotid and submandibular glands during radiotherapy for oropharynx cancer and correlation with dose, studied in detail with nonrigid registration. *Int J Radiat Oncol Biol Phys* 2008;70:875-882.
- [186] Vergeer MR, Doornaert PA, Rietveld DH *et al.* Intensity-modulated radiotherapy reduces radiation-induced morbidity and improves health-related quality of life: results of a nonrandomized prospective study using a standardized follow-up program. *Int J Radiat Oncol Biol Phys* 2009;74:1-8.
- [187] Vissink A, Jansma J, Spijkervet FK *et al.* Oral sequelae of head and neck radiotherapy. *Crit Rev Oral Biol Med* 2003;14:199-212.
- [188] Vissink A, Mitchell JB, Baum BJ *et al.* Clinical management of salivary gland hypofunction and xerostomia in head-and-neck cancer patients: successes and barriers. *Int J Radiat Oncol Biol Phys* 2010;78:983-991.
- [189] Vynckier S, Derreumaux S, Richard F *et al.* Is it possible to verify directly a proton-treatment plan using positron emission tomography? *Radiother Oncol* 1993;26:275-277.
- [190] Webster GJ, Rowbottom CG, Ho KF *et al.* Evaluation of larynx-sparing techniques with IMRT when treating the head and neck. *Int J Radiat Oncol Biol Phys* 2008;72:617-622.

- [191] Weiss E, Hess CF. The impact of gross tumor volume (GTV) and clinical target volume (CTV) definition on the total accuracy in radiotherapy theoretical aspects and practical experiences. *Strahlenther Onkol* 2003;179:21-30.
- [192] Widesott L, Pierelli A, Fiorino C *et al.* Intensity-modulated proton therapy versus helical tomotherapy in nasopharynx cancer: planning comparison and NTCP evaluation. *Int J Radiat Oncol Biol Phys* 2008;72:589-596.
- [193] Wilson R.R. Radiological use of fast protons. *Radiology* 1946;47:487-491.
- [194] Wolff M, Kleinberg I. Oral mucosal wetness in hypo- and normosalivators. *Arch Oral Biol* 1998;43:455-462.
- [195] Wong EK, Truong PT, Kader HA *et al.* Consistency in seroma contouring for partial breast radiotherapy: impact of guidelines. *Int J Radiat Oncol Biol Phys* 2006;66:372-376.

