

University of Groningen

Electronic structure theory meets precision measurements

Haase, Pi

DOI:
[10.33612/diss.195934645](https://doi.org/10.33612/diss.195934645)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2021

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Haase, P. (2021). *Electronic structure theory meets precision measurements*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen. <https://doi.org/10.33612/diss.195934645>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Bibliography

- [1] P. A. Zyla et al., *Review of Particle Physics*, Prog. Theor. Exp. Phys. **2020**, 1 (2020).
- [2] D. N. Spergel, *The dark side of cosmology: Dark matter and dark energy*, Science **347**, 1100 (2015).
- [3] P. J. E. Peebles and B. Ratra, *The cosmological constant and dark energy*, Rev. Mod. Phys. **75**, 559 (2003).
- [4] M. Dine and A. Kusenko, *Origin of the matter-antimatter asymmetry*, Rev. Mod. Phys. **76**, 1 (2003).
- [5] K. Kirch and P. Schmidt-Wellenburg, *Search for electric dipole moments*, EPJ Web Conf. **234**, 01007 (2020).
- [6] A. Sakharov, *Violation of CP Invariance, C Asymmetry, and Baryon Asymmetry of the Universe*, Journal of Experimental and Theoretical Physics Letters (JETP Letters) **5**, 24 (1967).
- [7] D. E. Morrissey and M. J. Ramsey-Musolf, *Electroweak baryogenesis*, New J. Phys. **14**, 125003 (2012).
- [8] S. Rappoccio, *The experimental status of direct searches for exotic physics beyond the standard model at the Large Hadron Collider*, Rev. Phys. **4**, 100027 (2019).
- [9] M. S. Safronova et al., *Search for new physics with atoms and molecules*, Rev. Mod. Phys. **90**, 025008 (2018).
- [10] J. Ginges and V. Flambaum, *Violations of fundamental symmetries in atoms and tests of unification theories of elementary particles*, Phys. Rep. **397**, 63 (2004).
- [11] J. J. Hudson, B. E. Sauer, M. R. Tarbutt and E. A. Hinds, *Measurement of the Electron Electric Dipole Moment Using YbF Molecules*, Phys. Rev. Lett. **89**, 023003 (2002).
- [12] E. A. Hinds, in *2013 Conference on Lasers and Electro-Optics - International Quantum Electronics Conference* (Optical Society of America, 2013).

- [13] M. Pospelov and A. Ritz, *Electric dipole moments as probes of new physics*, Ann. Phys. **318**, 119 (2005).
- [14] M. Jung, *A robust limit for the electric dipole moment of the electron*, J. High Energy Phys. **2013**, 168 (2013).
- [15] W. B. Cairncross et al., *Precision Measurement of the Electron's Electric Dipole Moment Using Trapped Molecular Ions*, Phys. Rev. Lett. **119**, 153001 (2017).
- [16] J. Baron et al., *Order of Magnitude Smaller Limit on the Electric Dipole Moment of the Electron*, Science **343**, 269 (2014).
- [17] V. Andreev et al., *Improved limit on the electric dipole moment of the electron*, Nature **562**, 355 (2018).
- [18] J. J. Hudson et al., *Improved measurement of the shape of the electron*, Nature **473**, 493 (2011).
- [19] P. Aggarwal et al., *Measuring the electric dipole moment of the electron in BaF*, Eur. Phys. J. D **72**, 197 (2018).
- [20] A. Vutha, M. Horbatsch and E. Hessels, *Oriented Polar Molecules in a Solid Inert-Gas Matrix: A Proposed Method for Measuring the Electric Dipole Moment of the Electron*, Atoms **6**, 3 (2018).
- [21] S. A. Murthy, D. Krause, Z. L. Li and L. R. Hunter, *New limits on the electron electric dipole moment from cesium*, Phys. Rev. Lett. **63**, 965 (1989).
- [22] B. C. Regan, E. D. Commins, C. J. Schmidt and D. DeMille, *New Limit on the Electron Electric Dipole Moment*, Phys. Rev. Lett. **88**, 071805 (2002).
- [23] I. Kozyryev and N. R. Hutzler, *Precision Measurement of Time-Reversal Symmetry Violation with Laser-Cooled Polyatomic Molecules*, Phys. Rev. Lett. **119**, 133002 (2017).
- [24] T. Chupp and M. Ramsey-Musolf, *Electric dipole moments: A global analysis*, Phys. Rev. C **91**, 035502 (2015).
- [25] T. Fleig and M. Jung, *Model-independent determinations of the electron EDM and the role of diamagnetic atoms*, J. High Energy Phys. **2018**, 12 (2018).
- [26] T. E. Chupp, P. Fierlinger, M. J. Ramsey-Musolf and J. T. Singh, *Electric dipole moments of atoms, molecules, nuclei, and particles*, Rev. Mod. Phys. **91**, 015001 (2019).

-
- [27] B. Graner, Y. Chen, E. G. Lindahl and B. R. Heckel, *Reduced Limit on the Permanent Electric Dipole Moment of ^{199}Hg* , Phys. Rev. Lett. **116**, 161601 (2016).
- [28] N. Sachdeva et al., *New Limit on the Permanent Electric Dipole Moment of ^{129}Xe Using ^3He Comagnetometry and SQUID Detection*, Phys. Rev. Lett. **123**, 143003 (2019).
- [29] R. H. Parker et al., *First Measurement of the Atomic Electric Dipole Moment of ^{225}Ra* , Phys. Rev. Lett. **114**, 233002 (2015).
- [30] D. Cho, K. Sangster and E. A. Hinds, *Search for time-reversal-symmetry violation in thallium fluoride using a jet source*, Phys. Rev. A **44**, 2783 (1991).
- [31] J. O. Grasdijk et al., *CeNTREX: A new search for time-reversal symmetry violation in the ^{205}Tl nucleus*, Quantum Sci. Technol. **6**, 044007 (2021).
- [32] E. A. Hinds, *Testing time reversal symmetry using molecules*, Phys. Scr. **T70**, 34 (1997).
- [33] P. A. B. Haase et al., *Systematic study and uncertainty evaluation of P, T -odd molecular enhancement factors in BaF* , J. Chem. Phys. **155**, 034309 (2021).
- [34] K. Gaul, S. Marquardt, T. Isaev and R. Berger, *Systematic study of relativistic and chemical enhancements of P, T -odd effects in polar diatomic radicals*, Phys. Rev. A **99**, 1 (2019).
- [35] C. Wood et al., *Measurement of Parity Nonconservation and an Anapole Moment in Cesium*, Science **275**, 1759 (1997).
- [36] E. Altuntas, J. Ammon, S. B. Cahn and D. DeMille, *Demonstration of a Sensitive Method to Measure Nuclear-Spin-Dependent Parity Violation*, Phys. Rev. Lett. **120**, 142501 (2018).
- [37] J. Eills et al., *Measuring molecular parity nonconservation using nuclear-magnetic-resonance spectroscopy*, Phys. Rev. A **96**, 042119 (2017).
- [38] A. Zapata, *Dynamics of molecular beams in a traveling-wave Stark decelerator*, <https://research.rug.nl/en/publications/dynamics-of-molecular-beams-in-a-traveling-wave-stark-decelerator>, Accessed: 25-08-2021.
- [39] K. Esajas, *Intense slow beams of heavy molecules to test fundamental symmetries*, <https://research.rug.nl/en/publications/intense-slow-beams-of-heavy-molecules-to-test-fundamental-symmetr>, Accessed: 25-08-2021.

- [40] P. Aggarwal, *Production, deceleration and trapping of SrF molecules*, <https://research.rug.nl/en/publications/production-deceleration-and-trapping-of-srf-molecules>, Accessed: 25-08-2021.
- [41] M. G. Kozlov and L. N. Labzowsky, *Parity violation effects in diatomics*, J. Phys. B At. Mol. Opt. Phys. **28**, 1933 (1995).
- [42] K. Gaul and R. Berger, *Zeroth order regular approximation approach to electric dipole moment interactions of the electron*, J. Chem. Phys. **147**, 014109 (2017).
- [43] M. Abe, V. S. Prasanna and B. P. Das, *Application of the finite-field coupled-cluster method to calculate molecular properties relevant to electron electric-dipole-moment searches*, Phys. Rev. A **97**, 032515 (2018).
- [44] K. Talukdar, M. K. Nayak, N. Vaval and S. Pal, *Relativistic coupled-cluster study of BaF in search of CP violation*, J. Phys. B At. Mol. Opt. Phys. **53**, 135102 (2020).
- [45] Y. Hao et al., *High accuracy theoretical investigations of CaF, SrF, and BaF and implications for laser-cooling*, J. Chem. Phys. **151**, 034302 (2019).
- [46] J. de Wit, *Calculated polarizabilities of BaF, SrF and CaF using the relativistic finite-field Fock-Space Coupled Cluster method*, <https://fse.studenttheses.ub.rug.nl/18465/>, Accessed: 25-08-2021.
- [47] T. Fleig and D. DeMille, *Theoretical Aspects of Radium-Containing Molecules Amenable to Assembly from Laser-Cooled Atoms for New Physics Searches*, arXiv:2108.02809 (2021).
- [48] A. Kanellakopoulos et al., *Nuclear moments of germanium isotopes near $N=40$* , Phys. Rev. C **102**, 1 (2020).
- [49] S. Raeder et al., *Probing Sizes and Shapes of Nobelium Isotopes by Laser Spectroscopy*, Phys. Rev. Lett. **120**, 232503 (2018).
- [50] A. Sunaga, M. Abe, M. Hada and B. P. Das, *Analysis of large effective electric fields of weakly polar molecules for electron electric-dipole-moment searches*, Phys. Rev. A **95**, 012502 (2017).
- [51] T. Helgaker, P. Jørgensen and J. Olsen, *Molecular Electronic-Structure Theory* (John Wiley & Sons, Ltd, 2000).
- [52] T. Saue et al., *The DIRAC code for relativistic molecular calculations*, J. Chem. Phys. **152**, 204104 (2020).

-
- [53] [Http://www.diracprogram.org](http://www.diracprogram.org), *DIRAC, a relativistic ab initio electronic structure program, Release DIRAC15 (2015)*.
- [54] [Http://www.diracprogram.org](http://www.diracprogram.org), *DIRAC, a relativistic ab initio electronic structure program, Release DIRAC17 (2017)*.
- [55] F. Coester and H. Kümmel, *Short-range correlations in nuclear wave functions*, Nucl. Phys. **17**, 477 (1960).
- [56] J. Cizek and J. Paldus, *Correlation problems in atomic and molecular systems III. Rederivation of the coupled-pair many-electron theory using the traditional quantum chemical methodst*, Int. J. Quantum Chem. **5**, 359 (1971).
- [57] T. D. Crawford and H. F. Schaefer III, *An Introduction to Coupled Cluster Theory for Computational Chemists*, pp. 33–136 (John Wiley & Sons, Ltd, 2000).
- [58] R. J. Bartlett and M. Musiał, *Coupled-cluster theory in quantum chemistry*, Rev. Mod. Phys. **79**, 291 (2007).
- [59] D. I. Lyakh, M. Musiał, V. F. Lotrich and R. J. Bartlett, *Multireference Nature of Chemistry: The Coupled-Cluster View*, Chem. Rev. **112**, 182 (2012).
- [60] M. Urban, J. Noga, S. J. Cole and R. J. Bartlett, *Towards a full CCSDT model for electron correlation*, J. Chem. Phys. **83**, 4041 (1985).
- [61] K. Raghavachari, G. W. Trucks, J. A. Pople and M. Head-Gordon, *A fifth-order perturbation comparison of electron correlation theories*, Chem. Phys. Lett. **157**, 479 (1989).
- [62] M. J. Deegan and P. J. Knowles, *Perturbative corrections to account for triple excitations in closed and open shell coupled cluster theories*, Chem. Phys. Lett. **227**, 321 (1994).
- [63] M. R. Hoffmann and J. Simons, *A unitary multiconfigurational coupled-cluster method: Theory and applications*, J. Chem. Phys. **88**, 993 (1988).
- [64] R. J. Bartlett and J. Noga, *The expectation value coupled-cluster method and analytical energy derivatives*, Chem. Phys. Lett. **150**, 29 (1988).
- [65] U. Kaldor, *The Fock space coupled cluster method: theory and application*, Theor. Chim. Acta **80**, 427 (1991).
- [66] J. F. Stanton, R. J. Bartlett and C. M. L. Rittby, *Fock space multireference coupled-cluster theory for general single determinant reference functions*, J. Chem. Phys. **97**, 5560 (1992).

- [67] L. Visscher, E. Eliav and U. Kaldor, *Formulation and implementation of the relativistic Fock-space coupled cluster method for molecules*, J. Chem. Phys. **115**, 9720 (2001).
- [68] I. Shavitt and R. J. Bartlett, *Many-body methods in chemistry and physics: MBPT and coupled-cluster theory* (Cambridge university press, 2009).
- [69] I. Lindgren, *A coupled-cluster approach to the many-body perturbation theory for open-shell systems*, Int. J. Quantum Chem. Symp. **12**, 33 (1978).
- [70] J. P. Malrieu, P. Durand and J. P. Daudey, *Intermediate Hamiltonians as a new class of effective Hamiltonians*, J. Phys. A. Math. Gen. **18**, 809 (1985).
- [71] A. Landau, E. Eliav, Y. Ishikawa and U. Kaldor, *Intermediate Hamiltonian Fock-space coupled-cluster method: Excitation energies of barium and radium*, J. Chem. Phys. **113**, 9905 (2000).
- [72] P. A. M. Dirac, *The quantum theory of the electron*, Proc. Phys. Soc. Sect. A **117**, 610 (1928).
- [73] K. G. Dyall and J. K. Faegri, *Relativistic Quantum Chemistry* (Oxford University Press, 2007).
- [74] T. Saue, *Relativistic Hamiltonians for Chemistry: A Primer*, ChemPhysChem **12**, 3077 (2011).
- [75] L. Visscher and K. G. Dyall, *Dirac-Fock atomic electronic structure calculations using different nuclear charge distributions*, At. Data Nucl. Data Tables **67**, 207 (1997).
- [76] M. Iliaš and T. Saue, *An infinite-order two-component relativistic Hamiltonian by a simple one-step transformation*, J. Chem. Phys. **126**, 064102 (2007).
- [77] B. A. Heß, C. M. Marian, U. Wahlgren and O. Gropen, *A mean-field spin-orbit method applicable to correlated wavefunctions*, Chem. Phys. Lett. **251**, 365 (1996).
- [78] C. G. Pech et al., *Relevance of effective bond orders in heterodiatomic molecules and role of the spin-orbit coupling in the AtX (X=At-F) series*, Phys. Rev. A **100**, 1 (2019).
- [79] C. Gomez Pech et al., *Quantum chemical topology at the spin-orbit configuration interaction level: Application to astatine compounds*, J. Comput. Chem. **41**, 2055 (2020).
- [80] O. Selig et al., *Organic Cation Rotation and Immobilization in Pure and Mixed Methylammonium Lead-Halide Perovskites*, J. Am. Chem. Soc. **139**, 4068 (2017).

-
- [81] A. Kojima, K. Teshima, Y. Shirai and T. Miyasaka, *Organometal Halide Perovskites as Visible-Light Sensitizers for Photovoltaic Cells*, J. Am. Chem. Soc. **131**, 6050 (2009).
- [82] S. Sami et al., *Can the Dielectric Constant of Fullerene Derivatives Be Enhanced by Side-Chain Manipulation? A Predictive First-Principles Computational Study*, J. Phys. Chem. A **122**, 3919 (2018).
- [83] L. F. Pašteka et al., *Relativistic Coupled Cluster Calculations with Variational Quantum Electrodynamics Resolve the Discrepancy between Experiment and Theory Concerning the Electron Affinity and Ionization Potential of Gold*, Phys. Rev. Lett. **118**, 023002 (2017).
- [84] M. G. Kozlov, M. S. Safronova, J. R. Crespo López-Urrutia and P. O. Schmidt, *Highly charged ions: Optical clocks and applications in fundamental physics*, Rev. Mod. Phys. **90**, 045005 (2018).
- [85] M. Puchalski, J. Komasa and K. Pachucki, *Relativistic corrections for the ground electronic state of molecular hydrogen*, Phys. Rev. A **95**, 052506 (2017).
- [86] G. Breit, *The Effect of Retardation on the Interaction of Two Electrons*, Phys. Rev. **34**, 553 (1929).
- [87] L. Visscher et al., *Relativistic quantum chemistry: the MOLFDIR program package*, Comput. Phys. Commun. **81**, 120 (1994).
- [88] H. M. Quiney, H. Skaane and I. P. Grant, *Relativistic calculation of electromagnetic interactions in molecules*, J. Phys. B At. Mol. Opt. Phys. **30** (1997).
- [89] H. M. Quiney, H. Skaane and I. P. Grant, *Hyperfine and PT-odd effects in YbF*, J. Phys. B At. Mol. Opt. Phys. **31**, L85 (1998).
- [90] J. A. Gaunt, *IV. The triplets of helium*, Philos. Trans. R. Soc. London. Ser. A **228**, 151 (1929).
- [91] M. Pernpointner, *The effect of the Gaunt interaction on the electric field gradient*, J. Phys. B At. Mol. Opt. Phys. **35**, 383 (2002).
- [92] *Dyall Basis Sets*, <http://dirac.chem.sdu.dk/basisarchives/dyall/>, Accessed: 01-06-2021.
- [93] K. G. Dyall and K. Fægri, *Optimization of Gaussian basis sets for Dirac-Hartree-Fock calculations*, Theor. Chem. Acc. **94**, 39 (1996).
- [94] T. L. C. Janssen, P. A. B. Haase and A. Borschevsky, in preparation.

- [95] P. Norman, K. Ruud and T. Saue, *Principles and Practices of Molecular Properties: Theory, Modeling, and Simulations* (John Wiley & Sons, 2018).
- [96] S. P. A. Sauer, *Molecular Electromagnetism* (Oxford University Press, 2011).
- [97] P. O. Nerbrant, B. Roos and A. J. Sadlej, *First-order properties and the Hellmann-Feynman theorem in the case of a limited CI wave function*, Int. J. Quantum Chem. **15**, 135 (1979).
- [98] M. Pernpointner and L. Visscher, *Nuclear quadrupole moments for ^{27}Al and ^{69}Ga derived from four-component molecular coupled cluster calculations*, J. Chem. Phys. **114**, 10389 (2001).
- [99] H. D. Cohen and C. C. J. Roothaan, *Electric Dipole Polarizability of Atoms by the Hartree-Fock Method. I. Theory for Closed-Shell Systems*, J. Chem. Phys. **43**, S34 (1965).
- [100] W. Kutzelnigg, *Ab initio calculation of molecular properties*, J. Mol. Struct.: THEOCHEM **202**, 11 (1989).
- [101] E. E. Salpeter, *Some atomic effects of an electronic electric dipole moment*, Phys. Rev. **112**, 1642 (1958).
- [102] E. D. Commins, volume 40 of *Advances In Atomic, Molecular, and Optical Physics*, pp. 1–55 (Academic Press, 1999).
- [103] E. Lindroth, B. W. Lynn and P. G. H. Sandars, *Order α^2 theory of the atomic electric dipole moment due to an electric dipole moment on the electron*, J. Phys. B At. Mol. Opt. Phys. **22**, 559 (1989).
- [104] A. M. Mårtensson-Pendrill and P. Öster, *Calculations of atomic electric dipole moments*, Phys. Scr. **36**, 444 (1987).
- [105] E. D. Commins and D. DeMille, in *Lepton Dipole Moments*, pp. 519–581 (2009).
- [106] M. Denis et al., *Enhancement factor for the electric dipole moment of the electron in the BaOH and YbOH molecules*, Phys. Rev. A **99**, 42512 (2019).
- [107] T. J. Lee and P. R. Taylor, *A diagnostic for determining the quality of single-reference electron correlation methods*, Int. J. Quantum Chem. **23**, 199 (1989).
- [108] A. S. P. Gomes, K. G. Dyall and L. Visscher, *Relativistic double-zeta, triple-zeta, and quadruple-zeta basis sets for the lanthanides La-Lu*, Theor. Chem. Acc. **127**, 369 (2010).
- [109] M. G. Kozlov and V. F. Ezhov, *Enhancement of the electric dipole moment of the electron in the YbF molecule*, Phys. Rev. A **49**, 4502 (1994).

-
- [110] M. G. Kozlov, *Enhancement of the electric dipole moment of the electron in the YbF molecule*, J. Phys. B At. Mol. Opt. Phys. **30**, L607 (1997).
- [111] A. V. Titov, N. S. Mosyagin and V. F. Ezhov, *P,T-Odd Spin-Rotational Hamiltonian for YbF Molecule*, Phys. Rev. Lett. **77**, 5346 (1996).
- [112] N. S. Mosyagin, M. G. Kozlov and A. V. Titov, *Electric dipole moment of the electron in the YbF molecule*, J. Phys. B At. Mol. Opt. Phys. **31**, L763 (1998).
- [113] F. A. Parpia, *Ab initio calculation of the enhancement of the electric dipole moment of an electron in the YbF molecule*, J. Phys. B At. Mol. Opt. Phys. **31**, 1409 (1998).
- [114] M. K. Nayak and R. K. Chaudhuri, *Ab initio calculation of P,T-odd effects in YbF molecule*, Chem. Phys. Lett. **419**, 191 (2006).
- [115] M. K. Nayak and R. K. Chaudhuri, *Perturbative calculations of P,T-odd effects in heavy polar diatomic molecules*, J. Phys. Conf. Ser. **80**, 012051 (2007).
- [116] M. K. Nayak and R. K. Chaudhuri, *Re-appraisal of the P,T-odd interaction constant W_d in YbF: Relativistic configuration interaction approach*, Pramana **73**, 581 (2009).
- [117] M. Abe et al., *Application of relativistic coupled-cluster theory to the effective electric field in YbF*, Phys. Rev. A - At. Mol. Opt. Phys. **90**, 1 (2014).
- [118] A. Sunaga et al., *Enhancement factors of parity- and time-reversal-violating effects for monofluorides*, Phys. Rev. A **98**, 042511 (2018).
- [119] P. A. B. Haase, R. Faber, P. F. Provasi and S. P. A. Sauer, *Noniterative Doubles Corrections to the Random Phase and Higher Random Phase Approximations: Singlet and Triplet Excitation Energies*, J. Comput. Chem. **41**, 43 (2020).
- [120] S. C. Bennett and C. E. Wieman, *Measurement of the $6S \rightarrow 7S$ Transition Polarizability in Atomic Cesium and an Improved Test of the Standard Model*, Phys. Rev. Lett. **82**, 2484 (1999).
- [121] P. A. B. Haase, E. Eliav, M. Iliaš and A. Borschevsky, *Hyperfine Structure Constants on the Relativistic Coupled Cluster Level with Associated Uncertainties*, J. Phys. Chem. A p. accepted (2020).
- [122] T. G. Bergmann, M. O. Welzel and C. R. Jacob, *Towards theoretical spectroscopy with error bars: systematic quantification of the structural sensitivity of calculated spectra*, Chem. Sci. **11**, 1862 (2020).

- [123] C. B. Li, Y. M. Yu and B. K. Sahoo, *Relativistic coupled-cluster-theory analysis of energies, hyperfine-structure constants, and dipole polarizabilities of Cd⁺*, Phys. Rev. A **97**, 022512 (2018).
- [124] V. A. Dzuba, M. S. Safronova and U. I. Safronova, *Atomic properties of super-heavy elements No, Lr, and Rf*, Phys. Rev. A **90**, 012504 (2014).
- [125] T. Fleig and M. K. Nayak, *Electron electric-dipole-moment interaction constant for HfF⁺ from relativistic correlated all-electron theory*, Phys. Rev. A **88**, 032514 (2013).
- [126] L. V. Skripnikov and A. V. Titov, *Theoretical study of thorium monoxide for the electron electric dipole moment search: Electronic properties of H³Δ₁ in ThO*, J. Chem. Phys. **142**, 024301 (2015).
- [127] M. Denis and T. Fleig, *Comment on "Theoretical study of thorium monoxide for the electron electric dipole moment search: Electronic properties of H³Δ₁ in ThO"*, arXiv:1605.03091 (2016).
- [128] A. Sunaga and T. Saue, *Towards highly accurate calculations of parity violation in chiral molecules: relativistic coupled-cluster theory including QED-effects*, arXiv:2107.00682 (2021).
- [129] L. V. Skripnikov, *Approaching meV level for transition energies in the radium monofluoride molecule RaF and radium cation Ra⁺ by including quantum-electrodynamics effects*, J. Chem. Phys. **154**, 201101 (2021).
- [130] R. McWeeny and B. T. Sutcliffe, *Methods of molecular quantum mechanics* (Academic Press, 1969).
- [131] R. McWeeny, *Spins in Chemistry* (Academic Press, 1970).
- [132] A. Abragam and B. Bleaney, *Electron Paramagnetic Resonance of Transition Ions* (Oxford University Press, 1970).
- [133] R. Ferrer et al., *Towards high-resolution laser ionization spectroscopy of the heaviest elements in supersonic gas jet expansion*, Nat. Commun. **8**, 14520 (2017).
- [134] S. A. Blundell, W. R. Johnson and J. Sapirstein, *Relativistic all-order calculations of energies and matrix elements in cesium*, Phys. Rev. A **43**, 3407 (1991).
- [135] M. S. Safronova, W. R. Johnson and A. Derevianko, *Relativistic many-body calculations of energy levels, hyperfine constants, electric-dipole matrix elements, and static polarizabilities for alkali-metal atoms*, Phys. Rev. A **60**, 4476 (1999).
- [136] M. G. Kozlov, S. G. Porsev and I. I. Tupitsyn, *High-Accuracy Calculation of 6s → 7s Parity-Nonconserving Amplitude in Cs*, Phys. Rev. Lett. **86**, 3260 (2001).

-
- [137] A. Derevianko, *Correlated many-body treatment of the Breit interaction with application to cesium atomic properties and parity violation*, Phys. Rev. A **65**, 012106 (2001).
- [138] S. G. Porsev, K. Beloy and A. Derevianko, *Precision determination of weak charge of ^{133}Cs from atomic parity violation*, Phys. Rev. D **82**, 036008 (2010).
- [139] V. A. Dzuba, J. C. Berengut, V. V. Flambaum and B. Roberts, *Revisiting parity nonconservation in cesium*, Phys. Rev. Lett. **109**, 203003 (2012).
- [140] J. Ginges and V. Flambaum, *Violations of fundamental symmetries in atoms and tests of unification theories of elementary particles*, Physics Reports **397**, 63 (2004).
- [141] M. S. Safronova et al., *Search for new physics with atoms and molecules*, Rev. Mod. Phys. **90**, 025008 (2018).
- [142] D. DeMille, *Diatomic molecules, a window onto fundamental physics*, Phys. Today **68**, 34 (2015).
- [143] H. Bolvin and J. Autschbach, in W. Liu (editor), *Handb. Relativ. Quantum Chem.*, pp. 725–763 (Springer Berlin Heidelberg, 2017).
- [144] P. Jönsson, X. He, C. Froese Fischer and I. Grant, *The grasp2K relativistic atomic structure package*, Comput. Phys. Commun. **177**, 597 (2007).
- [145] V. A. Dzuba, V. V. Flambaum and O. P. Sushkov, *Relativistic many-body calculations of the hyperfine-structure intervals in caesium and francium atoms*, J. Phys. B At. Mol. Phys. **17**, 1953 (1984).
- [146] T. P. Das, *Theory of origin of hyperfine interactions in atomic systems*, Hyperfine Interact. **34**, 149 (1987).
- [147] V. A. Dzuba, V. V. Flambaum and M. G. Kozlov, *Combination of the many-body perturbation theory with the configuration-interaction method*, Phys. Rev. A **54**, 3948 (1996).
- [148] V. A. Dzuba, V. V. Flambaum, M. G. Kozlov and S. G. Porsev, *Using effective operators in calculating the hyperfine structure of atoms*, J. Exp. Theor. Phys. **87**, 885 (1998).
- [149] V. A. Dzuba, V. V. Flambaum, P. G. Silvestrov and O. P. Sushkov, *Correlation potential method for the calculation of energy levels, hyperfine structure and $E1$ transition amplitudes in atoms with one unpaired electron*, J. Phys. B At. Mol. Phys. **20**, 1399 (1987).

- [150] M. S. Safronova, A. Derevianko and W. R. Johnson, *Relativistic many-body calculations of energy levels, hyperfine constants, and transition rates for sodiump-like ions*, $Z = 11 - 16$, Phys. Rev. A **58**, 1016 (1998).
- [151] M. Das, R. K. Chaudhuri, S. Chattopadhyay and U. S. Mahapatra, *Fock-space multireference coupled-cluster calculations of the hyperfine structure of isoelectronic $^{33}\text{S}^-$ and $^{35,37}\text{Cl}$* , Phys. Rev. A - At. Mol. Opt. Phys. **84**, 1 (2011).
- [152] T. Fleig and M. K. Nayak, *Electron electric dipole moment and hyperfine interaction constants for ThO* , J. Mol. Spectrosc. **300**, 16 (2014).
- [153] S. Sasmal et al., *Relativistic extended-coupled-cluster method for the magnetic hyperfine structure constant*, Phys. Rev. A **91**, 022512 (2015).
- [154] S. Sasmal, *Calculation of the magnetic hyperfine structure constant of alkali metals and alkaline-earth-metal ions using the relativistic coupled-cluster method*, Phys. Rev. A **96**, 012510 (2017).
- [155] S. Sasmal et al., *Calculation of hyperfine structure constants of small molecules using Z -vector method in the relativistic coupled-cluster framework*, J. Chem. Sci. **128**, 1671 (2016).
- [156] A. Shee, L. Visscher and T. Saue, *Analytic one-electron properties at the 4-component relativistic coupled cluster level with inclusion of spin-orbit coupling*, J. Chem. Phys. **145**, 184107 (2016).
- [157] I. S. Lim and P. Schwerdtfeger, *Four-component and scalar relativistic Douglas-Kroll calculations for static dipole polarizabilities of the alkaline-earth-metal elements and their ions from Ca^n to Ra^n ($n = 0, +1, +2$)*, Phys. Rev. A **70**, 062501 (2004).
- [158] V. Arcisauskaitė, S. Knecht, S. P. A. Sauer and L. Hemmingsen, *Fully relativistic coupled cluster and DFT study of electric field gradients at Hg in 199Hg compounds*, Phys. Chem. Chem. Phys. **14**, 2651 (2012).
- [159] L. Visscher, T. Enevoldsen, T. Saue and J. Oddershede, *Molecular relativistic calculations of the electric field gradients at the nuclei in the hydrogen halides*, J. Chem. Phys. **109**, 9677 (1998).
- [160] H. Yakobi, E. Eliav and U. Kaldor, *Nuclear quadrupole moment of ^{197}Au from high-accuracy atomic calculations*, J. Chem. Phys. **126**, 184305 (2007).
- [161] S. Knecht et al., *Mössbauer spectroscopy for heavy elements: a relativistic benchmark study of mercury*, Theor. Chem. Acc. **129**, 631 (2011).

-
- [162] Y. Hao et al., *Nuclear anapole moment interaction in BaF from relativistic coupled-cluster theory*, Phys. Rev. A **98**, 1 (2018).
- [163] H. Sekino and R. J. Bartlett, *Spin density of radicals by finite field many-body methods*, J. Chem. Phys. **82**, 4225 (1985).
- [164] R. J. Bartlett and G. D. Purvis, *Molecular hyperpolarizabilities. I. Theoretical calculations including correlation*, Phys. Rev. A **20**, 1313 (1979).
- [165] I. Carmichael, *Ab initio coupled-cluster calculations of isotropic hyperfine splitting in some diatomic hydrides*, J. Phys. Chem. **94**, 5734 (1990).
- [166] A. Abragam and M. H. L. Pryce, *Theory of the nuclear hyperfine structure of paramagnetic resonance spectra in crystals*, Proc. R. Soc. London. Ser. A. Math. Phys. Sci. **205**, 135 (1951).
- [167] M. H. L. Pryce, *A Modified Perturbation Procedure for a Problem in Paramagnetism*, Proc. Phys. Soc. Sect. A **63**, 25 (1950).
- [168] J. S. Griffith, *Some investigations in the theory of open-shell ions. Part I. The spin-Hamiltonian*, Mol. Phys. **3**, 79 (1960).
- [169] R. McWeeny, *On the Origin of Spin-Hamiltonian Parameters*, J. Chem. Phys. **42**, 1717 (1965).
- [170] B. T. Saue, K. Faegri, T. Helgaker and O. Gropen, *Principles of direct 4-component relativistic SCF: application to caesium auride*, Mol. Phys. **91**, 937 (1997).
- [171] C. Schwartz, *Theory of Hyperfine Structure*, Phys. Rev. **97**, 380 (1955).
- [172] T. Saue and H. J. A. Jensen, *Quaternion symmetry in relativistic molecular calculations: The Dirac-Hartree-Fock method*, J. Chem. Phys. **111**, 6211 (1999).
- [173] DIRAC, a relativistic ab initio electronic structure program, Release DIRAC17 (2017), written by L. Visscher, H. J. Aa. Jensen, R. Bast, and T. Saue, with contributions from V. Bakken, K. G. Dyall, S. Dubillard, U. Ekström, E. Eliav, T. Enevoldsen, E. Faßhauer, T. Fleig, O. Fossgaard, A. S. P. Gomes, E. D. Hedegård, T. Helgaker, J. Henriksson, M. Iliaš, Ch. R. Jacob, S. Knecht, S. Komorovský, O. Kullie, J. K. Lærdahl, C. V. Larsen, Y. S. Lee, H. S. Nataraj, M. K. Nayak, P. Norman, G. Olejniczak, J. Olsen, J. M. H. Olsen, Y. C. Park, J. K. Pedersen, M. Pernpointner, R. di Remigio, K. Ruud, P. Salek, B. Schimmelpfennig, A. Shee, J. Sikkema, A. J. Thorvaldsen, J. Thyssen, J. van Stralen, S. Villaume, O. Visser, T. Winther, and S. Yamamoto (see <http://www.diracprogram.org>).

- [174] I. Malkin, O. L. Malkina, V. G. Malkin and M. Kaupp, *Relativistic two-component calculations of electronic g-tensors that include spin polarization*, J. Chem. Phys. **123**, 244103 (2005).
- [175] K. Gaul and R. Berger, *Ab initio study of parity and time-reversal violation in laser-coolable triatomic molecules*, Phys. Rev. A **101**, 012508 (2020).
- [176] <https://webbook.nist.gov/>.
- [177] L. B. Knight, W. C. Easley, W. Weltner and M. Wilson, *Hyperfine Interaction and Chemical Bonding in MgF, CaF, SrF, and BaF molecules*, J. Chem. Phys. **54**, 322 (1971).
- [178] N. J. Stone, *Table of nuclear magnetic dipole and electric quadrupole moments*, At. Data Nucl. Data Tables **90**, 75 (2005).
- [179] K. G. Dyall, *Relativistic Double-Zeta, Triple-Zeta, and Quadruple-Zeta Basis Sets for the 4s, 5s, 6s, and 7s Elements*, J. Phys. Chem. A **113**, 12638 (2009).
- [180] K. G. Dyall, *Core correlating basis functions for elements 31–118*, Theor. Chem. Acc. **131**, 1217 (2012).
- [181] K. G. Dyall, *Relativistic double-zeta, triple-zeta, and quadruple-zeta basis sets for the light elements H-Ar*, Theor. Chem. Acc. **135**, 128 (2016).
- [182] L. Visscher, T. J. Lee and K. G. Dyall, *Formulation and implementation of a relativistic unrestricted coupled-cluster method including noniterative connected triples*, J. Chem. Phys. **105**, 8769 (1996).
- [183] J. A. Pople, J. W. McIver and N. S. Ostlund, *Self-Consistent Perturbation Theory. I. Finite Perturbation Methods*, J. Chem. Phys. **49**, 2960 (1968).
- [184] *Supporting Information*, <https://pubs.acs.org/doi/10.1021/acs.jpca.0c00877>, Accessed: 29-11-2021.
- [185] M. Repiský et al., *ReSpect, version 3.3.0(beta), 2013; Relativistic Spectroscopy DFT program*.
- [186] E. Malkin et al., *Effects of finite size nuclei in relativistic four-component calculations of hyperfine structure*, J. Chem. Phys. **134**, 044111 (2011).
- [187] S. Gohr et al., *Four-Component Relativistic Density Functional Theory Calculations of EPR g- and Hyperfine-Coupling Tensors Using Hybrid Functionals: Validation on Transition-Metal Complexes with Large Tensor Anisotropies and Higher-Order Spin-Orbit Effects*, J. Phys. Chem. A **119**, 12892 (2015).

-
- [188] P. A. B. Haase et al., *Relativistic DFT Calculations of Hyperfine Coupling Constants in 5d Hexafluorido Complexes: $[ReF_6]^{2-}$ and $[IrF_6]^{2-}$* , Chem. - A Eur. J. **24**, 5124 (2018).
- [189] L. Visscher, *Approximate molecular relativistic Dirac-Coulomb calculations using a simple Coulombic correction*, Theor. Chem. Accounts Theory, Comput. Model. (Theoretica Chim. Acta) **98**, 68 (1997).
- [190] C. Ryzlewicz, H. U. Schütze-Pahlmann, J. Hoeft and T. Törring, *Rotational spectrum and hyperfine structure of the 2Σ radicals BaF and BaCl*, Chem. Phys. **71**, 389 (1982).
- [191] E. Arimondo, M. Inguscio and P. Violino, *Experimental determinations of the hyperfine structure in the alkali atoms*, Rev. Mod. Phys. **49**, 31 (1977).
- [192] E. D. Hedegård, J. Kongsted and S. P. A. Sauer, *Optimized Basis Sets for Calculation of Electron Paramagnetic Resonance Hyperfine Coupling Constants: aug-cc-pVTZ-J for the 3d Atoms Sc-Zn*, J. Chem. Theory Comput. **7**, 4077 (2011).
- [193] E. D. Hedegård, J. Kongsted and S. P. A. Sauer, *Improving the calculation of electron paramagnetic resonance hyperfine coupling tensors for d-block metals*, Phys. Chem. Chem. Phys. **14**, 10669 (2012).
- [194] Y. B. Tang, B. Q. Lou and T. Y. Shi, *Ab initio studies of electron correlation effects in magnetic dipolar hyperfine interaction of Cs*, J. Phys. B At. Mol. Opt. Phys. **52**, 055002 (2019).
- [195] K. Talukdar et al., *Correlation trends in the magnetic hyperfine structure of atoms: A relativistic coupled-cluster case study*, Phys. Rev. A **98**, 022507 (2018).
- [196] O. P. Sushkov, *Breit-interaction correction to the hyperfine constant of an external s electron in a many-electron atom*, Phys. Rev. A **63**, 042504 (2001).
- [197] J. S. M. Ginges, A. V. Volotka and S. Fritzsche, *Ground-state hyperfine splitting for Rb, Cs, Fr, Ba⁺ and Ra⁺*, Phys. Rev. A **96**, 062502 (2017).
- [198] P. Verma and J. Autschbach, *Relativistic Density Functional Calculations of Hyperfine Coupling with Variational versus Perturbational Treatment of Spin-Orbit Coupling*, J. Chem. Theory Comput. **9**, 1932 (2013).
- [199] J. Sapirstein and K. T. Cheng, *Calculation of radiative corrections to hyperfine splittings in the neutral alkali metals*, Phys. Rev. A **67**, 022512 (2003).
- [200] J. S. M. Ginges, *Private communication*.

- [201] S. D. Prosnjak, D. E. Maison and L. V. Skripnikov, *Many body study of the bohr-weisskopf effect in the thallium atom*, arXiv:1903.03093 (2019).
- [202] M. G. Kozlov, A. V. Titov, N. S. Mosyagin and P. V. Souchko, *Enhancement of the electric dipole moment of the electron in the BaF molecule*, Phys. Rev. A **56**, R3326 (1997).
- [203] M. K. Nayak and R. K. Chaudhuri, *Determination of molecular hyperfine-structure constant using the second-order relativistic many-body perturbation theory*, Phys. Rev. A **83**, 022504 (2011).
- [204] M. Denis et al., *Enhanced P , T -violating nuclear magnetic quadrupole moment effects in laser-coolable molecules*, J. Chem. Phys. **152** (2020).
- [205] M. Tanabashi et al., *Review of Particle Physics*, Phys. Rev. D **98**, 030001 (2018).
- [206] G. Bertone (editor), *Particle Dark Matter: Observations, Models and Searches* (Cambridge University Press, 2010).
- [207] N. Arkani-Hamed, T. Han, M. Mangano and L. T. Wang, *Physics opportunities of a 100 TeV proton-proton collider*, Phys. Rep. **652**, 1 (2016).
- [208] J. P. Uzan, *Varying constants, gravitation and cosmology*, Living Reviews in Relativity **14** (2011).
- [209] M. Gavela et al., *Standard model CP-violation and baryon asymmetry (II). Finite temperature*, Nucl. Phys. B **430**, 382 (1994).
- [210] W. Bernreuther and M. Suzuki, *The electric dipole moment of the electron*, Rev. Mod. Phys. **63**, 313 (1991).
- [211] A. Czarnecki and W. J. Marciano, *Electromagnetic Dipole Moments and New Physics*, pp. 11–67 (World Scientific, 2009).
- [212] P. G. H. Sandars, *The electric dipole moment of an atom*, Phys. Lett. **14**, 194 (1965).
- [213] P. G. H. Sandars, *Measurability of the Proton Electric Dipole Moment*, Phys. Rev. Lett. **19**, 1396 (1967).
- [214] O. P. Sushkov and V. V. Flambaum, *Parity breaking effects in diatomic molecules*, Sov. Phys. JETP **48** (1978).
- [215] E. D. Commins, J. D. Jackson and D. DeMille, *The electric dipole moment of the electron: An intuitive explanation for the evasion of Schiff's theorem*, Am. J. Phys. **75**, 532 (2007).

- [216] M. K. Nayak and R. K. Chaudhuri, *Ab initio calculation of P , T -odd interaction constant in BaF: a restricted active space configuration interaction approach*, J. Phys. B At. Mol. Opt. Phys. **39**, 1231 (2006).
- [217] M. K. Nayak, R. K. Chaudhuri and B. P. Das, *Ab initio calculation of the electron-nucleus scalar-pseudoscalar interaction constant W_s in heavy polar molecules*, Phys. Rev. A **75**, 022510 (2007).
- [218] E. R. Meyer and J. L. Bohn, *Prospects for an electron electric-dipole moment search in metastable ThO and ThF⁺*, Phys. Rev. A **78**, 010502 (2008).
- [219] M. Fukuda, K. Soga, M. Senami and A. Tachibana, *Local spin dynamics with the electron electric dipole moment*, Phys. Rev. A **93**, 012518 (2016).
- [220] J. M. Brown and A. Carrington, *Rotational Spectroscopy of Diatomic Molecules* (Cambridge University Press, 2003).
- [221] M. R. Tarbutt, J. J. Hudson, B. E. Sauer and E. A. Hinds, *Prospects for measuring the electric dipole moment of the electron using electrically trapped polar molecules*, Faraday Discuss. **142**, 37 (2009).
- [222] M. Lemeshko, R. V. Krems, J. M. Doyle and S. Kais, *Manipulation of molecules with electromagnetic fields*, Mol. Phys. **111**, 1648 (2013).
- [223] A. Sunaga et al., *Relativistic coupled-cluster study of diatomic metal-alkali-metal molecules for electron electric dipole moment searches*, J. Phys. B At. Mol. Opt. Phys. **53**, 015102 (2020).
- [224] *Supplementary Information*, <https://aip.scitation.org/doi/suppl/10.1063/5.0047344>, Accessed: 29-11-2021.
- [225] K. Talukdar et al., *Correlation trends in the magnetic hyperfine structure of atoms: A relativistic coupled-cluster case study*, Phys. Rev. A **98**, 022507 (2018).
- [226] L. V. Skripnikov, D. E. Maison and N. S. Mosyagin, *Scalar-pseudoscalar interaction in the francium atom*, Phys. Rev. A **95**, 022507 (2017).
- [227] A. Sunaga, M. Abe, M. Hada and B. P. Das, *Relativistic coupled-cluster calculation of the electron-nucleus scalar-pseudoscalar interaction constant W_s in YbF*, Phys. Rev. A **93**, 042507 (2016).
- [228] R. Bast et al., *Analysis of parity violation in chiral molecules*, Phys. Chem. Chem. Phys. **13**, 864 (2011).
- [229] W. Kutzelnigg, *The relativistic many body problem in molecular theory*, Phys. Scr. **36**, 416 (1987).

- [230] W. Kutzelnigg, *Solved and unsolved problems in relativistic quantum chemistry*, Chem. Phys. **395**, 16 (2012).
- [231] I. Fdez. Galván et al., *OpenMolcas: From Source Code to Insight*, J. Chem. Theory Comput. **15**, 5925 (2019).
- [232] V. E. Ingamells, M. G. Papadopoulos and A. J. Sadlej, *Vibrational corrections to static electric properties of diatomics by Numerov-Cooley integration*, Chem. Phys. Lett. **316**, 541 (2000).
- [233] S. Sasmal et al., *Calculation of P, T -odd interaction constant of PbF using Z -vector method in the relativistic coupled-cluster framework*, J. Chem. Phys. **143**, 084119 (2015).
- [234] M. G. Kozlov, *Semiempirical calculations of P - and P, T -odd effects in diatomic molecules-radical*, Zh. Eksp. Teor. Fiz. **89**, 1933 (1985).
- [235] C. Ryzlewicz and T. Törring, *Formation and microwave spectrum of the 2Σ -radical barium-monofluoride*, Chem. Phys. **51**, 329 (1980).
- [236] T. Fleig, *P, T -odd and magnetic hyperfine-interaction constants and excited-state lifetime for HfF^+* , Phys. Rev. A **96**, 040502 (2017).
- [237] N. Fitch and M. Tarbutt, in *Adv. At. Mol. Opt. Phys.*, volume 70, pp. 157–262 (2021).
- [238] A. D. Ludlow et al., *Optical atomic clocks*, Rev. Mod. Phys. **87**, 637 (2015).
- [239] B. E. Sauer et al., *Perturbed hyperfine doubling in the $A^2\Pi_{1/2}$ and $[18.6]0.5$ states of YbF* , J. Chem. Phys. **110**, 8424 (1999).
- [240] V. R. M. et al. (NL eEDM collaboration), in preparation.
- [241] A. V. Oleynichenko et al., *Diagonal and off-diagonal hyperfine structure matrix elements in KCs within the relativistic Fock space coupled cluster theory*, Chem. Phys. Lett. **756**, 137825 (2020).
- [242] J. V. Pototschnig, K. G. Dyall, L. Visscher and A. S. P. Gomes, *Electronic spectra of ytterbium fluoride from relativistic electronic structure calculations*, Phys. Chem. Chem. Phys. p. 22330 (2021).
- [243] F. P. Gustafsson et al., *Tin resonance-ionization schemes for atomic- and nuclear-structure studies*, Phys. Rev. A **102**, 052812 (2020).
- [244] A. de Vries, P. A. B. Haase, E. Eliav and A. Borschevsky, in preparation.

-
- [245] R. A. Frosch and H. M. Foley, *Magnetic hyperfine structure in diatomic molecules*, Phys. Rev. **88**, 1337 (1952).
- [246] G. C. Dousmanis, *Magnetic Hyperfine Effects and Electronic Structure of NO*, Phys. Rev. **97**, 967 (1955).
- [247] R. J. Mawhorter et al., *Characterization of the ground X_1 state of $^{204}\text{Pb}^{19}\text{F}$, $^{206}\text{Pb}^{19}\text{F}$, $^{207}\text{Pb}^{19}\text{F}$ and $^{208}\text{Pb}^{19}\text{F}$* , Phys. Rev. A **84**, 022508 (2011).
- [248] C. Effantin et al., *Studies of the electronic states of the BaF molecule*, Molecular Physics **70**, 735 (1990).
- [249] W. E. Ernst, J. Kändler and T. Törring, *Hyperfine structure and electric dipole moment of BaF $X^2\Sigma^+$* , J. Chem. Phys. **84**, 4769 (1986).
- [250] J. V. Pototschnig et al., *Implementation of Relativistic Coupled Cluster Theory for Massively Parallel GPU-Accelerated Computing Architectures*, J. Chem. Theory Comput. **17**, 5509 (2021).
- [251] K. Gaul and R. Berger, *Toolbox approach for quasi-relativistic calculation of molecular properties for precision tests of fundamental physics*, J. Chem. Phys. **152** (2020).

