

## University of Groningen

### Untying the knot

Bijleveld, Allert Imre

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*  
2015

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Bijleveld, A. I. (2015). *Untying the knot: Mechanistically understanding the interactions between social foragers and their prey*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen.

**Copyright**

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

**Take-down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

*Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.*

# References

## A

- Aarts, G., M. MacKenzie, B. McConnell, M. Fedak, and J. Matthiopoulos. (2008). Estimating space-use and habitat preference from wildlife telemetry data. *Ecography* **31**(1):140-160.
- Aarts, G., J. Fieberg, S. Brasseur, and J. Matthiopoulos. (2013). Quantifying the effect of habitat availability on species distributions. *Journal of Animal Ecology* **82**(6):1135-1145.
- Afanasyev, V. (2004). A miniature daylight level and activity data recorder for tracking animals over long periods. *Memoirs of National Institute of Polar Research. Special issue.* **58**:227-233.
- Aitchison, J. (1986). *The Statistical Analysis Of Compositional Data*. Chapman and Hall, London.
- Andrew, N. L., and B. D. Mapstone. (1987). Sampling and the description of spatial pattern in marine ecology. *Oceanography and Marine Biology* **25**:39-90.
- Aplin, L. M., D. R. Farine, J. Morand-Ferron, A. Cockburn, A. Thornton, and B. C. Sheldon. (2014). Experimentally induced innovations lead to persistent culture via conformity in wild birds. *Nature* **518**(7540):538-541.
- Araújo, M. S., D. I. Bolnick, and C. A. Layman. (2011). The ecological causes of individual specialisation. *Ecology Letters* **14**(9):948-958.
- Armitage, K. B., and D. H. Van Vuren. (2003). Individual differences and reproductive success in yellow-bellied marmots. *Ethology Ecology & Evolution* **15**(3):207-233.
- Armonies, W. (1992). Migratory rhythms of drifting juvenile mollusks in tidal waters of the Wadden Sea. *Marine Ecology Progress Series* **83**:197-206.
- Armonies, W., and K. Reise. (2003). Empty habitat in coastal sediments for populations of macrozoobenthos. *Helgoland Marine Research* **56**(4):279-287.

## B

- Babin, J.-S., D. Fortin, J. F. Wilmshurst, and M.-E. Fortin. (2011). Energy gains predict the distribution of plains bison across populations and ecosystems. *Ecology* **92**(1):240-252.
- Baddeley, A., and R. Turner. (2005). Spatstat: an R package for analyzing spatial point patterns. *Journal of Statistical Software* **12**(6):1-42.
- Baker, A. J., and T. Piersma. (1999). Molecular vs. phenotypic sexing in Red Knots. *Condor* **101**(4):887-893.
- Baldwin, J. M. (1896). A new factor in evolution. *American Naturalist* **30**(354):441-451.
- Barnard, C. J., and R. M. Sibly. (1981). Producers and scroungers: a general model and its application to captive flocks of house sparrows. *Animal Behaviour* **29**(2):543-550.
- Barnard, C. J. (2004). *Animal behaviour: mechanism, development, function and evolution*. Pearson Education Limited, Harlow.
- Barraquand, F., and S. Benhamou. (2008). Animal movements in heterogeneous landscapes: identifying profitable places and homogeneous movement bouts. *Ecology* **89**(12):3336-3348.
- Barta, Z., and L.-A. Giraldeau. (1998). The effect of dominance hierarchy on the use of alternative foraging tactics: a phenotype-limited producing-scrounging game. *Behavioral Ecology and Sociobiology* **42**(3):217-223.
- Barta, Z., and L.-A. Giraldeau. (2001). Breeding colonies as information centers: a reappraisal of information-based hypotheses using the producer-scrounger game. *Behavioral Ecology* **12**(2):121-127.
- Bateson, P. (2001). Fetal experience and good adult design. *International Journal of Epidemiology* **30**(5):928-934.
- Bateson, P. (2005). The return of the whole organism. *Journal of biosciences* **30**(1):31-39.
- Battley, P. F., and T. Piersma (2005). Adaptive interplay between feeding ecology and features of the digestive tract in birds. In: *Physiological and ecological adaptations to feeding in vertebrates* (eds. J. M. Starck and T. Wang). Science Publishers, Enfield, USA, pp. 201-228.
- Battley, P. F., N. Warnock, T. L. Tibbitts, R. E. Gill, T. Piersma, C. J. Hassell, D. C. Douglas, D. M. Mulcahy, B. D. Gartrell, and R. Schuckard. (2012). Contrasting extreme long-distance migration patterns in bar-tailed godwits *Limosa lapponica*. *Journal of Avian Biology* **43**(1):21-32.
- Bautista, L. M., J. C. Alonso, and J. A. Alonso. (1995). A field-test of ideal free distribution in flock-feeding Common Cranes. *Journal of Animal Ecology* **64**(6):747-757.

- Beauchamp, G. (1998). The effect of group size on mean food intake rate in birds. *Biological Reviews* **73**(4):449-472.
- Beauchamp, G. (1999). The evolution of communal roosting in birds: origin and secondary losses. *Behavioral Ecology* **10**(6):675-687.
- Beauchamp, G. (2003). Group-size effects on vigilance: a search for mechanisms. *Behavioural Processes* **63**(3):111-121.
- Beauchamp, G. (2009). How does food density influence vigilance in birds and mammals? *Animal Behaviour* **78**(2):223-231.
- Beauchamp, G. (2014). *Social predation: how group living benefits predators and prey*. Academic Press, Waltham MA, USA.
- Beddington, J. R. (1975). Mutual interference between parasites or predators and its effect on searching efficiency. *Journal of Animal Ecology* **44**(1):331-340.
- Bell, A. M. (2005). Behavioural differences between individuals and two populations of stickleback (*Gasterosteus aculeatus*). *Journal of Evolutionary Biology* **18**(2):464-473.
- Bell, A. M., and A. Sih. (2007). Exposure to predation generates personality in threespined sticklebacks (*Gasterosteus aculeatus*). *Ecology Letters* **10**(9):828-834.
- Bell, A. M., S. J. Hankison, and K. L. Laskowski. (2009). The repeatability of behaviour: a meta-analysis. *Animal Behaviour* **77**(4):771-783.
- Benkman, C. W., J. W. Smith, M. Maier, L. Hansen, and M. V. Talluto. (2013). Consistency and variation in phenotypic selection exerted by a community of seed predators. *Evolution* **67**(1):157-169.
- Bergmüller, R., and M. Taborsky. (2010). Animal personality due to social niche specialisation. *Trends in Ecology & Evolution* **25**(9):504-511.
- Bergström, U., G. Englund, and E. Bonsdorff. (2002). Small-scale spatial structure of Baltic Sea zoobenthos: inferring processes from patterns. *Journal of Experimental Marine Biology and Ecology* **281**(1-2):123-136.
- Beukema, J. J. (1974). Seasonal changes in the biomass of the macro-benthos of a tidal flat area in the Dutch Wadden Sea. *Netherlands Journal of Sea Research* **8**(1):94-107.
- Beukema, J. J. (1976). Biomass and species richness of the macro-benthic animals living on the tidal flats of the Dutch Wadden Sea. *Netherlands Journal of Sea Research* **10**(2):236-261.
- Beukema, J. J., K. Essink, H. Michaelis, and L. Zwarts. (1993). Year-to-year variability in the biomass of macrobenthic animals on tidal flats of the Wadden Sea: how predictable is this food source for birds? *Netherlands Journal of Sea Research* **31**(4):319-330.
- Beukema, J. J., R. Dekker, K. Essink, and H. Michaelis. (2001). Synchronized reproductive success of the main bivalve species in the Wadden Sea: causes and consequences. *Marine Ecology Progress Series* **211**:143-155.
- Beukema, J. J., and R. Dekker. (2006). Annual cockle *Cerastoderma edule* production in the Wadden Sea usually fails to sustain both wintering birds and a commercial fishery. *Marine Ecology Progress Series* **309**:189-204.
- Bijleveld, A. I., G. Massourakis, A. van der Marel, A. Dekinga, B. Spaans, J. A. van Gils, and T. Piersma. (2014). Data from: Personality drives physiological adjustments and is not related to survival. Dryad Digital Repository. <http://dx.doi.org/10.5061/dryad.jr934>.
- Bijleveld, A. I., S. Twietmeyer, J. Piechocki, J. A. van Gils, and T. Piersma. (2015). Data from: Natural selection by pulsed predation: survival of the thickest. Dryad Digital Repository. <http://dx.doi.org/10.5061/dryad.bk200>.
- Biro, P. A., and J. A. Stamps. (2008). Are animal personality traits linked to life-history productivity? *Trends in Ecology & Evolution* **23**(7):361-368.
- Biro, P. A., and J. A. Stamps. (2010). Do consistent individual differences in metabolic rate promote consistent individual differences in behavior? *Trends in Ecology & Evolution* **25**(11):653-659.
- Bjornstad, O. N. (2006). ncf: spatial nonparametric covariance functions. R package version 1.1-3. <http://CRAN.R-project.org/package=ncf>.
- Black, J. D. (1932). A winter robin roost in Arkansas. *Wilson Bulletin* **44**(1):13-19.
- Blanchet, S., J. Clobert, and E. Danchin. (2010). The role of public information in ecology and conservation: an emphasis on inadvertent social information. *Annals of the New York Academy of Sciences* **1195**:149-168.

- Blanco, G., and J. L. Tella. (1999). Temporal, spatial and social segregation of red-billed choughs between two types of communal roost: a role for mating and territory acquisition. *Animal Behaviour* **57**:1219-1227.
- Boere, G. C., and T. Piersma. (2012). Flyway protection and the predicament of our migrant birds: a critical look at international conservation policies and the Dutch Wadden Sea. *Ocean & Coastal Management* **68**:157-168.
- Boldina, I., and P. G. Beninger. (2013). Fine-scale spatial structure of the exploited infaunal bivalve *Cerastoderma edule* on the French Atlantic coast. *Journal of Sea Research* **76**:193-200.
- Bolker, B., M. Holyoak, V. Křivan, L. Rowe, and O. Schmitz. (2003). Connecting theoretical and empirical studies of trait-mediated interactions. *Ecology* **84**(5):1101-1114.
- Bolnick, D. I., R. Svanbäck, J. A. Fordyce, L.H. Yang, J.M. Davis, C. D.Hulsey, and M.L. Forister. (2003). The ecology of individuals: incidence and implications of individual specialization. *American Naturalist* **161**(1):1-28.
- Bolnick, D. I., P. Amarasekare, M. S. Araújo, R. Bürger, J. M. Levine, M. Novak, V. H. W. Rudolf, S. J. Schreiber, M. C. Urban, and D. A. Vasseur. (2011). Why intraspecific trait variation matters in community ecology. *Trends in Ecology & Evolution* **26**(4):183-192.
- Boon, A. K., D. Réale, and S. Boutin. (2008). Personality, habitat use, and their consequences for survival in North American red squirrels *Tamiasciurus hudsonicus*. *Oikos* **117**(9):1321-1328.
- Boulinier, T., K. D. McCoy, N. G. Yoccoz, J. Gasparini, and T. Tveraa. (2008). Public information affects breeding dispersal in a colonial bird: kittiwakes cue on neighbours. *Biology Letters* **4**(5):538-540.
- Bouten, W., E. W. Baaij, J. Shamoun-Baranes, and K. C. J. Camphuysen. (2013). A flexible GPS tracking system for studying bird behaviour at multiple scales. *Journal of Ornithology* **154**(2):571-580.
- Bouwhuis, S., J. L. Quinn, B. C. Sheldon, and S. Verhulst. (2014). Personality and basal metabolic rate in a wild bird population. *Oikos* **123**(1):56-62.
- Bowlin, M. S., P. Henningsson, F. T. Muijres, R. H. E. Vleugels, F. Liechti, and A. Hedenström. (2010). The effects of geolocator drag and weight on the flight ranges of small migrants. *Methods in Ecology and Evolution* **1**(4):398-402.
- Brenner, F. J. (1965). Metabolism and survival time of grouped starlings at various temperatures. *Wilson Bulletin* **77**(4):388-395.
- Bridge, E. S., K. Thorup, M. S. Bowlin, P. B. Chilson, R. H. Diehl, R. W. Fléron, K. Roland, J. F. Kelly, and W. D. Robinson. (2011). Technology on the move: recent and forthcoming innovations for tracking migratory birds. *Bioscience* **61**(9):689-698.
- Bridge, E. S., J. F. Kelly, A. Contina, R. M. Gabrielson, R. B. MacCurdy, and D. W. Winkler. (2013). Advances in tracking small migratory birds: a technical review of light-level geolocation. *Journal of Field Ornithology* **84**(2):121-137.
- Brown, C., and K. N. Laland. (2003). Social learning in fishes: a review. *Fish and Fisheries* **4**(3):280-288.
- Brown, C. R. (1986). Cliff swallow colonies as information centers. *Science* **234**:83-85.
- Brown, C. R., M. B. Brown, and E. Danchin. (2000). Breeding habitat selection in cliff swallows: the effect of conspecific reproductive success on colony choice. *Journal of Animal Ecology* **69**(1):133-142.
- Brown, J. S. (1988). Patch use as an indicator of habitat preference, predation risk, and competition. *Behavioral Ecology and Sociobiology* **22**(1):37-47.
- Buckley, N. J. (1997). Experimental tests of the information-center hypothesis with black vultures (*Coragyps atratus*) and turkey vultures (*Cathartes aura*). *Behavioral Ecology and Sociobiology* **41**(4):267-279.
- Buehler, D. M. (2008). *Bottlenecks, budgets and immunity: the costs and benefits of immune function over the annual cycle of red knots (Calidris canutus)*. PhD thesis. University of Groningen, Groningen.
- Buehler, D. M., and T. Piersma. (2008). Travelling on a budget: predictions and ecological evidence for bottlenecks in the annual cycle of long-distance migrants. *Philosophical Transactions of the Royal Society B: Biological Sciences* **363**:247-266.

## C

- Caccamise, D. F., and R. S. Hedin. (1985). An aerodynamic basis for selecting transmitter loads in birds. *The Wilson Bulletin* **97**(3):306-318.
- Calsbeek, R., and R. M. Cox. (2010). Experimentally assessing the relative importance of predation and competition as agents of selection. *Nature* **465**(7298):613-616.
- Caraco, T. (1979). Time budgeting and group size: a test of theory. *Ecology* **60**(3):618-627.
- Careau, V., D. Thomas, M. M. Humphries, and D. Réale. (2008). Energy metabolism and animal personality. *Oikos* **117**(5):641-653.
- Carere, C., and D. Maestriperi. (2013). *Animal personalities: behavior, physiology, and evolution*. The University of Chicago Press, Chicago, IL.
- Caro, T. (2005). *Antipredator defenses in birds and mammals*. University of Chicago Press, Chicago.
- Carter, A. J., W. E. Feeney, H. H. Marshall, G. Cowlshaw, and R. Heinsohn. (2013). Animal personality: what are behavioural ecologists measuring? *Biological Reviews* **88**(2):465-475.
- Catchpole, C. K. (1986). Song repertoires and reproductive success in the great reed warbler *Acrocephalus arundinaceus*. *Behavioral Ecology and Sociobiology* **19**(6):439-445.
- Catry, T., J. A. Alves, J. A. Gill, T. G. Gunnarsson, and J. P. Granadeiro. (2012). Sex promotes spatial and dietary segregation in a migratory shorebird during the non-breeding season. *PLoS ONE* **7**(3):e33811.
- Charnov, E. L. (1976). Optimal foraging, the marginal value theorem. *Theoretical Population Biology* **9**(2):129-136.
- Chen, H., S. Cartmell, Q. Wang, T. Lozano, Z. D. Deng, H. Li, X. Chen, Y. Yuan, M. E. Gross, T. J. Carlson, and J. Xiao. (2014). Micro-battery development for juvenile salmon acoustic telemetry system applications. *Scientific reports* **4**.
- Cheng, K.-W., K. Natarajan, and D. Allstot. (2009). A 7.2mW quadrature GPS receiver in 0.13 micron CMOS. Pages 422-423, 423a in *IEEE international solid-state circuits conference*. Digest of technical papers. IEEE International, San Francisco, CA.
- Choquet, R., J.-D. Lebreton, O. Gimenez, A.-M. Reboulet, and R. Pradel. (2009). U-CARE: Utilities for performing goodness of fit tests and manipulating CAPture-REcapture data. *Ecography* **32**(6):1071-1074.
- Clark, C. W., and M. Mangel. (1984). Foraging and flocking strategies: information in an uncertain environment. *American Naturalist* **123**(5):626-641.
- Clark, C. W., and M. Mangel. (1986). The evolutionary advantages of group foraging. *Theoretical Population Biology* **30**(1):45-75.
- Clarke, P. J., and F. C. Evans. (1954). Distance to nearest neighbor as a measure of spatial relationships in populations. *Ecology* **35**(4):445-453.
- Cliff, A. D., and J. K. Ord. (1981). *Spatial processes: Models and applications*. Pion Ltd., London.
- Cochran, W. W., and R. D. Lord Jr. (1963). A radio-tracking system for wild animals. *The Journal of Wildlife Management* **27**:9-24.
- Cochran, W. W. (1972). Long-distance tracking of birds. *NASA Special Publication* **262**:39.
- Compton, T. J., S. Holthuisen, A. Koolhaas, A. Dekinga, J. ten Horn, J. Smith, Y. Galama, M. Brugge, D. van der Wal, J. van der Meer, H. W. van der Veer, and T. Piersma. (2013). Distinctly variable mudscapes: distribution gradients of intertidal macrofauna across the Dutch Wadden Sea. *Journal of Sea Research* **82**:103-116.
- Conklin, J. R., and M. A. Colwell. (2008). Individual associations in a wintering shorebird population: do Dunlin have friends? *Journal of Field Ornithology* **79**(1):32-40.
- Coolen, I., Y. van Bergen, R. L. Day, and K. N. Laland. (2003). Species difference in adaptive use of public information in sticklebacks. *Proceedings of the Royal Society B: Biological Sciences* **270**(1531):2413-2419.
- Coolen, I., A. J. W. Ward, P. J. B. Hart, and K. N. Laland. (2005). Foraging nine-spined sticklebacks prefer to rely on public information over simpler social cues. *Behavioral Ecology* **16**(5):865-870.
- Coppens, C. M., S. F. de Boer, and J. M. Koolhaas. (2010). Coping styles and behavioural flexibility: towards underlying mechanisms. *Philosophical Transactions of the Royal Society B: Biological Sciences* **365**(1560):4021-4028.
- Cressie, N. A. C. (1993). *Statistics for spatial data. revised edition*. John Wiley & Sons, Inc., New York.



- Cresswell, W. (1994). Flocking is an effective anti-predation strategy in redshanks, *Tringa totanus*. *Animal Behaviour* **47**(2):433-442.
- Cresswell, W. (1997). Interference competition at low competitor densities in blackbirds *Turdus merula*. *Journal of Animal Ecology* **66**(4):461-471.
- Cresswell, W. (1999). Travel distance and mass gain in wintering blackbirds. *Animal Behaviour* **58**:1109-1116.
- Crispo, E. (2007). The Baldwin effect and genetic assimilation: revisiting two mechanisms of evolutionary change mediated by phenotypic plasticity. *Evolution* **61**(11):2469-2479.
- Crook, J. H. (1965). The adaptive significance of avian social organizations. *Symposia of the Zoological Society of London* **14**:181-218.
- Cutts, C. J., and J. R. Speakman. (1994). Energy savings in formation flight of pink-footed geese. *Journal of Experimental Biology* **189**:251-261.

## D

- Dall, S. R. X. (2002). Can information sharing explain recruitment to food from communal roosts? *Behavioral Ecology* **13**(1):42-51.
- Dall, S. R. X., A. I. Houston, and J. M. McNamara. (2004). The behavioural ecology of personality: consistent individual differences from an adaptive perspective. *Ecology Letters* **7**(8):734-739.
- Dall, S. R. X., L.-A. Giraldeau, O. Olsson, J. M. McNamara, and D. W. Stephens. (2005). Information and its use by animals in evolutionary ecology. *Trends in Ecology & Evolution* **20**(4):187-193.
- Dall, S. R. X., and J. Wright. (2009). Rich pickings near large communal roosts favor 'gang' foraging by juvenile common ravens, *Corvus corax*. *PLoS ONE* **4**(2):e4530.
- Dall, S. R. X., A. M. Bell, D. I. Bolnick, and F. L. W. Ratnieks. (2012). An evolutionary ecology of individual differences. *Ecology Letters* **15**(10):1189-1198.
- Danchin, E., and R. H. Wagner. (1997). The evolution of coloniality: the emergence of new perspectives. *Trends in Ecology & Evolution* **12**(9):342-347.
- Danchin, E., T. Boulinier, and M. Massot. (1998). Conspecific reproductive success and breeding habitat selection: Implications for the study of coloniality. *Ecology* **79**(7):2415-2428.
- Danchin, E., and H. Richner. (2001). Viable and unviable hypotheses for the evolution of Raven roosts. *Animal Behaviour* **61**:F7-F11.
- Danchin, E., L.-A. Giraldeau, T. J. Valone, and R. H. Wagner. (2004). Public information: from nosy neighbors to cultural evolution. *Science* **305**:487-491.
- Danchin, E., L.-A. Giraldeau, and F. Cézilly. (2008). *Behavioural ecology*. Oxford Univ. Press, Oxford.
- Davidson, N. C., and J. R. Wilson. (1992). The migration system of European-wintering Knots *Calidris canutus islandica*. *Wader Study Group Bull.* **64**(Suppl.):39-51.
- Davidson, N. C., and T. Piersma (2009). Red knots *Calidris canutus*. In: *An atlas of wader populations in Africa and western Eurasia* (eds. S. Delany, D. Scott, T. Dodman, and D. Stroud). Wetlands International, Wageningen, pp. 362-368.
- Davis, D. E. (1955). Population changes and roosting time of starlings. *Ecology* **36**(3):423-430.
- Dawkins, R., and J. R. Krebs. (1979). Arms races between and within species. *Proceedings of the Royal Society B: Biological Sciences* **205**(1161):489-511.
- de Frutos, A., P. P. Olea, and R. Vera. (2007). Analyzing and modelling spatial distribution of summering lesser kestrel: the role of spatial autocorrelation. *Ecological Modelling* **200**(1-2):33-44.
- De Montaudouin, X., and G. Bachelet. (1996). Experimental evidence of complex interactions between biotic and abiotic factors in the dynamics of an intertidal population of the bivalve *Cerastoderma edule*. *Oceanologica Acta* **19**(3-4):449-463.
- de Roos, A. M., and L. Persson. (2013). *Population And Community Ecology Of Ontogenetic Development*. Princeton University Press, Princeton.
- Dekinga, A., and T. Piersma. (1993). Reconstructing diet composition on the basis of feces in mollusk-eating wader, the Red Knot *Calidris canutus*. *Bird Study* **40**:144-156.
- Dekinga, A., M. W. Dietz, A. Koolhaas, and T. Piersma. (2001). Time course and reversibility of changes in the gizzards of red knots alternately eating hard and soft food. *Journal of Experimental Biology* **204**(12):2167-2173.

- Dekker, R., and J. J. Beukema. (2007). Long-term and large-scale variability in productivity of the tellinid bivalve *Macoma balthica* on Wadden Sea tidal flats. *Marine Ecology Progress Series* **337**:117-134.
- Dhondt, A. A., N. J. L. Driscoll, and E. C. H. Swarthout. (2007). House finch *Carpodacus mexicanus* roosting behaviour during the non-breeding season and possible effects of mycoplasmal conjunctivitis. *Ibis* **149**:1-9.
- Dietz, M. W., A. Dekinga, T. Piersma, and S. Verhulst. (1999). Estimating organ size in small migrating shorebirds with ultrasonography: an intercalibration exercise. *Physiological and Biochemical Zoology* **72**(1):28-37.
- Dietz, M. W., and T. Piersma. (2007). Red knots give up flight capacity and defend food processing capacity during winter starvation. *Functional Ecology* **21**(5):899-904.
- Dietz, M. W., T. Piersma, A. Hedenström, and M. Brugge. (2007). Intraspecific variation in avian pectoral muscle mass: constraints on maintaining manoeuvrability with increasing body mass. *Functional Ecology* **21**(2):317-326.
- Diggle, P. J., and S. Lophaven. (2006). Bayesian geostatistical design. *Scandinavian Journal of Statistics* **33**(1):53-64.
- Diggle, P. J., and P. J. Ribeiro. (2007). *Model-Based Geostatistics*. Springer, New York.
- Dindo, M., A. Whiten, and F. B. M. de Waal. (2009). Social facilitation of exploratory foraging behavior in capuchin monkeys (*Cebus apella*). *American Journal of Primatology* **71**(5):419-426.
- Dingemanse, N. J., C. Both, P. J. Drent, and J. M. Tinbergen. (2004). Fitness consequences of avian personalities in a fluctuating environment. *Proceedings of the Royal Society B: Biological Sciences* **271**(1541):847-852.
- Dingemanse, N. J., and P. de Goede. (2004). The relation between dominance and exploratory behavior is context-dependent in wild great tits. *Behavioral Ecology* **15**(6):1023-1030.
- Dingemanse, N. J., and D. Réale. (2005). Natural selection and animal personality. *Behaviour* **142**:1159-1184.
- Dingemanse, N. J., J. Wright, A. J. N. Kazem, D. K. Thomas, R. Hickling, and N. Dawnay. (2007). Behavioural syndromes differ predictably between 12 populations of three-spined stickleback. *Journal of Animal Ecology* **76**(6):1128-1138.
- Dingemanse, N. J., and M. Wolf. (2010). Recent models for adaptive personality differences: a review. *Philosophical Transactions of the Royal Society B: Biological Sciences* **365**(1560):3947-3958.
- Dingemanse, N. J., and N. A. Dochtermann. (2013). Quantifying individual variation in behaviour: mixed-effect modelling approaches. *Journal of Animal Ecology* **82**:39-54.
- Dolman, P. M. (1995). The intensity of interference varies with resource density: evidence from a field-study with snow buntings, *Plectrophenax nivalis*. *Oecologia* **102**(4):511-514.
- Dormann, C. F., J. M. McPherson, M. B. Araújo, R. Bivand, J. Bolliger, G. Carl, R. G. Davies, A. Hirzel, W. Jetz, W. D. Kissling, I. Kühn, R. Ohlemüller, P. R. Peres-Neto, B. Reineking, B. Schröder, F. M. Schurr, and R. Wilson. (2007). Methods to account for spatial autocorrelation in the analysis of species distributional data: a review. *Ecography* **30**(5):609-628.
- Drent, R., and P. Swierstra. (1977). Goose flocks and food finding: field experiments with barnacle geese in winter. *Wildfowl* **28**(28):6.
- Drent, R. H., and R. van der Wal (1999). Cyclic grazing in vertebrates and the manipulation of the food resources. In: *Plants, Herbivores, and Predators* (eds. H. Olf, V. K. Brown, and R. H. Drent). Blackwell Science Ltd, Oxford, pp. 271-299.
- Dubois, F. D., and L.-A. Giraldeau. (2005). Fighting for resources: the economics of defense and appropriation. *Ecology* **86**(1):3-11.
- Duckworth, R. A. (2009). The role of behavior in evolution: a search for mechanism. *Evolutionary Ecology* **23**(4):513-531.
- Duckworth, R. A. (2010). Evolution of personality: developmental constraints on behavioral flexibility. *Auk* **127**(4):752-758.
- Duijns, S., J. A. van Gils, B. Spaans, J. ten Horn, M. Brugge, and T. Piersma. (2014). Sex-specific winter distribution in a sexually dimorphic shorebird is explained by resource partitioning. *Ecology and Evolution* **4**(20):4009-4018.



- Dukas, R., and A. C. Kamil. (2001). Limited attention: the constraint underlying search image. *Behavioral Ecology* **12**(2):192-199.
- Dunning, J. B. (2008). *CRC Handbook of Avian Body Masses*. 2nd edition. CRC Press, London.

**E**

- Edwards, E. W. J., L. R. Quinn, E. D. Wakefield, P. I. Miller, and P. M. Thompson. (2013). Tracking a northern fulmar from a Scottish nesting site to the Charlie-Gibbs Fracture Zone: evidence of linkage between coastal breeding seabirds and Mid-Atlantic Ridge feeding sites. *Deep Sea Research Part II: Topical Studies in Oceanography* **98**:438-444.
- Eiserer, L. A. (1984). Communal roosting in birds. *Bird Behaviour* :61-80.
- Emlen, J. M. (1966). The role of time and energy in food preference. *American Naturalist* **100**(916):611-617.
- Endler, J. A. (1986). *Natural selection in the wild*. Princeton University Press, Princeton, N.J.
- Ens, B. J., and J. D. Goss-Custard. (1984). Interference among Oystercatchers *Haematopus ostralegus*, feeding on *Mytilus edulis*, on the estuary. *Journal of Animal Ecology* **53**(1):217-231.
- Ens, B. J., P. Esselink, and L. Zwarts. (1990). Kleptoparasitism as a problem of prey choice: a study on mudflat-feeding curlews, *Numenius arquata*. *Animal Behaviour* **39**:219-230.
- Evans, R. M. (1982). Foraging-flock recruitment at a back-billed gull colony: implications for the information center hypothesis. *Auk* **99**(1):24-30.

**F**

- Fancy, S. G., L. F. Pank, D. C. Douglas, C. H. Curby, and G. W. Garner. (1988). Satellite telemetry: a new tool for wildlife research and management. Resource Publication 172, Fish and Wildlife Service, Washington D.C.
- Field, S. A., A. J. Tyre, and H. P. Possingham. (2005). Optimizing allocation of monitoring effort under economic and observational constraints. *Journal of Wildlife Management* **69**(2):473-482.
- Fithian, W., and T. Hastie. (2013). Finite-sample equivalence in statistical models for presence-only data. *The Annals of Applied Statistics*:1917-1939.
- Flach, E. C. (1996). The influence of the cockle, *Cerastoderma edule*, on the macrozoobenthic community of tidal flats in the Wadden Sea. *Marine Ecology* **17**(1-3):87-98.
- Folmer, E. (2012). *Self-organization on mudflats*. PhD thesis. University of Groningen, Groningen.
- Folmer, E. O., H. Olf, and T. Piersma. (2010). How well do food distributions predict spatial distributions of shorebirds with different degrees of self-organization? *Journal of Animal Ecology* **79**(4):747-756.
- Folmer, E. O., H. Olf, and T. Piersma. (2012). The spatial distribution of flocking foragers: disentangling the effects of food availability, interference and conspecific attraction by means of spatial autoregressive modeling. *Oikos* **121**(4):551-561.
- Fortin, M. J., and M. R. T. Dale. (2005). *Spatial Analysis: A Guide for Ecologists*. Cambridge University Press, Cambridge.
- Fretwell, S. D., and H. L. Lucas. (1970). On territorial behaviour and other factors influencing habitat distribution in birds. *Acta Biotheoretica* **19**:17-36.
- Fryxell, J. M. (1991). Forage quality and aggregation by large herbivores. *American Naturalist*:478-498.
- Fryxell, J. M., J. F. Wilmshurst, and A. R. E. Sinclair. (2004). Predictive models of movement by serengeti grazers. *Ecology* **85**(9):2429-2435.
- Fryxell, J. M., M. Hazell, L. Börger, B. D. Dalziel, D. T. Haydon, J. M. Morales, T. McIntosh, and R. C. Rosatte. (2008). Multiple movement modes by large herbivores at multiple spatiotemporal scales. *Proceedings of the National Academy of Sciences of the United States of America* **105**(49):19114-19119.
- Furrer, R., D. Nychka, and S. Sain. (2013). fields: tools for spatial data. R package version 6.8. URL <http://CRAN.R-project.org/package=fields>.

## G

- Gadgil, M. (1972). The function of communal roosts: relevance of mixed roosts. *Ibis* **114**:531-533.
- Galef, B. G. (1993). Functions of social learning about food: a causal analysis of effects of diet novelty on preference transmission. *Animal Behaviour* **46**(2):257-265.
- Galef, B. G., and L.-A. Giraldeau. (2001). Social influences on foraging in vertebrates: causal mechanisms and adaptive functions. *Animal Behaviour* **61**:3-15.
- Galef, B. G., and K. N. Laland. (2005). Social learning in animals: empirical studies and theoretical models. *Bioscience* **55**(6):489-499.
- Genovart, M., N. Negre, G. Tavecchia, A. Bistuer, L. Parpal, and D. Oro. (2010). The young, the weak and the sick: Evidence of natural selection by predation. *PLoS ONE* **5**(3):e9774.
- Gill, R. E., T. L. Tibbitts, D. C. Douglas, C. M. Handel, D. M. Mulcahy, J. C. Gottschalck, N. Warnock, B. J. McCaffery, P. F. Battley, and T. Piersma. (2009). Extreme endurance flights by landbirds crossing the Pacific Ocean: ecological corridor rather than barrier? *Proceedings of the Royal Society B: Biological Sciences* **276**(1656):447-457.
- Giraldeau, L.-A., T. J. Valone, and J. J. Templeton. (2002). Potential disadvantages of using socially acquired information. *Philosophical Transactions of the Royal Society B: Biological Sciences* **357**(1427):1559-1566.
- Giraldeau, L.-A., and F. Dubois. (2008). Social foraging and the study of exploitative behavior. *Advances in the Study of Behavior* **38**:59-104.
- Gosling, S. D., and O. P. John. (1999). Personality dimensions in nonhuman animals a cross-species review. *Current Directions in Psychological Science* **8**(3):69-75.
- Gosling, S. D. (2001). From mice to men: what can we learn about personality from animal research? *Psychological Bulletin* **127**(1):45-86.
- Goss-Custard, J. D. (1976). Variation in the dispersion of Redshank *Tringa totanus* on their wintering feeding grounds. *Ibis* **118**(2):257-263.
- Goss-Custard, J. D. (1980). Competition for food and interference amongst waders. *Ardea* **68**:31-52.
- Goss-Custard, J. D., R. A. Stillman, A. D. West, R. W. G. Caldow, and S. McGrorty. (2002). Carrying capacity in overwintering migratory birds. *Biological Conservation* **105**(1):27-41.
- Goss-Custard, J. D., A. D. West, M. G. Yates, R. W. G. Caldow, R. A. Stillman, L. Bardsley, J. Castilla, M. Castro, V. Dierschke, S. E. A. le V. dit Durell, G. Eichhorn, B. J. Ens, K. M. Exo, P. U. Udayangani-Fernando, P. N. Ferns, P. A. R. Hockey, J. A. Gill, I. Johnstone, B. Kalejta-Summers, J. A. Masero, F. Moreira, R. V. Nagarajan, I. P. F. Owens, C. Pacheco, A. Perez-Hurtado, D. Rogers, G. Scheiffarth, H. Sitters, W. J. Sutherland, P. Triplet, D. H. Worrall, Y. Zharikov, L. Zwarts, and R. A. Pettifor. (2006). Intake rates and the functional response in shorebirds (Charadriiformes) eating macro-invertebrates. *Biological Reviews* **81**(4):501-529.
- Grant, J. W. A. (1993). Whether or not to defend: the influence of resource distribution. *Marine Behaviour and Physiology* **23**(1-4):137-153.
- Green, A. J. (2001). Mass/length residuals: measures of body condition or generators of spurious results? *Ecology* **82**(5):1473-1483.
- Green, R. F. (1980). Bayesian birds: a simple example of Oaten's stochastic model of optimal foraging. *Theoretical Population Biology* **18**(2):244-256.
- Green, R. H. (1979). *Sampling design and statistical methods for environmental biologists*. Wiley, New York.
- Gregoire, T. G. (1998). Design-based and model-based inference in survey sampling: appreciating the difference. *Canadian Journal of Forest Research* **28**(10):1429-1447.
- Grether, G. F., and Z. R. Donaldson. (2007). Communal roost site selection in a neotropical Harvestman: habitat limitation vs. tradition. *Ethology* **113**(3):290-300.
- Griffin, A. S. (2004). Social learning about predators: a review and prospectus. *Learning & Behavior* **32**(1):131-140.
- Griffith, D. A. (2005). Effective geographic sample size in the presence of spatial autocorrelation. *Annals of the Association of American Geographers* **95**(4):740-760.
- Groothuis, T. G. G., and F. Trillmich. (2011). Unfolding personalities: the importance of studying ontogeny. *Developmental Psychobiology* **53**(6):641-655.

- Grover, J. P. (1997). *Resource competition*. Chapman & Hall, London.
- Guillemette, M., A. Reed, and J. H. Himmelman. (1996). Availability and consumption of food by common eiders wintering in the Gulf of St Lawrence: evidence of prey depletion. *Canadian Journal of Zoology* **74**(1):32-38.
- Gurevitch, J., L. L. Morrow, A. Wallace, and J. S. Walsh. (1992). A meta-analysis of competition in field experiments. *American Naturalist* **140**(4):539-572.
- Gurevitch, J., J. A. Morrison, and L. V. Hedges. (2000). The interaction between competition and predation: a meta-analysis of field experiments. *American Naturalist* **155**(4):435-453.
- Gyimesi, A., R. A. Stillman, and B. A. Nolet. (2010). Cryptic interference competition in swans foraging on cryptic prey. *Animal Behaviour* **80**(5):791-797.
- H**
- Hadfield, J. D. (2010). MCMC methods for multi-response generalized linear mixed models: the MCMCglmm R package. *Journal of Statistical Software* **33**(2):1-22.
- Haining, R. (2003). *Spatial Data Analysis: Theory and Practice*. Cambridge University Press, Cambridge.
- Hake, M., and J. Ekman. (1988). Finding and sharing depletable patches: When group foraging decreases intake rates. *Ornis Scandinavica* **19**(4):275-279.
- Hamilton, W. D. (1971). Geometry for the selfish herd. *Journal of Theoretical Biology* **31**:295-311.
- Harvell, C. D. (1990). The ecology and evolution of inducible defenses. *Quarterly Review of Biology* **65**(3):323-340.
- Hassell, M. P., and G. C. Varley. (1969). New inductive population model for insect parasites and its bearing on biological control. *Nature* **223**:1133-1137.
- Hasselquist, D., S. Bensch, and T. von Schantz. (1996). Correlation between male song repertoire, extra-pair paternity and offspring survival in the great reed warbler. *Nature* **381**(6579):229-232.
- Hatchwell, B. J., S. P. Sharp, M. Simeoni, and A. McGowan. (2009). Factors influencing overnight loss of body mass in the communal roosts of a social bird. *Functional Ecology* **23**:367-372.
- Hayward, G. D., and E. O. Garton. (1984). Roost habitat selection by three small forest owls. *Wilson Bulletin* **96**(4):690-692.
- Heiberg, A. C., T. W. Brown, T. S. Fiez, and K. Mayaram. (2011). A 250 mV, 352 W GPS receiver RF front-end in 130 nm CMOS. *IEEE Journal of Solid-State Circuits* **46**(4):938-949.
- Helm, B., T. Piersma, and H. van der Jeugd. (2006). Sociable schedules: interplay between avian seasonal and social behaviour. *Animal Behaviour* **72**:245-262.
- Herman, P. M. J., J. J. Middelburg, and C. H. R. Heip. (2001). Benthic community structure and sediment processes on an intertidal flat: results from the ECOFLAT project. *Continental Shelf Research* **21**(18-19):2055-2071.
- Hewitt, J. E., S. F. Thrush, V. J. Cummings, and R. D. Pridmore. (1996). Matching patterns with processes: predicting the effect of size and mobility on the spatial distributions of the bivalves *Macomona liliana* and *Austrovenus stutchburyi*. *Marine Ecology Progress Series* **135**(1-3):57-67.
- Hewitt, J. E., P. Legendre, B. H. McArdle, S. F. Thrush, C. Bellehumeur, and S. M. Lawrie. (1997a). Identifying relationships between adult and juvenile bivalves at different spatial scales. *Journal of Experimental Marine Biology and Ecology* **216**(1-2):77-98.
- Hewitt, J. E., R. D. Pridmore, S. F. Thrush, and V. J. Cummings. (1997b). Assessing the short-term stability of spatial patterns of macrobenthos in a dynamic estuarine system. *Limnology and Oceanography* **42**(2):282-288.
- Hill, R. D. (1994). Theory of Geolocation by Light Levels. In: *Elephant Seals: Population Ecology, Behavior, and Physiology* (eds. B. J. Le Boeuf and R. M. Laws). University of California Press, pp. 227-236.
- Hogan, J. A. (2014). A framework for the study of behavior. *Behavioural Processes*.
- Holling, C. S. (1959). Some characteristics of simple types of predation and parasitism. *Canadian Entomologist* **91**:385-398.
- Holling, C. S. (1961). Principles of insect predation. *Annual Review of Entomology* **6**:163-182.
- Holmgren, N. (1995). The ideal free distribution of unequal competitors: predictions from a behavior-based functional response. *Journal of Animal Ecology* **64**(2):197-212.

- Honkoop, P. J. C., J. van der Meer, J. J. Beukema, and D. Kwast. (1999). Reproductive investment in the intertidal bivalve *Macoma balthica*. *Journal of Sea Research* **41**(3):203-212.
- Hooijmeijer, J. C. E. W., N. R. Senner, T. L. Tibbitts, R. E. Gill Jr, D. C. Douglas, L. W. Bruinzeel, E. Wymenga, and T. Piersma. (2014). Post-breeding migration of Dutch-breeding Black-tailed Godwits: timing, routes, use of stopovers, and nonbreeding destinations. *Ardea* **101**(2):141-152.
- Hoppitt, W., and K. N. Laland. (2013). *Social learning: An introduction to mechanisms, methods, and models*. Princeton University Press, Princeton.
- Houston, A. I., and J. M. McNamara. (1999). *Models of adaptive behaviour: an approach based on state*. Cambridge University Press.
- Huxham, M., and M. Richards. (2003). Can postlarval bivalves select sediment type during settlement? A field test with *Macoma balthica* (L.) and *Cerastoderma edule* (L.). *Journal of Experimental Marine Biology and Ecology* **288**(2):279-293.

**I**

- Iwasa, Y., M. Higashi, and N. Yamamura. (1981). Prey distribution as a factor determining the choice of optimal foraging strategy. *American Naturalist* **117**(5):710-723.

**J**

- Jablonka, E. (2002). Information: its interpretation, its inheritance, and its sharing. *Philosophy of Science* **69**(4):578-605.
- Jablonka, E., M. J. Lamb, and A. Zeligowski. (2005). *Evolution in four dimensions: genetic, epigenetic, behavioral, and symbolic variation in the history of life*. MIT press Cambridge, MA.
- Jackson, M. C., and K. F. Sellers. (2008). Simulating discrete spatially correlated Poisson data on a lattice. *International Journal of Pure and Applied Mathematics* **46**(1):137-154.
- Jacoby, W. G. (2000). Loess: a nonparametric, graphical tool for depicting relationships between variables. *Electoral Studies* **19**(4):577-613.
- Jensen, K. T. (1993). Density-dependent growth in cockles (*Cerastoderma edule*): evidence from interannual comparisons. *Journal of the Marine Biological Association of the United Kingdom* **73**(2):333-342.
- Jeschke, J. M., M. Kopp, and R. Tollrian. (2002). Predator functional responses: discriminating between handling and digesting prey. *Ecological Monographs* **72**(1):95-112.
- Johnson, C. A., J. W. A. Grant, and L.-A. Giraldeau. (2004). The effect of patch size and competitor number on aggression among foraging house sparrows. *Behavioral Ecology* **15**(3):412-418.
- Johnson, C. A., L.-A. Giraldeau, and J. W. A. Grant. (2006). Intensity of interference affects the distribution of house sparrows, *Passer domesticus*, at food patches. *Animal Behaviour* **71**:965-970.
- Johnson, D., K. Grorud-Colvert, T. Rankin, and S. Sponaugle. (2012). Measuring selective mortality from otoliths and similar structures: a practical guide for describing multivariate selection from cross-sectional data. *Marine Ecology Progress Series* **471**:151-163.
- Johnstone, R. A. (2001). Eavesdropping and animal conflict. *Proceedings of the National Academy of Sciences of the United States of America* **98**(16):9177-9180.

**K**

- Kacelnik, A., J. R. Krebs, and C. Bernstein. (1992). The Ideal Free Distribution and predator-prey populations. *Trends in Ecology & Evolution* **7**(2):50-55.
- Kamermans, P. (1993). Food limitation in cockles (*Cerastoderma edule* (L.)): influences of location on tidal flat and of nearby presence of mussel beds. *Netherlands Journal of Sea Research* **31**(1):71-81.
- Keddy, P. A. (2001). *Competition*. 2nd edition. Kluwer Academic Publishers, Dordrecht.
- Keitt, T. H., O. N. Bjornstad, P. M. Dixon, and S. Citron-Pousty. (2002). Accounting for spatial pattern when modeling organism-environment interactions. *Ecography* **25**(5):616-625.
- Keller, M., D. S. Schimel, W. W. Hargrove, and F. M. Hoffman. (2008). A continental strategy for the national ecological observatory network. *Frontiers in Ecology and the Environment* **6**(5):282-284.
- Kennedy, J., and L. Crawley. (1967). Spaced-out gregariousness in Sycamore aphids *Drepanosiphum platanoides* (schrank) (Hemiptera, Callaphididae). *Journal of Animal Ecology* **36**:147-170.

- Kennedy, J. S. (1992). *The new anthropomorphism*. Cambridge University Press.
- Kentie, R., J. C. Hooijmeijer, K. B. Trimbos, N. M. Groen, and T. Piersma. (2013). Intensified agricultural use of grasslands reduces growth and survival of precocial shorebird chicks. *Journal of Applied Ecology* **50**(1):243-251.
- Kingsolver, J. G., and S. E. Diamond. (2011a). Data from: Phenotypic selection in natural populations: what limits directional selection? Dryad Digital Repository. <http://dx.doi.org/10.5061/dryad.7996>.
- Kingsolver, J. G., and S. E. Diamond. (2011b). Phenotypic selection in natural populations: what limits directional selection? *American Naturalist* **177**(3):346-357.
- Kingsolver, J. G., S. E. Diamond, A. M. Siepielski, and S. M. Carlson. (2012). Synthetic analyses of phenotypic selection in natural populations: lessons, limitations and future directions. *Evolutionary Ecology* **26**(5):1101-1118.
- Klaassen, R. H. G., B. A. Nolet, and D. Bankert. (2006a). The influence of social interactions on the foraging path of Bewick's Swans *Cygnus columbianus bewickii*. *Ardea* **94**(3):477-484.
- Klaassen, R. H. G., B. A. Nolet, and D. Bankert. (2006b). Movement of foraging tundra swans explained by spatial pattern in cryptic food densities. *Ecology* **87**(9):2244-2254.
- Klaassen, R. H. G., B. A. Nolet, J. A. van Gils, and S. Bauer. (2006c). Optimal movement between patches under incomplete information about the spatial distribution of food items. *Theoretical Population Biology* **70**(4):452-463.
- Klaassen, R. H. G., and J. Reneerkens. (2014). An overview of bird tracking studies in the Netherlands. *LIMOSA* **87**(2):58-73.
- Koolhaas, J. M., S. M. Korte, S. F. De Boer, B. J. van der Vegt, C. G. van Reenen, H. Hopster, I. C. De Jong, M. A. W. Ruis, and H. J. Blokhuis. (1999). Coping styles in animals: current status in behavior and stress-physiology. *Neuroscience and Biobehavioral Reviews* **23**(7):925-935.
- Koolhaas, J. M., S. F. de Boer, B. Buwalda, and K. van Reenen. (2007). Individual variation in coping with stress: a multidimensional approach of ultimate and proximate mechanisms. *Brain Behavior and Evolution* **70**(4):218-226.
- Kraan, C., T. Piersma, A. Dekinga, A. Koolhaas, and J. van der Meer. (2007). Dredging for edible cockles (*Cerastoderma edule*) on intertidal flats: short-term consequences of fisher patch-choice decisions for target and non-target benthic fauna. *ICES Journal of Marine Science* **64**(9):1735-1742.
- Kraan, C., J. van der Meer, A. Dekinga, and T. Piersma. (2009a). Patchiness of macrobenthic invertebrates in homogenized intertidal habitats: hidden spatial structure at a landscape scale. *Marine Ecology Progress Series* **383**:211-224.
- Kraan, C., J. A. van Gils, B. Spaans, A. Dekinga, A. I. Bijleveld, M. van Roomen, R. Kleefstra, and T. Piersma. (2009b). Landscape-scale experiment demonstrates that Wadden Sea intertidal flats are used to capacity by molluscivore migrant shorebirds. *Journal of Animal Ecology* **78**(6):1259-1268.
- Kraan, C. (2010). *Spatial ecology of intertidal macrobenthic fauna in a changing Wadden Sea*. PhD thesis. University of Groningen, Groningen.
- Kraan, C., G. Aarts, J. van der Meer, and T. Piersma. (2010). The role of environmental variables in structuring landscape-scale species distributions in seafloor habitats. *Ecology* **91**(6):1583-1590.
- Krause, J., and G. D. Ruxton. (2002). *Living in Groups*. Oxford Univ. Press, Oxford.
- Krebs, C. J. (1972). *Ecology: the experimental analysis of distribution and abundance*. Harper & Row, New York.
- Krebs, C. J. (2001). *Ecology*. 5th edition. Addison Wesley Longman, San Francisco.
- Krebs, J. R., and N. B. Davies. (1993). *An introduction to behavioural ecology*. 3rd edition. Blackwell Publishing Ltd, Oxford, England.
- Krebs, J. R., and N. B. Davies. (1997). *Behavioural Ecology: An evolutionary approach*. 4th edition. Blackwell, Oxford.
- Kucera, M., and B. A. Malmgren. (1998). Logratio transformation of compositional data: a resolution of the constant sum constraint. *Marine Micropaleontology* **34**(1-2):117-120.
- Kulkarni, S., and P. Heeb. (2007). Social and sexual behaviours aid transmission of bacteria in birds. *Behavioural Processes* **74**:88-92.



- Kurvers, R. H. J. M., H. H. T. Prins, S. E. van Wieren, K. van Oers, B. A. Nolet, and R. C. Ydenberg. (2010a). The effect of personality on social foraging: shy barnacle geese scrounge more. *Proceedings of the Royal Society B: Biological Sciences* **277**(1681):601-608.
- Kurvers, R. H. J. M., K. van Oers, B. A. Nolet, R. M. Jonker, S. E. van Wieren, H. H. T. Prins, and R. C. Ydenberg. (2010b). Personality predicts the use of social information. *Ecology Letters* **13**(7):829-837.
- L**
- Laake, J. L. (2013). RMark: an R interface for analysis of capture-recapture data with MARK. AFSC Processed Report 2013-01, Alaska Fisheries Science Center, NOAA, National Marine Fisheries Service, 7600 Sand Point Way NE, Seattle WA 98115.
- Lachmann, M., G. Sella, and E. Jablonka. (2000). On the advantages of information sharing. *Proceedings of the Royal Society B: Biological Sciences* **267**(1450):1287-1293.
- Lack, D. (1968). *Ecological adaptations for breeding in birds*. London, Chapman and Hall.
- Lagos, N. A., F. J. Tapia, S. A. Navarrete, and J. C. Castilla. (2007). Spatial synchrony in the recruitment of intertidal invertebrates along the coast of central Chile. *Marine Ecology Progress Series* **350**:29-39.
- Laland, K. N., J. Odling-Smee, and M. W. Feldman. (2000). Niche construction, biological evolution, and cultural change. *Behavioral and Brain Sciences* **23**(1):131-175.
- Laland, K. N., J. Odling-Smee, W. Hoppitt, and T. Uller. (2013). More on how and why: cause and effect in biology revisited. *Biology & Philosophy* **28**(5):719-745.
- Laland, K. N. (2014). On evolutionary causes and evolutionary processes. *Behavioural Processes*.
- Lande, R., and S. J. Arnold. (1983). The measurement of selection on correlated characters. *Evolution* **37**(6):1210-1226.
- Lank, D. B., and R. C. Ydenberg. (2003). Death and danger at migratory stopovers: problems with "predation risk". *Journal of Avian Biology* **34**(3):225-228.
- Lavielle, M. (2005). Using penalized contrasts for the change-point problem. *Signal Processing* **85**(8):1501-1510.
- le V. dit Durell, S. E. A. (2000). Individual feeding specialisation in shorebirds: population consequences and conservation implications. *Biological Reviews* **75**(4):503-518.
- Leafloor, J. O., C. D. Ankney, and K. W. Risi. (1996). Social enhancement of wing molt in female mallards. *Canadian Journal of Zoology* **74**(7):1376-1378.
- Legendre, P., and M. J. Fortin. (1989). Spatial pattern and ecological analysis. *Vegetatio* **80**(2):107-138.
- Legendre, P. (1993). Spatial autocorrelation: trouble or new paradigm. *Ecology* **74**(6):1659-1673.
- Legendre, P., S. F. Thrush, V. J. Cummings, P. K. Dayton, J. Grant, J. E. Hewitt, A. H. Hines, B. H. McArdle, R. D. Pridmore, D. C. Schneider, S. J. Turner, R. B. Whitlatch, and M. R. Wilkinson. (1997). Spatial structure of bivalves in a sandflat: scale and generating processes. *Journal of Experimental Marine Biology and Ecology* **216**(1-2):99-128.
- Lemnell, P. A., G. Johnsson, H. Helmersson, Holmstrand, and L. Norling. (1983). An automatic radio-telemetry system for position determination and data acquisition. Pages 76-93 in *Proceedings of the Fourth International Conference on Wildlife Biotelemetry*, Applied Microelectronics Institute and Technical University of Nova Scotia, Halifax, Nova Scotia, Canada.
- LeMunyan, C. D., W. White, E. Nyberg, and J. J. Christian. (1959). Design of a miniature radio transmitter for use in animal studies. *The Journal of Wildlife Management* **23**(1):107-110.
- Lendvai, A. Z., A. Liker, and Z. Barta. (2006). The effects of energy reserves and dominance on the use of social-foraging strategies in the house sparrow. *Animal Behaviour* **72**:747-752.
- Levin, S. A. (1992). The problem of pattern and scale in ecology: the Robert H. MacArthur award lecture. *Ecology* **73**(6):1943-1967.
- Levinton, J. (1972). Stability and trophic structure in deposit-feeding and suspension-feeding communities. *American Naturalist* **106**(950):472-486.
- Lewis, S. E. (1995). Roost fidelity of bats: a review. *Journal of Mammalogy* **76**:481-496.
- Leyrer, J., S. Pruiksma, and T. Piersma. (2009). On 4 June 2008 Siberian red knots at Elbe Mouth kissed the canonical evening migration departure rule goodbye. *Ardea* **97**:71-79.



- Leyrer, J. (2011). *Being at the right place at the right time: interpreting the annual life cycle of Afro-Siberian red knots*. PhD thesis. University of Groningen, Groningen.
- Leyrer, J., T. Lok, M. Brugge, A. Dekinga, B. Spaans, J. A. van Gils, B. K. Sandercock, and T. Piersma. (2012). Small-scale demographic structure suggests preemptive behavior in a flocking shorebird. *Behavioral Ecology* **23**(6):1226-1233.
- Liker, A., and Z. Barta. (2002). The effects of dominance on social foraging tactic use in house sparrows. *Behaviour* **139**:1061-1076.
- Lima, S. L. (1985). Sampling behavior of starlings foraging in simple patchy environments. *Behavioral Ecology and Sociobiology* **16**(2):135-142.
- Lima, S. L., and L. M. Dill. (1990). Behavioral decisions made under the risk of predation: a review and prospectus. *Canadian Journal of Zoology* **68**:619-640.
- Lima, S. L. (1995). Back to the basics of anti-predatory vigilance: the group-size effect. *Animal Behaviour* **49**(1):11-20.
- Lister, A. M. (2014). Behavioural leads in evolution: evidence from the fossil record. *Biological Journal of the Linnean Society* **112**(2):315-331.
- Little, R. J. (2004). To model or not to model? Competing modes of inference for finite population sampling. *Journal of the American Statistical Association* **99**(466):546-556.
- Liu, J., B. Priyantha, T. Hart, H. S. Ramos, A. A. F. Loureiro, and Q. Wang. (2012). Energy efficient GPS sensing with cloud offloading. Pages 85-98 *in* Proceedings of the 10th ACM Conference on Embedded Network Sensor Systems, Toronto, Ontario, Canada.
- Lok, T., O. Overdijk, and T. Piersma. (2015). The cost of migration: spoonbills suffer higher mortality during trans-Saharan spring migrations only. *Biology Letters* **11**(1):20140944.
- Luttikhuisen, P. C., J. Drent, W. van Delden, and T. Piersma. (2003). Spatially structured genetic variation in a broadcast spawning bivalve: quantitative vs. molecular traits. *Journal of Evolutionary Biology* **16**(2):260-272.
- Lyon, B. E., A. S. Chaine, and D. W. Winkler. (2008). A matter of timing. *Science* **321**(5892):1051-1052.
- M**
- MacArthur, R. H., and E. R. Pianka. (1966). On optimal use of a patchy environment. *American Naturalist*:603-609.
- MacCurdy, R. B., R. M. Gabrielson, E. Spaulding, A. Purgue, K. A. Cortopassi, and K. M. Fristrup. (2008). Real-time, automatic animal tracking using direct sequence spread spectrum. Pages 53-56 *in* Proceedings of the 1st European Wireless Technology Conference. EuMA, Amsterdam, The Netherlands.
- MacCurdy, R. B., R. M. Gabrielson, E. Spaulding, A. Purgue, K. A. Cortopassi, and K. M. Fristrup. (2009). Automatic animal tracking using matched filters and time difference of arrival. *Journal of Communications* **4**:487-495.
- MacCurdy, R. B., R. M. Gabrielson, and K. A. Cortopassi (2012). Automated wildlife radio tracking. In: *Handbook of position location: theory, practice, and advances* (eds. S. A. Zekavat and R. M. Buehrer). John Wiley & Sons, Inc., pp. 1129-1167.
- MacFarland, D. J. (1989). *Problems of animal behaviour*. Longman Scientific & Technical, Harlow, UK.
- Mangel, M., and C. W. Clark. (1986). Towards a unified foraging theory. *Ecology* **67**(5):1127-1138.
- Manly, B. F. J., L. L. McDonald, D. L. Thomas, T. L. McDonald, and W. P. Erickson. (2002). *Resource selection by animals: statistical design and analysis for field studies*. 2nd edition. Kluwer Academic Publishers, Dordrecht.
- Marchant, B. P., and R. M. Lark. (2007). Optimized sample schemes for geostatistical surveys. *Mathematical Geology* **39**(1):113-134.
- Marchetti, K., and T. Price. (1989). Differences in the foraging of juvenile and adult birds: the importance of developmental constraints. *Biological Reviews* **64**(1):51-70.
- Marra, P. P., C. E. Studds, and M. Webster (2010). Migratory connectivity. In: *Encyclopedia of animal behavior* (eds. M. D. Breed and J. Moore). Academic Press, Oxford, pp. 455-461.
- Marzluff, J. M., B. Heinrich, and C. S. Marzluff. (1996). Raven roosts are mobile information centres. *Animal Behaviour* **51**:89-103.

- Mathot, K. J., B. D. Smith, and R. W. Elner. (2007). Latitudinal clines in food distribution correlate with differential migration in the western sandpiper. *Ecology* **88**(3):781-791.
- McNamara, J., and A. Houston. (1980). The application of statistical decision-theory to animal behavior. *Journal of Theoretical Biology* **85**(4):673-690.
- McNamara, J. (1982). Optimal patch use in a stochastic environment. *Theoretical Population Biology* **21**(2):269-288.
- McNamara, J. M., R. F. Green, and O. Olsson. (2006). Bayes' theorem and its applications in animal behaviour. *Oikos* **112**(2):243-251.
- McNamara, J. M., and A. I. Houston. (2009). Integrating function and mechanism. *Trends in Ecology & Evolution* **24**(12):670-675.
- McNamara, J. M., P. A. Stephens, S. R. X. Dall, and A. I. Houston. (2009). Evolution of trust and trust-worthiness: social awareness favours personality differences. *Proceedings of the Royal Society B: Biological Sciences* **276**(1657):605-613.
- Mesoudi, A., A. Whiten, and K. N. Laland. (2004). Perspective: is human cultural evolution Darwinian? Evidence reviewed from the perspective of *The Origin of Species*. *Evolution* **58**(1):1-11.
- Milinski, M. (1997). How to avoid seven deadly sins in the study of behavior. *Advances in the Study of Behavior* **26**:159-180.
- Miller, R. G. (1986). *Beyond ANOVA, basics of applied statistics*. Wiley, New York.
- Minderman, J., J. M. Reid, M. Hughes, M. J. H. Denny, S. Hogg, P. G. H. Evans, and M. J. Whittingham. (2010). Novel environment exploration and home range size in starlings *Sturnus vulgaris*. *Behavioral Ecology* **21**(6):1321-1329.
- Mock, D. W., T. C. Lamey, and D. B. A. Thompson. (1988). Falsifiability and the information centre hypothesis. *Ornis Scandinavica* **19**:231-348.
- Møller, A. P. (1985). Communal roosting in the magpie (*Pica pica*). *Journal of Ornithology* **126**(4):405-419.
- Monaghan, P. (2008). Early growth conditions, phenotypic development and environmental change. *Philosophical Transactions of the Royal Society B: Biological Sciences* **363**(1497):1635-1645.
- Moody, A. L., and A. I. Houston. (1995). Interference and the ideal free distribution. *Animal Behaviour* **49**(4):1065-1072.
- Moore, J., D. Simberloff, and M. Freehling. (1988). Relationships between bobwhite quail social-group size and intestinal helminth parasitism. *American Naturalist* **113**(1):22-32.
- Moran, N. A. (1992). The evolutionary maintenance of alternative phenotypes. *American Naturalist*:971-989.
- Mouritsen, K. N. (2004). Intertidal facilitation and indirect effects: Causes and consequences of crawling in the New Zealand cockle. *Marine Ecology Progress Series* **271**:207-220.
- N**
- Naef-Daenzer, B., F. Widmer, and M. Nuber. (2001). A test for effects of radio-tagging on survival and movements of small birds. *Avian Science* **1**(1):15-23.
- Nakagawa, S., and H. Schielzeth. (2010). Repeatability for Gaussian and non-Gaussian data: a practical guide for biologists. *Biological Reviews* **85**(4):935-956.
- Namgoong, W., S. Reader, and T. H. Meng. (2000). An all-digital low-power IF GPS synchronizer. *IEEE Journal of Solid-State Circuits* **35**(6):856-864.
- Nathan, R., W. M. Getz, E. Revilla, M. Holyoak, R. Kadmon, D. Saltz, and P. E. Smouse. (2008). A movement ecology paradigm for unifying organismal movement research. *Proceedings of the National Academy of Sciences of the United States of America* **105**(49):19052-19059.
- Noë, R., and P. Hammerstein. (1994). Biological markets: supply and demand determine the effect of partner choice in cooperation, mutualism and mating. *Behavioral Ecology and Sociobiology* **35**(1):1-11.
- Nolet, B. A., and W. M. Mooij. (2002). Search paths of swans foraging on spatially autocorrelated tubers. *Journal of Animal Ecology* **71**(3):451-462.
- Nordell, S. E., and T. J. Valone. (1998). Mate choice copying as public information. *Ecology Letters* **1**(2):74-76.

## O

- Oaten, A. (1977). Optimal foraging in patches: a case for stochasticity. *Theoretical Population Biology* **12**(3):263-285.
- Odling-Smee, J., D. H. Erwin, E. P. Palkovacs, M. W. Feldman, and K. N. Laland. (2013). Niche construction theory: a practical guide for ecologists. *The Quarterly Review of Biology* **88**(1):3-28.
- Olsson, O., J. S. Brown, and H. G. Smith. (2002). Long- and short-term state-dependent foraging under predation risk: an indication of habitat quality. *Animal Behaviour* **63**:981-989.
- Oudenhoven, J. F. M., R. J. M. Vullers, and R. Schaijk. (2012). A review of the present situation and future developments of micro-batteries for wireless autonomous sensor systems. *International Journal of Energy Research* **36**(12):1139-1150.
- Oyama, S. (2000). *The ontogeny of information. Developmental systems and evolution*. 2nd edition. Duke University Press, Durham, NC.

## P

- Page, G., and D. F. Whitacre. (1975). Raptor predation on wintering shorebirds. *The Condor* **77**:73-83.
- Paine, R. T. (1976). Size-limited predation: an observational and experimental approach with the *Mytilus-Pisaster* interaction. *Ecology* **57**(5):858-873.
- Parada, J. M., and J. Molares. (2008). Natural mortality of the cockle *Cerastoderma edule* (L.) from the Ria of Arousa (NW Spain) intertidal zone. *Revista De Biología Marina Y Oceanografía* **43**(3):501-511.
- Parker, G. A., and W. J. Sutherland. (1986). Ideal free distributions when individuals differ in competitive ability: phenotype limited ideal free models. *Animal Behaviour* **34**:1222-1242.
- Parker, G. A. (2000). Scramble in behaviour and ecology. *Philosophical Transactions of the Royal Society B: Biological Sciences* **355**(1403):1637-1645.
- Pennisi, E. (2010). A groundbreaking observatory to monitor the environment. *Science* **328** (5977): 418-420.
- Peterson, C. H., and S. V. Andre. (1980). An experimental analysis of interspecific competition among marine filter feeders in a soft-sediment environment. *Ecology* **61**(1):129-139.
- Piersma, T. (1984). Estimating energy reserves of Great Crested Grebes *Podiceps cristatus* on the basis of body dimensions. *Ardea* **72**:119-126.
- Piersma, T., R. Lindeboom, and M. R. van Eerden. (1988). Foraging rhythm of great crested grebes *Podiceps cristatus* adjusted to diel variations in the vertical distribution of their prey *Osmerus eperlanus* in a shallow eutrophic lake in The Netherlands. *Oecologia* **76**(4):481-486.
- Piersma, T., L. Zwarts, and J. H. Bruggemann. (1990). Behavioural aspects of the departure of waders before long-distance flights: flocking, vocalizations, flight paths and diurnal timing. *Ardea* **78**:157-184.
- Piersma, T., R. Hoekstra, A. Dekinga, A. Koolhaas, P. Wolf, P. F. Battley, and P. Wiersma. (1993a). Scale and intensity of intertidal habitat use by knots *Calidris canutus* in the Western Wadden Sea in relation to food, friends and foes. *Netherlands Journal of Sea Research* **31**:331-357.
- Piersma, T., A. Koolhaas, and A. Dekinga. (1993b). Interactions between stomach structure and diet choice in shorebirds. *Auk* **110**(3):552-564.
- Piersma, T. (1994). *Close to the edge: energetic bottlenecks and the evolution of migratory pathways in knots*. PhD thesis. University of Groningen, Groningen.
- Piersma, T., J. van Gils, P. de Goeij, and J. van der Meer. (1995). Holling's functional response model as a tool to link the food-finding mechanism of a probing shorebird with its spatial distribution. *Journal of Animal Ecology* **64**(4):493-504.
- Piersma, T., L. Bruinzeel, R. Drent, M. Kersten, J. van der Meer, and P. Wiersma. (1996). Variability in basal metabolic rate of a long-distance migrant shorebird (Red Knot, *Calidris canutus*) reflects shifts in organ sizes. *Physiological Zoology* **69**(1):191-217.
- Piersma, T., R. van Aelst, K. Kurk, H. Berkhoudt, and L. R. M. Maas. (1998). A new pressure sensory mechanism for prey detection in birds: the use of principles of seabed dynamics? *Proceedings of the Royal Society B: Biological Sciences* **265**(1404):1377-1383.
- Piersma, T., A. Koolhaas, A. Dekinga, J. J. Beukema, R. Dekker, and K. Essink. (2001). Long-term indirect effects of mechanical cockle-dredging on intertidal bivalve stocks in the Wadden Sea. *Journal of Applied Ecology* **38**(5):976-990.

- Piersma, T. (2002). Energetic bottlenecks and other design constraints in avian annual cycles. *Integrative and Comparative Biology* **42**(1):51-67.
- Piersma, T., A. Dekinga, J. A. van Gils, B. Achterkamp, and G. H. Visser. (2003). Cost-benefit analysis of mollusc eating in a shorebird I. Foraging and processing costs estimated by the doubly labelled water method. *Journal of Experimental Biology* **206**(19):3361-3368.
- Piersma, T., and J. Drent. (2003). Phenotypic flexibility and the evolution of organismal design. *Trends in Ecology & Evolution* **18**(5):228-233.
- Piersma, T. (2007). Using the power of comparison to explain habitat use and migration strategies of shorebirds worldwide. *Journal of Ornithology* **148**:S45-S59.
- Piersma, T., and J. A. van Gils. (2011). *The flexible phenotype. Towards a body-centred integration of physiology, ecology and behaviour*. Oxford University Press, Oxford.
- Piersma, T. (2012). What is habitat quality? Dissecting a research portfolio on shorebirds. In: *Birds and habitat: Relationships in changing landscapes* (ed. R. J. Fuller). Cambridge University Press, Cambridge, pp. 383-407.
- Piersma, T., R. MacCurdy, R. Gabrielson, J. Cluderay, A. Dekinga, E. Spaulding, T. Oudman, J. Onrust, J. van Gils, D. W. Winkler, and A. I. Bijleveld. (2014). Fine-scale measurements of individual movements within bird flocks: the principles and three applications of TOA tracking. *LIMOSA* **87**(2):156-167.
- Pimm, S. L., C. N. Jenkins, R. Abell, T. M. Brooks, J. L. Gittleman, L. N. Joppa, P. H. Raven, C. M. Roberts, and J. O. Sexton. (2014). The biodiversity of species and their rates of extinction, distribution, and protection. *Science* **344**(6187):1246752.
- Pitcher, T. J., A. E. Magurran, and I. J. Winfield. (1982). Fish in larger shoals find food faster. *Behavioral Ecology and Sociobiology* **10**(2):149-151.
- Pooler, P. S., and D. R. Smith. (2005). Optimal sampling design for estimating spatial distribution and abundance of a freshwater mussel population. *Journal of the North American Benthological Society* **24**(3):525-537.
- Pöysä, H. (1992). Group foraging in patchy environments: the importance of coarse level local enhancement. *Ornis Scandinavica* **23**(2):159-166.
- Priede, I. G., and J. French. (1991). Tracking of marine animals by satellite. *International Journal of Remote Sensing* **12**(4):667-680.
- Pulliam, H. R. (1973). On the advantages of flocking. *Journal of Theoretical Biology* **38**:419-422.
- Pyke, G. H., H. R. Pulliam, and E. L. Charnov. (1977). Optimal foraging: a selective review of theory and tests. *Quarterly Review of Biology* **52**(2):137-154.

## Q

- Quaintenne, G., J. A. van Gils, P. Bocher, A. Dekinga, and T. Piersma. (2010). Diet selection in a molluscivore shorebird across Western Europe: does it show short- or long-term intake rate-maximization? *Journal of Animal Ecology* **79**(1):53-62.
- Quaintenne, G., J. A. van Gils, P. Bocher, A. Dekinga, and T. Piersma. (2011). Scaling up ideals to freedom: are densities of red knots across western Europe consistent with ideal free distribution? *Proceedings of the Royal Society B: Biological Sciences* **278**:2728-2736.
- Quinn, G. P., and M. J. Keough. (2002). *Experimental design and data analyses for biologists*. Cambridge University Press, Cambridge.
- Quinn, J. L., and W. Cresswell. (2006). Testing domains of danger in the selfish herd: sparrowhawks target widely spaced redshanks in flocks. *Proceedings of the Royal Society B: Biological Sciences* **273**:2521-2526.

## R

- R Core Team. (2013). *R: a language and environment for statistical computing*, R foundation for statistical computing, Vienna, Austria. URL <http://www.R-project.org>.
- R Development Core Team. (2008). *R: a language and environment for statistical computing*. R Foundation for Statistical Computing, Vienna, Austria, URL <http://www.R-project.org>.
- R Development Core Team. (2011). *R: a language and environment for statistical computing*. R Foundation for Statistical Computing, Vienna, Austria, URL <http://www.R-project.org>.

- Rabenold, P. P. (1987). Recruitment to food in black vultures: evidence for following from communal roosts. *Animal Behaviour* **35**:1775-1785.
- Rakhimberdiev, E., P. J. van den Hout, M. Brugge, B. Spaans, and T. Piersma. (2015). Seasonal mortality and sequential density dependence in a migratory bird. *Journal of Avian Biology* **46**.
- Ranta, E., H. Rita, and K. Lindström. (1993). Competition versus cooperation: success of individuals foraging alone and in groups. *American Naturalist* **142**(1):42-58.
- Réale, D., S. M. Reader, D. Sol, P. T. McDougall, and N. J. Dingemanse. (2007). Integrating animal temperament within ecology and evolution. *Biological Reviews* **82**(2):291-318.
- Réale, D., N. J. Dingemanse, A. J. N. Kazem, and J. Wright. (2010a). Evolutionary and ecological approaches to the study of personality. *Philosophical Transactions of the Royal Society B: Biological Sciences* **365**(1560):3937-3946.
- Réale, D., D. Garant, M. M. Humphries, P. Bergeron, V. Careau, and P. O. Montiglio. (2010b). Personality and the emergence of the pace-of-life syndrome concept at the population level. *Philosophical Transactions of the Royal Society B: Biological Sciences* **365**(1560):4051-4063.
- Reeneerks, J. (2007). *Functional aspects of seasonal variation in preen wax composition of sandpipers (Scolopacidae)*. PhD thesis. University of Groningen, Groningen.
- Richner, H., and P. Heeb. (1995). Is the information centre hypothesis a flop? *Advances in the Study of Behavior* **24**:1-45.
- Richner, H., and E. Danchin. (2001). On the importance of slight nuances in evolutionary ecology. *Animal Behaviour* **61**:F17-F18.
- Rieucau, G., and L.-A. Giraldeau. (2011). Exploring the costs and benefits of social information use: an appraisal of current experimental evidence. *Philosophical Transactions of the Royal Society B: Biological Sciences* **366**(1567):949-957.
- Ripley, B. D. (1981). *Spatial Statistics*. John Wiley & Sons, Inc., New York.
- Rogers, D. I., P. F. Battley, T. Piersma, J. A. van Gils, and K. G. Rogers. (2006). High-tide habitat choice: insights from modelling roost selection by shorebirds around a tropical bay. *Animal Behaviour* **72**(3):563-575.
- Rosa, S., A. L. Encarnacao, J. P. Granadeiro, and J. M. Palmeirim. (2006). High water roost selection by waders: maximizing feeding opportunities or avoiding predation? *Ibis* **148**(1):88-97.
- Rothery, P. (1988). A cautionary note on data transformation: bias in back-transformed means. *Bird Study* **35**(3):219-221.
- Rutten, A. L., K. Oosterbeek, J. van der Meer, S. Verhulst, and B. J. Ens. (2010a). Experimental evidence for interference competition in oystercatchers, *Haematopus ostralegus*. I. Captive birds. *Behavioral Ecology* **21**(6):1251-1260.
- Rutten, A. L., K. Oosterbeek, S. Verhulst, N. J. Dingemanse, and B. J. Ens. (2010b). Experimental evidence for interference competition in oystercatchers, *Haematopus ostralegus*. II. Free-living birds. *Behavioral Ecology* **21**(6):1261-1270.
- Ruxton, G. D., W. S. C. Gurney, and A. M. de Roos. (1992). Interference and generation cycles. *Theoretical Population Biology* **42**(3):235-253.
- S**
- Sæther, B.-E. (1997). Environmental stochasticity and population dynamics of large herbivores: A search for mechanisms. *Trends in Ecology & Evolution* **12**(4):143-149.
- Savaglio, F., D. Maskell, and H. Spencer. (1997). Direct sequence spread spectrum burst transmissions in a hyperbolic automatic radio tracking system. Pages 903-908 in *Proceedings of the International Conference on Telecommunications ICT'97*, Melbourne, Australia.
- Schmitt, R. J., and C. W. Osenberg. (1996). *Detecting ecological impacts: concepts and applications in coastal habitats*. Academic Press, London.
- Schnute, J., N. Boers, and R. Haigh (2008). *PBSmapping*. R package version 2.55. URL <http://cran.r-project.org/web/packages/PBSmapping/index.html>.
- Schoener, T. W. (1971). Theory of feeding strategies. *Annual Review of Ecology and Systematics* **2**:369-404.
- Sekercioglu, C. H. (2007). Conservation ecology: area trumps mobility in fragment bird extinctions. *Current Biology* **17**(8):R283-R286.



- Seppänen, J. T., J. T. Forsman, M. Mönkkönen, and R. L. Thomson. (2007). Social information use is a process across time, space, and ecology, reaching heterospecifics. *Ecology* **88**(7):1622-1633.
- Shaw, J. J., T. Tregenza, G. A. Parker, and I. F. Harvey. (1995). Evolutionarily stable foraging speeds in feeding scrambles: a model and an experimental test. *Proceedings of the Royal Society B: Biological Sciences* **260**(1359):273-277.
- Shrader, A. M., G. I. H. Kerley, B. P. Kotler, and J. S. Brown. (2007). Social information, social feeding, and competition in group-living goats (*Capra hircus*). *Behavioral Ecology* **18**(1):103-107.
- Siepielski, A. M., J. D. DiBattista, and S. M. Carlson. (2009). It's about time: the temporal dynamics of phenotypic selection in the wild. *Ecology Letters* **12**(11):1261-1276.
- Sih, A., P. Crowley, M. McPeck, J. Petranka, and K. Strohmeier. (1985). Predation, competition, and prey communities: a review of field experiments. *Annual Review of Ecology and Systematics* **16**:269-311.
- Sih, A., A. Bell, and J. C. Johnson. (2004a). Behavioral syndromes: an ecological and evolutionary overview. *Trends in Ecology & Evolution* **19**(7):372-378.
- Sih, A., A. M. Bell, J. C. Johnson, and R. E. Ziemba. (2004b). Behavioral syndromes: an integrative overview. *Quarterly Review of Biology* **79**(3):241-277.
- Sih, A., A. Bell, and J. C. Johnson (2010). Behavioral syndromes. In: *Evolutionary behavioral ecology* (eds. D. F. Westneat and C. W. Fox). Oxford University Press, New York, pp. 516-530.
- Sih, A., J. Cote, M. Evans, S. Fogarty, and J. Pruitt. (2012). Ecological implications of behavioural syndromes. *Ecology Letters* **15**(3):278-289.
- Sih, A., K. J. Mathot, M. Moirón, P.-O. Montiglio, M. Wolf, and N. J. Dingemanse. (2015). Animal personality and state-behaviour feedbacks: a review and guide for empiricists. *Trends in Ecology & Evolution* **30**(1):50-60.
- Sinclair, A., and C. J. Krebs. (2002). Complex numerical responses to top-down and bottom-up processes in vertebrate populations. *Philosophical Transactions of the Royal Society B: Biological Sciences* **357**(1425):1221-1231.
- Siroto, E., P. Maes, and G. Gelinaud. (2012). Movements and conflicts in a flock of foraging black-tailed godwits (*Limosa limosa*): the influence of feeding rates on behavioural decisions. *Ethology* **118**(2):127-134.
- Skalski, G. T., and J. F. Gilliam. (2001). Functional responses with predator interference: viable alternatives to the Holling type II model. *Ecology* **82**(11):3083-3092.
- Smallegange, I. M., J. van der Meer, and R. H. J. M. Kurvers. (2006). Disentangling interference competition from exploitative competition in a crab-bivalve system using a novel experimental approach. *Oikos* **113**(1):157-167.
- Smallegange, I. M. (2007). *Interference competition and patch choice in foraging shore crabs*. PhD thesis. University of Amsterdam, Amsterdam.
- Smallegange, I. M., and J. van der Meer. (2009). The distribution of unequal predators across food patches is not necessarily (semi)truncated. *Behavioral Ecology* **20**(3):525-534.
- Smith, B. R., and D. T. Blumstein. (2008). Fitness consequences of personality: a meta-analysis. *Behavioral Ecology* **19**(2):448-455.
- Smith, F. A., S. K. Lyons, S. K. M. Ernest, K. E. Jones, D. M. Kaufman, T. Dayan, P. A. Marquet, J. H. Brown, and J. P. Haskell. (2003). Body mass of late quaternary mammals. *Ecology*. *Ecological Archives* E084-094. <http://dx.doi.org/10.1890/02-9003>.
- Smith, J. W., C. W. Benkman, and K. Coffey. (1999). The use and misuse of public information by foraging red crossbills. *Behavioral Ecology* **10**(1):54-62.
- Smith, L. D., and J. A. Jennings. (2000). Induced defensive responses by the bivalve *Mytilus edulis* to predators with different attack modes. *Marine Biology* **136**(3):461-469.
- Smith, R. J. (2009). Use and misuse of the reduced major axis for line-fitting. *American Journal of Physical Anthropology* **140**(3):476-486.
- Sokal, R. R., and N. L. Oden. (1978a). Spatial autocorrelation in biology 1. Methodology. *Biological Journal of the Linnean Society* **10**(2):199-228.
- Sokal, R. R., and N. L. Oden. (1978b). Spatial autocorrelation in biology 2. Some biological implications and four applications of evolutionary and ecological interest. *Biological Journal of the Linnean Society* **10**(2):229-249.



- Sonerud, G. A., C. A. Smedshaug, and O. Brathen. (2001). Ignorant hooded crows follow knowledgeable roost-mates to food: support for the information centre hypothesis. *Proceedings of the Royal Society B: Biological Sciences* **268**(1469):827-831.
- Sontag, C., D. S. Wilson, and R. S. Wilcox. (2006). Social foraging in *Bufo americanus* tadpoles. *Animal Behaviour* **72**:1451-1456.
- Spaans, B., L. van Kooten, J. Cremer, J. Leyrer, and T. Piersma. (2011). Densities of individually marked migrants away from the marking site to estimate population sizes: a test with three wader populations. *Bird Study* **58**(2):130-140.
- Stamps, J., and T. G. G. Groothuis. (2010a). The development of animal personality: relevance, concepts and perspectives. *Biological Reviews* **85**(2):301-325.
- Stamps, J. A. (2007). Growth-mortality tradeoffs and 'personality traits' in animals. *Ecology Letters* **10**(5):355-363.
- Stamps, J. A., and T. G. Groothuis. (2010b). Developmental perspectives on personality: implications for ecological and evolutionary studies of individual differences. *Philosophical Transactions of the Royal Society B: Biological Sciences* **365**(1560):4029-4041.
- Stephens, D. W., and J. R. Krebs. (1986). *Foraging theory*. Princeton University Press, Princeton, N.J.
- Stephens, D. W., J. S. Brown, and R. C. Ydenberg. (2007). *Foraging: behavior and ecology*. The University of Chicago Press, Chicago, IL.
- Steuer, R. E. (1986). *Multiple criteria optimization: theory, computation and application*. John Wiley, New York.
- Stewart-Oaten, A., J. R. Bence, and C. W. Osenberg. (1992). Assessing effects of unreplicated perturbations: no simple solutions. *Ecology* **73**(4):1396-1404.
- Stewart-Oaten, A., and J. R. Bence. (2001). Temporal and spatial variation in environmental impact assessment. *Ecological Monographs* **71**(2):305-339.
- Stillman, R. A., J. D. Goss-Custard, R. T. Clarke, and S. E. A. le V. dit Durell. (1996). Shape of the interference function in a foraging vertebrate. *Journal of Animal Ecology* **65**(6):813-824.
- Stillman, R. A., J. D. Goss-Custard, and R. W. G. Caldow. (1997). Modelling interference from basic foraging behaviour. *Journal of Animal Ecology* **66**(5):692-703.
- Stillman, R. A., and J. D. Goss-Custard. (2010). Individual-based ecology of coastal birds. *Biological Reviews* **85**(3):413-434.
- Sugden, A., and E. Pennisi. (2006). When to go, where to stop. *Science* **313**(5788):775.
- Sumpter, D. J. T. (2010). *Collective animal behavior*. Princeton University Press, Princeton N.J.
- Sutherland, W. J. (1982a). Spatial variation in the predation of Cockles by Oystercatchers at Traeth Melynog, Anglesey. II. The pattern of mortality. *Journal of Animal Ecology* **51**(2):491-500.
- Sutherland, W. J. (1982b). Spatial variation in the predation of Cockles by Oystercatchers at Traeth Melynog, Anglesey. I. The cockle population. *Journal of Animal Ecology* **51**(2):481-489.
- Sutherland, W. J., and P. Koene. (1982). Field estimates of the strength of interference between Oystercatchers *Haematopus ostralegus*. *Oecologia* **55**(1):108-109.
- Sutherland, W. J. (1983). Aggregation and the 'ideal free' distribution. *Journal of Animal Ecology* **52**(3):821-828.
- Sutherland, W. J., and C. W. Anderson. (1993). Predicting the distribution of individuals and the consequences of habitat loss: the role of prey depletion. *Journal of Theoretical Biology* **160**(2): 223-230.
- Sutherland, W. J. (1996). *From individual behaviour to population ecology*. Oxford University Press, Oxford.
- Székely, T., and Z. Bamberger. (1992). Predation of waders (Charadrii) on prey populations: an enclosure experiment. *Journal of Animal Ecology* **61**(2):447-456.

## T

- Tang, B. Z., S. Longfield, S. A. Bhawe, and R. Manohar. (2012). A low power asynchronous gps base-band processor. Pages 33-40 in 18th IEEE International Symposium on Asynchronous Circuits and Systems (ASYNC), Lyngby, Denmark.
- Templeton, J. J., and L.-A. Giraldeau. (1995). Patch assessment in foraging flocks of european starlings: evidence for the use of public information. *Behavioral Ecology* **6**(1):65-72.

- Templeton, J. J., and L.-A. Giraldeau. (1996). Vicarious sampling: the use of personal and public information by starlings foraging in a simple patchy environment. *Behavioral Ecology and Sociobiology* **38**(2):105-114.
- Thompson, S. K. (1992). *Sampling*. John Wiley & Sons, Inc., New York.
- Thorpe, W. H. (1956). *Learning and instinct in animals*. Hazel, Watson, and Viney Ltd, London.
- Thrush, S. F., J. E. Hewitt, and R. D. Pridmore. (1989). Patterns in the spatial arrangements of polychaetes and bivalves in intertidal sandflats. *Marine Biology* **102**(4):529-535.
- Thrush, S. F. (1991). Spatial patterns in soft-bottom communities. *Trends in Ecology & Evolution* **6**(3):75-79.
- Thrush, S. F. (1999). Complex role of predators in structuring soft-sediment macrobenthic communities: implications of changes in spatial scale for experimental studies. *Australian Journal of Ecology* **24**(4):344-354.
- Tinbergen, N. (1951). *The study of instinct*. Oxford University Press, Oxford.
- Tregenza, T. (1995). Building on the ideal free distributions. *Advances in Ecological Research* **26**:253-307.
- Trivers, R. L. (1971). The evolution of reciprocal altruism. *The Quarterly Review of Biology* **46**(1):35-57.
- Tufto, J., E. S. Solberg, and T. H. Ringsby. (1998). Statistical models of transitive and intransitive dominance structures. *Animal Behaviour* **55**:1489-1498.
- Turner, J. S. (2009). *The tinkerer's accomplice: how design emerges from life itself*. Harvard University Press.

## U

- Underwood, A. J. (1991). Beyond BACI: experimental designs for detecting human environmental impacts on temporal variations in natural populations. *Australian Journal of Marine and Freshwater Research* **42**(5):569-587.
- Underwood, A. J. (1994). On beyond BACI: sampling designs that might reliably detect environmental disturbances. *Ecological Applications* **4**(1):3-15.
- Underwood, A. J. (1997). *Experiments in ecology: their logical design and interpretation using analysis of variance*. Cambridge University Press, Cambridge.
- Upton, G. J. G., and B. Fingleton. (1985). *Spatial data analysis by example*. John Wiley & Sons, Inc., New York.

## V

- Vahl, W. K., T. Lok, J. van der Meer, T. Piersma, and F. J. Weissing. (2005a). Spatial clumping of food and social dominance affect interference competition among ruddy turnstones. *Behavioral Ecology* **16**(5):834-844.
- Vahl, W. K., J. van der Meer, F. J. Weissing, D. van Dullemen, and T. Piersma. (2005b). The mechanisms of interference competition: two experiments on foraging waders. *Behavioral Ecology* **16**(5):845-855.
- Vahl, W. K. (2006). *Interference competition among foraging waders*. PhD thesis. University of Groningen.
- Vahl, W. K., and S. A. Kingma. (2007). Food divisibility and interference competition among captive ruddy turnstones, *Arenaria interpres*. *Animal Behaviour* **74**(5):1391-1401.
- Vahl, W. K., J. van der Meer, K. Meijer, T. Piersma, and F. J. Weissing. (2007). Interference competition, the spatial distribution of food and free-living foragers. *Animal Behaviour* **74**(5):1493-1503.
- Valone, T. J. (1989). Group foraging, public information, and patch estimation. *Oikos* **56**(3):357-363.
- Valone, T. J., and L.-A. Giraldeau. (1993). Patch estimation by group foragers: what information is used? *Animal Behaviour* **45**(4):721-728.
- Valone, T. J., and J. J. Templeton. (2002). Public information for the assessment of quality: a widespread social phenomenon. *Philosophical Transactions of the Royal Society B: Biological Sciences* **357**(1427):1549-1557.
- Valone, T. J. (2006). Are animals capable of Bayesian updating? An empirical review. *Oikos* **112**(2):252-259.

- Valone, T. J. (2007). From eavesdropping on performance to copying the behavior of others: a review of public information use. *Behavioral Ecology and Sociobiology* **62**(1):1-14.
- van Beest, F. M., A. Myrsterud, L. E. Loe, and J. M. Milner. (2010). Forage quantity, quality and depletion as scale-dependent mechanisms driving habitat selection of a large browsing herbivore. *Journal of Animal Ecology* **79**(4):910-922.
- van Bergen, Y., I. Coolen, and K. N. Laland. (2004). Nine-spined sticklebacks exploit the most reliable source when public and private information conflict. *Proceedings of the Royal Society B: Biological Sciences* **271**(1542):957-962.
- van de Kam, J., B. Ens, T. Piersma, and L. Zwarts. (2004). *Shorebirds. An illustrated behavioral ecology*. KNNV Publishers, Utrecht, The Netherlands.
- van de Pol, M. V., and J. Wright. (2009). A simple method for distinguishing within- versus between-subject effects using mixed models. *Animal Behaviour* **77**(3):753-758.
- van den Hout, P. J., B. Spaans, and T. Piersma. (2008). Differential mortality of wintering shorebirds on the Banc d'Arguin, Mauritania, due to predation by large falcons. *Ibis* **150**(Suppl. 1):219-230.
- van den Hout, P. J. (2010). *Struggle for safety: adaptive responses of wintering waders to their avian predators*. PhD thesis. University of Groningen, Groningen.
- van den Hout, P. J., K. J. Mathot, L. R. M. Maas, and T. Piersma. (2010). Predator escape tactics in birds: linking ecology and aerodynamics. *Behavioral Ecology* **21**(1):16-25.
- van der Geest, M. (2013). *Multi-trophic interactions within the seagrass beds of Banc d'Arguin, Mauritania: a chemosynthesis-based intertidal ecosystem*. PhD thesis. University of Groningen, Groningen.
- van der Meer, J. (1992). Statistical analysis of the dichotomous preference test. *Animal Behaviour* **44**:1101-1106.
- van der Meer, J., and T. Piersma. (1994). Physiologically inspired regression-models for estimating and predicting nutrient stores and their composition in birds. *Physiological Zoology* **67**(2):305-329.
- van der Meer, J., and M. F. Leopold. (1995). Assessing the population-size of the European storm-petrel (*Hydrobates pelagicus*) using spatial autocorrelation between counts from segments of crisscross ship transects. *ICES Journal of Marine Science* **52**(5):809-818.
- van der Meer, J. (1997). Sampling design of monitoring programmes for marine benthos: a comparison between the use of fixed versus randomly selected stations. *Journal of Sea Research* **37**(1):167-179.
- van der Meer, J., and B. J. Ens. (1997). Models of interference and their consequences for the spatial distribution of ideal and free predators. *Journal of Animal Ecology* **66**(6):846-858.
- van der Meer, J., and I. M. Smallegange. (2009). A stochastic version of the Beddington-DeAngelis functional response: modelling interference for a finite number of predators. *Journal of Animal Ecology* **78**(1):134-142.
- van Dijk, J. G. B., S. Duijns, A. Gyimesi, W. F. de Boer, and B. A. Nolet. (2012). Mallards feed longer to maintain intake rate under competition on a natural food distribution. *Ethology* **118**:169-177.
- van Gils, J. A., T. Piersma, A. Dekinga, and M. W. Dietz. (2003a). Cost-benefit analysis of mollusc-eating in a shorebird II. Optimizing gizzard size in the face of seasonal demands. *Journal of Experimental Biology* **206**(19):3369-3380.
- van Gils, J. A., I. W. Schenk, O. Bos, and T. Piersma. (2003b). Incompletely informed shorebirds that face a digestive constraint maximize net energy gain when exploiting patches. *American Naturalist* **161**(5):777-793.
- van Gils, J. A. (2004). *Foraging decisions in a digestively constrained long-distance migrant, the red knot (Calidris canutus)*. PhD thesis. University of Groningen, Groningen.
- van Gils, J. A., and T. Piersma. (2004). Digestively constrained predators evade the cost of interference competition. *Journal of Animal Ecology* **73**(2):386-398.
- van Gils, J. A., S. R. de Rooij, J. van Belle, J. van der Meer, A. Dekinga, T. Piersma, and R. Drent. (2005a). Digestive bottleneck affects foraging decisions in red knots *Calidris canutus*. I. Prey choice. *Journal of Animal Ecology* **74**(1):105-119.

- van Gils, J. A., A. Dekinga, B. Spaans, W. K. Vahl, and T. Piersma. (2005b). Digestive bottleneck affects foraging decisions in red knots *Calidris canutus*. II. Patch choice and length of working day. *Journal of Animal Ecology* **74**(1):120-130.
- van Gils, J. A., T. Piersma, A. Dekinga, B. Spaans, and C. Kraan. (2006a). Shellfish dredging pushes a flexible avian top predator out of a marine protected area. *PLoS Biology* **4**(12):2399-2404.
- van Gils, J. A., B. Spaans, A. Dekinga, and T. Piersma. (2006b). Foraging in a tidally structured environment by red knots (*Calidris canutus*): ideal, but not free. *Ecology* **87**(5):1189-1202.
- van Gils, J. A., A. Dekinga, P. J. van den Hout, B. Spaans, and T. Piersma. (2007). Digestive organ size and behavior of red knots (*Calidris canutus*) indicate the quality of their benthic food stocks. *Israel Journal of Ecology & Evolution* **53**(3-4):329-346.
- van Gils, J. A., C. Kraan, A. Dekinga, A. Koolhaas, J. Drent, P. de Goeij, and T. Piersma. (2009). Reversed optimality and predictive ecology: burrowing depth forecasts population change in a bivalve. *Biology Letters* **5**(1):5-8.
- van Gils, J. A. (2010). State-dependent Bayesian foraging on spatially autocorrelated food distributions. *Oikos* **119**(2):237-244.
- van Gils, J. A., M. van der Geest, E. J. Jansen, L. L. Govers, J. de Fouw, and T. Piersma. (2012). Trophic cascade induced by molluscivore predator alters pore-water biogeochemistry via competitive release of prey. *Ecology* **93**(5):1143-1152.
- van Gils, J. A., M. van der Geest, B. de Meulenaer, H. Gillis, T. Piersma, and E. O. Folmer. (2015). Moving on with foraging theory: incorporating movement decisions into the functional response of a gregarious shorebird. *Journal of Animal Ecology* **84**:554-564.
- van Oers, K., G. de Jong, A. J. van Noordwijk, B. Kempenaers, and P. J. Drent. (2005). Contribution of genetics to the study of animal personalities: a review of case studies. *Behaviour* **142**:1185-1206.
- van Overveld, T., and E. Matthysen. (2010). Personality predicts spatial responses to food manipulations in free-ranging great tits (*Parus major*). *Biology Letters* **6**(2):187-190.
- Van Valen, L. (1965). Morphological variation and width of ecological niche. *American Naturalist* **99**(908):377-390.
- Vásquez, R. A., and A. Kacelnik. (2000). Foraging rate versus sociality in the starling *Sturnus vulgaris*. *Proceedings of the Royal Society B: Biological Sciences* **267**(1439):157-164.
- Vedder, O., S. Bouwhuis, and B. C. Sheldon. (2014). The contribution of an avian top predator to selection in prey species. *Journal of Animal Ecology* **83**:99-106.
- Verbeek, M. E. M., P. J. Drent, and P. R. Wiepkema. (1994). Consistent individual differences in early exploratory behaviour of male great tits. *Animal Behaviour* **48**(5):1113-1121.
- Verhulst, P. H. (1838). Notice sur la loi que la population poursuit dans son accroissement. *Correspondance mathématique et physique* **10**:113-121.
- Vermeij, G. J. (1987). *Evolution and escalation: An ecological history of life*. Princeton University Press, Princeton.
- W**
- Wade, M. J., and S. Kalisz. (1990). The causes of natural selection. *Evolution* **44**(8):1947-1955.
- Wagner, R. H. (1993). The pursuit of extra-pair copulations by female birds: a new hypothesis of colony formation *Journal of Theoretical Biology* **163**(3):333-346.
- Wagner, R. H., E. Danchin, T. Boulinier, and F. Helfenstein. (2000). Colonies as byproducts of commodity selection. *Behavioral Ecology* **11**(5):572-573.
- Wagner, R. H., and E. Danchin. (2003). Conspecific copying: a general mechanism of social aggregation. *Animal Behaviour* **65**:405-408.
- Wagner, R. H., and E. Danchin. (2010). A taxonomy of biological information. *Oikos* **119**(2):203-209.
- Wakefield, E. D., T. W. Bodey, S. Bearhop, J. Blackburn, K. Colhoun, R. Davies, R. G. Dwyer, J. A. Green, D. Grémillet, and A. L. Jackson. (2013). Space partitioning without territoriality in gannets. *Science* **341**(6141):68-70.
- Waltz, E. C. (1982). Resource characteristics and the evolution of information centres. *American Naturalist* **119**(1):73-90.

- Waltz, E. C. (1987). A test of the information-centre hypothesis in two colonies of common terns, *Sterna hirundo*. *Animal Behaviour* **35**:48-59.
- Ward, P., and A. Zahavi. (1973). The importance of certain assemblages of birds as 'information-centres' for food-finding. *Ibis* **115**:517-534.
- Warton, D. I., R. A. Duursma, D. S. Falster, and S. Taskinen. (2012). smatr 3: an R package for estimation and inference about allometric lines. *Methods in Ecology and Evolution* **3**(2):257-259.
- Wcislo, W. T. (1989). Behavioral environments and evolutionary change. *Annual Review of Ecology and Systematics* **20**:137-169.
- Weatherhead, P. J. (1983). Two principal strategies in avian communal roosts. *American Naturalist* **121**(2):237-243.
- Webster, M. S., P. P. Marra, S. M. Haig, S. Bensch, and R. T. Holmes. (2002). Links between worlds: unraveling migratory connectivity. *Trends in Ecology & Evolution* **17**(2):76-83.
- Weimerskirch, H., J. Martin, Y. Clerquin, P. Alexandre, and S. Jiraskova. (2001). Energy saving in flight formation: pelicans flying in a 'V' can glide for extended periods using the other birds' air streams. *Nature* **413**(6857):697-698.
- Werner, E. E., G. G. Mittelbach, and D. J. Hall. (1981). The role of foraging profitability and experience in habitat use by the bluegill sunfish. *Ecology* **62**(1):116-125.
- West-Eberhard, M. J. (2003). *Developmental plasticity and evolution*. Oxford University Press, New York.
- West-Eberhard, M. J. (2005). Phenotypic accommodation: adaptive innovation due to developmental plasticity. *Journal of Experimental Zoology Part B: Molecular and Developmental Evolution* **304**(6):610-618.
- Westneat, D. F., and C. W. Fox. (2010). *Evolutionary behavioral ecology*. Oxford University Press, New York.
- White, D. J. (2004). Influences of social learning on mate-choice decisions. *Learning & Behavior* **32**(1):105-113.
- White, G. C., and K. P. Burnham. (1999). Program MARK: survival estimation from populations of marked animals. *Bird Study* **46**:120-139.
- Wiersma, P., and T. Piersma. (1994). Effects of microhabitat, flocking, climate and migratory goal on energy expenditure in the annual cycle of red knots. *The Condor* **96**(2):257-279.
- Wijnandts, H. (1984). Ecological energetics of the long-eared owl (*Asio otus*). *Ardea* **72**:1-92.
- Wilmshurst, J. F., J. M. Fryxell, B. P. Farm, A. R. E. Sinclair, and C. P. Henschel. (1999). Spatial distribution of Serengeti wildebeest in relation to resources. *Canadian Journal of Zoology* **77**(8):1223-1232.
- Wilson, A. D. M., and R. L. McLaughlin. (2007). Behavioural syndromes in brook charr, *Salvelinus fontinalis*: prey-search in the field corresponds with space use in novel laboratory situations. *Animal Behaviour* **74**(4):689-698.
- Wilson, D. S. (1998). Adaptive individual differences within single populations. *Philosophical Transactions of the Royal Society B: Biological Sciences* **353**(1366):199-205.
- Wilson, W. H. (1991). Competition and predation in marine soft-sediment communities. *Annual Review of Ecology and Systematics* **21**:221-241.
- Winkler, D. W. (2006). Roosts and migrations of swallows. *Hornero* **21**(2):85-97.
- Witter, M. S., and I. C. Cuthill. (1993). The ecological costs of avian fat storage. *Philosophical Transactions of the Royal Society B: Biological Sciences* **340**(1291):73-92.
- Wolf, M., G. S. van Doorn, O. Leimar, and F. J. Weissing. (2007). Life-history trade-offs favour the evolution of animal personalities. *Nature* **447**(7144):581-584.
- Wolf, M., G. S. van Doorn, and F. J. Weissing. (2008). Evolutionary emergence of responsive and unresponsive personalities. *Proceedings of the National Academy of Sciences of the United States of America* **105**(41):15825-15830.
- Wolf, M., and F. J. Weissing. (2010). An explanatory framework for adaptive personality differences. *Philosophical Transactions of the Royal Society B: Biological Sciences* **365**(1560):3959-3968.
- Wolf, M., and J. M. McNamara. (2012). On the evolution of personalities via frequency-dependent selection. *American Naturalist* **179**(6):679-692.

- Wolf, M., and F. J. Weissing. (2012). Animal personalities: consequences for ecology and evolution. *Trends in Ecology & Evolution* **27**(8):452-461.
- Wright, J., R. E. Stone, and N. Brown. (2003). Communal roosts as structured information centres in the raven, *Corvus corax*. *Journal of Animal Ecology* **72**(6):1003-1014.

## Y

- Yackel Adams, A. (1999). *Communal roosting in insects*. MSc thesis. Colorado State University, available online at [http://www.colostate.edu/Depts/Entomology/courses/en507/papers\\_1999/yackel.htm](http://www.colostate.edu/Depts/Entomology/courses/en507/papers_1999/yackel.htm).
- Yates, M. G., J. D. Goss-Custard, S. McGroarty, K. H. Lakhani, S. E. A. le V. dit Durell, R. T. Clarke, W. E. Rispin, I. Moy, T. Yates, R. A. Plant, and A. J. Frost. (1993). Sediment characteristics, invertebrate densities and shorebird densities on the inner banks of the Wash. *Journal of Applied Ecology* **30**(4):599-614.
- Ydenberg, R., and H. T. Prins. (1981). Spring grazing and the manipulation of food quality by barnacle geese. *Journal of Applied Ecology* **18**:443-453.
- Ydenberg, R. C., and H. H. T. Prins (1984). Why do birds roost communally? In: *Coastal waders and wildfowl in winter*. (eds. P. R. Evans, J. D. Goss-Custard, and W. G. Hale). Cambridge University Press, Cambridge, pp. 123-139.

## Z

- Zajonc, R. B. (1965). Social facilitation. *Science* **149**(3681):269-274.
- Zwarts, L., and J. Wanink. (1989). Siphon size and burying depth in deposit-feeding and suspension-feeding benthic bivalves. *Marine Biology* **100**(2):227-240.
- Zwarts, L. (1991). Seasonal-variation in body-weight of the bivalves *Macoma balthica*, *Scrobicularia plana*, *Mya arenaria* and *Cerastoderma edule* in the Dutch Wadden Sea. *Netherlands Journal of Sea Research* **28**(3):231-245.
- Zwarts, L., and A. M. Blomert. (1992). Why knot *Calidris canutus* take medium-sized *Macoma balthica* when six prey species are available. *Marine Ecology Progress Series* **83**(2-3):113-128.
- Zwarts, L., and J. H. Wanink. (1993). How the food-supply harvestable by waders in the Wadden Sea depends on the variation in energy density, body-weight, biomass, burying depth and behavior of tidal-flat invertebrates. *Netherlands Journal of Sea Research* **31**(4):441-476.
- Zwarts, L. I., A.-M. Blomert, and R. Hupkes. (1990). Increase of feeding time in waders preparing for spring migration from de Banc D'Arguin, Mauritania. *Ardea* **78**(1-2):237-256.
- Zwarts, L. I. (1997). *Waders and their estuarine food supplies*. PhD thesis. University of Groningen, Groningen.



