

University of Groningen

Learning Vector Quantization with Applications in Neuroimaging and Biomedicine

van Veen, Rick

DOI:
[10.33612/diss.211419033](https://doi.org/10.33612/diss.211419033)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2022

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):
van Veen, R. (2022). *Learning Vector Quantization with Applications in Neuroimaging and Biomedicine*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen.
<https://doi.org/10.33612/diss.211419033>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Bibliography

- [1] S. Ghosh, E. S. Baranowski, R. van Veen, J. J. G. de Vries, M. Biehl, W. Arlt, P. Tino, and K. Bunte, "Comparison of strategies to learn from imbalanced classes for computer aided diagnosis of inborn steroidogenic disorders", in *25th European Symposium on Artificial Neural Networks, Computational Intelligence and Machine Learning, ESANN 2017*, M. Verleysen, Ed., Ciaco - i6doc.com, Apr. 2017, pp. 199–205, ISBN: 978-2-87587-038-4.
- [2] S. Fallmann, R. van Veen, L. Chen, D. Walker, F. Chen, and C. Pan, "Wearable accelerometer based extended sleep position recognition", in *2017 IEEE 19th International Conference on e-Health Networking, Applications and Services (Healthcom)*, IEEE, Oct. 2017. DOI: 10.1109/healthcom.2017.8210806.
- [3] R. van Veen *et al.*, "Machine Learning Based Analysis of FDG-PET Image Data for the Diagnosis of Neurodegenerative Diseases", in *Applications of Intelligent Systems*, N. Petkov, N. Strisciuglio, and C. Travieso-González, Eds., ser. Frontiers in Artificial Intelligence and Applications. 2018, vol. 310, pp. 280–289, ISBN: 978-1-61499-928-7. DOI: 10.3233/978-1-61499-929-4-280.
- [4] R. van Veen *et al.*, "An application of generalized matrix learning vector quantization in neuroimaging", *Computer Methods and Programs in Biomedicine*, vol. 197, p. 105708, 2020, ISSN: 0169-2607. DOI: 10.1016/j.cmpb.2020.105708.
- [5] R. van Veen, M. Biehl, and J. J. G. de Vries, "Skvlq: Scikit learning vector quantization", *Journal of Machine Learning Research*, vol. 22, no. 231, pp. 1–6, 2021. [Online]. Available: <http://jmlr.org/papers/v22/21-0029.html>.
- [6] A. Rajkomar, J. Dean, and I. Kohane, "Machine learning in medicine", *New England Journal of Medicine*, vol. 380, no. 14, pp. 1347–1358, 2019. DOI: 10.1056/NEJMr1814259.
- [7] D. Nova and P. A. Estévez, "A review of learning vector quantization classifiers", *Neural Computing and Applications*, vol. 25, no. 3-4, pp. 511–524, 2014. DOI: 10.1007/s00521-013-1535-3.
- [8] T. Kohonen, "The Self-Organizing Map", *Proceedings of the IEEE*, vol. 78, no. 9, pp. 1464–1480, 1990. DOI: 10.1109/5.58325.

- [9] P. Schneider, M. Biehl, and B. Hammer, "Adaptive Relevance Matrices in Learning Vector Quantization", *Neural Computation*, vol. 21, no. 12, pp. 3532–3561, 2009. DOI: 10.1162/neco.2009.11-08-908.
- [10] K. Gammon, "Neurodegenerative disease: Brain windfall", *Nature*, vol. 515, no. 7526, pp. 299–300, Nov. 2014, ISSN: 1476-4687. DOI: 10.1038/nj7526-299a.
- [11] A. D. Gitler, P. Dhillon, and J. Shorter, "Neurodegenerative disease: models, mechanisms, and a new hope", *Disease Models & Mechanisms*, vol. 10, no. 5, pp. 499–502, May 2017, ISSN: 1754-8403. DOI: 10.1242/dmm.030205.
- [12] J. Zhang, K. Chen, D. Wang, F. Gao, Y. Zheng, and M. Yang, "Editorial: Advances of neuroimaging and data analysis", *Frontiers in Neurology*, vol. 11, Apr. 2020. DOI: 10.3389/fneur.2020.00257. [Online]. Available: <https://doi.org/10.3389/fneur.2020.00257>.
- [13] F. E. Turkheimer, M. Veronese, and J. Dunn, *Experimental design and practical data analysis in positron emission tomography*. CreateSpace, 2014.
- [14] V. L. Feigin *et al.*, "Global, regional, and national burden of neurological disorders, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016", *The Lancet Neurology*, vol. 18, no. 5, pp. 459–480, 2019, ISSN: 14744465. DOI: 10.1016/S1474-4422(18)30499-X.
- [15] K. L. Chou, "Diagnosis and differential diagnosis of Parkinson disease", in *UpToDate*, Waltham, MA: Wolters Kluwer, Apr. 2021, Accessed: May 2021 [Online].
- [16] E. Tolosa, G. Wenning, and W. Poewe, "The diagnosis of Parkinson's disease", *Lancet Neurology*, vol. 5, no. 1, pp. 75–86, 2006, ISSN: 14744422. DOI: 10.1016/S1474-4422(05)70285-4.
- [17] L. V. Kalia and A. E. Lang, "Parkinson's disease", *The Lancet*, vol. 386, no. 9996, pp. 896–912, 2015, ISSN: 1474547X. DOI: 10.1016/S0140-6736(14)61393-3.
- [18] M. A. Thenganatt and J. Jankovic, "Parkinson disease subtypes", *JAMA neurology*, vol. 71, no. 4, pp. 499–504, 2014.
- [19] J. Jankovic, "Etiology and pathogenesis of Parkinson disease", in *UpToDate*, Waltham, MA: Wolters Kluwer, Jul. 2021, Accessed: Aug 2021 [Online].
- [20] G. Rizzo, M. Copetti, S. Arcuti, D. Martino, A. Fontana, and G. Logroscino, "Accuracy of clinical diagnosis of Parkinson disease", *Neurology*, vol. 86, no. 6, pp. 566–576, 2016, ISSN: 0028-3878. DOI: 10.1212/WNL.0000000000002350.
- [21] C. Ballard, S. Gauthier, A. Corbett, C. Brayne, D. Aarsland, and E. Jones, "Alzheimer's disease", *The Lancet*, vol. 377, no. 9770, pp. 1019–1031, 2011, ISSN: 01406736. DOI: 10.1016/S0140-6736(10)61349-9.
- [22] D. A. Wolk and B. C. Dickerson, "Clinical features and diagnosis of Alzheimer disease", in *UpToDate*, Waltham, MA: Wolters Kluwer, Apr. 2021, Accessed: May 2021 [Online].

- [23] C. G. Ballard and C. Bannister, "Dementia", in 3rd. CRC Press, 2005, ch. Criteria in the diagnosis of dementia, pp. 24–37.
- [24] M. R. Farlow, "Clinical features and diagnosis of dementia with Lewy bodies", in *UpToDate*, Waltham, MA: Wolters Kluwer, Apr. 2021, Accessed: May 2021 [Online].
- [25] M. Howell and C. H. Scenck, "Rapid eye movement sleep behavior disorder", in *UpToDate*, Waltham, MA: Wolters Kluwer, Apr. 2021, Accessed: May 2021 [Online].
- [26] J. Haba-Rubio *et al.*, "Prevalence and determinants of rapid eye movement sleep behavior disorder in the general population", *Sleep*, vol. 41, no. 2, pp. 1–8, 2018, ISSN: 15509109. DOI: 10.1093/sleep/zsx197.
- [27] R. B. Postuma, J. F. Gagnon, M. Vendette, M. L. Fantini, J. Massicotte-Marquez, and J. Montplaisir, "Quantifying the risk of neurodegenerative disease in idiopathic REM sleep behavior disorder", *Neurology*, vol. 72, no. 15, pp. 1296–1300, 2009, ISSN: 0028-3878. DOI: 10.1212/01.wnl.0000340980.19702.6e.
- [28] R. B. Postuma, A. E. Lang, J. F. Gagnon, A. Pelletier, and J. Y. Montplaisir, "How does parkinsonism start? Prodromal parkinsonism motor changes in idiopathic REM sleep behaviour disorder", *Brain*, vol. 135, no. 6, pp. 1860–1870, May 2012, ISSN: 0006-8950. DOI: 10.1093/brain/aws093.
- [29] A. Iranzo *et al.*, "Neurodegenerative disease status and post-mortem pathology in idiopathic rapid-eye-movement sleep behaviour disorder: an observational cohort study", *The Lancet Neurology*, vol. 12, no. 5, pp. 443–453, May 2013. DOI: 10.1016/s1474-4422(13)70056-5. [Online]. Available: [https://doi.org/10.1016/s1474-4422\(13\)70056-5](https://doi.org/10.1016/s1474-4422(13)70056-5).
- [30] C. H. Schenck, B. F. Boeve, and M. W. Mahowald, "Delayed emergence of a parkinsonian disorder or dementia in 81% of older men initially diagnosed with idiopathic rapid eye movement sleep behavior disorder: a 16-year update on a previously reported series", *Sleep Medicine*, vol. 14, no. 8, pp. 744–748, Aug. 2013. DOI: 10.1016/j.sleep.2012.10.009. [Online]. Available: <https://doi.org/10.1016/j.sleep.2012.10.009>.
- [31] A. Iranzo *et al.*, "Neurodegenerative Disorder Risk in Idiopathic REM Sleep Behavior Disorder: Study in 174 Patients", *PLoS ONE*, vol. 9, no. 2, M. Toft, Ed., e89741, Feb. 2014. DOI: 10.1371/journal.pone.0089741. [Online]. Available: <https://doi.org/10.1371/journal.pone.0089741>.
- [32] D. Berg *et al.*, "MDS research criteria for prodromal Parkinson's disease", *Movement Disorders*, vol. 30, no. 12, pp. 1600–1611, Oct. 2015. DOI: 10.1002/mds.26431. [Online]. Available: <https://doi.org/10.1002/mds.26431>.
- [33] J. R. Moeller, S. C. Strother, J. J. Sidtis, and D. A. Rottenberg, "Scaled Subprofile Model: A Statistical Approach to the Analysis of Functional Patterns in Positron Emission Tomographic Data", *Journal of Cerebral Blood Flow and Metabolism*, vol. 7, no. 5, pp. 649–658, 1987. DOI: 10.1038/jcbfm.1987.118.

- [34] J. R. Moeller and S. C. Strother, "A regional covariance approach to the analysis of functional patterns in positron emission tomographic data", *Journal of Cerebral Blood Flow and Metabolism*, vol. 11, no. 2, A121–35, 1991. DOI: 10.1038/jcbfm.1991.47.
- [35] D. Eidelberg, "Metabolic brain networks in neurodegenerative disorders: a functional imaging approach", *Trends in Neurosciences*, vol. 32, no. 10, pp. 548–557, 2009. DOI: 10.1016/j.tins.2009.06.003.
- [36] S. K. Meles, L. K. Teune, B. M. de Jong, R. A. Dierckx, and K. L. Leenders, "Metabolic Imaging in Parkinson Disease", *Journal of Nuclear Medicine*, 2016, ISSN: 0161-5505. DOI: 10.2967/jnumed.116.183152.
- [37] M. Niethammer *et al.*, "A disease-specific metabolic brain network associated with corticobasal degeneration", *Brain*, vol. 137, no. 11, pp. 3036–3046, 2014, ISSN: 14602156. DOI: 10.1093/brain/awu256.
- [38] C. C. Tang *et al.*, "Differential diagnosis of parkinsonism: a metabolic imaging study using pattern analysis", *The Lancet Neurology*, vol. 9, no. 2, pp. 149–158, 2010, ISSN: 14744422. DOI: 10.1016/S1474-4422(10)70002-8.
- [39] P. G. Spetsieris, J. H. Ko, C. C. Tang, A. Nazem, W. Sako, S. Peng, Y. Ma, V. Dhawan, and D. Eidelberg, "Metabolic resting-state brain networks in health and disease", *Proceedings of the National Academy of Sciences of the United States of America*, vol. 112, no. 8, pp. 2563–2568, 2015, ISSN: 10916490. DOI: 10.1073/pnas.1411011112.
- [40] P. G. Spetsieris and D. Eidelberg, "Scaled subprofile modeling of resting state imaging data in Parkinson's disease: Methodological issues", *NeuroImage*, vol. 54, no. 4, pp. 2899–2914, Feb. 2011, ISSN: 10538119. DOI: 10.1016/j.neuroimage.2010.10.025.
- [41] P. A. Della Rosa *et al.*, "A Standardized [18F]-FDG-PET Template for Spatial Normalization in Statistical Parametric Mapping of Dementia", *Neuroinformatics*, vol. 12, no. 4, pp. 575–593, 2014, ISSN: 1539-2791. DOI: 10.1007/s12021-014-9235-4. [Online]. Available: <http://link.springer.com/10.1007/s12021-014-9235-4>.
- [42] I. Jolliffe, *Principal Component Analysis*. Springer-Verlag, 2002. DOI: 10.1007/b98835. [Online]. Available: <https://doi.org/10.1007/b98835>.
- [43] G. E. Alexander and J. R. Moeller, "Application of the scaled subprofile model to functional imaging in neuropsychiatric disorders: A principle component approach to modeling brain function in disease", *Human Brain Mapping*, vol. 2, pp. 79–94, 1994. DOI: DOI:10.1002/hbm.460020108.
- [44] D. Eidelberg, J. R. Moeller, T. Ishikawa, V. Dhawan, P. Spetsieris, T. Chaly, W. Robeson, J. R. Dahl, and D. Margouleff, "Assessment of disease severity in parkinsonism with fluorine-18-fluorodeoxyglucose and PET.", *Journal of nuclear medicine : official publication, Society of Nuclear Medicine*, vol. 36, no. 3, pp. 378–383, 1995, ISSN: 0161-5505.

- [45] C. Habeck, N. L. Foster, R. Perneczky, A. Kurz, P. Alexopoulos, R. A. Koeppe, A. Drzezga, and Y. Stern, "Multivariate and univariate neuroimaging biomarkers of Alzheimer's disease", *NeuroImage*, vol. 40, no. 4, pp. 1503–1515, May 2008, ISSN: 10538119. DOI: 10.1016/j.neuroimage.2008.01.056.
- [46] H. Akaike, "A new look at the statistical model identification", *IEEE transactions on automatic control*, vol. 19, no. 6, pp. 716–723, 1974.
- [47] C. Cortes and V. Vapnik, "Support-Vector Networks", *Machine Learning*, vol. 20, no. 3, pp. 273–297, 1995, ISSN: 08856125. DOI: 10.1023/A:1022627411411.
- [48] K. Bunte, P. Schneider, B. Hammer, F. M. Schleif, T. Villmann, and M. Biehl, "Limited Rank Matrix Learning, discriminative dimension reduction and visualization", *Neural Networks*, vol. 26, pp. 159–173, 2012. DOI: <https://doi.org/10.1016/j.neunet.2011.10.001>.
- [49] M. Biehl, K. Bunte, F. M. Schleif, P. Schneider, and T. Villmann, "Large margin linear discriminative visualization by Matrix Relevance Learning", in *The 2012 International Joint Conference on Neural Networks (IJCNN)*, 2012, pp. 1–8. DOI: 10.1109/IJCNN.2012.6252627.
- [50] M. Biehl, "Biomedical Applications of Prototype Based Classifiers and Relevance Learning", in *International Conference on Algorithms for Computational Biology*, Springer, 2017, pp. 3–23.
- [51] J. J. G. de Vries, S. C. Pauws, and M. Biehl, "Insightful stress detection from physiology modalities using Learning Vector Quantization", *Neurocomputing*, vol. 151, pp. 873–882, 2015, ISSN: 0925-2312. DOI: 10.1016/j.neucom.2014.10.008.
- [52] F. Pedregosa *et al.*, "Scikit-learn: Machine Learning in Python", *Journal of Machine Learning Research*, vol. 12, pp. 2825–2830, 2011.
- [53] A. Sato and K. Yamada, "Generalized Learning Vector Quantization", in *Conference on Neural Information Processing Systems*, ser. NIPS'95, Denver, Colorado: MIT Press, 1995, pp. 423–429.
- [54] M. Biehl, K. Bunte, F. M. Schleif, P. Schneider, and T. Villmann, "Large margin linear discriminative visualization by matrix relevance learning", in *The 2012 International Joint Conference on Neural Networks (IJCNN)*, 2012, pp. 1–8. DOI: 10.1109/IJCNN.2012.6252627.
- [55] M. Biehl, B. Hammer, and T. Villmann, "Prototype-based models in machine learning", *Wiley Interdisciplinary Reviews: Cognitive Science*, vol. 7, no. 2, pp. 92–111, 2016. DOI: 10.1002/wcs.1378.
- [56] M. LeKander, M. Biehl, and H. de Vries, "Empirical evaluation of gradient methods for matrix learning vector quantization", in *12th International Workshop on Self-Organizing Maps and Learning Vector Quantization, Clustering and Data Visualization (WSOM)*, 2017, pp. 1–8. DOI: 10.1109/wsom.2017.8020027.
- [57] J. Jensen and B. Paassen, *Sklearn-lvq*, version v1.1.0, 2018. [Online]. Available: <https://github.com/MrNuggelz/sklearn-lvq>.

- [58] K. Bunte, *Matrix Relevance LVQ*, Direct download: <https://www.cs.rug.nl/~biehl/LVQ%5Ftoolbox.tar.gz>, 2012. [Online]. Available: <http://matlabserver.cs.rug.nl/gmlvqweb/web/>.
- [59] M. Biehl and F. Westermann, *A collection of no-nonsense GMLVQ demo code*, version Version 3.0, Mar. 2019. [Online]. Available: <https://www.cs.rug.nl/~biehl/gmlvq>.
- [60] C. Leberecht, S. Bittrich, and F. Kaiser, *GMLVQ WEKA plug-in*, version v0.1.0, Aug. 2018. DOI: 10.5281/zenodo.1326272. [Online]. Available: <https://doi.org/10.5281/zenodo.1326272>.
- [61] T. Villmann, J. Ravichandran, A. Villmann, D. Nebel, and M. Kaden, "Investigation of Activation Functions for Generalized Learning Vector Quantization", in *Advances in Self-Organizing Maps, Learning Vector Quantization, Clustering and Data Visualization*, A. Vellido, K. Gibert, C. Angulo, and J. D. Martín Guerrero, Eds., Cham: Springer International Publishing, 2020, pp. 179–188, ISBN: 978-3-030-19642-4. DOI: 10.1007/978-3-030-19642-4_18.
- [62] M. Terzolo *et al.*, "Ame position statement on adrenal incidentaloma", *European journal of endocrinology*, vol. 164, no. 6, pp. 851–870, 2011.
- [63] S. Bovio *et al.*, "Prevalence of adrenal incidentaloma in a contemporary computerized tomography series", *Journal of endocrinological investigation*, vol. 29, no. 4, pp. 298–302, 2006.
- [64] F. Mantero, M. Terzolo, G. Arnaldi, G. Osella, A. Masini, A. Ali, M. Giovagnetti, G. Opocher, and A. Angeli, "Study group on adrenal tumors of the italian society of endocrinology. a survey on adrenal incidentaloma in italy", *J Clin Endocrinol Metab*, vol. 85, no. 2, pp. 637–644, 2000.
- [65] W. Arlt *et al.*, "Urine steroid metabolomics as a biomarker tool for detecting malignancy in adrenal tumors", *The Journal of Clinical Endocrinology & Metabolism*, vol. 96, no. 12, pp. 3775–3784, 2011.
- [66] I. Bancos and W. Arlt, "Diagnosis of a malignant adrenal mass: The role of urinary steroid metabolite profiling", *Current Opinion in Endocrinology, Diabetes and Obesity*, vol. 24, no. 3, pp. 200–207, 2017.
- [67] T. Fawcett, "An introduction to roc analysis", *Pattern Recognition Letters*, vol. 27, no. 8, pp. 861–874, 2006, ROC Analysis in Pattern Recognition, ISSN: 0167-8655. DOI: <https://doi.org/10.1016/j.patrec.2005.10.010>.
- [68] G. Papari, K. Bunte, and M. Biehl, "Waypoint averaging and step size control in learning by gradient descent", Leipzig University, Tech. Rep. Mlr-2011-06, 2011, pp. 16–26.
- [69] M. Biehl and F. Westermann, *A collection of no-nonsense GMLVQ demo code*, version Version 2.3, Mar. 2017. [Online]. Available: <https://www.cs.rug.nl/~biehl/gmlvq>.
- [70] S. Seo and K. Obermayer, "Soft Learning Vector Quantization", *Neural Computation*, vol. 15, no. 7, pp. 1589–1604, 2003. DOI: 10.1162/08997660321891819.

- [71] P. Schneider, "Advanced methods for prototype-based classification", English, Ph.D. dissertation, University of Groningen, 2010, ISBN: 9789036744058. [Online]. Available: <http://hdl.handle.net/11370/71c6861f-edc6-4030-908e-19e87e3fc2ad>.
- [72] L. Fischer, D. Nebel, T. Villmann, B. Hammer, and H. Wersing, "Rejection strategies for Learning Vector Quantization – A comparison of probabilistic and deterministic approaches", in *Advances in Self-Organizing Maps and Learning Vector Quantization*, T. Villmann, F. Schleif, M. Kaden, and M. Lange, Eds., Springer International Publishing, 2014, pp. 109–118, ISBN: 978-3-319-07695-9.
- [73] J. Brinkrolf and B. Hammer, "Probabilistic extension and reject options for pairwise LVQ", in *12th International Workshop on Self-Organizing Maps and Learning Vector Quantization, Clustering and Data Visualization (WSOM)*, 2017, pp. 1–8. DOI: 10.1109/WSOM.2017.8020028.
- [74] B. Magnin, L. Mesrob, S. Kinkingnéhun, M. Pélégriani-Issac, O. Colliot, M. Sarazin, B. Dubois, S. Lehéricy, and H. Benali, "Support vector machine-based classification of Alzheimer's disease from whole-brain anatomical MRI", *Neuroradiology*, vol. 51, no. 2, pp. 73–83, 2009, ISSN: 0028-3940. DOI: 10.1007/s00234-008-0463-x.
- [75] S. Haller, S. Badoud, D. Nguyen, V. Garibotto, K. O. Lovblad, and P. R. Burkhard, "Individual detection of patients with parkinson disease using support vector machine analysis of diffusion tensor imaging data: Initial results", *American Journal of Neuroradiology*, vol. 33, no. 11, pp. 2123–2128, 2012, ISSN: 0195-6108. DOI: 10.3174/ajnr.A3126.
- [76] G. Orrù, W. Pettersson-Yeo, A. F. Marquand, G. Sartori, and A. Mechelli, "Using support vector machine to identify imaging biomarkers of neurological and psychiatric disease: A critical review", *Neuroscience & Biobehavioral Reviews*, vol. 36, no. 4, pp. 1140–1152, 2012, ISSN: 01497634. DOI: 10.1016/j.neubiorev.2012.01.004.
- [77] S. Peng, Y. Ma, P. G. Spetsieris, P. Mattis, A. Feigin, V. Dhawan, and D. Eidelberg, "Characterization of disease-related covariance topographies with ssm-pca toolbox: Effects of spatial normalization and pet scanners", *Human Brain Mapping*, vol. 35, pp. 1801–1814, 5 2014, Should reproduce something like this on own data...

PDCP?, ISSN: 10970193. DOI: 10.1002/hbm.22295.
- [78] L. K. Teune, A. L. Bartels, B. M. de Jong, A. T. M. Willemsen, S. A. Eshuis, J. J. de Vries, J. C. H. van Oostrom, and K. Leenders, "Typical cerebral metabolic patterns in neurodegenerative brain diseases", *Movement Disorders*, vol. 25, no. 14, pp. 2395–2404, 2010. DOI: 10.1002/mds.23291.
- [79] D. Arnaldi *et al.*, "Functional neuroimaging and clinical features of drug naive patients with de novo Parkinson's disease and probable RBD", *Parkinsonism & Related Disorders*, vol. 29, pp. 47–53, 2016. DOI: 10.1016/j.parkreldis.2016.05.031.

- [80] P. Tomše *et al.*, “Abnormal metabolic brain network associated with Parkinson’s disease: replication on a new European sample”, *Neuroradiology*, vol. 59, no. 5, pp. 507–515, 2017, ISSN: 14321920. DOI: 10.1007/s00234-017-1821-3.
- [81] P. G. Spetsieris, Y. Ma, V. Dhawan, and D. Eidelberg, “Differential diagnosis of parkinsonian syndromes using pca-based functional imaging features”, *NeuroImage*, vol. 45, pp. 1241–1252, 4 2009, ISSN: 10538119. DOI: 10.1016/j.neuroimage.2008.12.063. [Online]. Available: <http://dx.doi.org/10.1016/j.neuroimage.2008.12.063>.
- [82] R. V. Kogan *et al.*, “Four-Year Follow-up of [18 F]Fluorodeoxyglucose Positron Emission Tomography-Based Parkinson’s Disease-Related Pattern Expression in 20 Patients with Isolated Rapid Eye Movement Sleep Behavior Disorder Shows Prodromal Progression.”, *Movement disorders*, vol. 36, no. 1, pp. 230–235, Jan. 2021, ISSN: 1531-8257. DOI: 10.1002/mds.28260.
- [83] L. Mosley, “A balanced approach to the multi-class imbalance problem”, 2013.
- [84] J. D. Kelleher, B. Mac Namee, and A. D’arcy, *Fundamentals of machine learning for predictive data analytics: algorithms, worked examples, and case studies*. MIT press, 2020.
- [85] D. J. Hand, “Measuring classifier performance: A coherent alternative to the area under the roc curve”, *Machine Learning*, vol. 77, pp. 103–123, 1 Oct. 2009, ISSN: 0885-6125. DOI: 10.1007/s10994-009-5119-5. [Online]. Available: <http://link.springer.com/10.1007/s10994-009-5119-5>.
- [86] European commission, *Public health*, <http://ec.europa.eu/health/>, [Online; accessed 11-April-2018].
- [87] S. Przedborski, M. Vila, and V. Jackson-Lewis, “Series introduction: Neurodegeneration: What is it and where are we?”, *The Journal of Clinical Investigation*, vol. 111, no. 1, pp. 3–10, 2003. DOI: 10.1172/JCI17522.
- [88] European commission, *Website of EU joint programme - neurodegenerative disease research*, <http://www.neurodegenerationresearch.eu/>, [Online; accessed 11-April-2018].
- [89] M. J. Firbank *et al.*, “Cerebral glucose metabolism and cognition in newly diagnosed Parkinson’s disease: ICICLE-PD study”, *Journal of Neurology, Neurosurgery & Psychiatry*, vol. 88, no. 4, pp. 310–316, 2017. DOI: 10.1136/jnnp-2016-313918.
- [90] L. Teune, D. Mudali, R. Renken, B. de Jong, M. Segbers, J. Roerdink, R. Dierckx, and K. Leenders, “Glucose Imaging in Parkinsonisms”, English, in *16th International Congress of Parkinson’s Disease and Movement Disorders, Dublin, Ireland June 17-21*, Abstract 783, 2012. DOI: 10.1002/mds.25051.
- [91] Z. C. Lipton, “The Mythos of Model Interpretability”, *Queue*, vol. 16, no. 3, 30:31–30:57, 2018. DOI: 10.1145/3236386.3241340.
- [92] Z. C. Lipton, “The doctor just won’t accept that!”, *arXiv: Machine Learning*, 2017.

- [93] D. Martens, J. Vanthienen, W. Verbeke, and B. Baesens, "Performance of classification models from a user perspective", *Decision Support Systems*, vol. 51, no. 4, pp. 782–793, 2011. DOI: 10.1016/j.dss.2011.01.013.
- [94] D. Mudali, L. K. Teune, R. J. Renken, K. L. Leenders, and J. B. T. M. Roerdink, "Classification of Parkinsonian syndromes from FDG-PET brain data using decision trees with SSM/PCA features", *Computational and Mathematical Methods in Medicine*, vol. 2015, p. 10, 2015. DOI: 10.1155/2015/136921.
- [95] D. Williams, D. Mudali, H. Buddelmeijer, P. Noorishad, S. Meles, R. Renken, N. Leenders, E. Valentijn, and J. Roerdink, "Visualization of Decision Tree State for the Classification of Parkinson's Disease", *Journal of Biomedical Engineering and Medical Imaging*, vol. 3, no. 3, Jun. 2016, ISSN: 20551266. DOI: 10.14738/jbemi.33.1858.
- [96] S. Risacher and A. Saykin, "Neuroimaging biomarkers of neurodegenerative diseases and dementia", *Seminars in Neurology*, vol. 33, no. 4, pp. 386–416, 2013.
- [97] D. Garcia-Garcia, P. Clavero, C. Gasca Salas, I. Lamet, J. Arbizu, R. Gonzalez-Redondo, J. A. Obeso, and M. C. Rodriguez-Oroz, "Posterior parietooccipital hypometabolism may differentiate mild cognitive impairment from dementia in Parkinson's disease", *European Journal of Nuclear Medicine and Molecular Imaging*, vol. 39, no. 11, pp. 1767–1777, 2012. DOI: 10.1007/s00259-012-2198-5.
- [98] C. Huang, C. Tang, A. Feigin, M. Lesser, Y. Ma, M. Pourfar, V. Dhawan, and D. Eidelberg, "Changes in network activity with the progression of Parkinson's disease", *Brain*, vol. 130, no. 7, pp. 1834–1846, 2007, ISSN: 0006-8950. DOI: 10.1093/brain/awm086.
- [99] R. Rodriguez-Rojas *et al.*, "Functional impact of subthalamotomy by magnetic resonance-guided focused ultrasound in Parkinson's disease: a hybrid PET/MR study of resting-state brain metabolism", *European Journal of Nuclear Medicine and Molecular Imaging*, Nov. 2019, ISSN: 1619-7070. DOI: 10.1007/s00259-019-04497-z.
- [100] D. Mudali *et al.*, "Differentiating early and late stage parkinson's disease patients from healthy controls", *Journal of Biomedical Engineering and Medical Imaging*, vol. 3, no. 6, pp. 33–43, 2016.
- [101] M. Biehl, D. Mudali, K. L. Leenders, and J. Roerdink, "Classification of fdg-pet brain data by generalized matrix relevance lvq", in *International Workshop on Brain-Inspired Computing*, Springer, 2015, pp. 131–141.
- [102] D. Mudali, M. Biehl, K. L. Leenders, and J. Roerdink, *LVQ and SVM Classification of FDG-PET Brain Data*, ser. Advances in Intelligent Systems and Computing. Springer International Publishing, 2016, vol. 428, ISBN: 978-3-319-28517-7. DOI: 10.1007/978-3-319-28518-4.
- [103] V. S. Fonov, A. C. Evans, R. C. McKinstry, C. R. Almlı, and D. L. Collins, "Unbiased nonlinear average age-appropriate brain templates from birth to adulthood", *NeuroImage*, vol. 47, S102, 2009, ISSN: 10538119. DOI: 10.1016/S1053-8119(09)70884-5.

- [104] V. Fonov, A. C. Evans, K. Botteron, C. R. Almli, R. C. McKinstry, and D. L. Collins, "Unbiased average age-appropriate atlases for pediatric studies", *NeuroImage*, vol. 54, no. 1, pp. 313–327, 2011, ISSN: 10538119. DOI: 10.1016/j.neuroimage.2010.07.033.
- [105] E. Bingham and H. Mannila, "Random projection in dimensionality reduction: Applications to image and text data", in *Proceedings of the seventh ACM SIGKDD international conference on Knowledge discovery and data mining*, 2001, pp. 245–250.
- [106] M. Strickert, B. Hammer, T. Villmann, and M. Biehl, "Regularization and improved interpretation of linear data mappings and adaptive distance measures", in *2013 IEEE Symposium on Computational Intelligence and Data Mining (CIDM)*, 2013, pp. 10–17. DOI: 10.1109/CIDM.2013.6597211.
- [107] L. K. Teune, R. J. Renken, D. Mudali, B. M. D. Jong, R. A. Dierckx, J. B. T. M. Roerdink, and K. L. Leenders, "Validation of parkinsonian disease-related metabolic brain patterns", *Movement Disorders*, vol. 28, no. 4, pp. 547–551, Mar. 2013. DOI: 10.1002/mds.25361. [Online]. Available: <https://doi.org/10.1002/mds.25361>.
- [108] L. K. Teune, F. Strijkert, R. J. Renken, G. J. Izaks, J. J. de Vries, M. Segbers, J. B. T. M. Roerdink, R. A. J. O. Dierckx, and K. L. Leenders, "The alzheimer's disease-related glucose metabolic brain pattern", *Current Alzheimer Research*, vol. 11, no. 8, pp. 725–732, 2014.