

University of Groningen

Multi-loop Hysteresis and Recursive Remnant Control

Vasquez Beltran, Marco Augusto

DOI:
[10.33612/diss.215199709](https://doi.org/10.33612/diss.215199709)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2022

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):
Vasquez Beltran, M. A. (2022). *Multi-loop Hysteresis and Recursive Remnant Control*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen. <https://doi.org/10.33612/diss.215199709>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Bibliography

- [1] Mohammad Al Janaideh, Micky Rakotondrabe, Isam Al-Darabsah, and Omar Aljanaideh. Internal model-based feedback control design for inversion-free feedforward rate-dependent hysteresis compensation of piezoelectric cantilever actuator. *Control Engineering Practice*, 72:29–41, March 2018.
- [2] D. Angeli. Systems with counterclockwise input-output dynamics. *IEEE Transactions on Automatic Control*, 51(7):1130–1143, July 2006.
- [3] David Angeli, James E. Ferrell, and Eduardo D. Sontag. Detection of multistability, bifurcations, and hysteresis in a large class of biological positive-feedback systems. *Proceedings of the National Academy of Sciences*, 101(7):1822–1827, February 2004.
- [4] I Babuska. The nonlinear theory of internal friction. *Aplikace matematiky*, 4:303–321, 1959.
- [5] Dimitrios Bakas and Yousef Makhoul. Can the insider-outsider theory explain unemployment hysteresis in OECD countries? *Oxford Economic Papers*, 72(1):149–163, January 2020.
- [6] Dennis S. Bernstein. Ivory ghost [ask the experts]. *IEEE Control Systems*, 27(5):16–17, 11 2007.
- [7] Giorgio Bertotti and I. D. Mayergoyz, editors. *The science of hysteresis*. Academic, Amsterdam ; Boston, 1st ed edition, 2006.
- [8] Thomas Bifano. MEMS deformable mirrors. *Nature Photonics*, 5(1):21–23, January 2011.
- [9] Franco Blanchini. Set invariance in control. *Autom.*, 35(11):1747–1767, 1999.
- [10] R Bouc. Forced vibrations of mechanical systems with hysteresis. In *Proc. of the Fourth Conference on Nonlinear Oscillations, Prague, 1967, 1967*.
- [11] M. Brokate and J. Sprekels. *Hysteresis and Phase Transitions*, volume 121 of *Applied Mathematical Sciences*. Springer-Verlag, New York, 1996.
- [12] Sayantan Choudhury and Shreya Banerjee. Hysteresis in the sky. *Astroparticle Physics*, 80:34–89, 2016.

- [13] A. Chow and K. A. Morris. Hysteresis in the linearized landau-lifshitz equation. In *2014 American Control Conference*, pages 4747–4752, 2014.
- [14] E. Scott Claflin and Noah Bareket. Configuring an electrostatic membrane mirror by least-squares fitting with analytically derived influence functions. *JOSA A*, 3(11):1833–1839, November 1986.
- [15] Bojana Drincić, Xiaobo Tan, and Dennis S. Bernstein. Why are some hysteresis loops shaped like a butterfly? *Automatica*, 47(12):2658–2664, 2011.
- [16] L.R. Dupré, R. Van Keer, and J.A.A. Melkebeek. Evaluation of magnetostrictive effects in soft magnetic materials using the Preisach theory. *Journal of Magnetism and Magnetic Materials*, 254-255:121 – 123, 2003.
- [17] Luc Dupré, Marc De Wulf, Dimitre Makaveev, Viatcheslav Permiakov, and Jan Melkebeek. Preisach modeling of magnetization and magnetostriction processes in laminated sife alloys. *Journal of applied physics*, 93(10):6629–6631, 2003.
- [18] James Alfred Ewing and Henry Charles Fleeming Jenkin. VII. On the production of transient electric currents in iron and steel conductors by twisting them when magnetised or by magnetising them when twisted. *Proceedings of the Royal Society of London*, 33(216-219):21–23, January 1882.
- [19] R. B. Gorbet and Kirsten Morris. Generalized dissipation in hysteretic systems. In *Proceedings of the 37th IEEE Conference on Decision and Control*, volume 4, pages 4133–4138, 1998.
- [20] R.B. Gorbet, Kirsten Morris, and David Wang. Passivity-based stability and control of hysteresis in smart actuators. *IEEE Transactions on Control Systems Technology*, 9:5–16, 2001.
- [21] Robert Huisman, Marcel P. Bruijn, Silvia Damerio, Martin J. Eggens, Syed Naveed R. Kazmi, Anja E. M. Schmerbauch, Heino P. Smit, Marco A. Vasquez-Beltran, Ewout Van der Veer, Mónica Acuautila, Bayu Jayawardhana, and Beatriz Noheda. High pixel number deformable mirror concept utilizing piezoelectric hysteresis for stable shape configurations. *Journal of Astronomical Telescopes, Instruments, and Systems*, 7(2):1 – 18, 2021.
- [22] Fayçal Ikhouane. On Babuška’s model for asymmetric hysteresis. *Communications in Nonlinear Science and Numerical Simulation*, 95:105650, April 2021.
- [23] Fayçal Ikhouane. A Survey of the Hysteretic Duhem Model. *Archives of Computational Methods in Engineering*, 25(4):965–1002, November 2018.
- [24] Mohammed Ismail, Fayçal Ikhouane, and José Rodellar. The hysteresis Bouc-Wen model, a survey. *Archives of Computational Methods in Engineering*, 16(2):161–188, 2009.
- [25] R.V. Iyer, X. Tan, and P.S. Krishnaprasad. Approximate inversion of the Preisach hysteresis operator with application to control of smart actuators. *IEEE Trans. Automatic Control*, 50(6):798–810, 2005.

- [26] B. Jayawardhana, M. A. Vasquez Beltran, W. J. Van De Beek, C. De Jonge, M. Acuautila, S. Damerio, R. Peletier, B. Noheda, and R. Huisman. Modeling and Analysis of Butterfly Loops via Preisach Operators and its Application in a Piezoelectric Material. In *Proceedings of the 57th IEEE Conference on Decision and Control*, pages 6894–6899, 2019.
- [27] B. Jayawardhana, H. Logemann, and E. P. Ryan. The circle criterion and input-to-state stability. *IEEE Control Systems Magazine*, 31(4):32–67, Aug 2011.
- [28] B. Jayawardhana, H. Logemann, and E.P. Ryan. Input-to-state stability of differential inclusions with applications to hysteretic and quantized feedback systems. *SIAM Journal on Control and Optimization*, 48(2):1031–1054, 2009.
- [29] Bayu Jayawardhana, Ruiyue Ouyang, and Vincent Andrieu. Stability of systems with the Duhem hysteresis operator: The dissipativity approach. *Automatica*, 48(10):2657–2662, October 2012.
- [30] Yoichi Kadota, Hiroshi Hosaka, and Takeshi Morita. Characterization of Shape Memory Piezoelectric Actuator and Investigation of the Origin of the Imprint Electrical Field. In *Service Robotics and Mechatronics*, pages 195–200. Springer London, 2010.
- [31] H.K. Khalil. *Nonlinear Systems*. Pearson Education. Prentice Hall, 2002.
- [32] Eric C. Kintner. On the mathematical properties of the Zernike polynomials. *Optica Acta: International Journal of Optics*, 23(8):679–680, 1976.
- [33] A. V. Kudryashov, V. V. Toporovsky, V. V. Samarkin, A. L. Rukosuev, and J. V. Sheldakova. Deformable mirrors for high-power lasers. In *2020 International Conference Laser Optics (ICLO)*, pages 1–1, November 2020.
- [34] Vasudevan Lakshminarayanan and Andre Fleck. Zernike polynomials: a guide. *Journal of Modern Optics*, 58(7):545–561, April 2011.
- [35] Mark R. Liberzon. Lur’e Problem of Absolute Stability - A Historical Essay. *IFAC Proceedings Volumes*, 34(6):25–28, July 2001.
- [36] J. Linhart, P. Hana, L. Burianova, and S. J. Zhang. Hysteresis measurements of lead-free ferroelectric ceramics BNBK79 (Bi_{0.5}Na_{0.5})TiO₃-(Bi_{0.5}K_{0.5})TiO₃-BaTiO₃. In *2011 10th International Workshop on Electronics, Control, Measurement and Signals*, pages 1–4, June 2011.
- [37] K. Linnemann, S. Klinkel, and W. Wagner. A constitutive model for magnetostrictive and piezoelectric materials. *International Journal of Solids and Structures*, 46(5):1149–1166, March 2009.
- [38] H. Logemann and E.P. Ryan. Systems with hysteresis in the feedback loop: existence, regularity and asymptotic behavior of solutions. *ESAIM: Control, Optimisation and Calculus of Variations*, 9:169–196, 2003.
- [39] Jianqiang Ma, Junjie Chen, Yanlei Hu, Lei Tian, Baoqing Li, and Jiuru Chu. Eliminating hysteresis of piezoelectric deformable mirror by charge control. *Optics Communications*, 349:1–5, August 2015.

- [40] Jack W Macki, Paolo Nistri, and Pietro Zecca. Mathematical models for hysteresis. *SIAM review*, 35(1):94–123, 1993.
- [41] P.-Y. Madec. Overview of deformable mirror technologies for adaptive optics and astronomy. In *Adaptive Optics Systems III*, volume 8447, page 844705. International Society for Optics and Photonics, September 2012.
- [42] I. D. Mayergoyz and G. Friedman. Generalized Preisach model of hysteresis. *IEEE Transactions on Magnetics*, 24(1):212–217, January 1988.
- [43] Isaak D. Mayergoyz. *Mathematical Models of Hysteresis and their Applications*. Academic Press, October 2003.
- [44] S. L. Miller, J. R. Schwank, R. D. Nasby, and M. S. Rodgers. Modeling ferroelectric capacitor switching with asymmetric nonperiodic input signals and arbitrary initial conditions. *Journal of Applied Physics*, 70(5):2849–2860, September 1991.
- [45] Takeshi Morita, Yoichi Kadota, and Hiroshi Hosaka. Shape memory piezoelectric actuator. *Applied Physics Letters*, 90(8):082909, feb 2007.
- [46] K. A. Morris. What is Hysteresis? *Applied Mechanics Reviews*, 64(5), August 2012.
- [47] M.F.M. Naser and F. Ikhrouane. Consistency of the Duhem model with hysteresis. *Mathematical Problems in Engineering*, 1(586130):1–16, 2013.
- [48] Ioana-Theodora Nistea, Simon G. Alcock, Vivek Badami, Riccardo Signorato, and Kawal Sawhney. Controlling an active bimorph deformable mirror with sub-nanometre resolution. In Lahsen Assoufid, Haruhiko Ohashi, and Anand Asundi, editors, *Advances in Metrology for X-Ray and EUV Optics VIII*, volume 11109, pages 82 – 94. International Society for Optics and Photonics, SPIE, 2019.
- [49] Saisai Niu, Jianxin Shen, Chun Liang, and Bangming Li. Human Eye Aberration Measurement and Correction Based on Micro Adaptive Optics System. In *2009 2nd International Conference on Biomedical Engineering and Informatics*, pages 1–5, October 2009.
- [50] Hamid R. Noori. *Hysteresis Phenomena in Biology*. SpringerBriefs in Mathematical Methods. Springer-Verlag, Berlin Heidelberg, 2014.
- [51] JinHyoungh Oh and Dennis S Bernstein. Semilinear duhem model for rate-independent and rate-dependent hysteresis. *IEEE Transactions on Automatic Control*, 50(5):631–645, 2005.
- [52] Ruiyue Ouyang, Vincent Andrieu, and Bayu Jayawardhana. On the characterization of the Duhem hysteresis operator with clockwise input–output dynamics. *Systems & Control Letters*, 62(3):286–293, March 2013.
- [53] A. K. Padthe, JinHyoungh Oh, and D. S. Bernstein. Counterclockwise dynamics of a rate-independent semilinear Duhem model. In *Proceedings of the 44th IEEE Conference on Decision and Control*, pages 8000–8005, Dec 2005.
- [54] Y.-A. Peter, E. Carr, and O. Solgaard. Segmented deformable micro-mirror for free-space optical communication. In *IEEE/LEOS International Conference on Optical MEMs*, pages 197–198, August 2002.

- [55] Sonia Poltoratski and Frank Tong. Hysteresis in the Dynamic Perception of Scenes and Objects. *Journal of experimental psychology. General*, 143, August 2014.
- [56] Francesc Pozo, Leonardo Acho, Arturo Rodríguez, and Gisela Pujol. Nonlinear modeling of hysteretic systems with double hysteretic loops using position and acceleration information. *Nonlinear Dynamics*, 57(1-2):1, 2009.
- [57] Francesc Pozo and Mauricio Zapateiro. On the Passivity of Hysteretic Systems with Double Hysteretic Loops. *Materials*, 8(12):8414–8422, December 2015.
- [58] F. Preisach. Über die magnetische nachwirkung. *Zeitschrift für Physik A Hadrons and Nuclei*, 94(5):277–302, 1935.
- [59] Micky Rakotondrabe, Cédric Clevy, and Philippe Lutz. Complete Open Loop Control of Hysteretic, Creeped, and Oscillating Piezoelectric Cantilevers. *IEEE Transactions on Automation Science and Engineering*, 7(3):440–450, July 2010.
- [60] J. Reiser and H. Marth. PIRest Technology – How to Keep the Last Position of PZT Actuators without Electrical Power. In *16th International Conference on New Actuators*. VDE Verlag, 2018.
- [61] Thomas Ruppel, Shihao Dong, Frédéric Rooms, Wolfgang Osten, and Oliver Sawodny. Feedforward Control of Deformable Membrane Mirrors for Adaptive Optics. *IEEE Transactions on Control Systems Technology*, 21(3):579–589, May 2013.
- [62] H Sahota. Simulation of butterfly loops in ferroelectric materials. *Continuum Mechanics and Thermodynamics*, 16(1-2):163–175, 2004.
- [63] Sankaranand, Usha Raghunath, T. Srinivas, and K.S. Gurumurthy. MEMS based vision correction using Adaptive Optics. In *TENCON 2006 - 2006 IEEE Region 10 Conference*, pages 1–4, November 2006.
- [64] A. E. M. Schmerbauch, A. I. Vakis, and B. Jayawardhana. Electrical coupling analysis of 2D time-multiplexing memory actuators exhibiting asymmetric butterfly hysteresis. *Journal of Applied Physics*, 130(13):134502, October 2021.
- [65] A. E. M. Schmerbauch, M. A. Vasquez-Beltran, A. I. Vakis, R. Huisman, and B. Jayawardhana. Influence functions for a hysteretic deformable mirror with a high-density 2D array of actuators. *Appl. Opt.*, 59(27):8077–8088, Sep 2020.
- [66] Xiaobo Tan, Ram Venkataraman, and P. S. Krishnaprasad. Control of hysteresis: theory and experimental results. In *Smart Structures and Materials 2001: Modeling, Signal Processing, and Control in Smart Structures*, volume 4326, pages 101–112. International Society for Optics and Photonics, August 2001.
- [67] V. Toporovsky, A. Kudryashov, J. Sheldakova, and V. Samarkin. Development and investigation of small-aperture bimorph deformable mirror for correction of low-order aberrations of laser radiation. In Gennadii G. Matvienko and Oleg A. Romanovskii, editors, *26th International Symposium on Atmospheric and Ocean Optics, Atmospheric Physics*, volume 11560, pages 441 – 445. International Society for Optics and Photonics, SPIE, 2020.

- [68] S. Valadkhan, K. Morris, and A. Khajepour. Absolute stability analysis for linear systems with Duhem hysteresis operator. *International Journal of Robust and Nonlinear Control*, 20(4):460–471, 2009.
- [69] PJ Van Bree, CMM Van Lierop, and PPJ Van Den Bosch. Control-oriented hysteresis models for magnetic electron lenses. *IEEE Transactions on Magnetics*, 45(11):5235–5238, 2009.
- [70] M. A. Vasquez-Beltran, B. Jayawardhana, and R. Peletier. Asymptotic Stability Analysis of Lur’e Systems With Butterfly Hysteresis Nonlinearities. *IEEE Control Systems Letters*, 4(2):349–354, April 2020.
- [71] M. A. Vasquez-Beltran, B. Jayawardhana, and R. Peletier. Modeling and analysis of duhem hysteresis operators with butterfly loops, 2021.
- [72] M. A. Vasquez-Beltran, B. Jayawardhana, and R. Peletier. Recursive Algorithm for the Control of Output Remnant of Preisach Hysteresis Operator. *IEEE Control Systems Letters*, 5(3):1061–1066, July 2021.
- [73] M. A. Vasquez-Beltran, B. Jayawardhana, and R. Peletier. Iterative distributed remnant control of a hysteretic deformable mirror, 2022.
- [74] Marco A Vasquez Beltran, Bayu Jayawardhana, and Reynier Peletier. On the characterization of butterfly and multi-loop hysteresis behavior. *IEEE Transactions on Automatic Control*, pages 1–1, 2021.
- [75] G. Vdovin, M. Loktev, and A. Simonov. Low-cost deformable mirrors: technologies and goals. In *Advanced Wavefront Control: Methods, Devices, and Applications III*, volume 5894, pages 103–112. SPIE, August 2005.
- [76] Ewout Veer, Beatriz Noheda, and Mónica Acuautila. Piezoelectric properties of PZT by an ethylene glycol-based chemical solution synthesis. *Journal of Sol-Gel Science and Technology*, 100, December 2021.
- [77] R. Venkataraman and P. S. Krishnaprasad. Approximate inversion of hysteresis: theory and numerical results. In *Proceedings of the 39th IEEE Conference on Decision and Control*, volume 5, pages 4448–4454 vol.5, December 2000.
- [78] Augusto Visintin. *Differential Models of Hysteresis*, volume 111 of *Applied Mathematical Sciences*. Springer-Verlag Berlin Heidelberg, Berlin, Heidelberg, 1994.
- [79] C. Visone and W. Zamboni. Loop Orientation and Preisach Modeling in Hysteresis Systems. *IEEE Transactions on Magnetics*, 51(11):1–4, November 2015.
- [80] Curtis R. Vogel. Hysteresis modeling and go-to control of deformable mirrors in adaptive optics. In *2012 IEEE Aerospace Conference*, pages 1–5, March 2012.
- [81] Curtis R. Vogel, Glenn A. Tyler, and Yang Lu. Modeling, parameter estimation, and open-loop control of MEMS deformable mirrors. In *MEMS Adaptive Optics IV*, volume 7595, pages 101–106. SPIE, February 2010.

-
- [82] O. Waldmann, R. Koch, S. Schromm, P. Müller, I. Bernt, and R. W. Saalfrank. Butterfly Hysteresis Loop at Nonzero Bias Field in Antiferromagnetic Molecular Rings: Cooling by Adiabatic Magnetization. *Physical Review Letters*, 89(24):246401, November 2002.
- [83] Yi-Kwei Wen. Method for Random Vibration of Hysteretic Systems. *Journal of the Engineering Mechanics Division*, 102(2):249–263, 1976.

