

University of Groningen

## Complex interactions in a host-symbiont-microbiome triangle

Brinker, Pina

DOI:  
[10.33612/diss.240460364](https://doi.org/10.33612/diss.240460364)

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*  
Publisher's PDF, also known as Version of record

*Publication date:*  
2022

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*  
Brinker, P. (2022). *Complex interactions in a host-symbiont-microbiome triangle: The wasp Asobara japonica, the endosymbiont Wolbachia and the remainder microbiome*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen. <https://doi.org/10.33612/diss.240460364>

### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

# References

- Abraham, N. M., Liu, L., Jutras, B. L., Yadav, A. K., Narasimhan, S., Gopalakrishnan, V., et al. (2017). Pathogen-mediated manipulation of arthropod microbiota to promote infection. *Proc Natl Acad Sci U S A* 12, E781–E790. doi: 10.1073/pnas.1613422114.
- Acevedo, T. S., Fricker, G. P., Garcia, J. R., Alcaide, T., Berasategui, A., Stoy, K. S., et al. (2021). The importance of environmentally acquired bacterial symbionts for the squash bug (*Anasa tristis*), a significant agricultural pest. *Frontiers in Microbiology* 12, 719112. doi: 10.3389/fmicb.2021.719112.
- Adachi-Hagimori, T., and Miura, K. (2020). Limited mating ability of a wasp strain with *Rickettsia*-induced thelytoky. *Ann Entomol Soc Am* 113, 355–358. doi: 10.1093/AESA/SAAA007.
- Adair, K. L., and Douglas, A. E. (2017). Making a microbiome: The many determinants of host-associated microbial community composition. *Current Opinion in Microbiology* 35, 23–29. doi: 10.1016/j.mib.2016.11.002.
- Adair, K. L., Wilson, M., Bost, A., and Douglas, A. E. (2018). Microbial community assembly in wild populations of the fruit fly *Drosophila melanogaster*. *ISME Journal* 12, 959–972. doi: 10.1038/s41396-017-0020-x.
- Agler, M. T., Ruhe, J., Kroll, S., Morhenn, C., Kim, S. T., Weigel, D., et al. (2016). Microbial hub taxa link host and abiotic factors to plant microbiome variation. *PLoS Biology* 14, e1002352. doi: 10.1371/journal.pbio.1002352.
- Alexander, D. H., and Lange, K. (2011). Enhancements to the ADMIXTURE algorithm for individual ancestry estimation. *BMC Bioinformatics* 12, 246. doi: 10.1186/1471-2105-12-246.
- Alexander, D. H., Novembre, J., and Lange, K. (2009). Fast model-based estimation of ancestry in unrelated individuals. *Genome Research* 19, 1655–1664. doi: 10.1101/gr.094052.109.
- Aljanabi, S. M., and Martinez, I. (1997). Universal and rapid salt-extraction of high quality genomic DNA for PCR-based techniques. *Nucleic Acids Res* 25, 4692–4693. doi: 10.1093/NAR/25.22.4692.
- Amato, K. R., Maurice, C. F., Guillemin, K., and Giles-Vernick, T. (2019). Multidisciplinarity in microbiome research: A challenge and opportunity to rethink causation, variability, and scale. *BioEssays* 41, 1900007. doi: 10.1002/bies.201900007.
- Ammerman, N. C., Beier-Sexton, M., and Azad, A. F. (2008). Laboratory maintenance of *Rickettsia rickettsii*. *Current Protocols in Microbiology* 11, 3A.5.1-3A.5.21. doi: 10.1002/9780471729259.mc03a05s11.
- Anbutsu, H., Goto, S., and Fukatsu, T. (2008). High and low temperatures differently affect infection density and vertical transmission of male-killing *Spiroplasma* symbionts in *Drosophila* hosts. *Applied and Environmental Microbiology* 74, 6053–6059. doi: 10.1128/AEM.01503-08.
- Andersen, S. B., Boye, M., Nash, D. R., and Boomsma, J. J. (2012). Dynamic *Wolbachia* prevalence in *Acromyrmex* leaf-cutting ants: Potential for a nutritional symbiosis. *Journal of Evolutionary Biology* 25, 1340–1350. doi: 10.1111/j.1420-9101.2012.02521.x.
- Anderson, M. J., and Willis, T. J. (2003). Canonical analysis of principal coordinates: A useful method of constrained ordination for ecology. *Ecology* 84, 511–525. doi: 10.1890/0012-9658(2003)084[0511:CAOPCA]2.0.CO;2.
- Aarakaki, N., Noda, H., and Yamagishi, K. (2000). *Wolbachia*-induced parthenogenesis in the egg parasitoid *Telenomus nawai*. *Entomologia Experimentalis et Applicata* 96, 177–184. doi: 10.1023/A:1004007127942.
- Audsley, M. D., Seleznev, A., Joubert, D. A., Woolfit, M., O'Neill, S. L., and McGraw, E. A. (2018). *Wolbachia* infection alters the relative abundance of resident bacteria in adult *Aedes aegypti* mosquitoes, but not larvae. *Molecular Ecology* 27, 297–309. doi: 10.1111/mec.14436.
- Audsley, M. D., Ye, Y. H., and McGraw, E. A. (2017). The microbiome composition of *Aedes aegypti* is not critical for *Wolbachia*-mediated inhibition of dengue virus. *PLoS Neglected Tropical Diseases* 11, e0005426. doi: 10.1371/journal.pntd.0005426.
- Ballard, J. W. O., and Melvin, R. G. (2007). Tetracycline treatment influences mitochondrial metabolism and mtDNA density two generations after treatment in *Drosophila*. *Insect Molecular Biology* 16, 799–802. doi: 10.1111/j.1365-2583.2007.00760.x.
- Bates, D., Mächler, M., Bolker, B. M., and Walker, S. C. (2015). Fitting linear mixed-effects models using *lme4*. *Journal of Statistical Software* 67, 1–48. doi: 10.18637/JSS.V067.I01.
- Baud, D., Pattaroni, C., Vulliamoz, N., Castella, V., Marsland, B. J., and Stojanov, M. (2019). Sperm microbiota and its impact on semen parameters. *Frontiers in Microbiology* 10, 234. doi: 10.3389/fmicb.2019.00234.
- Bellinvia, S., Johnston, P. R., Mbedi, S., and Otti, O. (2020). Mating changes the genital microbiome in both

## References

- sexes of the common bedbug *Cimex lectularius* across populations. *Proceedings of the Royal Society B: Biological Sciences* 287, 20200302. doi: 10.1098/rspb.2020.0302.
- Beukeboom, L. W., Koevoets, T., Morales, H. E., Ferber, S., and van de Zande, L. (2015). Hybrid incompatibilities are affected by dominance and dosage in the haplodiploid wasp *Nasonia*. *Frontiers in Genetics* 6, 140. doi: 10.3389/FGENE.2015.00140/BIBTEX.
- Bian, G., Xu, Y., Lu, P., Xie, Y., and Xi, Z. (2010). The endosymbiotic bacterium *Wolbachia* induces resistance to dengue virus in *Aedes aegypti*. *PLoS Pathogens* 6, e1000833. doi: 10.1371/journal.ppat.1000833.
- Bili, M., Cortesero, A. M., Mougel, C., Gauthier, J. P., Ermel, G., Simon, J. C., et al. (2016). Bacterial community diversity harboured by interacting species. *PLoS ONE* 11, e0155392. doi: 10.1371/journal.pone.0155392.
- Biondi, A., Wang, X., and Daane, K. M. (2020). Host preference of three Asian larval parasitoids to closely related *Drosophila* species: Implications for biological control of *Drosophila suzukii*. *Journal of Pest Science* 2020 94:2 94, 273–283. doi: 10.1007/S10340-020-01272-0.
- Blaser, M. J. (2014). The microbiome revolution. *The Journal of Clinical Investigation* 124, 4162–4165. doi: 10.1172/JCI78366.
- Bodawatta, K. H., Koane, B., Maiah, G., Sam, K., Poulsen, M., and Jønsson, K. A. (2021). Species-specific but not phylosymbiotic gut microbiomes of New Guinean passerine birds are shaped by diet and flight-associated gut modifications. *Proceedings of the Royal Society B: Biological Sciences* 288, 20210446. doi: 10.1098/rspb.2021.0446.
- Bonnet, S. I., Binetruy, F., Hernández-Jarguín, A. M., and Duron, O. (2017). The tick microbiome: Why non-pathogenic microorganisms matter in tick biology and pathogen transmission. *Frontiers in Cellular and Infection Microbiology* 7, 236. doi: 10.3389/fcimb.2017.00236.
- Bouchon, D., Zimmer, M., and Dittmer, J. (2016). The terrestrial isopod microbiome: An all-in-one toolbox for animal-microbe interactions of ecological relevance. *Frontiers in Microbiology* 7, 1472. doi: 10.3389/fmicb.2016.01472.
- Brennan, L. J., Keddie, B. A., Braig, H. R., and Harris, H. L. (2008). The endosymbiont *Wolbachia pipientis* induces the expression of host antioxidant proteins in an *Aedes albopictus* cell line. *PLoS ONE* 3, e2083. doi: 10.1371/journal.pone.0002083.
- Brinker, P., Fontaine, M. C., Beukeboom, L. W., and Falcao Salles, J. (2019). Host, symbionts, and the microbiome: The missing tripartite interaction. *Trends in Microbiology* 27, 480–488. doi: 10.1016/j.tim.2019.02.002.
- Brons, J. K., and van Elsas, J. D. (2008). Analysis of bacterial communities in soil by use of denaturing gradient gel electrophoresis and clone libraries, as influenced by different reverse primers. *Applied and Environmental Microbiology* 74, 2717–2727. doi: 10.1128/AEM.02195-07.
- Brooks, A. W., Kohl, K. D., Brucker, R. M., van Opstal, E. J., and Bordenstein, S. R. (2016). Phylosymbiosis: Relationships and functional effects of microbial communities across host evolutionary history. *PLoS Biology* 14, e2000225. doi: 10.1371/journal.pbio.2000225.
- Brooks, M. E., Kristensen, K., van Benthem, K. J., Magnusson, A., Berg, C. W., Nielsen, A., et al. (2017). *glmmTMB* balances speed and flexibility among packages for zero-inflated generalized linear mixed modeling. *R Journal* 9, 378–400. doi: 10.32614/RJ-2017-066.
- Brown, J. J., Jandová, A., Jeffs, C. T., Higgie, M., Nováková, E., Lewis, O. T., et al. (2021). Microbiome structure of a wild *Drosophila* community along tropical elevational gradients and comparison to laboratory lines. *bioRxiv*. doi: /10.1101/2021.07.28.454263.
- Brown, J. J., Mihaljevic, J. R., des Marteaux, L., and Hřček, J. (2020). Metacommunity theory for transmission of heritable symbionts within insect communities. *Ecology and Evolution* 10, 1703–1721. doi: 10.1002/ece3.5754.
- Brownlie, J. C., Cass, B. N., Riegler, M., Witsenburg, J. J., Iturbe-Ormaetxe, I., McGraw, E. A., et al. (2009). Evidence for metabolic provisioning by a common invertebrate endosymbiont, *Wolbachia pipientis*, during periods of nutritional stress. *PLoS Pathogens* 5, e1000368. doi: 10.1371/journal.ppat.1000368.
- Brownlie, J. C., and Johnson, K. N. (2009). Symbiont-mediated protection in insect hosts. *Trends in Microbiology* 17, 348–354. doi: 10.1016/j.tim.2009.05.005.
- Brucker, R. M., and Bordenstein, S. R. (2012a). The roles of host evolutionary relationships (Genus: *Nasonia*) and development in structuring microbial communities. *Evolution (N Y)* 66, 349–362. doi: 10.1111/j.1558-5646.2011.01454.x.
- Brucker, R. M., and Bordenstein, S. R. (2012b). *In vitro* cultivation of the Hymenoptera genetic model, *Nasonia*. *PLOS ONE* 7, e51269. doi: 10.1371/JOURNAL.PONE.0051269.
- Callahan, B. (2018). Silva taxonomic training data formatted for *DADA2* (Silva version 132). *Zendo*. doi: 10.5281/ZENODO.4587955.

## References

- Callahan, B. J., McMurdie, P. J., Rosen, M. J., Han, A. W., Johnson, A. J. A., and Holmes, S. P. (2016). DADA2: High-resolution sample inference from Illumina amplicon data. *Nature Methods* 13, 581–583. doi: 10.1038/nmeth.3869.
- Carrier, T. J., and Reitzel, A. M. (2017). The hologenome across environments and the implications of a host-associated microbial repertoire. *Frontiers in Microbiology* 8, 802. doi: 10.3389/fmicb.2017.00802.
- Carton, Y., Boulétreau, M., van Alphen, J. J. M., and van Lenteren, J. C. (1986). “The *Drosophila* parasitic wasps,” in *The Genetics and Biology of Drosophila*, eds. M. Ashburner, H. Carson, and J. Thompson (Academic Press: London), 347–394.
- Chandler, J. A., Morgan Lang, J., Bhatnagar, S., Eisen, J. A., and Kopp, A. (2011). Bacterial communities of diverse *Drosophila* species: Ecological context of a host–microbe model system. *PLoS Genetics* 7, e1002272. doi: 10.1371/journal.pgen.1002272.
- Chaplinska, M., Gerritsma, S., Dini-Andreote, F., Salles, J. F., and Wertheim, B. (2016). Bacterial communities differ among *Drosophila melanogaster* populations and affect host resistance against parasitoids. *PLoS ONE* 11, e0167726. doi: 10.1371/journal.pone.0167726.
- Chen, F., Schenkel, M., Geuverink, E., van de Zande, L., and Beukeboom, L. W. (2021). Absence of complementary sex determination in two *Leptopilina* species (Figitidae, Hymenoptera) and a reconsideration of its incompatibility with endosymbiont-induced thelytoky. *Insect Science* 00, 1–15. doi: 10.1111/1744-7917.12969.
- Choi, J., and Choi, I. (2018). Maximum likelihood estimation of autoregressive models with a near unit root and Cauchy errors. *Ann Inst Stat Math* 71, 1–22. doi: 10.1007/s10463-018-0671-z.
- Cohen, C., Toh, E., Munro, D., Dong, Q., and Hawlena, H. (2015). Similarities and seasonal variations in bacterial communities from the blood of rodents and from their flea vectors. *ISME Journal* 9, 1662–1676. doi: 10.1038/ismej.2014.255.
- Colman, D. R., Toolson, E. C., and Takacs-Vesbach, C. D. (2012). Do diet and taxonomy influence insect gut bacterial communities? *Molecular Ecology* 21, 5124–5137. doi: 10.1111/j.1365-294X.2012.05752.x.
- Conover, W. J., Johnson, M. E., and Johnson, M. M. (1981). A comparative study of tests for homogeneity of variances, with applications to the outer continental shelf bidding data. *Technometrics* 23, 351–361. doi: 10.1080/00401706.1981.10487680.
- Corbin, C., Heyworth, E. R., Ferrari, J., and Hurst, G. D. D. (2017). Heritable symbionts in a world of varying temperature. *Heredity (Edinb)* 118, 10–20. doi: 10.1038/hdy.2016.71.
- Daane, K. M., Wang, X., Hogg, B. N., and Biondi, A. (2021). Potential host ranges of three Asian larval parasitoids of *Drosophila suzukii*. *Journal of Pest Science* 94, 1171–1182. doi: 10.1007/S10340-021-01368-1.
- Daisley, B. A., Chmiel, J. A., Pitek, A. P., Thompson, G. J., and Reid, G. (2020). Missing microbes in bees: How systematic depletion of key symbionts erodes immunity. *Trends in Microbiology* 28, 1010–1021. doi: 10.1016/J.TIM.2020.06.006.
- Danecek, P., Auton, A., Abecasis, G., Albers, C. A., Banks, E., DePristo, M. A., et al. (2011). The variant call format and VCFtools. *Bioinformatics* 27, 2156–2158. doi: 10.1093/bioinformatics/btr330.
- Danecek, P., Bonfield, J. K., Liddle, J., Marshall, J., Ohan, V., Pollard, M. O., et al. (2021). Twelve years of SAMtools and BCFtools. *Gigascience* 10, 1–4. doi: 10.1093/gigascience/giab008.
- de Vries, E. J., Jacobs, G., Sabelis, M. W., Menken, S. B. J., and Breeuwer, J. A. J. (2004). Diet-dependent effects of gut bacteria on their insect host: The symbiosis of *Erwinia* sp. and western flower thrips. *Proceedings of the Royal Society of London B: Biological Sciences* 271, 2171–2178. doi: 10.1098/rspb.2004.2817.
- Dedeine, F., Boulétreau, M., and Vavre, F. (2005). *Wolbachia* requirement for oogenesis: Occurrence within the genus *Asobara* (Hymenoptera, Braconidae) and evidence for intraspecific variation in *A. tabida*. *Heredity (Edinb)* 95, 394–400. doi: 10.1038/sj.hdy.6800739.
- Dedeine, F., Vavre, F., Fleury, F., Loppin, B., Hochberg, M. E., and Boulétreau, M. (2001). Removing symbiotic *Wolbachia* bacteria specifically inhibits oogenesis in a parasitic wasp. *Proc Natl Acad Sci U S A* 98, 6247–6252. doi: 10.1073/pnas.101304298.
- Deines, P., and Bosch, T. C. G. (2016). Transitioning from microbiome composition to microbial community interactions: The potential of the metaorganism *Hydra* as an experimental model. *Frontiers in Microbiology* 7, 1610. doi: 10.3389/fmicb.2016.01610.
- Dheilly, N. M., Bolnick, D., Bordenstein, S., Brindley, P. J., Figuères, C., Holmes, E. C., et al. (2017). Parasite Microbiome Project: Systematic investigation of microbiome dynamics within and across parasite-host interactions. *mSystems* 2, e00050-17. doi: 10.1128/mSystems.00050-17.
- Dini-Andreote, F., Stegen, J. C., van Elsas, J. D., and Salles, J. F. (2015). Disentangling mechanisms that mediate the balance between stochastic and deterministic processes in microbial succession. *Proc Natl Acad Sci U*

## References

- S A 112, E1326–E1332. doi: 10.1073/pnas.1414261112.
- Dittmer, J., Beltran-Bech, S., Lesobre, J., Raimond, M., Johnson, M., and Bouchon, D. (2014). Host tissues as microhabitats for *Wolbachia* and quantitative insights into the bacterial community in terrestrial isopods. *Molecular Ecology* 23, 2619–2635. doi: 10.1111/mec.12760.
- Dittmer, J., and Bouchon, D. (2018). Feminizing *Wolbachia* influence microbiota composition in the terrestrial isopod *Armadillidium vulgare*. *Scientific Reports* 8, 6998. doi: 10.1038/s41598-018-25450-4.
- Dittmer, J., van Opstal, E. J., Shropshire, J. D., Bordenstein, S. R., Hurst, G. D. D., and Brucker, R. M. (2016). Disentangling a holobiont – Recent advances and perspectives in *Nasonia* wasps. *Frontiers in Microbiology* 7, 1478. doi: 10.3389/FMICB.2016.01478.
- Dobson, S. L., and Rattanadechakul, W. (2001). A novel technique for removing *Wolbachia* infections from *Aedes albopictus* (Diptera: Culicidae). *Journal of Medical Entomology* 38, 844–849. doi: 10.1603/0022-2585-38.6.844.
- Douglas, A. E. (1998). Nutritional interactions in insect-microbial symbioses: Aphids and their symbiotic bacteria *Buchnera*. *Annual Review of Entomology* 43, 17–37. doi: 10.1146/annurev.ento.43.1.17.
- Douglas, A. E. (2015). Multiorganismal insects: Diversity and function of resident microorganisms. *Annual Review of Entomology* 60, 17–34. doi: 10.1146/annurev-ento-010814-020822.
- Duan, X. Z., Sun, J. T., Wang, L. T., Shu, X. H., Guo, Y., Keiichiro, M., et al. (2020). Recent infection by *Wolbachia* alters microbial communities in wild *Laodelphax striatellus* populations. *Microbiome* 8, 104. doi: 10.1186/s40168-020-00878-x.
- Duploui, A., Dotson, B. R., Nishiguchi, M. K., and Cárdenas, C. A. (2021). Editorial: Symbiosis in a changing environment. *Frontiers in Ecology and Evolution* 9, 731892. doi: 10.3389/fevo.2021.731892.
- Dykstra, H. R., Weldon, S. R., Martinez, A. J., White, J. A., Hopper, K. R., Heimpel, G. E., et al. (2014). Factors limiting the spread of the protective symbiont *Hamiltonella defensa* in *Aphis craccivora* aphids. *Applied and Environmental Microbiology* 80, 5818–5827. doi: 10.1128/AEM.01775-14.
- Easson, C. G., Chaves-Fonnegra, A., Thacker, R. W., and Lopez, J. v. (2020). Host population genetics and biogeography structure the microbiome of the sponge *Cliona delitrix*. *Ecology and Evolution* 10, 2007–2020. doi: 10.1002/ece3.6033.
- Engel, P., and Moran, N. A. (2013). The gut microbiota of insects - Diversity in structure and function. *FEMS Microbiology Reviews* 37, 699–735. doi: 10.1111/1574-6976.12025.
- Engelstädter, J., and Hurst, G. D. D. (2009). The ecology and evolution of microbes that manipulate host reproduction. *Annual Review of Ecology, Evolution, and Systematics* 40, 127–149. doi: 10.1146/annurev.ecolsys.110308.120206.
- Ewing, D. A., Purse, B. v., Cobbold, C. A., Schäfer, S. M., and White, S. M. (2019). Uncovering mechanisms behind mosquito seasonality by integrating mathematical models and daily empirical population data: *Culex pipiens* in the UK. *Parasites & Vectors* 2019 12:1 12, 1–19. doi: 10.1186/S13071-019-3321-2.
- Falony, G., Joossens, M., Vieira-Silva, S., Wang, J., Darzi, Y., Faust, K., et al. (2016). Population-level analysis of gut microbiome variation. *Science* 352, 560–564. doi: 10.1126/science.aad3503.
- Ferguson, L. v., Dhakal, P., Lebenzon, J. E., Heinrichs, D. E., Bucking, C., and Sinclair, B. J. (2018). Seasonal shifts in the insect gut microbiome are concurrent with changes in cold tolerance and immunity. *Functional Ecology* 32, 2357–2368. doi: 10.1111/1365-2435.13153.
- Feldhaar, H., Straka, J., Krischke, M., Berthold, K., Stoll, S., Mueller, M. J., et al. (2007). Nutritional upgrading for omnivorous carpenter ants by the endosymbiont *Blochmannia*. *BMC Biology* 5, 48. doi: 10.1186/1741-7007-5-48.
- Ferreyra, J. A., Wu, K. J., Hryckowian, A. J., Bouley, D. M., Weimer, B. C., and Sonnenburg, J. L. (2014). Gut microbiota-produced succinate promotes *C. Difficile* infection after antibiotic treatment or motility disturbance. *Cell Host and Microbe* 16, 770–777. doi: 10.1016/j.chom.2014.11.003.
- Fleury, F., Vavre, F., Ris, N., Fouillet, P., and Boulétreau, M. (2000). Physiological cost induced by the maternally-transmitted endosymbiont *Wolbachia* in the *Drosophila* parasitoid *Leptopilina heterotoma*. *Parasitology* 121, 493–500. doi: 10.1017/S0031182099006599.
- Flores, H. A., and O’Neill, S. L. (2018). Controlling vector-borne diseases by releasing modified mosquitoes. *Nature Reviews Microbiology* 16, 508–518. doi: 10.1038/s41579-018-0025-0.
- Funkhouser, L. J., and Bordenstein, S. R. (2013). Mom knows best: The universality of maternal microbial transmission. *PLoS Biology* 11, e1001631. doi: 10.1371/journal.pbio.1001631.
- Gall, C. A., Scoles, G. A., Magori, K., Mason, K. L., and Brayton, K. A. (2017). Laboratory colonization stabilizes the naturally dynamic microbiome composition of field collected *Dermacentor andersoni* ticks. *Microbiome* 5, 133. doi: 10.1186/s40168-017-0352-9.
- Gao, C. H., Yu, G., and Cai, P. (2021). *ggVennDiagram*: An intuitive, easy-to-use, and highly customizable R

## References

- package to generate venn diagram. *Frontiers in Genetics* 12, 706907. doi: 10.3389/fgene.2021.706907.
- Gatesoupe, F.-J., Huelvan, C., le Bayon, N., le Delliou, H., Madec, L., Mouchel, O., et al. (2016). The highly variable microbiota associated to intestinal mucosa correlates with growth and hypoxia resistance of sea bass, *Dicentrarchus labrax*, submitted to different nutritional histories. *BMC Microbiology* 16, 266. doi: 10.1186/s12866-016-0885-2.
- Gohl, D. M., Vangay, P., Garbe, J., MacLean, A., Hauge, A., Becker, A., et al. (2016). Systematic improvement of amplicon marker gene methods for increased accuracy in microbiome studies. *Nature Biotechnology* 34, 942–949. doi: 10.1038/nbt.3601.
- Goto, S., Anbutsu, H., and Fukatsu, T. (2006). Asymmetrical interactions between *Wolbachia* and *Spiroplasma* endosymbionts coexisting in the same insect host. *Applied and Environmental Microbiology* 72, 4805–4810. doi: 10.1128/AEM.00416-06.
- Gottlieb, Y., and Zchori-Fein, E. (2001). Irreversible thelytokous reproduction in *Muscidifurax uniraptor*. *Entomologia Experimentalis et Applicata* 100, 271–278. doi: 10.1046/J.1570-7458.2001.00874.X.
- Goudet, J. (2005). *HIERFSTAT*, a package for R to compute and test hierarchical F-statistics. *Molecular Ecology Notes* 5, 184–186. doi: 10.1111/j.1471-8286.2004.00828.x.
- Goulet, T. L., and Goulet, D. (2021). Climate change leads to a reduction in symbiotic derived cnidarian biodiversity on coral reefs. *Frontiers in Ecology and Evolution* 9, 636279. doi: 10.3389/fevo.2021.636279.
- Greenspan, S. E., Migliorini, G. H., Lyra, M. L., Pontes, M. R., Carvalho, T., Ribeiro, L. P., et al. (2020). Warming drives ecological community changes linked to host-associated microbiome dysbiosis. *Nature Climate Change* 10, 1057–1061. doi: 10.1038/s41558-020-0899-5.
- Grossman, T. H. (2016). Tetracycline antibiotics and resistance. *Cold Spring Harbor Perspectives in Medicine* 6. doi: 10.1101/cshperspect.a025387.
- Haag, C. R., and Ebert, D. (2004). A new hypothesis to explain geographic parthenogenesis. *Annales Zoologici Fennici* 41, 539–544.
- Haine, E. R. (2008). Symbiont-mediated protection. *Proceedings of the Royal Society B: Biological Sciences* 275, 353–361. doi: 10.1098/rspb.2007.1211.
- Hammer, T. J., Janzen, D. H., Hallwachs, W., Jaffe, S. P., and Fierer, N. (2017). Caterpillars lack a resident gut microbiome. *Proc Natl Acad Sci U S A* 114, 9641–9646. doi: 10.1073/PNAS.1707186114.
- Hartig, F. (2021). *DHARMA*: Residual diagnostics for hierarchical (multi-level/mixed) regression models. Available at: <https://cran.r-project.org/package=DHARMA>.
- Heath, B. D., Butcher, R. D., Whitfield, W. G., and Hubbard, S. F. (1999). Horizontal transfer of *Wolbachia* between phylogenetically distant insect species by a naturally occurring mechanism. *Current Biology* 9, 313–316. doi: 10.1016/S0960-9822(99)80139-0.
- Hedges, L. M., Brownlie, J. C., O'Neill, S. L., and Johnson, K. N. (2008). *Wolbachia* and virus protection in insects. *Science* 322, 702. doi: 10.1126/science.1162418.
- Hegde, S., Khanipov, K., Albayrak, L., Golovko, G., Pimenova, M., Saldaña, M. A., et al. (2018). Microbiome interaction networks and community structure from laboratory-reared and field-collected *Aedes aegypti*, *Aedes albopictus*, and *Culex quinquefasciatus* mosquito vectors. *Frontiers in Microbiology* 9, 2160. doi: 10.3389/fmicb.2018.02160.
- Herren, C. M., and McMahon, K. D. (2018). Keystone taxa predict compositional change in microbial communities. *Environmental Microbiology* 20, 2207–2217. doi: 10.1111/1462-2920.14257.
- Heys, C., Lizé, A., Blow, F., White, L., Darby, A., and Lewis, Z. J. (2018). The effect of gut microbiota elimination in *Drosophila melanogaster*: A how-to guide for host–microbiota studies. *Ecology and Evolution* 8, 4150–4161. doi: 10.1002/ece3.3991.
- Heyworth, E. R., Smee, M. R., and Ferrari, J. (2020). Aphid facultative symbionts aid recovery of their obligate symbiont and their host after heat stress. *Frontiers in Ecology and Evolution* 8, 56. doi: 10.3389/fevo.2020.00056.
- Hornett, E. A., Charlat, S., Duploux, A. M. R., Davies, N., Roderick, G. K., Wedell, N., et al. (2006). Evolution of male-killer suppression in a natural population. *PLoS Biology* 4, e283. doi: 10.1371/journal.pbio.0040283.
- Hornett, E. A., Duploux, A. M. R., Davies, N., Roderick, G. K., Wedell, N., Hurst, G. D. D., et al. (2008). You can't keep a good parasite down: Evolution of a male-killer suppressor uncovers cytoplasmic incompatibility. *Evolution (N Y)* 62, 1258–1263. doi: 10.1111/j.1558-5646.2008.00353.x.
- Hosokawa, T., Koga, R., Kikuchi, Y., Meng, X., and Fukatsu, T. (2010). *Wolbachia* as a bacteriocyte-associated nutritional mutualist. *Proc Natl Acad Sci U S A* 107, 769–774. doi: 10.1073/pnas.0911476107.
- Hothorn, T., Bretz, F., Westfal, P., and Hothorn, M. (2013). Package “*multcomp*.” Available at: <ftp://mirrors.fe.up.pt/pub/CRAN/web/packages/multcomp/multcomp.pdf> [Accessed May 6, 2013].
- Hothorn, T., Bretz, F., and Westfall, P. (2008). Simultaneous inference in general parametric models.

## References

- Biometrical Journal* 50, 346–363. doi: 10.1002/bimj.200810425.
- Hou, Z., and Li, A. (2020). Population genomics reveals demographic history and genomic differentiation of *Populus davidiana* and *Populus tremula*. *Frontiers in Plant Science* 11, 1103. doi: 10.3389/fpls.2020.01103.
- Hughes, G. L., Dodson, B. L., Johnson, R. M., Murdock, C. C., Tsujimoto, H., Suzuki, Y., et al. (2014). Native microbiome impedes vertical transmission of *Wolbachia* in *Anopheles* mosquitoes. *Proc Natl Acad Sci U S A* 111, 12498–12503. doi: 10.1073/pnas.1408888111.
- Hughes, G. L., and Rasgon, J. L. (2014). Transinfection: A method to investigate *Wolbachia*-host interactions and control arthropod-borne disease. *Insect Molecular Biology* 23, 141–151. doi: 10.3174/ajnr.A1650.Side.
- Huigens, M. E., de Almeida, R. P., Boons, P. A. H., Luck, R. F., and Stouthamer, R. (2004). Natural interspecific and intraspecific horizontal transfer of parthenogenesis-inducing *Wolbachia* in *Trichogramma* wasps. *Proceedings of the Royal Society B: Biological Sciences* 271, 509–515. doi: 10.1098/rspb.2003.2640.
- Hurst, G. D. D., and Frost, C. L. (2015). Reproductive parasitism: Maternally inherited symbionts in a biparental world. *Cold Spring Harbor Perspectives in Biology* 7, a017699. doi: 10.1101/cshperspect.a017699.
- Hurst, G. D. D., Johnson, A. P., Schulenburg, J. H. G. v d, and Fuyama, Y. (2000). Male-killing *Wolbachia* in *Drosophila*: A temperature-sensitive trait with a threshold bacterial density. *Genetics* 156, 699–709. doi: 10.1093/genetics/156.2.699.
- Hussain, M., Frentiu, F. D., Moreira, L. A., O'Neill, S. L., and Asgari, S. (2011). *Wolbachia* uses host microRNAs to manipulate host gene expression and facilitate colonization of the dengue vector *Aedes aegypti*. *Proc Natl Acad Sci U S A* 108, 9250–9255. doi: 10.1073/pnas.1105469108.
- Ivanov, I. I., and Littman, D. R. (2011). Modulation of immune homeostasis by commensal bacteria. *Current Opinion in Microbiology* 14, 106–114. doi: 10.1016/j.mib.2010.12.003.
- Jaenike, J. (2007). Spontaneous emergence of a new *Wolbachia* phenotype. *Evolution (N Y)* 61, 2244–2252. doi: 10.1111/j.1558-5646.2007.00180.x.
- Jaenike, J. (2009). Coupled population dynamics of endosymbionts within and between hosts. *Oikos* 118, 353–362. doi: 10.1111/j.1600-0706.2008.17110.x.
- Jehrke, L., Stewart, F. A., Droste, A., and Beller, M. (2018). The impact of genome variation and diet on the metabolic phenotype and microbiome composition of *Drosophila melanogaster*. *Scientific Reports* 8, 6215. doi: 10.1038/s41598-018-24542-5.
- Jia, F.-X., Yang, M.-S., Yang, W.-J., and Wang, J.-J. (2009). Influence of continuous high temperature conditions on *Wolbachia* infection frequency and the fitness of *Liposcelis tricolor* (Psocoptera: Liposcelididae). *Environmental Entomology* 38, 1365–1372. doi: 10.1603/022.038.0503.
- Jia, X., Dini-Andreote, F., and Salles, J. F. (2020). Comparing the influence of assembly processes governing bacterial community succession based on DNA and RNA data. *Microorganisms* 8, 798. doi: 10.3390/microorganisms8060798.
- Johnson, C. A., Coutinho, R. M., Berlin, E., Dolphin, K. E., Heyer, J., Kim, B., et al. (2016). Effects of temperature and resource variation on insect population dynamics: The bordered plant bug as a case study. *Functional Ecology* 30, 1122–1131. doi: 10.1111/1365-2435.12583.
- Johnston, P. R., and Rolff, J. (2015). Host and symbiont jointly control gut microbiota during complete metamorphosis. *PLoS Pathogens* 11, e1005246. doi: 10.1371/journal.ppat.1005246.
- Jombart, T. (2008). *ade4*: A R package for the multivariate analysis of genetic markers. *Bioinformatics* 24, 1403–1405. doi: 10.1093/bioinformatics/btn129.
- Jombart, T., and Ahmed, I. (2011). *ade4* 1.3-1: New tools for the analysis of genome-wide SNP data. *Bioinformatics* 27, 3070–3071. doi: 10.1093/bioinformatics/btr521.
- Jousset, A., Bienhold, C., Chatzinotas, A., Gallien, L., Gobet, A., Kurm, V., et al. (2017). Where less may be more: How the rare biosphere pulls ecosystems strings. *ISME Journal* 11, 853–862. doi: 10.1038/ismej.2016.174.
- Kamvar, Z. N., Tabima, J. F., and Grünwald, N. J. (2014). *poppr*: An R package for genetic analysis of populations with clonal, partially clonal, and/or sexual reproduction. *PeerJ* 2, e281. doi: 10.7717/peerj.281.
- Kant, R., Minor, M. A., Trewick, S. A., and Sandanayaka, W. R. M. (2012). Body size and fitness relation in male and female *Diaeretiella rapae*. *BioControl* 57, 759–766. doi: 10.1007/s10526-012-9452-4.
- Keebaugh, E. S., Yamada, R., Obadia, B., Ludington, W. B., and Ja, W. W. (2018). Microbial quantity impacts *Drosophila* nutrition, development, and lifespan. *iScience* 4, 247–259. doi: 10.1016/j.isci.2018.06.004.
- Kembel, S. W., Cowan, P. D., Helmus, M. R., Cornwell, W. K., Morlon, H., Ackerly, D. D., et al. (2010). *picante*: R tools for integrating phylogenies and ecology. *Bioinformatics* 26, 1463–1464. doi: 10.1093/bioinformatics/btq166.

## References

- Kikuchi, Y., Tada, A., Musolin, D. L., Hari, N., Hosokawa, T., Fujisaki, K., et al. (2016). Collapse of insect gut symbiosis under simulated climate change. *mBio* 7, e01578-16. doi: 10.1128/mBio.01578-16.
- King, J. G., Souto-Maior, C., Sartori, L. M., Maciel-De-Freitas, R., and Gomes, M. G. M. (2018). Variation in *Wolbachia* effects on *Aedes mosquitoes* as a determinant of invasiveness and vectorial capacity. *Nature Communications* 9, 1483. doi: 10.1038/s41467-018-03981-8.
- Koch, H., and Schmid-Hempel, P. (2011). Socially transmitted gut microbiota protect bumble bees against an intestinal parasite. *Proc Natl Acad Sci U S A* 108, 19288–19292. doi: 10.1073/pnas.1110474108.
- Koch, H., and Schmid-Hempel, P. (2012). Gut microbiota instead of host genotype drive the specificity in the interaction of a natural host-parasite system. *Ecology Letters* 15, 1095–1103. doi: 10.1111/j.1461-0248.2012.01831.x.
- Kolasa, M., Ścibior, R., Mazur, M. A., Kubisz, D., Dudek, K., and Kajtoch, Ł. (2019). How hosts taxonomy, trophic, and endosymbionts shape microbiome diversity in beetles. *Microbial Ecology* 78, 995–1013. doi: 10.1007/s00248-019-01358-y.
- Kolodny, O., and Schulenburg, H. (2020). Microbiome-mediated plasticity directs host evolution along several distinct time scales. *Philosophical Transactions of the Royal Society B* 375, 20190589. doi: 10.1098/RSTB.2019.0589.
- Kondo, N., Shimada, M., and Fukatsu, T. (2005). Infection density of *Wolbachia* endosymbiont affected by coinfection and host genotype. *Biology Letters* 1, 488–491. doi: 10.1098/rsbl.2005.0340.
- König, K., Zundel, P., Krimmer, E., König, C., Pollmann, M., Gottlieb, Y., et al. (2019). Reproductive isolation due to prezygotic isolation and postzygotic cytoplasmic incompatibility in parasitoid wasps. *Ecology and Evolution* 9, 10694–10706. doi: 10.1002/ECE3.5588.
- Koto, A., Mersch, D., Hollis, B., and Keller, L. (2015). Social isolation causes mortality by disrupting energy homeostasis in ants. *Behavioral Ecology and Sociobiology* 2015 69:4 69, 583–591. doi: 10.1007/S00265-014-1869-6.
- Kraaijeveld, K., Franco, P., Reumer, B. M., and van Alphen, J. J. M. (2009). Effects of parthenogenesis and geographic isolation on female sexual traits in a parasitoid wasp. *Evolution (N Y)* 63, 3085–3096. doi: 10.1111/j.1558-5646.2009.00798.x.
- Kremer, N., Charif, D., Henri, H., Bataille, M., Prévost, G., Kraaijeveld, K., et al. (2009). A new case of *Wolbachia* dependence in the genus *Asobara*: Evidence for parthenogenesis induction in *Asobara japonica*. *Heredity (Edinb)* 103, 248–256. doi: 10.1038/hdy.2009.63.
- Kremer, N., Charif, D., Henri, H., Gavory, F., Wincker, P., Mavingui, P., et al. (2012). Influence of *Wolbachia* on host gene expression in an obligatory symbiosis. *BMC Microbiology* 12, S7. doi: 10.1186/1471-2180-12-S1-S7.
- Lapanje, A., Zrimec, A., Drobne, D., and Rupnik, M. (2010). Long-term Hg pollution-induced structural shifts of bacterial community in the terrestrial isopod (*Porcellio scaber*) gut. *Environmental Pollution* 158, 3186–3193. doi: 10.1016/j.envpol.2010.07.001.
- Layeghifard, M., Hwang, D. M., and Guttman, D. S. (2017). Disentangling interactions in the microbiome: A network perspective. *Trends in Microbiology* 25, 217–228. doi: 10.1016/j.tim.2016.11.008.
- Leibold, M. A., Holyoak, M., Mouquet, N., Amarasekare, P., Chase, J. M., Hoopes, M. F., et al. (2004). The metacommunity concept: A framework for multi-scale community ecology. *Ecology Letters* 7, 601–613. doi: 10.1111/j.1461-0248.2004.00608.x.
- Levy, M., Blacher, E., and Elinav, E. (2017). Microbiome, metabolites and host immunity. *Current Opinion in Microbiology* 35, 8–15. doi: 10.1016/j.mib.2016.10.003.
- Lihoreau, M., Brepson, L., and Rivault, C. (2009). The weight of the clan: Even in insects, social isolation can induce a behavioural syndrome. *Behavioural Processes* 82, 81–84. doi: 10.1016/j.beproc.2009.03.008.
- Lim, S. J., and Bordenstein, S. R. (2020). An introduction to phylosymbiosis. *Proceedings of the Royal Society B: Biological Sciences* 287, 20192900. doi: 10.1098/rspb.2019.2900.
- Liu, Q. Q., Zhang, T. S., Li, C. X., Gu, J. W., Hou, J. bin, and Dong, H. (2018). Decision-making in a bisexual line and a thelytokous *Wolbachia*-infected line of *Trichogramma dendrolimi* Matsumura (Hymenoptera: Trichogrammatidae) regarding behavior toward their hosts. *Pest Management Science* 74, 1720–1727. doi: 10.1002/ps.4867.
- Lou, Y., Li, Y., Lu, B., Liu, Q., Yang, S. S., Liu, B., et al. (2021). Response of the yellow mealworm (*Tenebrio molitor*) gut microbiome to diet shifts during polystyrene and polyethylene biodegradation. *Journal of Hazardous Materials* 416, 126222. doi: 10.1016/j.jhazmat.2021.126222.
- Lu, P., Bian, G., Pan, X., and Xi, Z. (2012). *Wolbachia* induces density-dependent inhibition to dengue virus in mosquito cells. *PLoS Neglected Tropical Diseases* 6, e1754. doi: 10.1371/journal.pntd.0001754.
- Luo, J., Cheng, Y., Guo, L., Wang, A., Lu, M., and Xu, L. (2021). Variation of gut microbiota caused by an



## References

- imbalance diet is detrimental to bugs' survival. *Science of the Total Environment* 771, 144880. doi: 10.1016/j.scitotenv.2020.144880.
- Ma, W. J., Kuijper, B., de Boer, J. G., van de Zande, L., Beukeboom, L. W., Wertheim, B., et al. (2013). Absence of complementary sex determination in the parasitoid wasp genus *Asobara* (Hymenoptera: Braconidae). *PLoS ONE* 8, e60459. doi: 10.1371/journal.pone.0060459.
- Ma, W. J., Pannebakker, B. A., Li, X., Geuverink, E., Anvar, S. Y., Veltsos, P., et al. (2021). A single QTL with large effect is associated with female functional virginity in an asexual parasitoid wasp. *Molecular Ecology* 30, 1979–1992. doi: 10.1111/MEC.15863.
- Ma, W. J., Pannebakker, B. A., van de Zande, L., Schwander, T., Wertheim, B., and Beukeboom, L. W. (2015). Diploid males support a two-step mechanism of endosymbiont-induced thelytoky in a parasitoid wasp. *BMC Evolutionary Biology* 15, 84. doi: 10.1186/s12862-015-0370-9.
- Ma, W. J., and Schwander, T. (2017). Patterns and mechanisms in instances of endosymbiont-induced parthenogenesis. *Journal of Evolutionary Biology* 30, 868–888. doi: 10.1111/jlh.12426.
- Ma, W. J., Vavre, F., and Beukeboom, L. W. (2014). Manipulation of arthropod sex determination by endosymbionts: Diversity and molecular mechanisms. *Sexual Development* 8, 59–73. doi: 10.1159/000357024.
- Macaluso, K. R., Sonenshine, D. E., Ceraul, S. M., and Azad, A. F. (2002). Rickettsial infection in *Dermacentor variabilis* (Acari: Ixodidae) inhibits transovarial transmission of a second *Rickettsia*. *Journal of Medical Entomology* 39, 809–813. doi: 10.1603/0022-2585-39.6.809.
- Marshall, J. L. (2007). Rapid evolution of spermathecal duct length in the *Allonemobius socius* complex of crickets: Species, population and *Wolbachia* effects. *PLoS ONE* 2, e720. doi: 10.1371/journal.pone.0000720.
- Martinez, J., Longdon, B., Bauer, S., Chan, Y. S., Miller, W. J., Bourtzis, K., et al. (2014). Symbionts commonly provide broad spectrum resistance to viruses in insects: A comparative analysis of *Wolbachia* strains. *PLoS Pathogens* 10, e1004369. doi: 10.1371/journal.ppat.1004369.
- Martinez-Sañudo, I., Simonato, M., Squartini, A., Mori, N., Marri, L., and Mazzon, L. (2018). Metagenomic analysis reveals changes of the *Drosophila suzukii* microbiota in the newly colonised regions. *Insect Science* 25, 833–846. doi: 10.1111/1744-7917.12458.
- McFall-Ngai, M., Hadfield, M. G., Bosch, T. C. G., Carey, H. v., Domazet-Lošo, T., Douglas, A. E., et al. (2013). Animals in a bacterial world, a new imperative for the life sciences. *Proc Natl Acad Sci U S A* 110, 3229–3236. doi: 10.1073/pnas.1218525110.
- McLaren, M. R., and Callahan, B. J. (2021). Silva 138.1 prokaryotic SSU taxonomic training data formatted for DADA2. Zenodo. <https://doi.org/10.5281/zenodo.4587955>.
- McMurdie, P. J., and Holmes, S. (2013). *phyloseq*: An R package for reproducible interactive analysis and graphics of microbiome census data. *PLoS ONE* 8, e61217. doi: 10.1371/journal.pone.0061217.
- Menken, S. B. J. (1991). Does haplodiploidy explain reduced levels of genetic variability in Hymenoptera? *Proceedings of Experimental and Applied Entomology* 2, 172–178. Available at: <https://secties.nev.nl/pages/publicaties/proceedings/nummers/02/172-178.pdf> [Accessed November 5, 2021].
- Metcalf, R. A., Marlin, J. C., and Whitt, G. S. (1975). Low levels of genetic heterozygosity in Hymenoptera. *Nature* 257, 792–794. doi: 10.1038/257792a0.
- Miller, A. K., Westlake, C. S., Cross, K. L., Leigh, B. A., and Bordenstein, S. R. (2021). The microbiome impacts host hybridization and speciation. *PLOS Biology* 19, e3001417. doi: 10.1371/JOURNAL.PBIO.3001417.
- Milligan, B. G. (2003). Maximum-likelihood estimation of relatedness. *Genetics* 163, 1153–1167. doi: 10.1093/genetics/163.3.1153.
- Mitsuhashi, W., Ikeda, H., and Muraji, M. (2011). Fifty-year trend towards suppression of *Wolbachia*-induced male-killing by its butterfly host, *Hypolimnas bolina*. *Journal of Insect Science* 11, 92. doi: 10.1673/031.011.9201.
- Mitsui, H., van Achterberg, K., Nordlander, G., and Kimura, M. T. (2007). Geographical distributions and host associations of larval parasitoids of frugivorous Drosophilidae in Japan. *Journal of Natural History* 41, 1731–1738. doi: 10.1080/00222930701504797.
- Miyawaki, A. (1984). A Vegetation ~ Ecological View of the Japanese Archipelago\*. *Bull. Inst. Environ. Sci. Technol.* 101, 85–101.
- Moné, Y., Monnin, D., and Kremer, N. (2014). The oxidative environment: A mediator of interspecies communication that drives symbiosis evolution. *Proceedings of the Royal Society B: Biological Sciences* 281, 20133112. doi: 10.1098/rspb.2013.3112.
- Monnin, D., Kremer, N., Desouhant, E., and Vavre, F. (2017). Impact of *Wolbachia* on oxidative stress sensitivity

## References

- in the parasitic wasp *Asobara japonica*. *PLoS ONE* 12, e0175974. doi: 10.1371/journal.pone.0175974.
- Moran, N. A. (2016). Genomics of the honey bee microbiome. *Current Opinion in Insect Science* 8, 583–592. doi: 10.1016/j.cois.2015.04.003.
- Moran, N. A., McCutcheon, J. P., and Nakabachi, A. (2008). Genomics and evolution of heritable bacterial symbionts. *Annual Review of Genetics* 42, 165–190. doi: 10.1146/annurev.genet.41.110306.130119.
- Moreau, C. S., Bell, C. D., Vila, R., Archibald, S. B., and Pierce, N. E. (2006). Phylogeny of the ants: Diversification in the age of Angiosperms. *Science* 312, 101–104. doi: 10.1126/science.1124891.
- Moreira, L. A., Iturbe-Ormaetxe, I., Jeffery, J. A., Lu, G., Pyke, A. T., Hedges, L. M., et al. (2009). A *Wolbachia* symbiont in *Aedes aegypti* limits infection with Dengue, Chikungunya, and *Plasmodium*. *Cell* 139, 1268–1278. doi: 10.1016/j.cell.2009.11.042.
- Moya, A., Peretó, J., Gil, R., and Latorre, A. (2008). Learning how to live together: Genomic insights into prokaryote–animal symbioses. *Nature Reviews Genetics* 9, 218–229. doi: 10.1038/nrg2319.
- Mu, C., and Zhu, W. (2019). Antibiotic effects on gut microbiota, metabolism, and beyond. *Applied Microbiology and Biotechnology* 103, 9277–9285. doi: 10.1007/s00253-019-10165-x.
- Murata, Y., Ideo, S., Watada, M., Mitsui, H., and Kimura, M. T. (2009). Genetic and physiological variation among sexual and parthenogenetic populations of *Asobara japonica* (Hymenoptera: Braconidae), a larval parasitoid of drosophilid flies. *European Journal of Entomology* 106, 171–178. doi: 10.14411/eje.2009.020.
- Nasirian, H., and Salehzadeh, A. (2019). Effect of seasonality on the population density of wetland aquatic insects: A case study of the Hawr Al Azim and Shadegan wetlands, Iran. *Veterinary World* 12, 584. doi: 10.14202/VETWORLD.2019.584-592.
- Neu, A. T., Allen, E. E., and Roy, K. (2021). Defining and quantifying the core microbiome: Challenges and prospects. *Proc Natl Acad Sci U S A* 118, e2104429118. doi: 10.1073/pnas.2104429118.
- Nikoh, N., Hosokawa, T., Moriyama, M., Oshima, K., Hattori, M., and Fukatsu, T. (2014). Evolutionary origin of insect-*Wolbachia* nutritional mutualism. *Proc Natl Acad Sci U S A* 111, 10257–10262. doi: 10.1073/pnas.1409284111.
- Novakova, E., Woodhams, D. C., Rodríguez-Ruano, S. M., Brucker, R. M., Leff, J. W., Maharaj, A., et al. (2017). Mosquito microbiome dynamics, a background for prevalence and seasonality of West Nile virus. *Frontiers in Microbiology* 8, 526. doi: 10.3389/fmicb.2017.00526.
- Obadia, B., Güvener, Z. T., Zhang, V., Ceja-Navarro, J. A., Brodie, E. L., Ja, W. W., et al. (2017). Probabilistic invasion underlies natural gut microbiome stability. *Current Biology* 27, 1999–2006. doi: 10.1016/j.cub.2017.05.034.
- Ochman, H., Worobey, M., Kuo, C. H., Ndjango, J. B. N., Peeters, M., Hahn, B. H., et al. (2010). Evolutionary relationships of wild hominids recapitulated by gut microbial communities. *PLoS Biology* 8, e1000546. doi: 10.1371/journal.pbio.1000546.
- Oksanen, J., Blanchet, F. G., Kindt, R., Legendre, P., Minchin, P. R., O., et al. (2016). *vegan*: Community ecology package. *R package version 2.3-5*. Available at: <https://cran.r-project.org/package=vegan>.
- Oliver, K. M., Degan, P. H., Burke, G. R., and Moran, N. A. (2010). Facultative symbionts in aphids and the horizontal transfer of ecologically important traits. *Annual Review of Entomology* 55, 247–266. doi: 10.1146/annurev-ento-112408-085305.
- Oliver, K. M., Moran, N. A., and Hunter, M. S. (2006). Costs and benefits of a superinfection of facultative symbionts in aphids. *Proceedings of the Royal Society of London B: Biological Sciences* 273, 1273–1280. doi: 10.1098/rspb.2005.3436.
- Olsen, T. K., and Baryawno, N. (2018). Introduction to Single-Cell RNA Sequencing. *Current Protocols in Molecular Biology* 122, e57. doi: 10.1002/cpmb.57.
- Osborne, S. E., Iturbe-Ormaetxe, I., Brownlie, J. C., O'Neill, S. L., and Johnson, K. N. (2012). Antiviral protection and the importance of *Wolbachia* density and tissue tropism in *Drosophila simulans*. *Applied and Environmental Microbiology* 78, 6922–6929. doi: 10.1128/AEM.01727-12.
- Osborne, S. E., Leong, Y. S., O'Neill, S. L., and Johnson, K. N. (2009). Variation in antiviral protection mediated by different *Wolbachia* strains in *Drosophila simulans*. *PLoS Pathogens* 5, e1000656. doi: 10.1371/journal.ppat.1000656.
- Otti, O. (2015). Genitalia-associated microbes in insects. *Insect Science* 22, 325–339. doi: 10.1111/1744-7917.12183.
- Oyserman, B. O., Cordovez, V., Flores, S. S., Leite, M. F. A., Nijveen, H., Medema, M. H., et al. (2021). Extracting the GEMs: Genotype, environment, and microbiome interactions shaping host phenotypes. *Frontiers in Microbiology* 11, 574053. doi: 10.3389/fmicb.2020.574053.
- Packer, L., and Owen, R. (2001). Population genetic aspects of pollinator decline. *Conservation Ecology* 5, 4.

## References

- doi: 10.5751/ES-00267-050104.
- Pannebakker, B. A., Loppin, B., Elemans, C. P. H., Humblot, L., and Vavre, F. (2007). Parasitic inhibition of cell death facilitates symbiosis. *Proc Natl Acad Sci U S A* 104, 213–215. doi: 10.1073/pnas.0607845104.
- Paradis, E., and Schliep, K. (2019). *ape* 5.0: an environment for modern phylogenetics and evolutionary analyses in R. *Bioinformatics* 35, 526–528. doi: 10.1093.
- Patterson, N., Price, A. L., and Reich, D. (2006). Population structure and eigenanalysis. *PLoS Genetics* 2, e190. doi: 10.1371/journal.pgen.0020190.
- Pereira, T. N., Rocha, M. N., Sucupira, P. H. F., Carvalho, F. D., and Moreira, L. A. (2018). *Wolbachia* significantly impacts the vector competence of *Aedes aegypti* for Mayaro virus. *Scientific Reports* 8, 6889. doi: 10.1038/s41598-018-25236-8.
- Petersen, J. M., and Osvatic, J. (2018). Microbiomes *in natura*: Importance of invertebrates in understanding the natural variety of animal-microbe Interactions. *mSystems* 3, e00179-17. doi: 10.1128/mSystems.00179-17.
- Pietri, J. E., DeBruhl, H., and Sullivan, W. (2016). The rich somatic life of *Wolbachia*. *Microbiologyopen* 5, 923–936. doi: 10.1002/mbo3.390.
- Pita, L., Rix, L., Slaby, B. M., Franke, A., and Hentschel, U. (2018). The sponge holobiont in a changing ocean: From microbes to ecosystems. *Microbiome* 6, 46. doi: 10.1186/s40168-018-0428-1.
- Plottel, C. S., and Blaser, M. J. (2011). Microbiome and malignancy. *Cell Host and Microbe* 10, 324–335. doi: 10.1016/j.chom.2011.10.003.
- Pons, I., Renoz, F., Noël, C., and Hance, T. (2019). Circulation of the cultivable symbiont *Serratia symbiotica* in aphids is mediated by plants. *Frontiers in Microbiology* 10, 764. doi: 10.3389/fmicb.2019.00764.
- Prado, S. S., Hung, K. Y., Daugherty, M. P., and Almeida, R. P. P. (2010). Indirect effects of temperature on stink bug fitness, via maintenance of gut-associated symbionts. *Applied and Environmental Microbiology* 76, 1261–1266. doi: 10.1128/AEM.02034-09.
- Pringle, E. G., and Moreau, C. S. (2017). Community analysis reveals microbial sharing and specialization in a Costa Rican ant-plant-hemipteran symbiosis. *Proceedings of the Royal Society of London B: Biological Sciences* 284, 20162770. doi: 10.1098/rspb.2016.2770.
- Qiao, H., Keeseey, I. W., Hansson, B. S., and Knaden, M. (2019). Gut microbiota affects development and olfactory behavior in *Drosophila melanogaster*. *Journal of Experimental Biology* 222, jeb192500. doi: 10.1242/jeb.192500.
- R Core Team (2020). R: A Language and Environment for Statistical Computing. Available at: <https://www.r-project.org/>.
- Ramalho, M. O., Bueno, O. C., Moreau, C. S., Oliveira Ramalho, M., Correa Bueno, O., and Saux Moreau, C. (2017). Species-specific signatures of the microbiome from *Camponotus* and *Colobopsis* ants across developmental stages. *PLoS ONE* 12, e0187461. doi: 10.1371/journal.pone.0187461.
- Randerson, J. P., Jiggins, F. M., and Hurst, L. D. (2000). Male killing can select for male mate choice: A novel solution to the paradox of the lek. *Proceedings of the Royal Society B: Biological Sciences* 267, 867–874. doi: 10.1098/rspb.2000.1083.
- Rennison, D. J., Rudman, S. M., and Schluter, D. (2019). Parallel changes in gut microbiome composition and function during colonization, local adaptation and ecological speciation. *Proceedings of the Royal Society B: Biological Sciences* 286, 20191911. doi: 10.1098/rspb.2019.1911.
- Reumer, B. M., van Alphen, J. J. M., and Kraaijeveld, K. (2012). Occasional males in parthenogenetic populations of *Asobara japonica* (Hymenoptera: Braconidae): Low *Wolbachia* titer or incomplete coadaptation? *Heredity (Edinb)* 108, 341–346. doi: 10.1038/hdy.2011.82.
- Ridley, E. v., Wong, A. C. N., and Douglas, A. E. (2013). Microbe-dependent and nonspecific effects of procedures to eliminate the resident microbiota from *Drosophila melanogaster*. *Applied and Environmental Microbiology* 79, 3209–3214. doi: 10.1128/AEM.00206-13.
- Ridley, E. v., Wong, A. C. N., Westmiller, S., and Douglas, A. E. (2012). Impact of the resident microbiota on the nutritional phenotype of *Drosophila melanogaster*. *PLoS ONE* 7, e36765. doi: 10.1371/journal.pone.0036765.
- Rock, D. I., Smith, A. H., Joffe, J., Albertus, A., Wong, N., O'Connor, M., et al. (2018). Context-dependent vertical transmission shapes strong endosymbiont community structure in the pea aphid, *Acyrtosiphon pisum*. *Molecular Ecology* 27, 2039–2056. doi: 10.1111/mec.14449.
- Rokney, A., Kobilier, O., Amir, A., Court, D. L., Stavans, J., Adhya, S., et al. (2008). Host responses influence on the induction of lambda prophage. *Molecular Microbiology* 68, 29–36. doi: 10.1111/j.1365-2958.2008.06119.x.
- Romoli, O., Schönbeck, J. C., Hapfelmeier, S., and Gendrin, M. (2021). Production of germ-free mosquitoes via

## References

- transient colonisation allows stage-specific investigation of host–microbiota interactions. *Nature Communications* 12, 942. doi: 10.1038/s41467-021-21195-3.
- Rosenberg, E., Sharon, G., Atad, I., and Zilber-Rosenberg, I. (2010). The evolution of animals and plants via symbiosis with microorganisms. *Environmental Microbiology Reports* 2, 500–506. doi: 10.1111/j.1758-2229.2010.00177.x.
- Rosenberg, E., and Zilber-Rosenberg, I. (2018). The hologenome concept of evolution after 10 years. *Microbiome* 6, 78. doi: 10.1186/s40168-018-0457-9.
- Rudman, S. M., Greenblum, S., Hughes, R. C., Rajpurohit, S., Kiratli, O., Lowder, D. B., et al. (2019). Microbiome composition shapes rapid genomic adaptation of *Drosophila melanogaster*. *Proc Natl Acad Sci U S A* 116, 20025–20032. doi: 10.1073/pnas.1907787116.
- Russell, J. A., and Moran, N. A. (2006). Costs and benefits of symbiont infection in aphids: Variation among symbionts and across temperatures. *Proceedings of the Royal Society of London B: Biological Sciences* 273, 603–610. doi: 10.1098/rspb.2005.3348.
- Sakurai, M., Koga, R., Tsuchida, T., Meng, X.-Y., and Fukatsu, T. (2005). *Rickettsia* symbiont in the pea aphid *Acyrtosiphon pisum*: Novel cellular tropism, effect on host fitness, and interaction with the essential symbiont *Buchnera*. *Environmental Microbiology* 71, 4069–4075. doi: 10.1128/AEM.71.7.4069.
- Sampaio, M. V., Bueno, V. H., and de Conti, B. F. (2008). The effect of the quality and size of host aphid species on the biological characteristics of *Aphidius colemani* (Hymenoptera: Braconidae: Aphidiinae). *European Journal of Entomology* 105, 489–494. doi: 10.14411/EJE.2008.063.
- Santos-Garcia, D., Juravel, K., Freilich, S., and Zchori-fein, E. (2018). To B or not to B: Comparative genomics suggests *Arsenophonus* as a source of B vitamins in whiteflies. *Frontiers in Microbiology* 9, 2254. doi: 10.3389/fmicb.2018.02254.
- Sasaki, T., Kubo, T., and Ishikawa, H. (2002). Interspecific transfer of *Wolbachia* between two lepidopteran insects expressing cytoplasmic incompatibility: A *Wolbachia* variant naturally infecting *Cadra cautella* causes male killing in *Ephestia kuehniella*. *Genetics* 162, 1313–1319. doi: 10.1093/genetics/162.3.1313.
- Schilthuisen, M., and Stouthamer, R. (1997). Horizontal transmission of parthenogenesis-inducing microbes in *Trichogramma* wasps. *Proceedings of the Royal Society of London B: Biological Sciences* 264, 361–366. doi: 10.1098/rspb.1997.0052.
- Schliep, K. P. (2011). *phangorn*: Phylogenetic analysis in R. *Bioinformatics* 27, 592–593. doi: 10.1093/bioinformatics/btq706.
- Schliep, K., Potts, A. J., Morrison, D. A., and Grimm, G. W. (2017). Intertwining phylogenetic trees and networks. *Methods in Ecology and Evolution* 8, 1212–1220. doi: 10.1111/2041-210X.12760.
- Schneider, M. v., Driessen, G., Beukeboom, L. W., Boll, R., van Eunen, K., Selzner, A., et al. (2003). Gene flow between arrhenotokous and thelytokous populations of *Venturia canescens* (Hymenoptera). *Heredity (Edinb)* 90, 260–267. doi: 10.1038/sj.hdy.6800245.
- Serbus, L. R., White, P. M., Silva, J. P., Rabe, A., Teixeira, L., Albertson, R., et al. (2015). The impact of host diet on *Wolbachia* titer in *Drosophila*. *PLoS Pathogens* 11, e1004777. doi: 10.1371/journal.ppat.1004777.
- Sergaki, C., Lagunas, B., Lidbury, I., Gifford, M. L., and Schäfer, P. (2018). Challenges and approaches in microbiome research: From fundamental to applied. *Frontiers in Plant Science* 9, 1–12. doi: 10.3389/fpls.2018.01205.
- Sessitsch, A., Pfaffenbichler, N., and Mitter, B. (2019). Microbiome applications from lab to field: Facing complexity. *Trends in Plant Science* 24, 194–198. doi: 10.1016/j.tplants.2018.12.004.
- Shapiro, S. S., and Wilk, M. B. (1965). An analysis of variance test for normality (complete samples). *Biometrika* 52, 591–611. doi: 10.1093/biomet/52.3-4.591.
- Sharon, G., Segal, D., Ringo, J. M., Hefetz, A., Zilber-Rosenberg, I., and Rosenberg, E. (2010). Commensal bacteria play a role in mating preference of *Drosophila melanogaster*. *Proc Natl Acad Sci U S A* 107, 20051–20056. doi: 10.1073/pnas.1302980110.
- Shin, S. C., Kim, S.-H., You, H., Kim, B., Kim, A. C., Lee, K.-A., et al. (2011). *Drosophila* microbiome modulates host developmental and metabolic homeostasis via insulin signaling. *Science* 334, 670–674. doi: 10.1126/science.1212782.
- Shropshire, J. D., and Bordenstein, S. R. (2016). Speciation by symbiosis: The microbiome and behavior. *mBio* 7, e01785-15. doi: 10.1128/mBio.01785-15.
- Shropshire, J. D., van Opstal, E. J., and Bordenstein, S. R. (2016). An optimized approach to germ-free rearing in the jewel wasp *Nasonia*. *PeerJ* 4, e2316. doi: 10.7717/peerj.2316.
- Sicard, M., Dittmer, J., Grève, P., Bouchon, D., and Braquart-Varnier, C. (2014). A host as an ecosystem: *Wolbachia* coping with environmental constraints. *Environmental Microbiology* 16, 3583–3607. doi: 10.1111/1462-2920.12573.

## References

- Sieber, M., Pita, L., Weiland-Bräuer, N., Dirksen, P., Wang, J., Mortzfeld, B., et al. (2019). Neutrality in the metaorganism. *PLoS Biology* 17, e3000298. doi: 10.1371/journal.pbio.3000298.
- Simhadri, R. K., Fast, E., Guo, R., Schultz, M. J., Vaisman, N., Ortiz, L., et al. (2017). The gut commensal microbiome of *Drosophila melanogaster* is modified by the endosymbiont *Wolbachia*. *mSphere* 2, e00287-17. doi: 10.1128/mSphere.00287-17.
- Simões, P. M., Mialdea, G., Reiss, D., Sagot, M. F., and Charlat, S. (2011). *Wolbachia* detection: An assessment of standard PCR protocols. *Molecular Ecology Resources* 11, 567–572. doi: 10.1111/j.1755-0998.2010.02955.x.
- Smith, C. C. C. R. R., Snowberg, L. K., Gregory Caporaso, J., Knight, R., and Bolnick, D. I. (2015). Dietary input of microbes and host genetic variation shape among-population differences in stickleback gut microbiota. *The ISME Journal* 9, 2515–2526. doi: 10.1038/ismej.2015.64.
- Ssekagiri, A. (2020). *microbiomeSeq*: Microbial community analysis in an environmental context.
- Stegen, J. C., Lin, X., Fredrickson, J. K., Chen, X., Kennedy, D. W., Murray, C. J., et al. (2013). Quantifying community assembly processes and identifying features that impose them. *ISME Journal* 7, 2069–2079. doi: 10.1038/ismej.2013.93.
- Stegen, J. C., Lin, X., Konopka, A. E., and Fredrickson, J. K. (2012). Stochastic and deterministic assembly processes in subsurface microbial communities. *ISME Journal* 6, 1653–1664. doi: 10.1038/ismej.2012.22.
- Stouthamer, R., Luck, R. F., and Hamilton, W. D. (1990). Antibiotics cause parthenogenetic *Trichogramma* (Hymenoptera/Trichogrammatidae) to revert to sex. *Proc Natl Acad Sci U S A* 87, 2424–2427. doi: 10.1073/pnas.87.7.2424.
- Su, Q., Xie, W., Wang, S., Wu, Q., Ghanim, M., and Zhang, Y. (2014). Location of symbionts in the whitefly *Bemisia tabaci* affects their densities during host development and environmental stress. *PLoS One* 9, e91802. doi: 10.1371/journal.pone.0091802.
- Sullivan, J., and Jaenike, J. (2006). Male-killing *Wolbachia* and male mate choice: A test with *Drosophila innubila*. *Evolutionary Ecology Research* 8, 91–102.
- Sumi, T., Miura, K., and Miyatake, T. (2017). *Wolbachia* density changes seasonally amongst populations of the pale grass blue butterfly, *Zizeeria maha* (Lepidoptera: Lycaenidae). *PLoS ONE* 12, e0175373. doi: 10.1371/journal.pone.0175373.
- Teixeira, L., Ferreira, Á., and Ashburner, M. (2008). The bacterial symbiont *Wolbachia* induces resistance to RNA viral infections in *Drosophila melanogaster*. *PLoS Biology* 6, e1000002. doi: 10.1371/journal.pbio.1000002.
- Trevathan-Tackett, S. M., Sherman, C. D. H., Huggett, M. J., Campbell, A. H., Laverock, B., Hurtado-McCormick, V., et al. (2019). A horizon scan of priorities for coastal marine microbiome research. *Nature Ecology & Evolution* 2019 3:11 3, 1509–1520. doi: 10.1038/s41559-019-0999-7.
- Uren Webster, T. M., Rodriguez-Barreto, D., Castaldo, G., Gough, P., Consuegra, S., and Garcia de Leaniz, C. (2020). Environmental plasticity and colonisation history in the Atlantic salmon microbiome: A translocation experiment. *Molecular Ecology* 29, 886–898. doi: 10.1111/mec.15369.
- Vala, F., Egas, M., Breeuwer, J. A. J., and Sabelis, M. W. (2004). *Wolbachia* affects oviposition and mating behaviour of its spider mite host. *Journal of Evolutionary Biology* 17, 692–700. doi: 10.1046/J.1420-9101.2003.00679.X.
- Vallet-Gely, I., Lemaitre, B., and Boccard, F. (2008). Bacterial strategies to overcome insect defences. *Nature Reviews Microbiology* 6, 302–313. doi: 10.1038/nrmicro1870.
- van Opijnen, T., and Breeuwer, J. A. (1999). High temperatures eliminate *Wolbachia*, a cytoplasmic incompatibility inducing endosymbiont, from the two-spotted spider mite. *Experimental and Applied Acarology* 23, 871–881. doi: 10.1023/A:1006363604916.
- van Veelen, H. P. J., Falcão Salles, J., Matson, K. D., van der Velde, M., and Tieleman, B. I. (2020). Microbial environment shapes immune function and cloacal microbiota dynamics in zebra finches *Taeniopygia guttata*. *Animal Microbiome* 2, 1–17. doi: 10.1186/s42523-020-00039-3.
- van Veelen, H. P. J., Falcao Salles, J., and Tieleman, B. I. (2017). Multi-level comparisons of cloacal, skin, feather and nest-associated microbiota suggest considerable influence of horizontal acquisition on the microbiota assembly of sympatric woodlarks and skylarks. *Microbiome* 5, 156. doi: 10.1186/S40168-017-0371-6.
- Vastra, M., Salvin, P., and Roos, C. (2016). MIC of carbon steel in Amazonian environment: Electrochemical, biological and surface analyses. *International Biodeterioration and Biodegradation* 112, 98–107. doi: 10.1016/j.ibiod.2016.05.004.
- Vega, N. M., and Gore, J. (2017). Stochastic assembly produces heterogeneous communities in the *Caenorhabditis elegans* intestine. *PLoS Biology* 15, e2000633. doi: 10.1371/journal.pbio.2000633.

## References

- Wachi, N., Gau, J. J., Fujie, S., Fukano, K., and Maeto, K. (2021). Genomic population structure of sympatric sexual and asexual populations in a parasitic wasp, *Meteorus pulchricornis* (Hymenoptera: Braconidae), inferred from six hundred single-nucleotide polymorphism loci. *Molecular Ecology* 30, 1612–1623. doi: 10.1111/mec.15834.
- Waltmann, A., Willcox, A. C., Balasubramanian, S., Borrini Mayori, K., Mendoza Guerrero, S., Salazar Sanchez, R. S., et al. (2019). Hindgut microbiota in laboratory-reared and wild *Triatoma infestans*. *PLoS Neglected Tropical Diseases* 13, 1–26. doi: 10.1371/journal.pntd.0007383.
- Wang, G. H., Dittmer, J., Douglas, B., Huang, L., and Brucker, R. M. (2021). Coadaptation between host genome and microbiome under long-term xenobiotic-induced selection. *Science Advances* 7, eabd4473. doi: 10.1126/sciadv.abd4473.
- Wang, X.-X., Qi, L.-D., Jiang, R., Du, Y.-Z., and Li, Y.-X. (2017). Incomplete removal of *Wolbachia* with tetracycline has two-edged reproductive effects in the thelytokous wasp *Encarsia formosa* (Hymenoptera: Aphelinidae). *Scientific Reports* 7, 44014. doi: 10.1038/srep44014.
- Weeks, A. R., Marec, F., and Breeuwer, J. A. J. (2001). A mite species that consists entirely of haploid females. *Science* 292, 2479–2482. doi: 10.1126/science.1060411.
- Weir, B. S., and Cockerham, C. C. (1984). Estimating F-statistics for the analysis of population structure. *Evolution (N Y)* 38, 1358–1370. doi: 10.1111/j.1558-5646.1984.tb05657.x.
- Weiss, B. L., Wang, J., Maltz, M. A., Wu, Y., and Aksoy, S. (2013). Trypanosome infection establishment in the tsetse fly gut is influenced by microbiome-regulated host immune barriers. *PLOS Pathogens* 9, e1003318. doi: 10.1371/JOURNAL.PPAT.1003318.
- Werren, J. H. (1997). Biology of *Wolbachia*. *Annual Review of Entomology* 42, 587–609. doi: 10.1146/annurev.ento.42.1.587.
- Werren, J. H., Baldo, L., and Clark, M. E. (2008). *Wolbachia*: Master manipulators of invertebrate biology. *Nature Reviews Microbiology* 6, 741–751. doi: 10.1038/nrmicro1969.
- Wickham, H. (2016). *ggplot2: Elegant Graphics for Data Analysis*. New York: Springer-Verlag New York.
- Wittman, T., and Fedorka, K. M. (2015). Male mate choice for unparasitized females in *Drosophila melanogaster*. *Journal of Insect Behavior* 28, 37–43. doi: 10.1007/s10905-014-9478-9.
- Wong, A. C.-N., Dobson, A. J., and Douglas, A. E. (2014). Gut microbiota dictates the metabolic response of *Drosophila* to diet. *Journal of Experimental Biology* 217, 1894–1901. doi: 10.1242/jeb.101725.
- Xi, Z., and Dobson, S. L. (2005). Characterization of *Wolbachia* transfection efficiency by using microinjection of embryonic cytoplasm and embryo homogenate. *Applied and Environmental Microbiology* 71, 3199–3204. doi: 10.1128/AEM.71.6.3199-3204.2005.
- Yamashita, S., and Takahashi, K. H. (2018). Artificial transfer of a thelytoky-inducing *Wolbachia* endosymbiont between strains of the endoparasitoid wasp *Asobara japonica* (Hymenoptera: Braconidae). Springer Japan doi: 10.1007/s13355-018-0571-y.
- Ye, Y. H., Seleznev, A., Flores, H. A., Woolfit, M., and McGraw, E. A. (2017). Gut microbiota in *Drosophila melanogaster* interacts with *Wolbachia* but does not contribute to *Wolbachia*-mediated antiviral protection. *Journal of Invertebrate Pathology* 143, 18–25. doi: 10.1016/j.jip.2016.11.011.
- Yun, J.-H., Roh, S. W., Whon, T. W., Jung, M.-J., Kim, M.-S., Park, D.-S., et al. (2014). Insect gut bacterial diversity determined by environmental habitat, diet, developmental stage, and phylogeny of host. *Applied and Environmental Microbiology* 80, 5254–5264. doi: 10.1128/aem.01226-14.
- Zchori-Fein, E., Faktor, O., Zeidan, M., Gottlieb, Y., Czosnek, H., and Rosen, D. (1995). Parthenogenesis-inducing microorganisms in *Aphytis* (Hymenoptera: Aphelinidae). *Insect Molecular Biology* 4, 173–178. doi: 10.1111/j.1365-2583.1995.tb00023.x.
- Zélé, F., Santos, I., Matos, M., Weill, M., Vavre, F., and Magalhães, S. (2020). Endosymbiont diversity in natural populations of *Tetranychus* mites is rapidly lost under laboratory conditions. *Heredity* 2020 124:4 124, 603–617. doi: 10.1038/s41437-020-0297-9.
- Zhang, G., Hussain, M., O'Neill, S. L., and Asgari, S. (2013). *Wolbachia* uses a host microRNA to regulate transcripts of a methyltransferase, contributing to dengue virus inhibition in *Aedes aegypti*. *Proc Natl Acad Sci U S A* 110, 10276–10281. doi: 10.1073/pnas.1303603110.
- Zhang, Y. K., Ding, X. L., Rong, X., and Hong, X. Y. (2015). How do hosts react to endosymbionts? A new insight into the molecular mechanisms underlying the *Wolbachia*-host association. *Insect Molecular Biology* 24, 1–12. doi: 10.1111/imb.12128.
- Zheng, X., Levine, D., Shen, J., Gogarten, S. M., Laurie, C., and Weir, B. S. (2012). A high-performance computing toolset for relatedness and principal component analysis of SNP data. *Bioinformatics* 28, 3326–3328. doi: 10.1093/bioinformatics/bts606.
- Zheng, Y., Wang, J.-L., Liu, C., Wang, C.-P., Walker, T., and Wang, Y.-F. (2011). Differentially expressed profiles

## References

- in the larval testes of *Wolbachia* infected and uninfected *Drosophila*. *BMC Genomics* 12, 595. doi: 10.1186/1471-2164-12-595.
- Zhou, J. C., Zhao, Q., Liu, S. M., Shang, D., Zhao, X., Huo, L. X., et al. (2021). Effects of thelytokous parthenogenesis-inducing *Wolbachia* on the fitness of *Trichogramma dendrolimi* matsumura (Hymenoptera: Trichogrammatidae) in superparasitised and single-parasitised hosts. *Frontiers in Ecology and Evolution* 9, 731. doi: 10.3389/fevo.2021.730664.
- Zhou, J., and Ning, D. (2017). Stochastic community assembly: Does it matter in microbial ecology? *Microbiology and Molecular Biology Reviews* 81. doi: 10.1128/mmb.00002-17.
- Zhou, W., Rousset, F., and O'Neill, S. (1998). Phylogeny and PCR-based classification of *Wolbachia* strains using wsp gene sequences. *Proceedings of the Royal Society B: Biological Sciences* 265, 509–515. doi: 10.1098/rspb.1998.0324.
- Zilber-Rosenberg, I., and Rosenberg, E. (2008). Role of microorganisms in the evolution of animals and plants: The hologenome theory of evolution. *FEMS Microbiology Reviews* 32, 723–735. doi: 10.1111/j.1574-6976.2008.00123.x.
- Zoetendal, E. G., Akkermans, A. D. L., and de Vos, W. M. (1998). Temperature gradient gel electrophoresis analysis of 16S rRNA from human fecal samples reveals stable and host-specific communities of active bacteria. *Applied and Environmental Microbiology* 64, 3854–3859. doi: 10.1128/aem.64.10.3854-3859.1998.
- Zug, R., and Hammerstein, P. (2012). Still a host of hosts for *Wolbachia*: Analysis of recent data suggests that 40% of terrestrial arthropod species are infected. *PLoS ONE* 7, e38544. doi: 10.1371/journal.pone.0038544.