

University of Groningen

Dyadic coping with illness

Hagedoorn, Mettje; Revenson, Tracey A.

Published in:
 Cambridge Handbook of Psychology, Health and Medicine

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
 Publisher's PDF, also known as Version of record

Publication date:
 2019

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):
 Hagedoorn, M., & Revenson, T. A. (2019). Dyadic coping with illness. In C. Llewellyn, S. Ayers, C. McManus, S. Newman, K. J. Petrie, T. A. Revenson, & J. Weinman (Eds.), *Cambridge Handbook of Psychology, Health and Medicine* (3 ed., pp. 118-122). Cambridge University Press.
 <https://www.cambridge.org/core/books/cambridge-handbook-of-psychology-health-and-medicine/01EAACDBDA5F273088BF3CCFEA48DA9B>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

- and adolescence: problems, progress, and potential in theory and research. *Psychological Bulletin*, **127**, 87–127.
- DeSteno, D., Gross, J. J. & Kubzansky, L.** (2013). Affective science and health: the importance of emotion and emotion regulation. *Health Psychology*, **32**, 474–486.
- Eisenberg, N., Fabes, R. A. & Guthrie, I.** (1997). Coping with stress: the roles of regulation and development. In J. N. Sandler & S. A. Wolchik (eds) *Handbook of Children's Coping With Common Stressors: Linking Theory, Research, and Intervention* (pp. 41–70). New York: Plenum.
- Folkman, S. & Moskowitz, J. T.** (2004). Coping: pitfalls and promise. *Annual Review of Psychology*, **55**, 745–774.
- Grant, N., Hamer, M. & Steptoe, A.** (2009). Social isolation and stress-related cardiovascular, lipid, and cortisol responses. *Annals of Behavioral Medicine*, **37**, 29–37.
- Gross, J. J.** (ed.). (2007). *Handbook of Emotion Regulation*. New York: Guilford Press.
- Helgeson, V. S., Reynolds, K. A. & Tomich, P. L.** (2006). A meta-analytic approach to benefit finding and health. *Journal of Consulting and Clinical Psychology*, **74**, 797–816.
- Holahan, C. J., Moos, R. H., Holahan, C. K., Cronkite, R. C. & Randall, P. K.** (2003). Drinking to cope and alcohol use and abuse in unipolar depression: a 10-year model. *Journal of Abnormal Psychology*, **112**, 159–165.
- Hoyt, M. A., Gamarel, K. E., Saigal, C. S. & Stanton, A. L.** (2016). Goal navigation, approach-oriented coping, and adjustment in young men with testicular cancer. *Annals of Behavioral Medicine*, **50**, 572–581.
- Lazarus, R. S. & Folkman, S.** (1984). *Stress, Appraisal, and Coping*. New York: Springer.
- Mikolajczak, M., Roy, E., Luminet, O., Fillée, C. & de Timary, P.** (2007). The moderating impact of emotional intelligence on free cortisol responses to stress. *Psychoneuroendocrinology*, **32**, 1000–1012.
- Morling, B. & Evered, S.** (2006). Secondary control reviewed and defined. *Psychological Bulletin*, **132**, 269–296.
- O'Donnell, K., Badrick, E., Kumari, M. & Steptoe, A.** (2008). Psychological coping styles and cortisol over the day in healthy older adults. *Psychoneuroendocrinology*, **33**, 601–611.
- Ostrow, D. G., VanRaden, M., Fox, R., et al.** (1990). Recreational drug use and sexual behavior change in a cohort of homosexual men. *AIDS*, **4**, 759–765.
- Park, C. L. & Folkman, S.** (1997). Meaning in the context of stress and coping. *Review of General Psychology*, **1**, 115–144.
- Park, C. L., Lechner, S. C., Antoni, M. H. & Stanton, A. L.** (eds) (2009). *Medical Illness and Positive Life Change: Can Crisis Lead to Personal Transformation?* Washington, DC: American Psychological Association.
- Roth, S. & Cohen, L. J.** (1986). Approach, avoidance, and coping with stress. *American Psychologist*, **41**, 813–819.
- Sjogren, E., Leanderson, P. & Kristenson, M.** (2006). Diurnal saliva cortisol levels and relations to psychosocial factors in a population sample of middle-aged Swedish men and women. *International Journal of Behavioral Medicine*, **13**, 193–200.
- Skinner, E. A. & Zimmer-Gembeck, M. J.** (2007). The development of coping. *Annual Review of Psychology*, **58**, 119–144.
- Skinner, E. A., Edge, K., Altman, J. & Sherwood, H.** (2003). Searching for the structure of coping: a review and critique of category systems for classifying ways of coping. *Psychological Bulletin*, **129**, 216–269.
- Stanton, A. L., Kirk, S. B., Cameron, C. L. & Danoff-Burg, S.** (2000). Coping through emotional approach: scale construction and validation. *Journal of Personality and Social Psychology*, **78**, 1150–1169. DOI: 10.1037//0022-3514.78.6.1150.
- Taylor, S. E.** (1983). Adjustment to threatening events: a theory of cognitive adaptation. *American Psychologist*, **38**, 1161–1173.
- Tennen, H. & Affleck, G.** (2002). Benefit-finding and benefit-reminding. In C. R. Snyder & S. J. Lopez (eds) *Handbook of Positive Psychology* (pp. 584–597). New York: Oxford University Press.
- Tennen, H., Affleck, G., Armeli, S. & Carney, M. A.** (2000). A daily process approach to coping: linking theory, research, and practice. *American Psychologist*, **55**, 626–636.

27 Dyadic Coping With Illness

Tracey A. Revenson
Hunter College & the Graduate Center, City University of New York

Mariët Hagedoorn
University Medical Center Groningen, University of Groningen

Introduction

Living with a chronic illness affects not only the individuals who have been diagnosed, but also the people close to them, in particular the spouse or partner (Berg & Upchurch, 2007). Illness places the couple between a rock and a hard place – both partners experience the stressors of making treatment decisions, disruption to normal routines and searching for meaning (Revenson *et al.*, 2016). At the same time, the partner is expected to serve as the main supporter for the patient.

The Concept of Dyadic Coping

Broadly viewed, dyadic coping recognizes mutuality and interdependence in coping responses to a specific shared stressor, indicating that couples respond to stressors as interpersonal units rather than as individuals in isolation. The construct of dyadic coping goes beyond the exchange of social support, although that is a central component. The concept of dyadic coping emerged in the mid-1990s (Bodenmann, 1997). Simultaneously, researchers in health psychology and relationship science were developing theories of couples' coping. Since publication of

the first book on dyadic coping (Revenson *et al.*, 2005), the field has grown exponentially; a recent volume by Randall *et al.* (2016) presents research across 14 cultural groups. This may be attributed to a core of researchers focusing on this topic at the same time that new statistical methods were introduced that allowed researchers to study the interdependence within couples (Kenny *et al.*, 2006).

Chronic Illness as a Dyadic Stressor

Maintaining healthy intimate relationships requires effort throughout the lifespan. Stressful contexts may create additional problems within the relationship by diverting time and attention away from activities that promote intimacy. Stress can also challenge partners who are already ill-equipped to cope with their partner's illness by draining them of the resources necessary for coping (Neff & Karney, 2017).

Serious illness may have a profound impact on couples' intimate relationships. Patients and partners have to deal with their emotions, as well as with possible consequences such as fatigue, sexual distress, infertility, job loss and the possibility of death (Mosher *et al.*, 2016). Societal expectations are that spouses care for each other 'in sickness and in health'. The types and severity of stressors ebb and flow as patients progress through the stages of the illness trajectory (Hoyt & Stanton, 2012). Illness stressors may be acute, continuous or intermittent, and one stressor may create a cascade of smaller stressors. Although early studies found that the caregiving partner experienced more distress than the partner with the illness, a meta-analysis (Hodges *et al.*, 2005) found a tendency for caregivers to report more distress during the treatment phase when physical and emotional caregiving demands were high.

Northouse *et al.* (2012) suggests that couples react to cancer as an 'emotional system' and that the patient-caregiver dyad must be viewed as the unit of care. Many couples report that the illness brought them closer together, but at the same time report illness-related changes in their relationship (e.g. Dorval *et al.*, 2005). Dyadic coping processes are key to successful adaptation, including psychological and relational well-being (Traa *et al.*, 2015).

Approaches to Dyadic Coping

Relational Coping

Relational (DeLongis & O'Brien, 1990) or relationship-focused coping (Coyne & Fiske, 1992) involves efforts to attend to the other partner's emotional needs while maintaining the integrity of the relationship, and includes efforts to manage one's own stress without creating upset for others. Relationship-focused coping modes include negotiating or compromising with others, considering the other person's situation, and being empathic (O'Brien & DeLongis, 1997; O'Brien *et al.*, 2009). Relationship-focused coping rests on the assumption that maintaining relatedness with others is a fundamental human need.

The two relationship-focused coping strategies that have dominated the literature are active engagement and protective buffering. *Active engagement* strategies involve the partner in discussions about practical matters and feelings, and are characterized by joint problem-solving. In general, dyadic coping strategies that are characterized by active engagement, mutual constructive communication and collaborative coping (i.e.

combining resources to solve problems) have been associated with lower levels of distress and better marital adjustment among couples with cancer (e.g. Badr *et al.*, 2010; Hagedoorn *et al.*, 2000; Kraemer *et al.*, 2011; Traa *et al.*, 2015) and myocardial infarction (Coyne & Smith, 1991). Active engagement may allow couples to regain control over their lives; it may signify that the partner sees the illness as a shared stressor.

Protective buffering involves hiding concerns from the partner to minimize upset and conflict. Dyadic coping strategies such as protective buffering and overprotection (underestimating the partner's ability to cope) have been associated with higher levels of distress and worse marital adjustment among couples with cancer (e.g. Badr *et al.*, 2010; Traa *et al.*, 2015). In a longitudinal study of 139 couples in which the wife had recently completed treatment for breast cancer, husbands' approach-oriented coping predicted an increase in women's perceived cancer-related benefits ten months later, while coping through avoidance with their wives' breast cancer predicted a decline in women's marital satisfaction (Kraemer *et al.*, 2011).

In studies of couples coping with a husband's myocardial infarction (MI) (Coyne & Smith, 1991; Suls *et al.*, 1997), wives' coping efforts to shield husbands from stress in the post-MI period contributed to their own distress, as did husbands' efforts to protect their wives. In a study of spouses of rheumatoid arthritis (RA) patients, the wives of ill men confided that they had lessened their own requests for emotional support, for fear of increasing their ill husbands' distress (Revenson & Majerovitz, 1991). In one study of people with various cancers (Kuijer *et al.*, 2000), protective buffering had no effect on patients' distress, but in a study of women with breast cancer and their partners (Manne *et al.*, 1999), greater use of protective buffering was associated with greater distress experienced by the person engaging in protective buffering. Perhaps this happens because the partner using protective buffering feels constrained to express negative emotions or worries to the other person (Lepore & Revenson, 2007).

Systematic-Transactional Model

The systematic-transactional model (STM) conceptualizes and measures dyadic coping as a dynamic, transactional stress management process (Bodenmann, 1997, 2005). The STM focuses on partners' mutual communication of stress, the negative and positive support that partners provide to each other and the strategies that partners use 'in common' to cope with shared stressors. Some believe that dyadic coping efforts are pulled into play when individual-level efforts have not been successful, but others suggest that both may happen simultaneously.

Within the STM, partners must first conceptualize the 'event' creating distress as a *shared stressor*. To do this, one partner must communicate his or her own stress to the other in hopes of receiving help, support and coping feedback. The other partner can respond in either a supportive or unsupportive fashion. *Supportive dyadic coping* includes providing advice and practical assistance, showing empathy and concern, expressing solidarity and helping one's partner to relax and engage in positive reframing. *Unsupportive dyadic coping* involves showing disinterest, providing support that is accompanied by criticism, distancing or sarcasm, and minimizing the severity of the stressor.

Dyadic coping, however, goes beyond support provision. Couples that engage in *common dyadic coping* strategies work together to manage aspects of the shared stressor. (The label of 'common dyadic coping' indicates that the coping strategies are done 'in common' by both

partners.) *Common positive dyadic coping* involves joint problem solving, coordinating everyday demands, relaxing together, as well as mutual calming, sharing and expressions of solidarity. *Common negative dyadic coping* involves strategies such as mutual avoidance and withdrawal.

In a number of studies of community-living couples or couples in marital therapy, or couples dealing with breast cancer, common dyadic coping was significantly associated with higher marital quality, lower stress experience, better psychological and physical wellbeing (e.g. Bodenmann *et al.*, 2006; Rottmann *et al.*, 2015) and a lower likelihood of divorce (Bodenmann & Cina, 2005). Dyadic coping may alleviate the negative impact of stress on marriage and strengthen feelings of intimacy and enhance the cognitive representation of the relationship as supportive (Bodenmann, 2005).

Dyadic Coping With Chronic Illness

Consistent with the findings from community samples, dyadic coping is associated with a higher level of marital and psychosocial adjustment among patients with chronic illness. Ideally, couples take a 'we' approach, whereby both persons maintain a couples identity and work together to maintain the quality of their relationship (Kayser *et al.*, 2007; Rottmann *et al.*, 2015).

Many studies illustrate this perspective. Using a diary methodology, Berg *et al.* (2008) found that collaborative coping was associated with more same-day positive emotions for both men with prostate cancer and their wives, and less same-day negative emotions for wives. Thus, both partners benefited. In a longitudinal study of couples facing metastatic breast cancer (Badr *et al.*, 2010), positive dyadic coping decreased cancer-related distress and increased marital adjustment, whereas negative dyadic coping was associated with greater cancer-related distress and poorer marital adjustment (controlling for support provision). In a longitudinal study of 538 women with breast cancer and their male partners, positive dyadic coping was related to higher relationship quality and fewer depressive symptoms for both partners, whereas negative dyadic coping was adversely associated with both patients' and partners' outcomes. The more support patients provided (e.g. empathic concern or help in reframing the stressor) and the less partners took over the patients' tasks, the more depressive symptoms partners experienced. This may reflect the partners' idea that they and not the patient should provide support. And in a meta-analysis of 33 studies of couples with colorectal cancer (Traa *et al.*, 2015), dyadic coping characterized by open communication, cooperation and joint problem solving improved relationship functioning, whereas dyadic coping characterized by buffering, avoidance and not being responsive to each other's needs impeded relationship functioning.

Social Support

A central aspect of dyadic coping involves the transaction of social support. Spousal support is an important predictor of adaptation to illnesses such as arthritis (Holtzman & DeLongis, 2007), cancer (Manne & Badr, 2010) and heart disease (Case *et al.*, 1992). Partners provide emotional and tangible support, validate coping choices, and help reappraise the meaning of the illness. Partners provide continuity and security in a life disrupted by the physical indications, treatment challenges and emotional meanings of illness.

When spouses report receiving helpful support, they engage in more adaptive coping. Among patients with RA, Holtzman *et al.* (2004) found that support influenced pain severity through encouraging the use of

specific coping strategies, such as positive reappraisal, as well as by increasing the effectiveness with which these coping strategies were employed. Moreover, support from the spouse attenuated the impact of maladaptive responses to pain, disrupting a cycle of pain catastrophizing (Holtzman & DeLongis, 2007).

However, support does not always minimize distress. In a study of women with RA, Revenson *et al.* (1991) showed that spouses provided both positive and problematic support, and that the problematic support could cancel out the positive effects. Similarly, in another study of RA, day-to-day supportive and negative interactions made independent contributions to the wellbeing of each partner (DeLongis *et al.*, 2004). Those with low marital satisfaction were particularly vulnerable to mood disturbance on days when there was an absence of positive interactions with the spouse. In a study of parents of a child with disability, positive spouse response attenuated the effect of maladaptive coping responses (interpersonal withdrawal, escape avoidance and confrontive coping) on psychological distress (Marin *et al.*, 2007). Those high in marital satisfaction may be better able to weather the ups and downs of illness.

Communication, Disclosure, and Social Constraints

People with chronic illness need to disclose thoughts and feelings in order to make sense of their illness; not disclosing can lead to rumination and prolonged intrusive thoughts, which can be distressing. Yet, many couples avoid discussing how illness affects their emotions, intimacy and sexual relationship. Withdrawing from communication has been related to higher distress for both patients and their partners (Badr & Carmack Taylor, 2008), especially in the context of a poor marital relationship (Ey *et al.*, 1998).

Social constraints involve individuals' perceptions of obstacles that lead them to refrain from disclosure of stress-related thoughts, feelings or concerns (Lepore & Revenson, 2007). Social constraints on disclosure are not dependent on objective circumstances. For example, although a partner may not know how to respond effectively to a patient's fear of cancer recurrence, the patient may be able to shape the conversation and not feel constraints. Greater levels of social constraints on disclosure have been associated with heightened psychological distress and lower psychological adjustment across a number of illnesses, primarily cancer (Manne *et al.*, 2005; Porter *et al.*, 2009), but also RA (Danoff-Burg *et al.*, 2004), HIV (Ullrich *et al.*, 2002), injuries (Cordova *et al.*, 2005) and pain (Herbette & Rime, 2004).

Emotional disclosure is not always beneficial. Among 68 couples in which one partner had colorectal cancer, greater disclosure did not improve depressive symptoms over time (Hagedoorn *et al.*, 2011). The highest levels of depressive symptoms occurred when the patient made fewer disclosures during a cancer-related conversation, but their partner disclosed a lot. Patients who are reluctant to disclose may feel uncomfortable or burdened listening to the emotional disclosures of their partner. Partner responsiveness is especially important to individuals with a high need to disclose (Dagan *et al.*, 2014).

Gender

A meta-analysis of 38 studies of couples with cancer (Hagedoorn *et al.*, 2008) untangled the relative importance of role (patient vs. partner) and gender on distress: female cancer patients and caregivers reported more distress than male patients or caregivers. In a longitudinal study of couples facing colorectal cancer, Northouse *et al.* (2000) found that

female caregivers had the highest distress (Revenson (2003) presents similar findings for couples with RA). Female caregivers spend more time providing care, perceive less support from others and experience more stressors (Revenson *et al.*, 2016).

Zakowski *et al.* (2003) found that the association between perceived spousal constraints on disclosure and mood disturbances was stronger among men (with prostate cancer) than among women (with gynaecological cancer). Men's reliance on their spouse as a primary outlet for disclosing their concerns and feelings related to cancer may make them more vulnerable when they perceive spousal constraints. Quartana *et al.* (2005) suggested that men may have difficulty responding to negative emotions because it communicates neediness and interdependence, which challenges their sense of autonomy. Women typically report larger

social networks than men, while men tend to rely primarily on their partner for support (Harrison *et al.*, 1995), so women have more potential outlets for disclosure.

Conclusion

The study of dyadic coping continues to expand. There have been many advances, including new methods to assess dyadic coping and a focus on more diverse populations. Patients and spouses typically face the challenges presented by an illness diagnosis together. The study of coping on a dyadic level represents a next step in understanding adjustment to illness as a process as well as outcome.

REFERENCES

- Badr, H. & Carmack Taylor, C. L.** (2008). Effects of relationship maintenance on psychological distress and dyadic adjustment among couples coping with lung cancer. *Health Psychology, 27*(5), 616–627.
- Badr, H., Carmack, C. L., Kashy, D. A., Cristofanilli, M. & Revenson, T. A.** (2010). Dyadic coping in metastatic breast cancer. *Health Psychology, 29* (2), 169–180.
- Berg, C. A. & Upchurch, R.** (2007). A developmental-contextual model of couples coping with chronic illness across the adult life span. *Psychological Bulletin, 133*(6), 920–954.
- Berg, C. A., Wiebe, D. J., Butner, J., et al.** (2008). Collaborative coping and daily mood in couples dealing with prostate cancer. *Psychology and Aging, 23*(3), 505–516.
- Bodenmann, G.** (1997). Dyadic coping: a systemic-transactional view of stress and coping among couples – theory and empirical findings. *European Review of Applied Psychology, 47*, 137–140.
- Bodenmann, G.** (2005). Dyadic coping and its significance for marital functioning. In T. A. Revenson, K. Kayser & G. Bodenmann (eds), *Couples Coping With Stress: Emerging Perspectives on Dyadic Coping* (pp. 33–50). Washington, DC: American Psychological Association.
- Bodenmann, G. & Cina, A.** (2005). Stress and coping among stable-satisfied, stable-distressed and separated/divorced Swiss couples: a 5-year prospective longitudinal study. *Journal of Divorce & Remarriage, 44*, 71–89.
- Bodenmann, G., Pihet, S. & Kayser, K.** (2006). The relationship between dyadic coping and marital quality: a 2-year longitudinal study. *Journal of Family Psychology, 20*(3), 485–493.
- Case, R. B., Moss, A. J., Case, N., McDermott, M. & Eberly, S.** (1992). Living alone after myocardial infarction: impact on prognosis. *Journal of the American Medical Association, 267*, 515–519.
- Cordova, M. J., Walsler, R., Neff, J., et al.** (2005). Predictors of emotional adjustment following traumatic injury: personal, social, and material resources. *Prehospital & Disaster Medicine, 20*(1), 7–13.
- Coyne, J. C. & Fiske, V.** (1992). Couples coping with chronic and catastrophic illness. In M.A.P. Stephens, S.E. Hobfoll, J. Crowther (eds), *Family Health Psychology* (pp. 129–149). Washington, DC: Hemisphere.
- Coyne, J. C. & Smith, D. A. F.** (1991). Couples coping with a myocardial infarction: a contextual perspective on wives' distress. *Journal of Personality and Social Psychology, 61*(3), 404–412.
- Dagan, M., Sanderman, R., Hoff, C., et al.** (2014). The interplay between partners' responsiveness and patients' need for emotional expression in couples coping with cancer. *Journal of Behavioral Medicine, 37*(5), 828–838.
- Danoff-Burg, S., Revenson, T. A., Trudeau, K. J. & Paget, S. A.** (2004). Unmitigated communion, social constraints, and psychological distress among women with rheumatoid arthritis. *Journal of Personality, 72*, 29–46.
- DeLongis, A. & O'Brien, T. B.** (1990). An interpersonal framework for stress and coping: an application to the families of Alzheimer's patients. In M.A.P. Stephens, J.H. Crowther, S.E. Hobfoll & D. L. Tennenbaum (eds), *Stress and Coping in Later-Life Families* (pp. 221–239). Washington, DC: Hemisphere.
- DeLongis, A., Capreol, M. J., Holtzman, S., O'Brien, T. B. & Campbell, J.** (2004). Social support and social strain among husbands and wives: a multilevel analysis. *Journal of Family Psychology, 18*, 470–479.
- Dorval, M., Guay, S., Mondor, M., et al.** (2005). Couples who get closer after breast cancer: Frequency and predictors in a prospective investigation. *Journal of Clinical Oncology, 23*(15), 3588–3596.
- Ey, S., Compas, B. E., Epping-Jordan, J. E. & Worsham, N.** (1998). Stress responses and psychological adjustment in patients with cancer and their spouses. *Journal of Psychosocial Oncology, 16*, 59–77.
- Hagedoorn, M., Kuijjer, R., Buunk, B. P., et al.** (2000). Marital satisfaction in patients with cancer: does support from intimate partners benefit those who need it the most? *Health Psychology, 19*, 274–282.
- Hagedoorn, M., Sanderman, R., Bolks, H., Tuinstra, J. & Coyne, J. C.** (2008). Distress in couples coping with cancer: a meta-analysis and critical review of role and gender effects. *Psychological Bulletin, 134*, 1–30.
- Hagedoorn, M., Puterman, E., Sanderman, R., et al.** (2011). Is self-disclosure in couples coping with cancer associated with improvement in depressive symptoms? *Health Psychology, 30*(6), 753–762.
- Harrison, J., Maguire, P. & Pitceathly, C.** (1995). Confiding in crisis: gender differences in pattern of confiding among cancer patients. *Social Science & Medicine, 41*, 1255–1260.
- Herbette, G. & Rime, B.** (2004). Verbalization of emotion in chronic pain patients and their psychological adjustment. *Journal of Health Psychology, 9*, 661–676.
- Hodges, L. J., Humphris, G. M. & Macfarlane, G.** (2005). A meta-analytic investigation of the relationship between the psychological distress of cancer patients and their carers. *Social Science & Medicine, 60*, 1–12.
- Holtzman, S. & DeLongis, A.** (2007). One day at a time: the impact of daily satisfaction with spouse responses on pain, negative affect and catastrophizing among individuals with rheumatoid arthritis. *Pain, 131*, 202–213.
- Holtzman, S., Newth, S. & DeLongis, A.** (2004). The role of social support in coping with daily pain among patients with rheumatoid arthritis. *Journal of Health Psychology, 9*, 677–695.
- Hoyt, M. A. & Stanton, A. L.** (2012). Adjustment to chronic illness. In A.S. Baum, T.A. Revenson & J.E. Singer (eds) *Handbook of Health Psychology* (2nd edn) (pp. 219–246). New York: Taylor & Francis.
- Kayser, K., Watson, L. E. & Andrade, J. T.** (2007). Cancer as a 'we-disease': examining the process of coping from a relational perspective. *Families, Systems & Health, 25*, 404–418.

- Kenny D. A., Kashy, D. A. & Cook W. L.** (2006). *Dyadic Data Analysis*. New York: Guilford.
- Kraemer, L. M., Stanton, A. L., Meyerowitz, B. E., Rowland, J. H. & Ganz, P. A.** (2011). A longitudinal examination of couples' coping strategies as predictors of adjustment to breast cancer. *Journal of Family Psychology*, **25**(6), 963–972.
- Kuijjer, R. G., Ybema, J. F., Buunk, B. P., et al.** (2000). Active engagement, protective buffering, and overprotection: three ways of giving support by intimate partners of patients with cancer. *Journal of Social & Clinical Psychology*, **19**, 256–275.
- Lepore, S. J. & Revenson, T. A.** (2007). Social constraints on disclosure and adjustment to cancer. *Social and Personality Psychology Compass*, **1**, 313–333.
- Manne, S. & Badr, H.** (2010). Intimacy processes and psychological distress among couples coping with head and neck or lung cancers. *Psycho-Oncology*, **19**(9), 941–954.
- Manne, S. L., Dougherty, J., Veach, S. & Kless, R.** (1999). Hiding worries from one's spouse: protective buffering among cancer patients and their spouses. *Cancer Research Therapy and Control*, **8**, 175–188.
- Manne, S. L., Ostroff, J., Winkel, G., Grana, G. & Fox, K.** (2005). Partner unsupportive responses, avoidant coping, and distress among women with early stage breast cancer: patient and partner perspectives. *Health Psychology*, **24**, 635–641.
- Marin, T., Holtzman, S., DeLongis, A. & Robinson, L.** (2007). Coping and the response of others. *Journal of Social and Personal Relationships*, **24**, 951–969.
- Mosher, C. E., Adams, R. N., Helft, P. R., et al.** (2016). Family caregiving challenges in advanced colorectal cancer: patient and caregiver perspectives. *Supportive Care in Cancer*, **24**(5), 2017–2024.
- Neff, L. A. & Karney, B. R.** (2017). Acknowledging the elephant in the room: how stressful environmental contexts shape relationship dynamics. *Current Opinion in Psychology*, **13**, 107–110.
- Northouse, L. L., Mood, D., Templin, T. et al.** (2000). Couples' patterns of adjustment to colon cancer. *Social Science & Medicine*, **50**, 271–284.
- Northouse, L. L., Katapodi, M. C., Schafenacker, A. M. & Weiss, D.** (2012). The impact of caregiving on the psychological well-being of family caregivers and cancer patients. *Seminars in Oncology Nursing*, **28** (4), 236–245.
- O'Brien, T. B. & DeLongis, A.** (1997). Coping with chronic stress: an interpersonal perspective. In B. Gottlieb (ed.), *Coping with Chronic Stress* (pp. 161–190). New York: Plenum Press.
- O'Brien, T. B., DeLongis, A., Pomaki, G., Puterman, E. & Zwicker, A.** (2009). Couples coping with stress: the role of empathic responding. *European Psychologist*, **14**, 18–28.
- Porter, L. S., Keefe, F. J., Baucom, D. H., et al.** (2009). Partner-assisted emotional disclosure for patients with gastrointestinal cancer. *Cancer*, **115** (18 suppl.), 4326–4338.
- Quartana, P. J., Schmaus, B. J. & Zakowski, S. G.** (2005). Gender, neuroticism, and emotional expressivity: effects on spousal constraints among individuals with cancer. *Journal of Consulting and Clinical Psychology*, **73**(4), 769–776.
- Randall, A., Falconier, M. & Bodenmann, G.** (2016). *Couples Coping with Stress: A Cross-Cultural Perspective*. New York: Routledge.
- Revenson, T. A.** (2003). Scenes from a marriage: examining support, coping, and gender within the context of chronic illness. In J. Suls & K. Wallston (eds) *Social Psychological Foundations of Health and Illness* (pp. 530–559). Oxford: Blackwell Publishing.
- Revenson, T. A. & Majerovitz, D. M.** (1991). The effects of chronic illness on the spouse: social resources as stress buffers. *Arthritis Care and Research*, **4**, 63–72.
- Revenson, T. A., Schiaffino, K. M., Majerovitz, D. S. & Gibofsky, A.** (1991). Social support as a double-edged sword: the relation of positive and problematic support to depression among rheumatoid arthritis patients. *Social Science & Medicine*, **33**, 807–813.
- Revenson, T. A., Kayser, K. & Bodenmann, G.** (eds) (2005). *Couples Coping With Stress: Emerging Perspectives on Dyadic Coping*. Washington, DC: American Psychological Association.
- Revenson, T. A., Griva, K., Luszczynska, A., et al.** (2016). *Caregiving in the Illness Context*. Basingstoke: Palgrave Macmillan.
- Rottmann, N., Hansen, D. G., Larsen, P. V., et al.** (2015). Dyadic coping within couples dealing with breast cancer: a longitudinal, population-based study. *Health Psychology*, **34**(5), 486–495.
- Suls, J., Green, P., Rose, G., Lounsbury, P. & Gordon, E.** (1997). Hiding worries from one's spouse: associations between coping via protective buffering and distress in male post-myocardialinfarction patients and their wives. *Journal of Behavioral Medicine*, **20**, 333–349.
- Traa, M. J., De Vries, J., Bodenmann, G. & Den Ouden, B. L.** (2015). Dyadic coping and relationship functioning in couples coping with cancer: a systematic review. *British Journal of Health Psychology*, **20**(1), 85–114.
- Ullrich, P. M., Lutgendorf, S. K. & Stapleton, J. T.** (2002). Social constraints and depression in HIV infection: effects of sexual orientation and area of residence. *Journal of Social and Clinical Psychology*, **21**(1), 46–66.
- Zakowski, S. G., Harris, C., Krueger, N., et al.** (2003). Social barriers to emotional expression and their relations to distress in male and female cancer patients. *British Journal of Health Psychology*, **8** (Pt 3), 271–286.

28 Emotions and Health

Daryl B. O'Connor
School of Psychology, University of Leeds

Nicola Gartland
Manchester Centre for Health Psychology

Introduction

Over the last 30–40 years, there has been a substantial increase in media coverage of stress and as a result this has led to increased research and

public awareness. Indeed, stress is now the most common cause of long-term sick leave and is frequently shown to be a very important factor accounting for in excess of ten million working days lost per annum in the UK (HSE, 2013). In 2011/2012, stress accounted for 40 per cent of all