

University of Groningen

Vulnerability and emotional processing in depression

Groenewold, Nynke

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2015

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Groenewold, N. (2015). *Vulnerability and emotional processing in depression: neural and clinical perspectives*. University of Groningen.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

REFERENCES

- Abe, O., Yamasue, H., Kasai, K., Yamada, H., Aoki, S., Inoue, H., Takei, K., Suga, M., Matsuo, K., Kato, T., Masutani, Y., Ohtomo, K., 2010. Voxel-based analyses of gray/white matter volume and diffusion tensor data in major depression. *Psychiatry Research-Neuroimaging* 181, 64-70.
- Abler, B., Erk, S., Herwig, U., Walter, H., 2007. Anticipation of aversive stimuli activates extended amygdala in unipolar depression. *J. Psychiatr. Res.* 41, 511-522.
- Abramson, L.Y., Seligman, M.E.P., Teasdale, J.D., 1978. Learned Helplessness in Humans - Critique and Reformulation. *J. Abnorm. Psychol.* 87, 49-74.
- Abramson, L., Alloy, L., Metalsky, G., 1989. Hopelessness Depression - a Theory-Based Subtype of Depression. *Psychol. Rev.* 96, 358-372.
- Alexopoulos, G.S., 2005. Depression in the elderly. *Lancet* 365, 1961-1970.
- Alexopoulos, G.S., 2006. The vascular depression hypothesis: 10 years later. *Biol. Psychiatry* 60, 1304-1305.
- Alexopoulos, G.S., Meyers, B.S., Young, R.C., Campbell, S., Silbersweig, D., Charlson, M., 1997. 'Vascular depression' hypothesis. *Arch. Gen. Psychiatry* 54, 915-922.
- Allen, E.A., Erhardt, E.B., Damaraju, E., Gruner, W., Segall, J.M., Silva, R.F., Havlicek, M., Rachakonda, S., Fries, J., Kalyanam, R., Michael, A.M., Caprihan, A., Turner, J.A., Eichele, T., Adelsheim, S., Bryan, A.D., Bustillo, J., Clark, V.P., Feldstein Ewing, S.W., Filbey, F., Ford, C.C., Hutchison, K., Jung, R.E., Kiehl, K.A., Kodituwakku, P., Komesu, Y.M., Mayer, A.R., Pearlson, G.D., Phillips, J.P., Sadek, J.R., Stevens, M., Teuscher, U., Thoma, R.J., Calhoun, V.D., 2011. A baseline for the multivariate comparison of resting-state networks. *Front. Syst. Neurosci.* 5.
- Alloy, L., Abramson, L., Hogan, M., Whitehouse, W., Rose, D., Robinson, M., Kim, R., Lapkin, J., 2000. The temple-Wisconsin cognitive vulnerability to depression project: Lifetime history of axis I psychopathology in individuals at high and low cognitive risk for depression. *J. Abnorm. Psychol.* 109, 403-418.
- Alloy, L., Abramson, L., Whitehouse, W., Hogan, M., 2006. Prospective incidence of first onsets and recurrences of depression in individuals at high and low cognitive risk for depression. *J. Abnorm. Psychol.* 115, 145-156.
- Alloy, L., Abramson, L., Whitehouse, W., Hogan, M., Tashman, N., Steinberg, D., Rose, D., Donovan, P., 1999. Depressogenic cognitive styles: predictive validity, information processing and personality characteristics, and developmental origins. *Behav. Res. Ther.* 37, 503-531.
- Alosco, M.L., Brickman, A.M., Spitznagel, M.B., Griffith, E.Y., Narkhede, A., Raz, N., Cohen, R., Sweet, L.H., Hughes, J., Rosneck, J., Gunstad, J., 2013. Independent and interactive effects of blood pressure and cardiac function on brain volume and white matter hyperintensities in heart failure. *Journal of the American Society of Hypertension* 7, 336-343.
- Almeida, J.R.C., Versace, A., Hassel, S., Kupfer, D.J., Phillips, M.L., 2010. Elevated Amygdala Activity to Sad Facial Expressions: A State Marker of Bipolar but Not Unipolar Depression. *Biol. Psychiatry* 67, 414-421.
- American Psychiatric Association, 2000. Diagnostic and Statistical Manual of Mental Disorders, Text Revision (DSM-IV-TR). American Psychiatric Association.
- Amft, M., Bzdok, D., Laird, A.R., Fox, P.T., Schilbach, L., Eickhoff, S.B., 2014. Definition and characterization of an extended social-affective default network. *Brain Struct. Funct* [Epub ahead of print].
- Andela, C.D., van der Werff, S.J.A., Pannekoek, J.N., van den Berg, S.M., Meijer, O.C., van Buchem, M.A., Rombouts, S.A.R.B., van der Mast, R.C., Romijn, J.A., Tiemensma, J., Biermasz, N.R., van der Wee, N.J.A., Pereira, A.M., 2013. Smaller grey matter volumes in the anterior cingulate cortex and greater cerebellar volumes in patients with long-term remission of Cushing's disease: a case-control study. *European Journal of Endocrinology* 169, 811-819.

- Andrade, L., Caraveo-Anduaga, J.J., Berglund, P., Bijl, R.V., De Graaf, R., Vollebergh, W., Dragomirecka, E., Kohn, R., Keller, M., Kessler, R.C., Kawakami, N., Kilic, C., Offord, D., Ustun, T.B., Wittchen, H.U., 2003. The epidemiology of major depressive episodes: results from the International Consortium of Psychiatric Epidemiology (ICPE) Surveys. *Int. J. Methods Psychiatr. Res.* 12, 3-21.
- Anthes, E., 2014. A Change of Mind. *Nature* 515, 185-187.
- Antypa, N., Van der Does, A.J.W., Penninx, B.W.J.H., 2010. Cognitive reactivity: Investigation of a potentially treatable marker of suicide risk in depression. *J. Affect. Disord.* 122, 46-52.
- Arnone, D., McIntosh, A.M., Ebmeier, K.P., Munafo, M.R., Anderson, I.M., 2012. Magnetic resonance imaging studies in unipolar depression: Systematic review and meta-regression analyses. *European Neuropsychopharmacology* 22, 1-16.
- Ashburner, J., 2007. A fast diffeomorphic image registration algorithm. *Neuroimage* 38, 95-113.
- Azevedo, R.d.M., Roest, A.M., Hoen, P.W., de Jonge, P., 2014. Cognitive/affective and somatic/affective symptoms of depression in patients with heart disease and their association with cardiovascular prognosis: a meta-analysis. *Psychol. Med.* 44, 2689-2703.
- Babor, T., Kranzler, H., Lauerman, R., 1989. Early Detection of Harmful Alcohol-Consumption - Comparison of Clinical, Laboratory, and Self-Report Screening Procedures. *Addict. Behav.* 14, 139-157.
- Backenstrass, M., Schwarz, T., Fiedler, P., Joest, K., Reck, C., Mundt, C., Kronmueller, K., 2006. Negative mood regulation expectancies, self-efficacy beliefs, and locus of control orientation: moderators or mediators of change in the treatment of depression? *Psychotherapy Research* 16, 250-258.
- Baeken, C., Van Schuerbeek, P., De Raedt, R., Ramsey, N.F., Bossuyt, A., De Mey, J., Vanderhasselt, M.A., Leyman, L., Luybaert, R., 2010. Reduced left subgenual anterior cingulate cortical activity during withdrawal-related emotions in melancholic depressed female patients. *J. Affective Disord.* 127, 326-331.
- Banich, M.T., Mackiewicz, K.L., Depue, B.E., Whitmer, A.J., Miller, G.A., Heller, W., 2009. Cognitive control mechanisms, emotion and memory: A neural perspective with implications for psychopathology. *Neurosci. Biobehav. Rev.* 33, 613-630.
- Bar, M., Aminoff, E., 2003. Cortical analysis of visual context. *Neuron* 38, 347-358.
- Barch, D.M., 2014. Risk for Mood Pathology: Neural and Psychological Markers of Abnormal Negative Information Processing. *J. Am. Acad. Child Adolesc. Psychiatry* 53, 497-499.
- Barnhofer, T., Brennan, K., Crane, C., Duggan, D., Williams, J.M.G., 2014. A comparison of vulnerability factors in patients with persistent and remitting lifetime symptom course of depression. *J. Affect. Disord.* 152, 155-161.
- Barrett, L.F., Satpute, A.B., 2013. Large-scale brain networks in affective and social neuroscience: towards an integrative functional architecture of the brain. *Curr. Opin. Neurobiol.* 23, 361-372.
- Baumann, O., Mattingley, J.B., 2012. Functional topography of primary emotion processing in the human cerebellum. *Neuroimage* 61, 805-811.
- Baune, B.T., Stuart, M., Gilmour, A., Wersching, H., Heindel, W., Arolt, V., Berger, K., 2012. The relationship between subtypes of depression and cardiovascular disease: a systematic review of biological models. *Translational Psychiatry* 2, e92.
- Beauchet, O., Celle, S., Roche, F., Bartha, R., Montero-Odasso, M., Allali, G., Annweiler, C., 2013. Blood pressure levels and brain volume reduction: a systematic review and meta-analysis. *J. Hypertens.* 31, 1502-1516.
- Beck, A., 1963. Thinking and Depression .1. Idiosyncratic Content and Cognitive Distortions. *Arch. Gen. Psychiatry* 9(4), 324-333.
- Beck, A., Steer, R., Brown, G., 1996. Beck Depression Inventory Manual (2nd Edition), 2 ed. The Psychological Corporation, San Antonio, TX, USA.
- Beck, A., Steer, R., Garbin, M., 1988. Psychometric Properties of the Beck Depression Inventory - 25 Years of Evaluation. *Clin. Psychol. Rev.* 8, 77-100.

- Beck, A.T., 2008. The evolution of the cognitive model of depression and its neurobiological correlates. *Am. J. Psychiatry* 165, 969-977.
- Beck, A.T., Dozois, D.J.A., 2011. Cognitive Therapy: Current Status and Future Directions. *Annual Review of Medicine*, Vol 62, 2011 62, 397-409.
- Beck, A.T., Rush, A.J., Shaw, B.F., Emery, G., 1979. *Cognitive Therapy of Depression*. Wiley, New York.
- Beck, A.T., Ward, C.H., Mendelson, M., Mock, J., Erbaugh, J., 1961. An inventory for measuring depression. *Arch. Gen. Psychiatry* 4, 561-571.
- Beer, J., Heerey, E., Keltner, D., Scabini, D., Knight, R., 2003. The regulatory function of self-conscious emotion: Insights from patients with orbitofrontal damage. *J. Pers. Soc. Psychol.* 85, 594-604.
- Beevers, C.G., Clasen, P., Stice, E., Schnyer, D., 2010. Depression Symptoms and Cognitive Control of Emotion Cues: a Functional Magnetic Resonance Imaging Study. *Neuroscience* 167, 97-103.
- Beevers, C., Miller, I., 2004. Depression-related negative cognition: Mood-state and trait dependent properties. *Cognitive Therapy and Research* 28, 293-307.
- Belleau, E.L., Taubitz, L.E., Larson, C.L., 2014. Imbalance of default mode and regulatory networks during externally focused processing in depression. [Epub ahead of print].
- Benjamini, Y., Hochberg, Y., 1995. Controlling the False Discovery Rate - a Practical and Powerful Approach to Multiple Testing. *Journal of the Royal Statistical Society Series B-Methodological* 57, 289-300.
- Berman, M.G., Peltier, S., Nee, D.E., Kross, E., Deldin, P.J., Jonides, J., 2011. Depression, rumination and the default network. *Social Cognitive and Affective Neuroscience* 6, 548-555.
- Berna, C., Leknes, S., Holmes, E.A., Edwards, R.R., Goodwin, G.M., Tracey, I., 2010. Induction of Depressed Mood Disrupts Emotion Regulation Neurocircuitry and Enhances Pain Unpleasantness. *Biol. Psychiatry* 67, 1083-1090.
- Bijl, R., Ravelli, A., van Zessen, G., 1998. Prevalence of psychiatric disorder in the general population: results of the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Soc. Psychiatry Psychiatr. Epidemiol.* 33, 587-595.
- Blazer, D., Kessler, R., Mcgonagle, K., Swartz, M., 1994. The Prevalence and Distribution of Major Depression in a National Community Sample - the National Comorbidity Survey. *Am. J. Psychiatry* 151, 979-986.
- Bockting, C., Schene, A., Spinhoven, P., Koeter, M., Wouters, L., Huyser, J., Kamphuis, J., DELTA Study Grp, 2005. Preventing relapse/recurrence in recurrent depression with cognitive therapy: A randomized controlled trial. *J. Consult. Clin. Psychol.* 73, 647-657.
- Boelens, W., 1997. Protocolized treatment of depressive disorders: cognitive behavioral therapy [in Dutch]., in Keijsers, G.P.J., Van Minnen, A., Hoogduin, C.A.L. (Eds.), *Protocolaire Behandelingen in De Ambulante GGZ*. Bohn, Stafleu, Van Loghum, Houten, pp. 15-42.
- Booij, L., Van der Does, A.J.W., 2007. Cognitive and serotonergic vulnerability to depression: Convergent findings. *J. Abnorm. Psychol.* 116, 86-94.
- Bora, E., Fornito, A., Pantelis, C., Yucel, M., 2012. Gray matter abnormalities in Major Depressive Disorder: A meta-analysis of voxel based morphometry studies. *J. Affect. Disord.* 138, 9-18.
- Bosker, F.J., Hartman, C.A., Nolte, I.M., Prins, B.P., Terpstra, P., Posthuma, D., van Veen, T., Willemsen, G., DeRijk, R.H., de Geus, E.J., Hoogendijk, W.J., Sullivan, P.F., Penninx, B.W., Boomsma, D.I., Snieder, H., Nolen, W.A., 2011. Poor replication of candidate genes for major depressive disorder using genome-wide association data. *Mol. Psychiatry* 16, 516-532.
- Brassen, S., Kalisch, R., Weber-Fahr, W., Braus, D.F., Buechel, C., 2008. Ventromedial prefrontal cortex processing during emotional evaluation in late-onset depression: A longitudinal fMRI-study. *International Journal of Psychology* 43, 265-265.
- Brotman, D.J., Golden, S.H., Wittstein, I.S., 2007. The cardiovascular toll of stress. *Lancet* 370, 1089-1100.

- Brett, M., Christoff, K., Cusack, R., Lancaster, J., 2001. Using the Talairach atlas with the MNI template RID A-2231-2010. *Neuroimage* 13, S85-S85.
- Browning, M., Holmes, E.A., Harmer, C.J., 2010. The modification of attentional bias to emotional information: A review of the techniques, mechanisms, and relevance to emotional disorders. *Cognitive Affective & Behavioral Neuroscience* 10, 8-20.
- Brugha, T., Bebbington, P., Tennant, C., Hurry, J., 1985. The List of Threatening Experiences - a Subset of 12 Life Event Categories with Considerable Long-Term Contextual Threat. *Psychol. Med.* 15, 189-194.
- Buckner, R.L., Andrews-Hanna, J.R., Schacter, D.L., 2008. The brain's default network - Anatomy, function, and relevance to disease. *Year in Cognitive Neuroscience* 2008 1124, 1-38.
- Bus, B.A.A., Marijnissen, R.M., Holewijn, S., Franke, B., Purandare, N., de Graaf, J., den Heijer, M., Buitelaar, J.K., Voshaar, R.C.O., 2011. Depressive symptom clusters are differentially associated with atherosclerotic disease RID D-4836-2009. *Psychol. Med.* 41, 1419-1428.
- Button, K.S., Ioannidis, J.P.A., Mokrysz, C., Nosek, B.A., Flint, J., Robinson, E.S.J., Munafò, M.R., 2013. Power failure: why small sample size undermines the reliability of neuroscience. *Nature Reviews Neuroscience* 14, 365-376.
- Calhoun, V., Adali, T., Pearlson, G., Pekar, J., 2001. A method for making group inferences from functional MRI data using independent component analysis. *Hum. Brain Mapp.* 14, 140-151.
- Calvete, E., Orue, I., Hankin, B.L., 2013. Transactional Relationships among Cognitive Vulnerabilities, Stressors, and Depressive Symptoms in Adolescence. *J. Abnorm. Child Psychol.* 41, 399-410.
- Canli, T., Sivers, H., Thomason, M.E., Whitfield-Gabrieli, S., Gabrieli, J.D.E., Gotlib, I.H., 2004. Brain activation to emotional words in depressed vs healthy subjects. *Neuroreport* 15, 2585-2588.
- Cardinal, R., Parkinson, J., Hall, J., Everitt, B., 2002. Emotion and motivation: the role of the amygdala, ventral striatum, and prefrontal cortex. *Neurosci. Biobehav. Rev.* 26, 321-352.
- Cheavens, J.S., Strunk, D.R., Lazarus, S.A., Goldstein, L.A., 2012. The compensation and capitalization models: A test of two approaches to individualizing the treatment of depression. *Behav. Res. Ther.* 50, 699-706.
- Cleeman, J., Grundy, S., Becker, D., Clark, L., Cooper, R., Denke, M., Howard, W., Hunninghake, D., Illingworth, D., Luepker, R., McBride, P., McKenney, J., Pasternak, R., Stone, N., Van Horn, L., Brewer, H., Ernst, N., Gordon, D., Levy, D., Rifkind, B., Rossouw, J., Savage, P., Haffner, S., Orloff, D., Proschan, M., Schwartz, J., Sempos, C., Shero, S., Murray, E., Natl Cholesterol Educ Program Expe, 2001. Executive summary of the Third Report of the National Cholesterol Education Program (NCEP) expert panel on detection, evaluation, and treatment of high blood cholesterol in adults (Adult Treatment Panel III). *Jama-Journal of the American Medical Association* 285, 2486-2497.
- Conradi, H.J., de Jonge, P., Kluiters, H., Smit, A., van der Meer, K., Jenner, J.A., van Os, T.W.D.P., Emmelkamp, P.M.G., Ormel, J., 2007. Enhanced treatment for depression in primary care: long-term outcomes of a psycho-educational prevention program alone and enriched with psychiatric consultation or cognitive behavioral therapy. *Psychol. Med.* 37, 849-862.
- Conradi, H.J., de Jonge, P., Ormel, J., 2008. Prediction of the three-year course of recurrent depression in primary care patients: Different risk factors for different outcomes. *J. Affect. Disord.* 105, 267-271.
- Corruble, E., Gorwood, P., Falissard, B., 2008. Association between age of onset and symptom profiles of late-life depression. *Acta Psychiatr. Scand.* 118, 389-394.
- Costafreda, S.G., 2012. Parametric coordinate-based meta-analysis: Valid effect size meta-analysis of studies with differing statistical thresholds. *J Neurosci. Methods* 210, 291-300.
- Costafreda, S.G., Brammer, M.J., David, A.S., Fu, C.H.Y., 2008. Predictors of amygdala activation during the processing of emotional stimuli: A meta-analysis of 385 PET and fMRI studies RID C-1315-2011. *Brain Res. Rev.* 58, 57-70.

- Costafreda, S.G., David, A.S., Brammer, M.J., 2009a. A parametric approach to voxel-based meta-analysis RID C-1315-2011. *Neuroimage* 46, 115-122.
- Costafreda, S.G., Khanna, A., Mourao-Miranda, J., Fu, C.H.Y., 2009b. Neural correlates of sad faces predict clinical remission to cognitive behavioural therapy in depression. *Neuroreport* 20, 637-641.
- Cremers, H.R., Demenescu, L.R., Aleman, A., Renken, R., van Tol, M.J., van der Wee, N.J., Veltman, D.J., Roelofs, K., 2010. Neuroticism modulates amygdala-prefrontal connectivity in response to negative emotional facial expressions. *Neuroimage* 49, 963-970.
- Critchley, H.D., Nagai, Y., Gray, M.A., Mathias, C.J., 2011. Dissecting axes of autonomic control in humans: Insights from neuroimaging. *Autonomic Neuroscience-Basic & Clinical* 161, 34-42.
- Cromheeke, S., Mueller, S.C., 2013. Probing emotional influences on cognitive control: an ALE meta-analysis of cognition emotion interactions. *Brain Struct. Funct.* 219, 995-1008.
- Cuijpers, P., van Straten, A., Bohlmeijer, E., Hollon, S.D., Andersson, G., 2010. The effects of psychotherapy for adult depression are overestimated: a meta-analysis of study quality and effect size. *Psychol. Med.* 40, 211-223.
- Dannlowski, U., Ohrmann, P., Bauer, J., Deckert, J., Hohoff, C., Kugel, H., Arolt, V., Heindel, W., Kersting, A., Baune, B.T., Suslow, T., 2008. 5-HTTLPR biases amygdala activity in response to masked facial expressions in major depression. *Neuropsychopharmacology* 33, 418-424.
- De Graaf, R., Bijl, R., Ravelli, A., Smit, F., Vollebergh, W., 2002. Predictors of first incidence of DSM-III-R psychiatric disorders in the general population: findings from the Netherlands Mental Health Survey and Incidence Study. *Acta Psychiatr. Scand.* 106, 303-313.
- De Jonge, P., Mangano, D., Whooley, M.A., 2007. Differential association of cognitive and somatic depressive symptoms with heart rate variability in patients with stable coronary heart disease: findings from the Heart and Soul Study. *Psychosom. Med.* 69, 735-739.
- De Jonge, P., Ormel, J., van den Brink, R.H.S., van Melle, J.P., Spijkerman, T.A., Kuijper, A., van Veldhuisen, D.J., van den Berg, M.P., Honig, A., Crijns, H.J.G.M., Schene, A.H., 2006a. Symptom dimensions of depression following myocardial infarction and their relationship with somatic health status and cardiovascular prognosis. *Am. J. Psychiatry* 163, 138-144.
- De Jonge, P., van den Brink, R.H., Spijkerman, T.A., Ormel, J., 2006b. Only incident depressive episodes after myocardial infarction are associated with new cardiovascular events. *J. Am. Coll. Cardiol.* 48, 2204-2208.
- De Jonge, P., 2011. Depression deconstruction lessons from psychosomatic research. *J. Psychosom. Res.* 71, 59-60.
- De Jonge, P., Rosmalen, J.G.M., Kema, I.P., Doornbos, B., van Melle, J.P., Pouwer, F., Kupper, N., 2010. Psychophysiological biomarkers explaining the association between depression and prognosis in coronary artery patients: A critical review of the literature. *Neurosci. Biobehav. Rev.* 35, 84-90.
- De Raedt, R., Koster, E.H.W., 2010. Understanding vulnerability for depression from a cognitive neuroscience perspective: A reappraisal of attentional factors and a new conceptual framework. *Cognitive Affective & Behavioral Neuroscience* 10, 50-70.
- Delisle, V.C., Abbey, S.E., Beck, A.T., Dobson, K.S., Dozois, D.J.A., Grace, S.L., Stewart, D.E., Ziegelstein, R.C., Thombs, B.D., 2012. The Influence of Somatic Symptoms on Beck Depression Inventory Scores in Hospitalized Postmyocardial Infarction Patients. *Canadian Journal of Psychiatry-Revue Canadienne De Psychiatrie* 57, 752-758.
- Demenescu, L.R., Renken, R., Kortekaas, R., van Tol, M., Marsman, J.B.C., van Buchem, M.A., van der Wee, N.J.A., Veltman, D.J., den Boer, A., Aleman, A., 2011. Neural correlates of perception of emotional facial expressions in out-patients with mild-to-moderate depression and anxiety. A multicenter fMRI study. *Psychol. Med.* 41, 2253-2264.
- Derntl, B., Seidel, E., Eickhoff, S.B., Kellermann, T., Gur, R.C., Schneider, F., Habel, U., 2011. Neural correlates of social approach and withdrawal in patients with major depression. *Social Neuroscience* 6, 482-501.

- Derubeis, R., Evans, M., Hollon, S., Garvey, M., Grove, W., Tuason, V., 1990. How does Cognitive Therapy Work - Cognitive Change and Symptom Change in Cognitive Therapy and Pharmacotherapy for Depression. *J. Consult. Clin. Psychol.* 58, 862-869.
- Diekhof, E.K., Falkai, P., Gruber, O., 2008. Functional neuroimaging of reward processing and decision-making: A review of aberrant motivational and affective processing in addiction and mood disorders. *Brain Res. Rev.* 59, 164-184.
- Dingle, G.A., Oei, T.P.S., Young, R.M., 2010. Mechanisms of change in negative thinking and urinary monoamines in depressed patients during acute treatment with group cognitive behavior therapy and antidepressant medication. *Psychiatry Res.* 175, 82-88.
- Disner, S.G., Beevers, C.G., Haigh, E.A.P., Beck, A.T., 2011. Neural mechanisms of the cognitive model of depression. *Nature Reviews Neuroscience* 12, 467-477.
- Donker, T., Comijs, H., Cuijpers, P., Terluin, B., Nolen, W., Zitman, F., Penninx, B., 2010. The validity of the Dutch K10 and extended K10 screening scales for depressive and anxiety disorders. *Psychiatry Res.* 176, 45-50.
- Dosenbach, N.U.F., Fair, D.A., Cohen, A.L., Schlaggar, B.L., Petersen, S.E., 2008. A dual-networks architecture of top-down control. *Trends Cogn. Sci. (Regul. Ed.)* 12, 99-105.
- Dowrick, C., Frances, A., 2013. TOO MUCH MEDICINE Medicalising unhappiness: new classification of depression risks more patients being put on drug treatment from which they will not benefit. *Bmj-British Medical Journal* 347, f7140.
- Dozois, D.J.A., Bieling, P.J., Patelis-Siotis, I., Hoar, L., Chudzik, S., McCabe, K., Westra, H.A., 2009. Changes in Self-Schema Structure in Cognitive Therapy for Major Depressive Disorder: A Randomized Clinical Trial. *J. Consult. Clin. Psychol.* 77, 1078-1088.
- Drevets, W.C., Price, J.L., Furey, M.L., 2008. Brain structural and functional abnormalities in mood disorders: implications for neurocircuitry models of depression. *Brain Structure & Function* 213, 93-118.
- Drevets, W.C., Savitz, J., 2008. The Subgenual Anterior Cingulate Cortex in Mood Disorders. *Cns Spectrums* 13, 663-681.
- Du, M., Wu, Q., Yue, Q., Li, J., Liao, Y., Kuang, W., Huang, X., Chan, R.C.K., Mechelli, A., Gong, Q., 2012. Voxelwise meta-analysis of gray matter reduction in major depressive disorder. *Prog. Neuropsychopharmacol. Biol. Psychiatry* 36, 11-16.
- Durand, C.P., 2013. Does Raising Type 1 Error Rate Improve Power to Detect Interactions in Linear Regression Models? A Simulation Study. *Plos One* 8, e71079.
- Eickhoff, S.B., Laird, A.R., Grefkes, C., Wang, L.E., Zilles, K., Fox, P.T., 2009. Coordinate-Based Activation Likelihood Estimation Meta-Analysis of Neuroimaging Data: A Random-Effects Approach Based on Empirical Estimates of Spatial Uncertainty. *RID B-5800-2010 RID B-4725-2010. Hum. Brain Mapp.* 30, 2907-2926.
- Epstein, J., Pan, H., Kocsis, J.H., Yang, Y., Butler, T., Chusid, J., Hochberg, H., Murrugh, J., Strohmayer, E., Stern, E., Silbersweig, D.A., 2006. Lack of ventral striatal response to positive stimuli in depressed versus normal subjects. *Am. J. Psychiatry* 163, 1784-1790.
- Erhardt, E.B., Rachakonda, S., Bedrick, E.J., Allen, E.A., Adali, T., Calhoun, V.D., 2011. Comparison of Multi-Subject ICA Methods for Analysis of fMRI Data. *Hum. Brain Mapp.* 32, 2075-2095.
- Erk, S., Mikschl, A., Stier, S., Ciaramidaro, A., Gapp, V., Weber, B., Walter, H., 2010. Acute and Sustained Effects of Cognitive Emotion Regulation in Major Depression. *Journal of Neuroscience* 30, 15726-15734.
- Ernst, C., Schmid, G., Angst, J., 1992. The Zurich Study .16. Early Antecedents of Depression - a Longitudinal Prospective-Study on Incidence in Young-Adults. *Eur. Arch. Psychiatry Clin. Neurosci.* 242, 142-151.
- Etkin, A., Egner, T., Kalisch, R., 2011. Emotional processing in anterior cingulate and medial prefrontal cortex. *RID A-5237-2009. Trends Cogn. Sci. (Regul. Ed.)* 15, 85-93.
- Evraire, L.E., Dozois, D.J., Hayden, E.P., 2014. Assessment of Cognitive Vulnerability to Psychopathology. *Assessment in cognitive therapy* , 94.

- Fales, C.L., Barch, D.M., Rundle, M.M., Mintun, M.A., Snyder, A.Z., Cohen, J.D., Mathews, J., Sheline, Y.I., 2008. Altered emotional interference processing in affective and cognitive-control brain circuitry in major depression. *Biol. Psychiatry* 63, 377-384.
- Farb, N.A., Irving, J.A., Anderson, A.K., Segal, Z.V., 2015. A two-factor model of relapse/recurrence vulnerability in unipolar depression. *J. Abnorm. Psychol.* 124, 38-53.
- Fava, M., Kendler, K.S., 2000. Major depressive disorder. *Neuron* 28, 335-341.
- Feighner, J.P., Woodruff, R.A., Winokur, G., Munoz, R., Robins, E., Guze, S.B., 1972. Diagnostic Criteria for use in Psychiatric Research. *Arch. Gen. Psychiatry* 26, 57-63.
- Feinstein, J.S., 2013. Lesion studies of human emotion and feeling. *Curr. Opin. Neurobiol.* 23, 304-309.
- Fitzgerald, P.B., Laird, A.R., Maller, J., Daskalakis, Z.J., 2008. A meta-analytic study of changes in brain activation in depression RID B-5800-2010. *Hum. Brain Mapp.* 29, 683-695.
- Fox, M.D., Liu, H., Pascual-Leone, A., 2013. Identification of reproducible individualized targets for treatment of depression with TMS based on intrinsic connectivity. *Neuroimage* 66, 151-160.
- Fox, M.D., Corbetta, M., Snyder, A.Z., Vincent, J.L., Raichle, M.E., 2006. Spontaneous neuronal activity distinguishes human dorsal and ventral attention systems. *Proc. Natl. Acad. Sci. U. S. A.* 103, 10046-10051.
- Fransson, P., Marrelec, G., 2008. The precuneus/posterior cingulate cortex plays a pivotal role in the default mode network: Evidence from a partial correlation network analysis. *Neuroimage* 42, 1178-1184.
- Friedel, E., Schlagenhaut, F., Sterzer, P., Park, S.Q., Bermpohl, F., Strohle, A., Stoy, M., Puls, I., Hagele, C., Wrase, J., Buchel, C., Heinz, A., 2009. 5-HTT genotype effect on prefrontal-amygdala coupling differs between major depression and controls. *Psychopharmacology* 205, 261-271.
- Frodl, T., Scheuerecker, J., Albrecht, J., Kleemann, A.M., Muller-Schunk, S., Koutsouleris, N., Moller, H.-., Bruckmann, H., Wiesmann, M., Meisenzahl, E., 2009. Neuronal correlates of emotional processing in patients with major depression. *World J. Biol. Psychiatry* 10, 202-208.
- Frodl, T., Scheuerecker, J., Schoepf, V., Linn, J., Koutsouleris, N., Bokde, A.L.W., Hampel, H., Moeller, H., Brueckmann, H., Wiesmann, M., Meisenzahl, E., 2011. Different Effects of Mirtazapine and Venlafaxine on Brain Activation: An Open Randomized Controlled fMRI Study. *J. Clin. Psychiatry* 72, 448-457.
- Fu, C.H.Y., Mourao-Miranda, J., Costafrecla, S.G., Khanna, A., Marquand, A.F., Williams, S.C.R., Brammer, M.J., 2008. Pattern classification of sad facial processing: Toward the development of neurobiological markers in depression. *Biol. Psychiatry* 63, 656-662.
- Fu, C.H., Steiner, H., Costafreda, S.G., 2013. Predictive neural biomarkers of clinical response in depression: a meta-analysis of functional and structural neuroimaging studies of pharmacological and psychological therapies. *Neurobiol. Dis.* 52, 75-83.
- Fu, C.H.Y., Williams, S.C.R., Cleare, A.J., Brammer, M.J., Walsh, N.D., Kim, J., Andrew, C.M., Pich, E.M., Williams, P.M., Reed, L.J., Mitterschiffthaler, M.T., Suckling, J., Bullmore, E.T., 2004. Attenuation of the neural response to sad faces in major depression by antidepressant treatment: A prospective, event-related functional magnetic resonance imaging study. *Arch. Gen. Psychiatry* 61, 877-889.
- Gallagher, D., Mhaolain, A.N., Greene, E., Walsh, C., Denihan, A., Bruce, I., Golden, J., Conroy, R.M., Kirby, M., Lawlor, B.A., 2010. Late life depression: a comparison of risk factors and symptoms according to age of onset in community dwelling older adults. *Int. J. Geriatr. Psychiatry* 25, 981-987.
- Garratt, G., Ingram, R.E., Rand, K.L., Sawalani, G., 2007. Cognitive processes in cognitive therapy: Evaluation of the mechanisms of change in the treatment of depression. *Clinical Psychology-Science and Practice* 14, 224-239.
- Gasquoine, P.G., 2013. Localization of function in anterior cingulate cortex: From psychosurgery to functional neuroimaging. *Neurosci. Biobehav. Rev.* 37, 340-348.

- Gerlach, K.D., Spreng, R.N., Madore, K.P., Schacter, D.L., 2014. Future planning: default network activity couples with frontoparietal control network and reward-processing regions during process and outcome simulations. *Soc. Cogn. Affect. Neurosci.* 9, 1942-1951.
- George, M.S., Post, R.M., 2011. Daily Left Prefrontal Repetitive Transcranial Magnetic Stimulation for Acute Treatment of Medication-Resistant Depression. *Am. J. Psychiatry* 168, 356-364.
- Gianaros, P., Derbyshire, S., May, J., Siegle, G., Gamalo, M., Jennings, J., 2005. Anterior cingulate activity correlates with blood pressure during stress. *Psychophysiology* 42, 627-635.
- Gianaros, P., Greer, P., Ryan, C., Jennings, J., 2006. Higher blood pressure predicts lower regional grey matter volume: Consequences on short-term information processing. *Neuroimage* 31, 754-765.
- Gianaros, P.J., Sheu, L.K., Matthews, K.A., Jennings, J.R., Manuck, S.B., Hariri, A.R., 2008. Individual differences in stressor-evoked blood pressure reactivity vary with activation, volume, and functional connectivity of the amygdala. *Journal of Neuroscience* 28, 990-999.
- Gilbert, A.M., Prasad, K., Goradia, D., Nutche, J., Keshavan, M., Frank, E., 2010. Grey matter volume reductions in the emotion network of patients with depression and coronary artery disease. *Psychiatry Res. Neuroimaging* 181, 9-14.
- Glashouwer, K.A., de Jong, P.J., 2010. Disorder-specific automatic self-associations in depression and anxiety: results of The Netherlands Study of Depression and Anxiety. *Psychol. Med.* 40, 1101-1111.
- Glashouwer, K.A., de Jong, P.J., Penninx, B.W.J.H., Kerkhof, A.J.F.M., van Dyck, R., Ormel, J., 2010. Do Automatic Self-Associations Relate to Suicidal Ideation? *Journal of Psychopathology and Behavioral Assessment* 32, 428-437.
- Gotlib, I.H., Sivers, H., Gabrieli, J.D.E., Whitfield-Gabrieli, S., Goldin, P., Minor, K.L., Canli, T., 2005. Subgenual anterior cingulate activation to valenced emotional stimuli in major depression. *Neuroreport* 16, 1731-1734.
- Graham, J.W., 2009. Missing Data Analysis: Making It Work in the Real World. *Annu. Rev. Psychol.* 60, 549-576.
- Grant, B., Hasin, D., Chou, S., Stinson, F., Dawson, D., 2004. Nicotine dependence and psychiatric disorders in the United States - Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Arch. Gen. Psychiatry* 61, 1107-1115.
- Greenberg, A.S., Esterman, M., Wilson, D., Serences, J.T., Yantis, S., 2010. Control of Spatial and Feature-Based Attention in Frontoparietal Cortex. *Journal of Neuroscience* 30, 14330-14339.
- Greenwald, A., McGhee, D., Schwartz, J., 1998. Measuring individual differences in implicit cognition: The implicit association test. *J. Pers. Soc. Psychol.* 74, 1464-1480.
- Greenwald, A.G., Poehlman, T.A., Uhlmann, E.L., Banaji, M.R., 2009. Understanding and Using the Implicit Association Test: III. Meta-Analysis of Predictive Validity. *J. Pers. Soc. Psychol.* 97, 17-41.
- Grimm, S., Ernst, J., Boesiger, P., Schuepbach, D., Hell, D., Boeker, H., Northoff, G., 2009. Increased self-focus in major depressive disorder is related to neural abnormalities in subcortical-cortical midline structures. *Hum. Brain Mapp.* 30, 2617-2627.
- Grippo, A., Johnson, A., 2002. Biological mechanisms in the relationship between depression and heart disease. *Neurosci. Biobehav. Rev.* 26, 941-962.
- Groenewold, N.A., Opmeer, E.M., de Jonge, P., Aleman, A., Costafreda, S.G., 2013. Emotional valence modulates brain functional abnormalities in depression: Evidence from a meta-analysis of fMRI studies. *Neurosci. Biobehav. Rev.* 37, 152-163.
- Grundy, S.M., Cleeman, J.I., Daniels, S.R., Donato, K.A., Eckel, R.H., Franklin, B.A., Gordon, D.J., Krauss, R.M., Savage, P.J., Smith, S.C., Jr, Spertus, J.A., Fernando, C., 2005. Diagnosis and management of the metabolic syndrome: an American Heart Association/National Heart, Lung, and Blood Institute scientific statement: Executive Summary. *Crit. Pathw Cardiol.* 4, 198-203.

- Georgieva, R., Mallinckrodt, C., Krystal, J.H., 2011. Trajectories of Depression Severity in Clinical Trials of Duloxetine Insights Into Antidepressant and Placebo Responses. *Arch. Gen. Psychiatry* 68, 1227-1237.
- Gusnard, D., Akbudak, E., Shulman, G., Raichle, M., 2001. Medial prefrontal cortex and self-referential mental activity: Relation to a default mode of brain function. *Proc. Natl. Acad. Sci. U. S. A.* 98, 4259-4264.
- Haber, S.N., Knutson, B., 2010. The Reward Circuit: Linking Primate Anatomy and Human Imaging. *Neuropsychopharmacology* 35, 4-26.
- Haefel, G.J., Abramson, L.Y., Brazy, P.C., Shah, J.Y., Teachman, B.A., Nosek, B.A., 2007. Explicit and implicit cognition: A preliminary test of a dual-process theory of cognitive vulnerability to depression. *Behav. Res. Ther.* 45, 1155-1167.
- Hamani, C., Mayberg, H., Stone, S., Laxton, A., Haber, S., Lozano, A.M., 2011. The Subcallosal Cingulate Gyrus in the Context of Major Depression. *Biol. Psychiatry* 69, 301-308.
- Hamilton, J.P., Chen, M.C., Gotlib, I.H., 2013. Neural systems approaches to understanding major depressive disorder: An intrinsic functional organization perspective. *Neurobiol. Dis.* 52, 4-11.
- Hamilton, J.P., Etkin, A., Furman, D.J., Lemus, M.G., Johnson, R.F., Gotlib, I.H., 2012. Functional Neuroimaging of Major Depressive Disorder: A Meta-Analysis and New Integration of Baseline Activation and Neural Response Data. *Am. J. Psychiatry* 169, 693-703.
- Hamilton, J.P., Gotlib, I.H., 2008. Neural Substrates of Increased Memory Sensitivity for Negative Stimuli in Major Depression. *Biol. Psychiatry* 63, 1155-1162.
- Hammen, C., 2005. Stress and depression. *Annu. Rev. Clin. Psychol.* 1, 293-319.
- Hankin, B.L., Oppenheimer, C., Jenness, J., Barocas, A., Shapero, B.G., Goldband, J., 2009. Developmental Origins of Cognitive Vulnerabilities to Depression: Review of Processes Contributing to Stability and Change Across Time. *J. Clin. Psychol.* 65, 1327-1338.
- Harmer, C.J., Goodwin, G.M., Cowen, P.J., 2009. Why do antidepressants take so long to work? A cognitive neuropsychological model of antidepressant drug action. *British Journal of Psychiatry* 195, 102-108.
- Harmer, C., Shelley, N., Cowen, P., Goodwin, G., 2004. Increased positive versus negative affective perception and memory in healthy volunteers following selective serotonin and norepinephrine reuptake inhibition. *Am. J. Psychiatry* 161, 1256-1263.
- Harrison, N.A., Cooper, E., Voon, V., Miles, K., Critchley, H.D., 2013. Central autonomic network mediates cardiovascular responses to acute inflammation: Relevance to increased cardiovascular risk in depression? *Brain Behavior and Immunity* 31, 189-196.
- Hasin, D., Goodwin, R., Stinson, F., Grant, B., 2005. Epidemiology of major depressive disorder - Results from the National Epidemiologic Survey on Alcoholism and Related Conditions. *Arch. Gen. Psychiatry* 62, 1097-1106.
- Hayes, A.F., Matthes, J., 2009. Computational procedures for probing interactions in OLS and logistic regression: SPSS and SAS implementations. *Behavior Research Methods* 41, 924-936.
- Hegeman, J.M., Wardenaar, K.J., Comijs, H.C., de Waal, M.W.M., Kok, R.M., van der Mast, R.C., 2012. The subscale structure of the Inventory of Depressive Symptomatology Self Report (IDS-SR) in older persons. *J. Psychiatr. Res.* 46, 1383-1388.
- Herrington, J.D., Taylor, J.M., Grupe, D.W., Curby, K.M., Schultz, R.T., 2011. Bidirectional communication between amygdala and fusiform gyrus during facial recognition. *Neuroimage* 56, 2348-2355.
- Himberg, J., Hyvarinen, A., Esposito, F., 2004. Validating the independent components of neuroimaging time series via clustering and visualization. *Neuroimage* 22, 1214-1222.
- Hollon, S., Evans, M., Derubeis, R., 1987. Causal Mediation of Change in Treatment for Depression - Discriminating between Nonspecificity and Noncausality. *Psychol. Bull.* 102, 139-149.
- Hollon, S., Stewart, M., Strunk, D., 2006. Enduring effects for cognitive behavior therapy in the treatment of depression and anxiety. *Annu. Rev. Psychol.* 57, 285-315.

- Holzappel, N., Muller-Tasch, T., Wild, B., Junger, J., Zugck, C., Remppis, A., Herzog, W., Lowe, B., 2008. Depression profile in patients with and without chronic heart failure. *J. Affect. Disord.* 105, 53-62.
- Hyman, S.E., 2007. Opinion - Can neuroscience be integrated into the DSM-V? *Nature Reviews Neuroscience* 8, 725-732.
- Hsu, D.T., Langenecker, S.A., Kennedy, S.E., Zubieta, J.-., Heitzeg, M.M., 2010. fMRI BOLD responses to negative stimuli in the prefrontal cortex are dependent on levels of recent negative life stress in major depressive disorder. *Psychiatry Res. Neuroimaging* 183, 202-208.
- Iacoviello, B.M., Alloy, L.B., Abramson, L.Y., Choi, J.Y., 2010. The Early Course of Depression: A Longitudinal Investigation of Prodromal Symptoms and Their Relation to the Symptomatic Course of Depressive Episodes. *J. Abnorm. Psychol.* 119, 459-467.
- Insel, T.R., Cuthbert, B.N., 2009. Endophenotypes: Bridging Genomic Complexity and Disorder Heterogeneity. *Biol. Psychiatry* 66, 988-989.
- Irwin, W., Anderle, M.J., Abercrombie, H.C., Schaefer, S.M., Kalin, N.H., Davidson, R.J., 2004. Amygdalar interhemispheric functional connectivity differs between the non-depressed and depressed human brain. *Neuroimage* 21, 674-686.
- Jacobs, R.H., Renken, R., Aleman, A., Cornelissen, F.W., 2012. The amygdala, top-down effects, and selective attention to features. *Neurosci. Biobehav. Rev.*
- Jarrett, R.B., Minhajuddin, A., Borman, P.D., Dunlap, L., Segal, Z.V., Kidner, C.L., Friedman, E.S., Thase, M.E., 2012. Cognitive reactivity, dysfunctional attitudes, and depressive relapse and recurrence in cognitive therapy responders. *Behav. Res. Ther.* 50, 280-286.
- Jennings, J.R., Mendelson, D.N., Muldoon, M.F., Ryan, C.M., Gianaros, P.J., Raz, N., Aizenstein, H., *Alzheimers Dis Neuroimaging*, 2012. Regional grey matter shrinks in hypertensive individuals despite successful lowering of blood pressure. *J. Hum. Hypertens.* 26, 295-305.
- Jennings, J.R., Zanstra, Y., 2009. Is the brain the essential in hypertension? *Neuroimage* 47, 914-921.
- Johnson, M.K., Nolen-Hoeksema, S., Mitchell, K.J., Levin, Y., 2009. Medial cortex activity, self-reflection and depression. *Social Cognitive and Affective Neuroscience* 4, 313-327.
- Johnstone, T., Van Reekum, C.M., Urry, H.L., Kalin, N.H., Davidson, R.J., 2007. Failure to regulate: Counterproductive recruitment of top-down prefrontal-subcortical circuitry in major depression. *J. Neurosci.* 27, 8877-8884.
- Judd, L., Akiskal, H., Maser, J., Zeller, P., Endicott, J., Coryell, W., Paulus, M., Kunovac, J., Leon, A., Mueller, T., Rice, J., Keller, M., 1998. A prospective 12-year study of subsyndromal and syndromal depressive symptoms in unipolar major depressive disorders. *Arch. Gen. Psychiatry* 55, 694-700.
- Katon, W., Ludman, E., Simon, G., Lin, E., Sullivan, M., Walker, E., Bush, T., Von Korff, M., Carter, L., 1996. *Depression: Self-Care Companion for Better Living*. Time Life Medical, Seattle.
- Kendler, K.S., 2012. The dappled nature of causes of psychiatric illness: replacing the organic-functional/hardware-software dichotomy with empirically based pluralism. *Mol. Psychiatry* 17, 377-388.
- Kendler, K.S., Fiske, A., Gardner, C.O., Gatz, M., 2009. Delineation of two genetic pathways to major depression. *Biol. Psychiatry* 65, 808-811.
- Kendler, K.S., Thornton, L.M., Gardner, C.O., 2000. Stressful life events and previous episodes in the etiology of major depression in women: An evaluation of the "kindling" hypothesis. *Am. J. Psychiatry* 157, 1243-1251.
- Kendler, K., Gardner, C., 1998. Boundaries of major depression: An evaluation of DSM-IV criteria. *Am. J. Psychiatry* 155, 172-177.
- Kerestes, R., Ladouceur, C.D., Meda, S., Nathan, P.J., Blumberg, H.P., Maloney, K., Ruf, B., Saricicek, A., Pearson, G.D., Bhagwagar, Z., Phillips, M.L., 2012. Abnormal prefrontal activity subserving attentional control of emotion in remitted depressed patients during a working memory task with emotional distracters. *Psychol. Med.* 42, 29-40.

- Kessler, R.C., 1997. The effects of stressful life events on depression. *Annu. Rev. Psychol.* 48, 191-214.
- Kessler, R.C., Ustun, T.B., 2004. The World Mental Health (WMH) Survey Initiative Version of the World Health Organization (WHO) Composite International Diagnostic Interview (CIDI). *Int. J. Methods Psychiatr. Res.* 13, 93-121.
- Kessler, R., Berglund, P., Demler, O., Jin, R., Koretz, D., Merikangas, K., Rush, A., Walters, E., Wang, P., 2003. The epidemiology of major depressive disorder - Results from the National Comorbidity Survey Replication (NCS-R). *Jama-Journal of the American Medical Association* 289, 3095-3105.
- Kim, A.J., Hamilton, J.P., Gotlib, I.H., 2008. Reduced caudate gray matter volume in women with major depressive disorder. *Psychiatry Research-Neuroimaging* 164, 114-122.
- King, K.S., Peshock, R.M., Rossetti, H.C., McColl, R.W., Ayers, C.R., Hulsey, K.M., Das, S.R., 2014. Effect of Normal Aging Versus Hypertension, Abnormal Body Mass Index, and Diabetes Mellitus on White Matter Hyperintensity Volume. *Stroke* 45, 255-257.
- Kircanski, K., Joormann, J., Gotlib, I.H., 2012. Cognitive aspects of depression. *Wiley Interdisciplinary Reviews-Cognitive Science* 3, 301-313.
- Kirsch, I., Deacon, B.J., Huedo-Medina, T.B., Scoboria, A., Moore, T.J., Johnson, B.T., 2008. Initial severity and antidepressant benefits: A meta-analysis of data submitted to the food and drug administration. *Plos Medicine* 5, 260-268.
- Klabbers, G., Bosma, H., Van der Does, A.J.W., Vogelzangs, N., Kempen, G.I.J.M., Van Eijk, J.T.M., Penninx, B.W.J.H., 2010. The educational patterning of health-related adversities in individuals with major depression. *J. Affect. Disord.* 126, 96-102.
- Korten, N.C.M., Comijs, H.C., Lamers, F., Penninx, B.W.J.H., 2012. Early and late onset depression in young and middle aged adults: Differential symptomatology, characteristics and risk factors? *J. Affect. Disord.* 138, 259-267.
- Kriegeskorte, N., Lindquist, M.A., Nichols, T.E., Poldrack, R.A., Vul, E., 2010. Everything you never wanted to know about circular analysis, but were afraid to ask. *Journal of Cerebral Blood Flow and Metabolism* 30, 1551-1557.
- Krishnan, K., Taylor, W., McQuoid, D., MacFall, J., Payne, M., Provenzale, J., Steffens, D., 2004. Clinical characteristics of magnetic resonance imaging-defined subcortical ischemic depression. *Biol. Psychiatry* 55, 390-397.
- Krishnan, V., Nestler, E.J., 2008. The molecular neurobiology of depression. *Nature* 455, 894-902.
- Kroenke, K., Spitzer, R.L., Williams, J.B.W., 2001. The PHQ-9 - Validity of a brief depression severity measure. *Journal of General Internal Medicine* 16, 606-613.
- Kruijt, A., Antypa, N., Booij, L., de Jong, P.J., Glashouwer, K., Penninx, B.W.J.H., Van der Does, W., 2013. Cognitive Reactivity, Implicit Associations, and the Incidence of Depression: A Two-Year Prospective Study. *Plos One* 8, e70245.
- Kumari, V., Mitterschiffthaler, M.T., Teasdale, J.D., Malhi, G.S., Brown, R.G., Giampietro, V., Brammer, M.J., Poon, L., Simmons, A., Williams, S.C.R., Checkley, S.A., Sharma, T., 2003. Neural abnormalities during cognitive generation of affect in treatment-resistant depression. *Biol. Psychiatry* 54, 777-791.
- Kuyken, W., 2004. Cognitive therapy outcome: the effects of hopelessness in a naturalistic outcome study. *Behav. Res. Ther.* 42, 631-646.
- Lacasse, J.R., Leo, J., 2005. Serotonin and depression: A disconnect between the advertisements and the scientific literature. *Plos Medicine* 2, 1211-1216.
- LaGrange, B., Cole, D.A., Jacquez, F., Ciesla, J., Dallaire, D., Pineda, A., Truss, A., Weitlauf, A., Tilghman-Osborne, C., Felton, J., 2011. Disentangling the Prospective Relations Between Maladaptive Cognitions and Depressive Symptoms. *J. Abnorm. Psychol.* 120, 511-527.
- Lai, C., 2013. Gray matter volume in major depressive disorder: A meta-analysis of voxel-based morphometry studies. *Psychiatry Research-Neuroimaging* 211, 37-46.

- Laird, A.R., Fox, P.M., Eickhoff, S.B., Turner, J.A., Ray, K.L., McKay, D.R., Glahn, D.C., Beckmann, C.F., Smith, S.M., Fox, P.T., 2011. Behavioral Interpretations of Intrinsic Connectivity Networks. *J. Cogn. Neurosci.* 23, 4022-4037.
- Lau, M., Segal, Z., Williams, J., 2004. Teasdale's differential activation hypothesis: implications for mechanisms of depressive relapse and suicidal behaviour. *Behav. Res. Ther.* 42, 1001-1017.
- Lee, B., Cho, S.W., Khang, H.S., Lee, B., Choi, I., Lyoo, I.K., Ham, B., 2007. The neural substrates of affective processing toward positive and negative affective pictures in patients with major depressive disorder. *Prog. Neuro-Psychopharmacol. Biol. Psychiatry* 31, 1487-1492.
- Lee, B., Seok, J., Lee, B., Cho, S.W., Yoon, B., Lee, K., Chae, J., Choi, I., Ham, B., 2008. Neural correlates of affective processing in response to sad and angry facial stimuli in patients with major depressive disorder. *Prog. Neuropsychopharmacol. Biol. Psychiatry* 32, 778-785.
- Lemogne, C., Delaveau, P., Freton, M., Guionnet, S., Fossati, P., 2012. Medial prefrontal cortex and the self in major depression. *J. Affect. Disord.* 136, E1-E11.
- Lemogne, C., Le Bastard, G., Mayberg, H., Volle, E., Bergouignan, L., Lehericy, S., Allilaire, J., Fossati, P., 2009. In search of the depressive self: Extended medial prefrontal network during self-referential processing in major depression. *Soc. Cogn. Affect. Neurosci.* 4, 305-312.
- Leppanen, J., 2006. Emotional information processing in mood disorders: a review of behavioral and neuroimaging findings. *Current Opinion in Psychiatry* 19, 34-39.
- Lewinsohn, P., Rohde, P., Seeley, J., 1998. Major depressive disorder in older adolescents: Prevalence, risk factors, and clinical implications. *Clin. Psychol. Rev.* 18, 765-794.
- Li, B., Liu, L., Friston, K.J., Shen, H., Wang, L., Zeng, L., Hu, D., 2013. A Treatment-Resistant Default Mode Subnetwork in Major Depression. *Biol. Psychiatry* 74, 48-54.
- Li, Y., Adali, T., Calhoun, V.D., 2007. Estimating the number of independent components for functional magnetic resonance Imaging data. *Hum. Brain Mapp.* 28, 1251-1266.
- Lichtenberg, P., Belmaker, R.H., 2010. Subtyping Major Depressive Disorder. *Psychother. Psychosom.* 79, 131-135.
- Lindquist, K.A., Wager, T.D., Kober, H., Bliss-Moreau, E., Barrett, L.F., 2012. The brain basis of emotion: a meta-analytic review. *Behav. Brain Sci.* 35, 121-143.
- Lisiecka, D.M., Carballo, A., Fagan, A.J., Ferguson, Y., Meaney, J., Frodl, T., 2013. Recruitment of the left hemispheric emotional attention neural network in risk for and protection from depression. *Journal of Psychiatry & Neuroscience* 38, 117-128.
- Lundqvist, D., Flykt, A., Ohmann, A., 1998. The Karolinska Directed Emotional Faces (KDEF). Karolinska Institute: Stockholm.
- Lux, V., Kendler, K.S., 2010. Deconstructing major depression: a validation study of the DSM-IV symptomatic criteria. *Psychol. Med.* 40, 1679-1690.
- Ma, Y., 2014. Neuropsychological mechanism underlying antidepressant effect: a systematic meta-analysis. *Mol. Psychiatry* [Epub ahead of print].
- Maillard, P., Seshadri, S., Beiser, A., Himali, J.J., Au, R., Fletcher, E., Carmichael, O., Wolf, P.A., DeCarli, C., 2012. Effects of systolic blood pressure on white-matter integrity in young adults in the Framingham Heart Study: a cross-sectional study. *Lancet Neurology* 11, 1039-1047.
- Mannie, Z.N., Taylor, M.J., Harmer, C.J., Cowen, P.J., Norbury, R., 2011. Frontolimbic responses to emotional faces in young people at familial risk of depression. *J. Affect. Disord.* 130, 127-132.
- Manoliu, A., Meng, C., Brandl, F., Doll, A., Tahmasian, M., Scherr, M., Schwerthoffer, D., Zimmer, C., Forstl, H., Bauml, J., Riedl, V., Wohlschlagel, A.M., Sorg, C., 2014. Insular dysfunction within the salience network is associated with severity of symptoms and aberrant inter-network connectivity in major depressive disorder. *Front. Hum. Neurosci.* 7.
- Marchetti, I., Koster, E.H.W., Sonuga-Barke, E.J.S., De Raedt, R., 2012. The Default Mode Network and Recurrent Depression: A Neurobiological Model of Cognitive Risk Factors. *Neuropsychol. Rev.* 22, 229-251.

- Martens, E.J., Denollet, J., Pedersen, S.S., Scherders, M., Griez, E., Widdershoven, J., Szabo, B., Bonnier, H., Appels, A., 2006. Relative lack of depressive cognitions in post-myocardial infarction depression. *J. Affect. Disord.* 94, 231-237.
- Martens, E.J., Hoen, P.W., Mittelhaeuser, M., de Jonge, P., Denollet, J., 2010. Symptom dimensions of post-myocardial infarction depression, disease severity and cardiac prognosis. *Psychol. Med.* 40, 807-814.
- Matthews, S., Simmons, A., Strigo, I., Gianaros, P., Yang, T., Paulus, M., 2009. Inhibition-related activity in subgenual cingulate is associated with symptom severity in major depression. *Psychiatry Research-Neuroimaging* 172, 1-6.
- Matthews, S.C., Strigo, I.A., Simmons, A.N., Yang, T.T., Paulus, M.P., 2008. Decreased functional coupling of the amygdala and supragenual cingulate is related to increased depression in unmedicated individuals with current major depressive disorder. *J. Affective Disord.* 111, 13-20.
- Mayberg, H., 1997. Limbic-cortical dysregulation: A proposed model of depression. *J. Neuropsychiatry Clin. Neurosci.* 9, 471-481.
- McEvoy, P.M., Burgess, M.M., Nathan, P., 2013. The relationship between interpersonal problems, negative cognitions, and outcomes from cognitive behavioral group therapy for depression. *J. Affect. Disord.* 150, 266-275.
- McEwen, B.S., 2008. Central effects of stress hormones in health and disease: Understanding the protective and damaging effects of stress and stress mediators. *Eur. J. Pharmacol.* 583, 174-185.
- McEwen, B.S., 2012. Brain on stress: How the social environment gets under the skin. *Proc. Natl. Acad. Sci. U. S. A.* 109, 17180-17185.
- Meng, L., Chen, D., Yang, Y., Zheng, Y., Hui, R., 2012. Depression increases the risk of hypertension incidence: a meta-analysis of prospective cohort studies. *J. Hypertens.* 30, 842-851.
- Metalsky, G., Joiner, T., Hardin, T., Abramson, L., 1993. Depressive Reactions to Failure in a Naturalistic Setting - a Test of the Hopelessness and Self-Esteem Theories of Depression. *J. Abnorm. Psychol.* 102, 101-109.
- Mitterschiffthaler, M.T., Kumari, V., Malhi, G.S., Brown, R.G., Giampietro, V.P., Brammer, M.J., Suckling, J., Poon, L., Simmons, A., Andrew, C., Sharma, T., 2003. Neural response to pleasant stimuli in anhedonia: An fMRI study. *Neuroreport* 14, 177-182.
- Mitterschiffthaler, M.T., Williams, S.C.R., Walsh, N.D., Cleare, A.J., Donaldson, C., Scott, J., Fu, C.H.Y., 2008. Neural basis of the emotional Stroop interference effect in major depression. *Psychol. Med.* 38, 247-256.
- Modinos, G., Ormel, J., Aleman, A., 2009. Activation of Anterior Insula during Self-Reflection. *Plos One* 4, e4618.
- Moher, D., Hopewell, S., Schulz, K.F., Montori, V., Gotzsche, P.C., Devereaux, P.J., Elbourne, D., Egger, M., Altman, D.G., 2010. CONSORT 2010 Explanation and Elaboration: updated guidelines for reporting parallel group randomised trials. *Bmj-British Medical Journal* 340, c869.
- Monroe, S.M., Harkness, K.L., 2005. Life stress, the "Kindling" hypothesis, and the recurrence of depression: Considerations from a life stress perspective. *Psychol. Rev.* 112, 417-445.
- Monroe, S., Simons, A., 1991. Diathesis Stress Theories in the Context of Life Stress Research - Implications for the Depressive-Disorders. *Psychol. Bull.* 110, 406-425.
- Mor, N., Winquist, J., 2002. Self-focused attention and negative affect: A meta-analysis. *Psychol. Bull.* 128, 638-662.
- Morris, J.S., Friston, K.J., Buchel, C., Frith, C.D., Young, A.W., Calder, A.J., Dolan, R.J., 1998. A neuromodulatory role for the human amygdala in processing emotional facial expressions. *Brain* 121, 47-57.

- Moulds, M.L., Kandris, E., Williams, A.D., Lang, T., Yap, C., Hoffmeister, K., 2008. An investigation of the relationship between cognitive reactivity and rumination. *Behavior Therapy* 39, 65-71.
- Murray, E.A., 2007. The amygdala, reward and emotion. *Trends Cogn. Sci. (Regul. Ed.)* 11, 489-497.
- Murray, E.A., Wise, S.P., Drevets, W.C., 2011. Localization of Dysfunction in Major Depressive Disorder: Prefrontal Cortex and Amygdala. *Biol. Psychiatry* 69, E43-E54.
- Murray, R.J., Schaer, M., Debbane, M., 2012. Degrees of separation: A quantitative neuroimaging meta-analysis investigating self-specificity and shared neural activation between self- and other-reflection. *Neurosci. Biobehav. Rev.* 36, 1043-1059.
- Muthén, L.K., Muthén, B.O., 1998-2010. *Mplus User's Guide*. Sixth Edition. Muthén & Muthén, Los Angeles, CA.
- Muthén, L., Muthén, B., 2007. *Mplus User's Guide: Statistical Analysis with Latent Variables* (5th Edition). Muthén & Muthén, Los Angeles, CA, USA.
- Naude, P.J.W., Eisel, U.L.M., Comijs, H.C., Groenewold, N.A., De Deyn, P.P., Bosker, F.J., Luiten, P.G.M., den Boer, J.A., Voshaar, R.C.O., 2013. Neutrophil gelatinase-associated lipocalin: A novel inflammatory marker associated with late-life depression. *J. Psychosom. Res.* 75, 444-450.
- Naude, P.J.W., Mommersteeg, P.M.C., Zijlstra, W.P., Gouweleeuw, L., Kupper, N., Eisel, U.L.M., Kop, W.J., Schoemaker, R.G., 2014. Neutrophil Gelatinase-Associated Lipocalin and depression in patients with chronic heart failure. *Brain Behavior and Immunity* 38, 59-65.
- Nelder, J., Mead, R., 1965. A Simplex-Method for Function Minimization. *Comput. J.* 7, 308-313.
- Nemeroff, C.B., Goldschmidt-Clermont, P.J., 2012. Heartache and heartbreak-the link between depression and cardiovascular disease. *Nature Reviews Cardiology* 9, 526-539.
- Nicholson, A., Kuper, H., Hemingway, H., 2006. Depression as an aetiologic and prognostic factor in coronary heart disease: a meta-analysis of 6362 events among 146 538 participants in 54 observational studies. *Eur. Heart J.* 27, 2763-2774.
- Nienhuis, F.J., van de Willige, G., Rijnders, C.A.T., de Jonge, P., Wiersma, D., 2010. Validity of a short clinical interview for psychiatric diagnosis: the mini-SCAN. *British Journal of Psychiatry* 196, 64-68.
- Norbury, R., Selvaraj, S., Taylor, M.J., Harmer, C., Cowen, P.J., 2010. Increased neural response to fear in patients recovered from depression: a 3T functional magnetic resonance imaging study. *Psychol. Med.* 40, 425-432.
- Northoff, G., 2007. Psychopathology and pathophysiology of the self in depression - Neuropsychiatric hypothesis. *J. Affect. Disord.* 104, 1-14.
- Nouretdinov, I., Costafreda, S.G., Gammerman, A., Chervonenkis, A., Vovk, V., Vapnik, V., Fu, C.H.Y., 2011. Machine learning classification with confidence: Application of transductive conformal predictors to MRI-based diagnostic and prognostic markers in depression. *Neuroimage* 56, 809-813.
- Oathes, D.J., Patenaude, B., Schatzberg, A.F., Etkin, A., 2015. Neurobiological Signatures of Anxiety and Depression in Resting-State Functional Magnetic Resonance Imaging. *Biol. Psychiatry* 77, 385-393.
- Ochsner, K., Gross, J., 2005. The cognitive control of emotion. *Trends Cogn. Sci. (Regul. Ed.)* 9, 242-249.
- Onyewuenyi, I.C., Muldoon, M.F., Christie, I.C., Erickson, K.I., Gianaros, P.J., 2014. Basal ganglia morphology links the metabolic syndrome and depressive symptoms. *Physiol. Behav.* 123, 214-222.
- Ormel, J., de Jonge, P., 2011. Unipolar Depression and the Progression of Coronary Artery Disease: Toward an Integrative Model. *Psychother. Psychosom.* 80, 264-274.
- Ormel, J., Oldehinkel, A.J., Brilman, E.I., 2001. The interplay and etiological continuity of neuroticism, difficulties, and life events in the etiology of major and subsyndromal, first and recurrent depressive episodes in later life. *Am. J. Psychiatry* 158, 885-891.

- Ormel, J., Jeronimus, B.F., Kotov, R., Riese, H., Bos, E.H., Hankin, B., Rosmalen, J.G.M., Oldehinkel, A.J., 2013. Neuroticism and common mental disorders: Meaning and utility of a complex relationship. *Clin. Psychol. Rev.* 33, 686-697.
- Orth, U., Robins, R.W., 2013. Understanding the Link Between Low Self-Esteem and Depression. *Current Directions in Psychological Science* 22, 455-460.
- Owen, J., Hilsenroth, M.J., 2014. Treatment Adherence: The Importance of Therapist Flexibility in Relation to Therapy Outcomes. *Journal of Counseling Psychology* 61, 280-288.
- Parker, G., 2005. Beyond major depression. *Psychol. Med.* 35, 467-474.
- Parvizi, J., Rangarajan, V., Shirer, W.R., Desai, N., Greicius, M.D., 2013. The Will to Persevere Induced by Electrical Stimulation of the Human Cingulate Gyrus. *Neuron* 80, 1359-1367.
- Pearlin, L., Schooler, C., 1978. Structure of Coping. *J. Health Soc. Behav.* 19, 2-21.
- Peluso, M.A.M., Glahn, D.C., Matsuo, K., Monkul, E.S., Najt, P., Zamarripa, F., Li, J., Lancaster, J.L., Fox, P.T., Gao, J., Soares, J.C., 2009. Amygdala hyperactivation in untreated depressed individuals. *Psychiatry Res. Neuroimaging* 173, 158-161.
- Penninx, B.W., Beekman, A.T., Smit, J.H., Zitman, F.G., Nolen, W.A., Spinhoven, P., Cuijpers, P., De Jong, P.J., Van Marwijk, H.W., Assendelft, W.J., Van Der Meer, K., Verhaak, P., Wensing, M., De Graaf, R., Hoogendijk, W.J., Ormel, J., Van Dyck, R., NESDA Research Consortium, 2008. The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. *Int. J. Methods Psychiatr. Res.* 17, 121-140.
- Pessoa, L., 2010. Emotion and cognition and the amygdala From "what is it?" to "what's to be done?". *Neuropsychologia* 48, 3416-3429.
- Peters, J., Buechel, C., 2010. Neural representations of subjective reward value. *Behav. Brain Res.* 213, 135-141.
- Phan, K., Wager, T., Taylor, S., Liberzon, I., 2002. Functional neuroanatomy of emotion: A meta-analysis of emotion activation studies in PET and fMRI. *Neuroimage* 16, 331-348.
- Philippi, C.L., Koenigs, M., 2014. The neuropsychology of self-reflection in psychiatric illness. *J. Psychiatr. Res.* 54, 55-63.
- Phillips, M., Drevets, W., Rauch, S., Lane, R., 2003. Neurobiology of emotion perception II: Implications for major psychiatric disorders. *Biol. Psychiatry* 54, 515-528.
- Phillips, M.L., Ladouceur, C.D., Drevets, W.C., 2008. A neural model of voluntary and automatic emotion regulation: implications for understanding the pathophysiology and neurodevelopment of bipolar disorder. *Mol. Psychiatry* 13, 833-857.
- Phillips, W.J., Hine, D.W., Thorsteinsson, E.B., 2010. Implicit cognition and depression: A meta-analysis. *Clin. Psychol. Rev.* 30, 691-709.
- Pickering, T.G., Hall, J.E., Appel, L.J., Falkner, B.E., Graves, J.W., Hill, M.N., Jones, D.H., Kurtz, T., Sheps, S.G., Roccella, E.J., Council on High Blood Pressure Research Professional and Public Education Subcommittee, American Heart Association, 2005. Recommendations for blood pressure measurement in humans: an AHA scientific statement from the Council on High Blood Pressure Research Professional and Public Education Subcommittee. *J. Clin. Hypertens. (Greenwich)* 7, 102-109.
- Pizzagalli, D.A., 2011. Frontocingulate Dysfunction in Depression: Toward Biomarkers of Treatment Response. *Neuropsychopharmacology* 36, 183-206.
- Pizzagalli, D.A., Holmes, A.J., Dillon, D.G., Goetz, E.L., Birk, J.L., Bogdan, R., Dougherty, D.D., Iosifescu, D.V., Rauch, S.L., Fava, M., 2009. Reduced caudate and nucleus accumbens response to rewards in unmedicated individuals with major depressive disorder. *Am. J. Psychiatry* 166, 702-710.
- Poole, L., Dickens, C., Steptoe, A., 2011. The puzzle of depression and acute coronary syndrome: Reviewing the role of acute inflammation. *J. Psychosom. Res.* 71, 61-68.
- Post, R.M., 1992. Transduction of Psychosocial Stress into the Neurobiology of Recurrent Affective-Disorder. *Am. J. Psychiatry* 149, 999-1010.
- Poulsen, C., Luu, P., Crane, S.A., Quiring, J., Tucker, D.A., 2009. Frontolimbic Activity and Cognitive Bias in Major Depression. *J. Abnorm. Psychol.* 118, 494-506.

- Power, J.D., Barnes, K.A., Snyder, A.Z., Schlaggar, B.L., Petersen, S.E., 2012. Spurious but systematic correlations in functional connectivity MRI networks arise from subject motion. *Neuroimage* 59, 2142-2154.
- Pyszczynski, T., Greenberg, J., 1987. Self-Regulatory Perseveration and the Depressive Self-Focusing Style - a Self-Awareness Theory of Reactive Depression. *Psychol. Bull.* 102, 122-138.
- Qin, P., Northoff, G., 2011. How is our self related to midline regions and the default-mode network? *Neuroimage* 57, 1221-1233.
- Quilty, L.C., McBride, C., Bagby, R.M., 2008. Evidence for the cognitive mediational model of cognitive behavioural therapy for depression. *Psychol. Med.* 38, 1531-1541.
- Radua, J., Mataix-Cols, D., 2009. Voxel-wise meta-analysis of grey matter changes in obsessive-compulsive disorder. *British Journal of Psychiatry* 195, 393-402.
- Ray, R., Ochsner, K., Cooper, J., Robertson, E., Gabrieli, J., Gross, J., 2005. Individual differences in trait rumination and the neural systems supporting cognitive reappraisal. *Cognitive Affective & Behavioral Neuroscience* 5, 156-168.
- Raz, N., Rodrigue, K., Acker, J., 2003. Hypertension and the brain: Vulnerability of the prefrontal regions and executive functions. *Behav. Neurosci.* 117, 1169-1180.
- Rector, N., Bagby, R., Segal, Z., Joffe, R., Levitt, A., 2000. Self-criticism and dependency in depressed patients treated with cognitive therapy or pharmacotherapy. *Cognitive Therapy and Research* 24, 571-584.
- Remijne, P.L., Nielen, M.M.A., Van Balkom, A.J.L.M., Hendriks, G.-., Hoogendijk, W.J., Uylings, H.B.M., Veltman, D.J., 2009. Differential frontal-striatal and paralimbic activity during reversal learning in major depressive disorder and obsessive-compulsive disorder. *Psychol. Med.* 39, 1503-1518.
- Ridgway, G.R., Omar, R., Ourselin, S., Hill, D.L.G., Warren, J.D., Fox, N.C., 2009. Issues with threshold masking in voxel-based morphometry of atrophied brains. *Neuroimage* 44, 99-111.
- Rive, M.M., van Rooijen, G., Veltman, D.J., Phillips, M.L., Schene, A.H., Ruhe, H.G., 2013. Neural correlates of dysfunctional emotion regulation in major depressive disorder. A systematic review of neuroimaging studies. *Neurosci. Biobehav. Rev.* 37, 2529-2553.
- Rodgers, B., 1991. Models of Stress, Vulnerability and Affective-Disorder. *J. Affect. Disord.* 21, 1-13.
- Rolls, E.T., Grabenhorst, F., 2008. The orbitofrontal cortex and beyond: From affect to decision-making. *Prog. Neurobiol.* 86, 216-244.
- Roiser, J.P., Elliott, R., Sahakian, B.J., 2012. Cognitive Mechanisms of Treatment in Depression. *Neuropsychopharmacology* 37, 117-136.
- Rosenberg, M., 1965. *Society and the Adolescent Self-Image*. Princeton University Press, Princeton, NJ.
- Rosmalen, J.G.M., Bos, E.H., de Jonge, P., 2012. Validation of the Long-term Difficulties Inventory (LDI) and the List of Threatening Experiences (LTE) as measures of stress in epidemiological population-based cohort studies. *Psychol. Med.* 42, 2599-2608.
- Royston, P., 2005. Multiple imputation of missing values: update. *Stata Journal* 5, 188-201.
- Rubin, D.B., 1987. *Multiple Imputation for Nonresponse in Surveys*. Wiley, New York.
- Rubin, D., 1996. Multiple imputation after 18+ years. *Journal of the American Statistical Association* 91, 473-489.
- Rude, S.S., Durham-Fowler, J.A., Baum, E.S., Rooney, S.B., Maestas, K.L., 2010. Self-report and Cognitive Processing Measures of Depressive Thinking Predict Subsequent Major Depressive Disorder. *Cognitive Therapy and Research* 34, 107-115.
- Rush, A., Gullion, C., Basco, M., Jarrett, R., Trivedi, M., 1996. The Inventory of Depressive Symptomatology (IDS): Psychometric properties. *Psychol. Med.* 26, 477-486.
- Rush, A.J., Trivedi, M.H., Wisniewski, S.R., Nierenberg, A.A., Stewart, J.W., Warden, D., Niederehe, G., Thase, M.E., Lavori, P.W., Lebowitz, B.D., McGrath, P.J., Rosenbaum, J.F., Sackeim, H.A., Kupfer, D.J., Luther, J., Fava, M., 2006. Acute and longer-term outcomes in

- depressed outpatients requiring one or several treatment steps: A STAR*D report. *Am. J. Psychiatry* 163, 1905-1917.
- Salimi-Khorshidi, G., Smith, S.M., Keltner, J.R., Wager, T.D., Nichols, T.E., 2009. Meta-analysis of neuroimaging data: A comparison of image-based and coordinate-based pooling of studies. *Neuroimage* 45, 810-823.
- Sander, D., Grafman, J., Zalla, T., 2003. The human amygdala: an evolved system for relevance detection. *Rev. Neurosci.* 14, 303-316.
- Sanislow, C.A., Pine, D.S., Quinn, K.J., Kozak, M.J., Garvey, M.A., Heisssen, R.K., Wang, P.S., Cuthbert, B.N., 2010. Developing Constructs for Psychopathology Research: Research Domain Criteria. *J. Abnorm. Psychol.* 119, 631-639.
- Sarsam, M., Parkes, L.M., Roberts, N., Reid, G.S., Kinderman, P., 2013. The Queen and I: Neural Correlates of Altered Self-Related Cognitions in Major Depressive Episode. *Plos One* 8, e78844.
- Schaefer, A., Burmann, I., Regenthal, R., Arelin, K., Barth, C., Pampel, A., Villringer, A., Margulies, D.S., Sacher, J., 2014. Serotonergic Modulation of Intrinsic Functional Connectivity. *Current Biology* 24, 2314-2318.
- Scher, C., Ingram, R., Segal, Z., 2005. Cognitive reactivity and vulnerability: Empirical evaluation of construct activation and cognitive diatheses in unipolar depression. *Clin. Psychol. Rev.* 25, 487-510.
- Scheuerecker, J., Meisenzahl, E.M., Koutsouleris, N., Roesner, M., Med, C., Schopf, V., Linn, J., Wiesmann, M., Bruckmann, H., JurgenMoller, H., Frodl, T., 2010. Orbitofrontal volume reductions during emotion recognition in patients with major depression. *J. Psychiatry Neurosci.* 35, 311-320.
- Schmaal, L., Marquand, A.F., Rhebergen, D., van Tol, M., Ruhé, H.G.E., van der Wee, Nic J, Veltman, D.J., Penninx, B.W., 2014. Predicting the naturalistic course of major depressive disorder using clinical and multimodal neuroimaging information: a multivariate pattern recognition study. *Biol. Psychiatry* [Epub head of print].
- Schmahmann, J.D., 2000. The role of the cerebellum in affect and psychosis. *Journal of Neurolinguistics* 13.
- Schulz, K.P., Clerkin, S.M., Halperin, J.M., Newcorn, J.H., Tang, C.Y., Fan, J., 2009. Dissociable Neural Effects of Stimulus Valence and Preceding Context During the Inhibition of Responses to Emotional Faces. *Hum. Brain Mapp.* 30, 2821-2833.
- Schutter, D., Van Honk, J., 2005. The cerebellum on the rise in human emotion. *Cerebellum* 4, 290-294.
- Seeley, W.W., Menon, V., Schatzberg, A.F., Keller, J., Glover, G.H., Kenna, H., Reiss, A.L., Greicius, M.D., 2007. Dissociable intrinsic connectivity networks for salience processing and executive control. *Journal of Neuroscience* 27, 2349-2356.
- Segal, Z.V., Kennedy, S., Gemar, M., Hood, K., Pedersen, R., Buis, T., 2006. Cognitive reactivity to sad mood provocation and the prediction of depressive relapse. *Arch. Gen. Psychiatry* 63, 749-755.
- Shackman, A.J., Salomons, T.V., Slagter, H.A., Fox, A.S., Winter, J.J., Davidson, R.J., 2011. The integration of negative affect, pain and cognitive control in the cingulate cortex. *Nature Reviews Neuroscience* 12, 154-167.
- Shahar, G., Davidson, L., 2003. Depressive symptoms erode self-esteem in severe mental illness: A three-wave, cross-lagged study. *J. Consult. Clin. Psychol.* 71, 890-900.
- Sheline, Y.I., 2003. Neuroimaging studies of mood disorder effects on the brain. *Biol. Psychiatry* 54, 338-352.
- Sheline, Y.I., Barch, D.M., Price, J.L., Rundle, M.M., Vaishnavi, S.N., Snyder, A.Z., Mintun, M.A., Wang, S., Coalson, R.S., Raichle, M.E., 2009. The default mode network and self-referential processes in depression. *Proc. Natl. Acad. Sci. U. S. A.* 106, 1942-1947.

- Sheline, Y.I., Price, J.L., Yan, Z., Mintun, M.A., 2010. Resting-state functional MRI in depression unmasks increased connectivity between networks via the dorsal nexus. *Proc. Natl. Acad. Sci. U. S. A.* 107, 11020-11025.
- Shorter, E., Tyrer, P., 2003. Separation of anxiety and depressive disorders: blind alley in psychopharmacology and classification of disease. *Br. Med. J.* 327, 158-160.
- Siegle, G.J., Carter, C.S., Thase, M.E., 2006. Use of fMRI to predict recovery from unipolar depression with cognitive behavior therapy. *Am. J. Psychiatry* 163, 735-738.
- Smith, J.M., Alloy, L.B., 2009. A roadmap to rumination: A review of the definition, assessment, and conceptualization of this multifaceted construct. *Clin. Psychol. Rev.* 29, 116-128.
- Smith, S.M., Fox, P.T., Miller, K.L., Glahn, D.C., Fox, P.M., Mackay, C.E., Filippini, N., Watkins, K.E., Toro, R., Laird, A.R., Beckmann, C.F., 2009. Correspondence of the brain's functional architecture during activation and rest. *Proc. Natl. Acad. Sci. U. S. A.* 106, 13040-13045.
- Smoski, M.J., Felder, J., Bizzell, J., Green, S.R., Ernst, M., Lynch, T.R., Dichter, G.S., 2009. fMRI of alterations in reward selection, anticipation, and feedback in major depressive disorder. *J. Affective Disord.* 118, 69-78.
- Sneed, J.R., Kasen, S., Cohen, P., 2007. Early-life risk factors for late-onset depression. *Int. J. Geriatr. Psychiatry* 22, 663-667.
- Solomon, D., Keller, M., Leon, A., Mueller, T., Lavori, P., Shea, T., Coryell, W., Warshaw, M., Turvey, C., Maser, J., Endicott, J., 2000. Multiple recurrences of major depressive disorder. *Am. J. Psychiatry* 157, 229-233.
- Sorensen, C., Brandes, A., Hendricks, O., Thrane, J., Friis-Hasche, E., Haghfelt, T., Bech, P., 2005. Psychosocial predictors of depression in patients with acute coronary syndrome. *Acta Psychiatr. Scand.* 111, 116-124.
- Spijkerman, T., de Jonge, P., van den Brink, R.H., Jansen, J.H., May, J.F., Crijns, H.J., Ormel, J., 2005. Depression following myocardial infarction: first-ever versus ongoing and recurrent episodes. *Gen. Hosp. Psychiatry* 27, 411-417.
- Spitzer, R.L., Endicott, J., Robins, E., 1978. Research Diagnostic Criteria - Rationale and Reliability. *Arch. Gen. Psychiatry* 35, 773-782.
- Spreng, R.N., 2012. The fallacy of a "task-negative" network. *Frontiers in Psychology* 3, 145.
- Sridharan, D., Levitin, D.J., Menon, V., 2008. A critical role for the right fronto-insular cortex in switching between central-executive and default-mode networks. *Proc. Natl. Acad. Sci. U. S. A.* 105, 12569-12574.
- Steingard, R., Renshaw, P., Hennen, J., Lenox, M., Cintron, C., Young, A., Connor, D., Au, T., Yurgelun-Todd, D., 2002. Smaller frontal lobe white matter volumes in depressed adolescents. *Biol. Psychiatry* 52, 413-417.
- Stevens, J.P., 2009. *Applied Multivariate Statistics for the Social Sciences*, 5th ed. Routledge/Taylor & Francis Group, New York, NY US.
- Struijs, S.Y., Groenewold, N.A., Oude Voshaar, R.C., de Jonge, P., 2013. Cognitive vulnerability differentially predicts symptom dimensions of depression. *J. Affect. Disord.* 151, 92-99.
- Strunk, D.R., Brotman, M.A., DeRubeis, R.J., 2010. The process of change in cognitive therapy for depression: Predictors of early inter-session symptom gains. *Behav. Res. Ther.* 48, 599-606.
- Stuhrmann, A., Suslow, T., Dannlowski, U., 2011. Facial emotion processing in major depression: a systematic review of neuroimaging findings. *Biol. Mood Anxiety Disord.* 1, 10-5380-1-10.
- Surguladze, S., Brammer, M.J., Keedwell, P., Giampietro, V., Young, A.W., Travis, M.J., Williams, S.C.R., Phillips, M.L., 2005. A differential pattern of neural response toward sad versus happy facial expressions in major depressive disorder. *Biol. Psychiatry* 57, 201-209.
- Surguladze, S.A., El-Hage, W., Dalgleish, T., Radua, J., Gohier, B., Phillips, M.L., 2010. Depression is associated with increased sensitivity to signals of disgust: A functional magnetic resonance imaging study. *J. Psychiatr. Res.* 44, 894-902.

- Suslow, T., Konrad, C., Kugel, H., Rumstadt, D., Zwitserlood, P., Schoning, S., Ohrmann, P., Bauer, J., Pyka, M., Kersting, A., Arolt, V., Heindel, W., Dannlowski, U., 2010. Automatic Mood-Congruent Amygdala Responses to Masked Facial Expressions in Major Depression. *Biol. Psychiatry* 67, 155-160.
- Swartz, J.R., Knodt, A.R., Radtke, S.R., Hariri, A.R., 2015. A Neural Biomarker of Psychological Vulnerability to Future Life Stress. *Neuron* 85, 505-511.
- Tahmasian, M., Knight, D.C., Manoliu, A., Schwerthoeffer, D., Scherr, M., Meng, C., Shao, J., Peters, H., Doll, A., Khazaie, H., Drzezga, A., Baeuml, J., Zimmer, C., Forstl, H., Wohlschlaeger, A.M., Riedl, V., Sorg, C., 2013. Aberrant intrinsic connectivity of hippocampus and amygdala overlap in the fronto-insular and dorsomedial-prefrontal cortex in major depressive disorder. *Frontiers in Human Neuroscience* 7.
- Tang, T., DeRubeis, R., Beberman, R., Pham, T., 2005. Cognitive changes, critical sessions, and sudden gains in cognitive-behavioral therapy for depression. *J. Consult. Clin. Psychol.* 73, 168-172.
- Taylor, S.E., Stanton, A.L., 2007. Coping resources, coping processes, and mental health. *Annual Review of Clinical Psychology* 3, 377-401.
- Taylor, W.D., Aizenstein, H.J., Alexopoulos, G.S., 2013. The vascular depression hypothesis: mechanisms linking vascular disease with depression. *Mol. Psychiatry* 18, 963-974.
- Teicher, M., Andersen, S., Polcari, A., Anderson, C., Navalta, C., Kim, D., 2003. The neurobiological consequences of early stress and childhood maltreatment. *Neurosci. Biobehav. Rev.* 27, 33-44.
- Thayer, J.F., Lane, R.D., 2007. The role of vagal function in the risk for cardiovascular disease and mortality. *Biol. Psychol.* 74, 224-242.
- Thayer, J.F., Lane, R.D., 2009. Claude Bernard and the heart-brain connection: Further elaboration of a model of neurovisceral integration. *Neurosci. Biobehav. Rev.* 33, 81-88.
- Thomas, A., O'Brien, J., Davis, S., Ballard, C., Barber, R., Kalaria, R., Perry, R., 2002. Ischemic basis for deep white matter hyperintensities in major depression - A neuropathological study. *Arch. Gen. Psychiatry* 59, 785-792.
- Thomas, E.J., Elliott, R., McKie, S., Arnone, D., Downey, D., Juhasz, G., Deakin, J.F.W., Anderson, I.M., 2011. Interaction between a history of depression and rumination on neural response to emotional faces. *Psychol. Med.* 41, 1845-1855.
- Thombs, B.D., Bass, E.B., Ford, D.E., Stewart, K.J., Tsilidis, K.K., Patel, U., Fauerbach, J.A., Bush, D.E., Ziegelstein, R.C., 2006. Prevalence of depression in survivors of acute myocardial infarction. *J. Gen. Intern. Med.* 21, 30-38.
- Thombs, B.D., Ziegelstein, R.C., Beck, C.A., Pilote, L., 2008. A general factor model for the Beck Depression Inventory-II: Validation in a sample of patients hospitalized with acute myocardial infarction. *J. Psychosom. Res.* 65, 115-121.
- Thombs, B.D., Ziegelstein, R.C., Pilote, L., Dozois, D.J.A., Beck, A.T., Dobson, K.S., Fuss, S., de Jonge, P., Grace, S.L., Stewart, D.E., Ormel, J., Abbey, S.E., 2010. Somatic symptom overlap in Beck Depression Inventory-II scores following myocardial infarction. *British Journal of Psychiatry* 197, 61-66.
- Townsend, J.D., Eberhart, N.K., Bookheimer, S.Y., Eisenberger, N.I., Foland-Ross, L.C., Cook, I.A., Sugar, C.A., Altshuler, L.L., 2010. fMRI activation in the amygdala and the orbitofrontal cortex in unmedicated subjects with major depressive disorder. *Psychiatry Res. Neuroimaging* 183, 209-217.
- Trew, J.L., 2011. Exploring the roles of approach and avoidance in depression: An integrative model. *Clin. Psychol. Rev.* 31, 1156-1168.
- Trivedi, M., Rush, A., Ibrahim, H., Carmody, T., Biggs, M., Suppes, T., Crismon, M., Shores-Wilson, K., Toprac, M., Dennehy, E., Witte, B., Kashner, T., 2004. The Inventory of Depressive Symptomatology, Clinician Rating (IDS-C) and Self-Report (IDS-SR), and the Quick Inventory of Depressive Symptomatology, Clinician Rating (QIDS-C) and Self-Report

- (QIDS-SR) in public sector patients with mood disorders: a psychometric evaluation. *Psychol. Med.* 34, 73-82.
- Tzourio-Mazoyer, N., Landeau, B., Papathanassiou, D., Crivello, F., Etard, O., Delcroix, N., Mazoyer, B., Joliot, M., 2002. Automated anatomical labeling of activations in SPM using a macroscopic anatomical parcellation of the MNI MRI single-subject brain. *Neuroimage* 15, 273-289.
- Uher, R., Muthen, B., Souery, D., Mors, O., Jaracz, J., Placentino, A., Petrovic, A., Zobel, A., Henigsberg, N., Rietschel, M., Aitchison, K.J., Farmer, A., McGuffin, P., 2010. Trajectories of change in depression severity during treatment with antidepressants. *Psychol. Med.* 40, 1367-1377.
- Valkanova, V., Ebmeier, K.P., 2013. Vascular Risk Factors and Depression in Later Life: A Systematic Review and Meta-Analysis. *Biol. Psychiatry* 73, 406-413.
- Van den Brink, R.H., van Melle, J.P., Honig, A., Schene, A.H., Crijns, H.J., Lambert, F.P., Ormel, J., 2002. Treatment of depression after myocardial infarction and the effects on cardiac prognosis and quality of life: rationale and outline of the Myocardial Infarction and Depression-Intervention Trial (MIND-IT). *Am. Heart J.* 144, 219-225.
- Van der Does, A.J.W., Williams, J.M.G., 2003. Leiden Index of Depression Sensitivity-Revised (LEIDS-R). Leiden University.
- Van der Does, W., 2002. Cognitive reactivity to sad mood: structure and validity of a new measure. *Behav. Res. Ther.* 40, 105-120.
- Van der Lem, R., van der Wee, Nic JA, van Veen, T., Zitman, F.G., 2012. Efficacy versus effectiveness: a direct comparison of the outcome of treatment for mild to moderate depression in randomized controlled trials and daily practice. *Psychother. Psychosom.* 81, 226-234.
- Van der Meer, L., Costafreda, S., Aleman, A., David, A.S., 2010. Self-reflection and the brain: A theoretical review and meta-analysis of neuroimaging studies with implications for schizophrenia. *Neurosci. Biobehav. Rev.* 34, 935-946.
- Van der Meer, L., de Vos, A.E., Stiekema, A.P.M., Pijnenborg, G.H.M., van Tol, M., Nolen, W.A., David, A.S., Aleman, A., 2013. Insight in Schizophrenia: Involvement of Self-Reflection Networks? *Schizophr. Bull.* 39, 1352-1362.
- Van der Zanden, R., Galindo-Garre, F., Curie, K., Kramer, J., Cuijpers, P., 2014. Online cognitive-based intervention for depression: exploring possible circularity in mechanisms of change. *Psychol. Med.* 44, 1159-1170.
- Van Loo, H.M., de Jonge, P., Romeijn, J., Kessler, R.C., Schoevers, R.A., 2012. Data-driven subtypes of major depressive disorder: a systematic review. *Bmc Medicine* 10, 156.
- Van Melle, J., de Jonge, P., Kuyper, A., Honig, A., Schene, A., Crijns, H., van den Berg, M., van Veldhuisen, D., Ormel, J., MIND IT Investigators, 2006. Prediction of depressive disorder following myocardial infarction Data from the Myocardial Infarction and Depression-Intervention Trial (MIND-IT). *Int. J. Cardiol.* 109, 88-94.
- Van Tol, M.-J., Van Der Wee, N.J.A., Van Den Heuvel, O.A., Nielen, M.M.A., Demenescu, L.R., Aleman, A., Renken, R., Van Buchem, M.A., Zitman, F.G., Veltman, D.J., 2010. Regional brain volume in depression and anxiety disorders. *Arch. Gen. Psychiatry* 67, 1002-1011.
- Vanderhasselt, M., Kuehn, S., De Raedt, R., 2011. Healthy brooders employ more attentional resources when disengaging from the negative: an event-related fMRI study. *Cognitive Affective & Behavioral Neuroscience* 11, 207-216.
- Vanhaudenhuyse, A., Demertzi, A., Schabus, M., Noirhomme, Q., Bredart, S., Boly, M., Phillips, C., Soddu, A., Luxen, A., Moonen, G., Laureys, S., 2011. Two Distinct Neuronal Networks Mediate the Awareness of Environment and of Self. *J. Cogn. Neurosci.* 23, 570-578.
- Veer, I.M., Beckmann, C.F., van Tol, M., Ferrarini, L., Milles, J., Veltman, D.J., Aleman, A., van Buchem, M.A., van der Wee, N.J., Rombouts, S.A.R.B., 2010. Whole brain resting-state analysis reveals decreased functional connectivity in major depression. *Front. Syst. Neurosci.* 4, 41.

- Victor, T.A., Furey, M.L., Fromm, S.J., Ohman, A., Drevets, W.C., 2010. Relationship between amygdala responses to masked faces and mood state and treatment in major depressive disorder. *Arch. Gen. Psychiatry* 67, 1128-1138.
- Wang, C.E.A., Halvorsen, M., Eisemann, M., Waterloo, K., 2010. Stability of dysfunctional attitudes and early maladaptive schemas: A 9-year follow-up study of clinically depressed subjects. *J. Behav. Ther. Exp. Psychiatry* 41, 389-396.
- Wang, L., Krishnan, K.R., Steffens, D.C., Potter, G.G., Dolcos, F., McCarthy, G., 2008a. Depressive state- and disease-related alterations in neural responses to affective and executive challenges in geriatric depression. *Am. J. Psychiatry* 165, 863-871.
- Wang, L., LaBar, K.S., Smoski, M., Rosenthal, M.Z., Dolcos, F., Lynch, T.R., Krishnan, R.R., McCarthy, G., 2008b. Prefrontal mechanisms for executive control over emotional distraction are altered in major depression. *Psychiatry Res. Neuroimaging* 163, 143-155.
- Wardenaar, K.J., Conradi, H.J., de Jonge, P., 2014. Data-Driven Course Trajectories in Primary Care Patients with Major Depressive Disorder. *Depress. Anxiety* 31, 778-786.
- Wardenaar, K.J., van Veen, T., Giltay, E.J., den Hollander-Gijsman, M., Penninx, B.W.J.H., Zitman, F.G., 2010. The structure and dimensionality of the Inventory of Depressive Symptomatology Self Report (IDS-SR) in patients with depressive disorders and healthy controls. *J. Affect. Disord.* 125, 146-154.
- Warmerdam, L., van Straten, A., Jongsma, J., Twisk, J., Cuijpers, P., 2010. Online cognitive behavioral therapy and problem-solving therapy for depressive symptoms: Exploring mechanisms of change. *J. Behav. Ther. Exp. Psychiatry* 41, 64-70.
- Watson, D., 2005. Rethinking the mood and anxiety disorders: A quantitative hierarchical model for DSM-V. *J. Abnorm. Psychol.* 114, 522-536.
- Weiskopf, N., Hutton, C., Josephs, O., Turner, R., Deichmann, R., 2007. Optimized EPI for fMRI studies of the orbitofrontal cortex: compensation of susceptibility-induced gradients in the readout direction. *Magnetic Resonance Materials in Physics Biology and Medicine* 20, 39-49.
- Wiersma, J.E., van Oppen, P., van Schaik, D.J.F., van der Does, A.J.W., Beekman, A.T.E., Penninx, B.W.J.H., 2011. Psychological Characteristics of Chronic Depression: A Longitudinal Cohort Study. *J. Clin. Psychiatry* 72, 288-294.
- Williamson, J., Fadel, P., Mitchell, J., 2006. New insights into central cardiovascular control during exercise in humans: a central command update. *Exp. Physiol.* 91, 51-58.
- Wisco, B.E., 2009. Depressive cognition: Self-reference and depth of processing. *Clin. Psychol. Rev.* 29, 382-392.
- Wolfensberger, S.P.A., Veltman, D.J., Hoogendijk, W.J.G., Boomsma, D.I., de Geus, E.J.C., 2008. Amygdala responses to emotional faces in twins discordant or concordant for the risk for anxiety and depression. *Neuroimage* 41, 544-552.
- Woo, M.A., Kumar, R., Macey, P.M., Fonarow, G.C., Harper, R.M., 2009. Brain Injury in Autonomic, Emotional, and Cognitive Regulatory Areas in Patients With Heart Failure. *J. Card. Fail.* 15, 214-223.
- World Health Organization, 1997. Composite International Diagnostic Interview (CIDI). World Health Organization, Geneva.
- World Health Organization, 2008. The global burden of disease: 2004 update.
- Yoshimura, S., Okamoto, Y., Onoda, K., Matsunaga, M., Ueda, K., Suzuki, S., Yamawaki, S., 2010. Rostral anterior cingulate cortex activity mediates the relationship between the depressive symptoms and the medial prefrontal cortex activity. *J. Affect. Disord.* 122, 76-85.
- Zhong, M., Wang, X., Xiao, J., Yi, J., Zhu, X., Liao, J., Wang, W., Yao, S., 2011. Amygdala hyperactivation and prefrontal hypoactivation in subjects with cognitive vulnerability to depression. *Biol. Psychol.* 88, 233-242.
- Zhu, X., Wang, X., Xiao, J., Liao, J., Zhong, M., Wang, W., Yao, S., 2012. Evidence of a Dissociation Pattern in Resting-State Default Mode Network Connectivity in First-Episode, Treatment-Naive Major Depression Patients. *Biol. Psychiatry* 71, 611-617.

- Zimmerman, M., McGlinchey, J., Young, D., Chelminski, I., 2006. Diagnosing major depressive disorder introduction - An examination of the DSM-IV diagnostic criteria. *J. Nerv. Ment. Dis.* 194, 151-154.
- Zuidersma, M., Thombs, B.D., de Jonge, P., 2011. Onset and Recurrence of Depression as Predictors of Cardiovascular Prognosis in Depressed Acute Coronary Syndrome Patients: A Systematic Review. *Psychother. Psychosom.* 80, 227-237.
- Zuroff, D., Blatt, S., Sanislow, C., Bondi, C., Pilkonis, P., 1999. Vulnerability to depression: Reexamining state dependence and relative stability. *J. Abnorm. Psychol.* 108, 76-89.