

University of Groningen

Physical and Chemical Speciation of Iron in the Polar Oceans

Thuróczy, Charles-Edouard

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2011

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Thuróczy, C-E. (2011). *Physical and Chemical Speciation of Iron in the Polar Oceans*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

References

- Alderkamp, A.-C., Mills, M.M., van Dijken, G.L., Laan, P., Thuróczy, C.-E., Gerringa, L.J.A., De Baar, H.J.W., Payne, C., Tortell, P., Visser, R.J.W., Buma, A.G.J., Arrigo, K.R., **submitted**. Iron from melting glaciers fuels phytoplankton blooms in Amundsen Sea (Southern Ocean); phytoplankton characteristics and productivity. *Deep-Sea Research Part II*.
- Allredge, A., Passow, U., Logan, B., **1993**. The abundance and significance of a class of large, transparent organic particles in the ocean. *Deep-Sea Research Part I* 40 (6), 1131-1140.
- Ambar, I., Serra, N., Neves, F., Ferraira, T., **2008**. Observations of the Mediterranean undercurrent and eddies in the Gulf of Cadiz during 2001. *Journal of Marine System* 71 (1-2), 195-220.
- Anderson, L.G., Björk, G., Holby, O., Jones, E.P., Kattner, G., Koltermann, K.P., Liljeblad, B., Lindegren, R., Rudels, B., Swift, J.H., **1994**. Water masses and circulation in the Eurasian Basin: results from the Oden 91 expedition. *Journal of Geophysical Research, Oceans* 99 (C2), 3273-3283.
- Arrigo, K.R., Worthen, D.L., Lizotte, M.P., Dixon, P., Dieckmann G., **1997**. Primary Production in Antarctic Sea Ice. *Science* 276 (5311), 394-397.
- Arrigo, K.R., Robinson, D. H., Worthen, D. L., Dunbar, R. B., DiTullio, G. R., VanWoert, M., Lizotte, M. P., **1999**. Phytoplankton community structure and the drawdown of nutrients and CO₂ in the Southern Ocean. *Science* 283 (5400), 365-367.
- Arrigo, K.R., DiTullio, G.R., Dunbar, R.B., Lizotte, M.P., Robinson, D.H., VanWoert, M., Worthen, D.L., **2000**. Phytoplankton taxonomic variability and nutrient utilization and primary production in the Ross Sea. *Journal of Geophysical Research* 105 (C4), 8827-8846.
- Arrigo, K.R., Dunbar, R.B., Robinson, D.H., Lizotte, M.P., **2002**. Taxon-specific differences in C/P and N/P drawdown for phytoplankton in the Ross Sea, Antarctica. *Geophysical Research Letters* 29 (19), 1938.
- Arrigo, K.R., Van Dijken, G.L., **2003a**. Impact of iceberg C-19 on Ross Sea primary production. *Geophysical Research Letters* 30 (16), 1836.
- Arrigo, K.R., Van Dijken, G.L., **2003b**. Phytoplankton dynamics within 37 Antarctic coastal polynyas systems. *Journal of Geophysical Research* 108 (C8), 3271.

References

- Arrigo, K.R., Worthen, D.L., Robinson, D. H., **2003**. A coupled ocean-ecosystem model of the Ross Sea: 2. Iron regulation of phytoplankton taxonomic variability and primary production. *Journal of Geophysical Research* 108 (C7), 3231.
- Arrigo, K.R., Lowry, K., van Dijken, G.L., **submitted**. Dynamics of sea ice and phytoplankton in polynyas of the Amundsen Sea, Antarctica. *Deep-Sea Research Part II*.
- Babin, M., Morel, A., Gentili, B., **1996**. Remote sensing of sea surface Sun-induced chlorophyll fluorescence: Consequences of natural variations in the optical characteristics of phytoplankton and the quantum yield of chlorophyll a fluorescence. *International Journal of Remote Sensing* 17 (12), 2417-2448.
- Barbeau, K., Rue, E.L., Bruland, K.W., Butler, A., **2001**. Photochemical cycling of iron in the surface ocean mediated by microbial iron(III)-binding ligands. *Nature* 413 (6854), 409-413.
- Barré, N., Provost, C., Sennechael, N., Lee, J.H., **2008**. Circulation in the Ona Basin, southern Drake Passage. *Journal of Geophysical Research* 113 (C4), C04033.
- Benner, R., **2011**. Loose Ligands and available iron in the Ocean, PNAS, www.pnas.org/cgi/doi/10.1073/pnas.1018163108.
- Bergquist, B.A., Boyle, E.A., **2006**. Dissolved iron in the tropical and subtropical Atlantic Ocean. *Global Biogeochemical Cycles* 20 (1), GB1015.
- Bergquist, B.A., Wu, J., Boyle, E.A., **2007**. Variability in oceanic dissolved iron is dominated by the colloidal fraction. *Geochimica et Cosmochimica Acta* 71 (12), 2960-2974.
- Bonnet, S., Guieu, C., **2004**. Dissolution of atmospheric iron in seawater, *Geophysical Research Letters* 31 (3), L03303.
- Bowie, A.R., Whitworth, D.J., Achterberg, E.P., Mantoura, R.F.C., Worsfold, P.J., **2002**. Biogeochemistry of Fe and other trace elements (Al, Co, Ni) in the upper Atlantic Ocean. *Deep-Sea Research Part I* 49 (4), 605-636.
- Boye, M., Van Den Berg, C.M.G., **2000**. Iron availability and the release of iron-complexing ligands by *Emiliana huxleyi*. *Marine Chemistry* 70 (4), 277-287.
- Boye, M., Van Den Berg, C.M.G., De Jong, J.T.M., Leach, H., Croot, P., De Baar, H.J.W., **2001**. Organic complexation of iron in the Southern Ocean. *Deep-Sea Research Part I* 48 (6), 1477-1497.

References

- Boye, M., Aldrich, A.P., Van Den Berg, C.M.G., De Jong, J.T.M., Veldhuis, M., De Baar, H.J.W., **2003**. Horizontal gradient of the chemical speciation of iron in surface waters of the northeast Atlantic Ocean. *Marine Chemistry* 80 (2-3), 129-143.
- Boye, M., Nishioka, J., Croot, P.L., Laan, P., Timmermans, K.R., De Baar, H.J.W., **2005**. Major deviations of iron complexation during 22 days of a mesoscale iron enrichment in the open Southern Ocean. *Marine Chemistry* 96 (3-4), 257-271.
- Boye, M., Nishioka, J., Croot, P.L., Laan, P., Timmermans, K.R., Strass, V.H., Takeda, S., De Baar, H.J.W., **2010**. Significant portion of dissolved organic Fe-complexes in fact is Fe colloids. *Marine Chemistry* 126 (1-4), 20-27.
- Breitbarth, E., Achterberg, E.P., Ardelan, M.V., Baker, A.R., Bucciarelli, E., Chever, F., Croot, P.L., Duggen, S., Gledhill, M., Hasselov, M., Hassler, C., Hoffmann, L.J., Hunter, K.A., Hutchins, D.A., Ingri, J., Jickells, T., Lohan, M.C., Nielsdottir, M.C., Sarthou, G., Schoemann, V., Trapp, J.M., Turner, D.R., Ye, Y., 2010. Iron biogeochemistry across marine systems - progress from the past decade. *Biogeosciences* 7 (3), 1075-1097.
- Buck, K.N., Bruland, K.W., **2007**. The physicochemical speciation of dissolved iron in the Bering Sea, Alaska. *Limnology and Oceanography* 52 (5), 1800-1808.
- Buck, K.N., Lohan, M.C., Berger, C.J.M., Bruland, K.W., **2007**. Dissolved iron speciation in two distinct river plumes and an estuary: Implications for riverine iron supply. *Limnology and Oceanography* 52 (2), 843-855.
- Buffle, J., Leppard, G.G., **1995a**. Characterization of aquatic colloids and Macromolecules. 1. Structure and behaviour of colloidal material. *Environmental Science and Technology* 29 (9), 2169-2175.
- Buffle, J., Leppard, G.G., **1995b**. Characterization of aquatic colloids and Macromolecules. 2. Key role of Physical structures on analytical results. *Environmental Science and Technology* 29 (9), 2176-2184.
- Buma, A.G.J., De Baar, H.J.W., Nolting, R.F., Vanbennekomp, A.J., **1991**. Metal enrichment experiments in the Weddell-Scotia Seas - Effects of iron and manganese on various plankton communities. *Limnology and Oceanography* 36 (8), 1865-1878.
- Butler, A., **1998**. Acquisition and utilization of transition metal ions by marine organisms. *Science* 281 (5374), 207-210.

References

- Butler, A., **2005**. Marine siderophores and microbial iron mobilization. *BioMetals* 18 (4), 369-374.
- Carlson, C.A., Hansell, D.A., **2003**. The contribution of DOM on the biogeochemistry of the Ross Sea. In: *Biogeochemical cycles in the Ross Sea*, AGU, Antarctic Research Series 78, 123-142.
- Carmack, E.C., Foster, T.D., **1975**. On the flow of water out of the Weddell Sea. *Deep-Sea Research* 22 (11), 711-724.
- Carmack, E.C., **1977**. Water characteristics of the Southern Ocean south of the Polar Front. In: Angel, M. (Ed.), *A Voyage of Discovery, George Deacon 70th Anniversary Volume*. Pergamon Press, Oxford, 15-41.
- Chen, M., Wang, W.-X., Guo, L., **2003**. Phase partitioning and solubility of iron in natural seawater controlled by dissolved organic matter. *Global Biogeochemistry Cycles* 18 (4), GB 4013.
- Coale, K.H., Johnson, K.S., Fitzwater, S.E., Gordon, R.M., Tanner, S., Chavez, F.P., Ferioli, L., Sakamoto, C., Rogers, P., Millero, F.J., Steinberg, P., Nightingale, P., Cooper, D., Cochlan, W.P., Landry, M.R., Constantinou, J., Rollwagen, G., Trasvina, A., Kudela, R., **1996**. A massive phytoplankton bloom induced by an ecosystem-scale iron fertilization experiment in the equatorial Pacific Ocean. *Nature* 383 (6600), 495-501.
- Croot, P.L., Johanson, M., **2000**. Determination of iron speciation by cathodic stripping voltammetry in seawater using the competing ligand 2-(2-Thiazolylazo)-p-cresol (TAC). *Electroanalysis* 12 (8), 565-576.
- Croot, P.L., Bowie, A.R., Frew, R.D., Maldonado, M.T., Hall, J.A., Safi, K.A., La Roche, J., Boyd, P.W., Law, C.S., **2001**. Retention of dissolved iron and Fe-II in an iron induced Southern Ocean phytoplankton bloom. *Geophysical Research Letters* 28 (18), 3425-3428.
- Croot, P.L., Streu, P., Baker, A.R., **2004a**. Short residence time for iron in the surface seawater impacted by atmospheric dry deposition from Saharan dust events. *Geophysical Research Letters* 31 (23), L23S08.
- Croot, P.L., Andersson, K., Öztürk, M., Turner, D.R., **2004b**. The distribution and speciation of iron along 6°E in the Southern Ocean. *Deep-Sea Research Part II* 51 (22-24), 2857-2879.

References

- Cullen, J.T., Bergquist, B.A., Moffett, J.W., **2006**. Thermodynamic characterization of the partitioning of iron between soluble and colloidal species in the Atlantic Ocean. *Marine Chemistry* 98 (2-4), 295-303.
- Da Silva, J.J.R.F., Williams, R.J.P., **1991**. *The Biological Chemistry of the Elements: The Inorganic Chemistry of Life*, Oxford University Press, Oxford.
- De Baar, H.J.W., Buma, A.G.J., Nolting, R.F., Cadée, G.C., Jacques, G., Tréguer, P.J., **1990**. On iron limitation of the Southern Ocean: experimental observations in the Weddell and Scotia Seas. *Marine Ecology Progress Series* 65 (2), 105-122.
- De Baar, H.J.W., De Jong, J.T.M., Bakker, D.C.E., Löscher, B.M., Veth, C., Bathmann, U., Smetacek, V., **1995**. Importance of iron for plankton blooms and carbon dioxide drawdown in the Southern Ocean. *Nature* 373 (6513), 412-415.
- De Baar, H.J.W., De Jong, J.T.M., **2001**. Distributions, sources and sinks of iron in seawater. In: D.R. Turner and K.A. Hunter (eds.), *The Biogeochemistry of Iron in Seawater*. Wiley and sons Chapter 5, Fig 5 pp. 135.
- De Baar, H.J.W., La Roche, J., **2003**. Metals in the Oceans; Evolution, Biology and Global Change. In: *Marine Scientific frontiers for Europe* (eds. Lamy, F., Wefer, G.), 79-105, Springer Verlag, Berlin, Germany.
- De Baar, H.J.W., Boyd, P.W., Coale, K.H., Landry, M.R., Tsuda, A., Assmy, P., Bakker, D.C.E., Bozec, Y., Barber, R.T., Brzezinski, M.A., Buesseler, K.O., Boye, M., Croot, P.L., Gervais, F., Gorbunov, M.Y., Harrison, P.J., Hiscock, W.T., Laan, P., Lancelot, C., Law, C.S., Levasseur, M., Marchetti, A., Millero, F.J., Nishioka, J., Nojiri, Y., Van Oijen, T., Riebesell, U., Rijkenberg, M.J.A., Saito, H., Takeda, S., Timmermans, K.R., Veldhuis, M.J.W., Waite, A.M., Wong, C.S., **2005**. Synthesis of Iron Fertilization Experiments: From the Iron Age in the Age of Enlightenment. *Journal of Geophysical Research* 110, C09S16.
- De Baar, H.J.W., Timmermans, K.R., Laan, P., De Porto, H.H., Ober, S., Blom, J.J., Bakker, M.C., Schilling, J., Sarthou, G., Smit, M.G., Klunder, M., **2008a**. Titan: A new facility for ultraclean sampling of trace elements and isotopes in the deep oceans in the international Geotraces program. *Marine Chemistry* 111 (1-2), 4-21.
- De Baar H.J.W., Gerringa, L.J.A., Laan, P., Timmermans, K.R., **2008b**. Efficiency of carbon removal per added iron in ocean iron fertilization. *Marine Ecology Progress Series* 364 , 269-282.

References

- De Jong, J.T.M, Den Das, J., Bathmann, U., Stoll, M.H.C., Kattner, G., Nolting, R.F., De Baar, H.J.W., **1998**. Dissolved iron at subnanomolar levels in the Southern Ocean as determined by ship-board analysis. *Analytica Chimica Acta* 377 (2-3), 113-124.
- Deacon, G.E.R., **1979**. The Weddell Gyre. *Deep-Sea Research* 26A, 981-995.
- Desboeufs, K.V., Losno, R., Colin, J.L., **2001**. Factors influencing aerosol solubility during cloud processes, *Atmospheric Environment* 35 (20), 3529-3537.
- Duce, R.A., Tindale, N.W., **1991**. Atmospheric transport of iron and its deposition in the ocean, *Limnology and Oceanography* 36 (8), 1715-1726.
- Eppley, R.W., Peterson, B.J., **1979**. Particulate organic matter flux and planktonic new production in the deep ocean. *Nature* 282 (5740), 677-680.
- Fahrbach, E., Hoppema, M., Rohardt, G., Schröder, M., Wisotzki, A., **2004**. Decadal-scale variations of water mass properties in the deep Weddell Sea. *Ocean Dynamics* 54 (1), 77-91.
- Fisher, G., Fütterer, D., Gersond, R., Honjo, S., Ostermann, D., Wefer, G., **1988**. Seasonal variability of particle flux in the Weddell Sea and its relation to ice cover. *Nature* 335, 426-428.
- Fitzwater, S.E., Coale, K.H., Gordon, R.M., Johnson, K.S., Ondrusek, M.E., **1996**. Iron deficiency and phytoplankton growth in the equatorial Pacific. *Deep-Sea Research II Part 43* (4-6), 995-1015.
- Fitzwater, S.E., Johnson, K.S., Gordon, R.M., Coale, K.H., Smith Jr., W.O., **2000**. Trace metal concentrations in the Ross Sea and their relationship with nutrients and phytoplankton growth. *Deep-Sea Research II* 47 (15-16), 3159-3179.
- Flores, H., **2009**. Frozen Desert Alive. Ph.D. Thesis, University of Groningen, The Netherlands. Electronic version available at:
<http://www.rug.nl/bibliotheek/catalogibestanden/elekpubrug/dissertaties/index>
- Foldvik, A., Gammelsrød, T., **1988**. Notes on Southern Ocean hydrography, sea-ice and bottom water formation. *Palaeogeography, Palaeoclimatology, Palaeoecology* 67 (1-2), 3-17.
- GEOTRACES Planning Group, **2006**. GEOTRACES Science Plan. Scientific Committee on Oceanic Research, Baltimore, Maryland.

References

- Gerringa, L.J.A., Herman, P.M.J., Poortvliet, T.C.W., **1995**. Comparison of the linear Van Den Berg/Ružić transformation and a non-linear fit of the Langmuir isotherm applied to Cu speciation data in the estuarine environment. *Marine Chemistry* 48 (2), 131-142.
- Gerringa, L.J.A., Veldhuis, M.J.W., Timmermans, K.R., Sarthou, G., De Baar, H.J.W., **2006**. Co-variance of dissolved Fe-binding ligands with phytoplankton characteristics in the Canary Basin. *Marine Chemistry* 102 (3-4), 276-290.
- Gerringa, L.J.A., Rijkenberg, M.J.A., Wolterbeek, H.Th., Verburg, T.G., Boye, M., De Baar, H.J.W., **2007**. Kinetic study reveals Fe-binding ligand, which affects the solubility of Fe in the Scheldt estuary. *Marine Chemistry* 103 (1-2), 30-45.
- Gerringa, L.J.A., Blain, S., Laan, P., Sarthou, G., Veldhuis, M.J.W., Brussaard, C.P.D., Viollier, E., Timmermans, K.R., **2008**. Fe-binding organic ligands near the Kerguelen Archipelago in the Southern Ocean (Indian sector). *Deep-Sea Research Part II* 55, 606-621.
- Gerringa, L.J.A., Alderkamp, A.-C., Laan, P., Thuróczy, C.-E., De Baar, H.J.W., Mills, M.M., Van Dijken, G.L., Van Haren, H., Arrigo, K.R., **submitted** Fe from melting glacier fuels the algal bloom in Pine Island Bay (Amundsen Sea, Southern Ocean). *Deep-Sea Research Part II*.
- Gledhill, M., Van Den Berg, C.M.G., **1994**. Determination of complexation of iron (III) with natural organic complexing ligands in sea water using cathodic stripping voltammetry. *Marine Chemistry* 47 (1), 41-54.
- Giulivi, C. F., Jacobs, S.S., **1997**. Oceanographic data in the Amundsen and Bellingshausen seas, NB Palmer cruise 9402, Feb–Mar 1994, Tech. Rep. LDEO-97-3, 330 pp., Lamont-Doherty Earth Obs. Of Columbia University, Palisades, N. Y.
- Gledhill, M., McCormack, P., Ussher, S., Achterberg, E.P., Mantoura, R.F.C., Worsfold, P.J., **2004**. Production of siderophore type chelates by mixed bacterioplankton populations in nutrient enriched seawater incubations. *Marine Chemistry* 88 (1-2), 75-83.
- Gouretski, V.V., Danilov, A.I., **1993**. Weddell Gyre: structure of the eastern boundary. *Deep-Sea Research Part I* 40 (3), 561-582.
- Grashoff, K., Erhardt, M., Kremling, K., **1983**. *Methods in Seawater Analyses*. Verlag Chemie, Weinheim, Germany. 419 pp.

References

- Grotti, M., Soggia, F., Ianni, C., Frache, R., **2005**. Trace metals distributions in coastal sea ice of Terra Nova Bay, Ross Sea, Antarctica. *Antarctic Science* 17 (2), 289-300.
- Guay, C., Falkner, K., **1997**. Barium as a tracer of Arctic halocline and river waters. *Deep-Sea Research Part II* (44), 1543-1569.
- Hassler, C.S., Schoemann, V., **2009**. Bioavailability of organically bound Fe to model phytoplankton of the Southern Ocean. *Biogeosciences* 6, 2281-2296.
- Hassler, C.S., Alasonati, E., Mancuso Nichols, C.A., Slaveykova, V.I., **2011**. Exopolysaccharides produced by bacteria isolated from the pelagic Southern Ocean - Role in Fe binding, chemical reactivity, and bioavailability. *Marine Chemistry* 123 (1-4), 88-98.
- Hayase, K., Tsubota, H., Sunada, I., Goda, S., Yamazaki, H., **1988**. Vertical distribution of fluorescent organic matter in the North Pacific. *Marine Chemistry* 25(4), 373.
- Hayase, K., Shinozuka, N., **1995**. Vertical distribution of fluorescent organic matter along with AOU and nutrients in the equatorial Central Pacific. *Marine Chemistry* 48 (3-4), 283-290.
- Haygood, M.G., Holt, P.D., Butler, A., **1993**. Aerobactin production by a planktonic marine *Vibrio* sp. *Limnology and Oceanography* 38 (5), 1091-1097.
- Hirose, K., **2007**. Metal-organic matter interaction: Ecological roles of ligands in oceanic DOM. *Applied Geochemistry* 22 (8), 1636-1645.
- Hudson, R.J.M., Rue, R.L., Bruland, K.W., **2003**. Modeling complexometric titrations of natural water samples. *Environmental Science and Technology* 37 (8), 1553-1562.
- Hunter, K.A., Boyd, P.W., **2007**. Iron-binding ligands and their role in the ocean biogeochemistry of iron. *Environmental Chemistry* 4 (4), 221-232.
- Hutchins, D.A., Witter, A.E., Butler, A., Luther, G.W., **1999a**. Competition among marine phytoplankton for different chelated iron species. *Nature* 400 (6747), 858-861.
- Hutchins, D.A., Franck, V., Brzezinski, M.A., Bruland, K.W., **1999b**. Inducing phytoplankton iron limitation in iron-replete coastal waters with a strong chelating ligand. *Limnology and Oceanography* 44 (4), 1009-1018.

References

- Jacobs, S.S., Hellmer, H.H., **1996**. Antarctic ice sheet melting in the Southeast Pacific. *Geophysical Research Letters* 23 (9), 957-960.
- Jenkins, A., Dutrieux, P., Jacobs, S.S., McPhail, S.D., Perrett, J.R., Webb, A.T., White D., **2010**. Observations beneath Pine Island Glacier in West Antarctica and implications for its retreat. *Nature Geoscience* 3 (7), 468-472.
- Jickells, T.D., An, Z.S., Andersen, K.K., Baker, A.R., Bergametti, G., Brooks, N., Cao, J.J., Boyd, P.W., Duce, R.A., Hunter, K.A., Kawahata, H., Kubilay, N., La Roche, J., Liss, P.S., Mahowald, N., Prospero, J.M., Ridgwell, A.J., Tegen, I., Torres, R., **2005**. Global iron connections between desert dust, ocean biogeochemistry, and climate. *Science* 308 (5718), 67-71.
- Johnson, K.S., Gordon, R.M., Coale, K.H., **1997**. What controls dissolved iron concentrations in the world ocean? *Marine Chemistry* 57 (3-4), 137-161.
- Johnson, K.S., Boyle, E., Bruland, K., Measures, C., Moffett, J., Aquilarislas, A., Barbeau, K., Cai, Y., Chase, Z., Cullen, J., Doi, T., Elrod, V., Fitzwater, S., Gordon, M., King, A., Laan, P., Laglera-Baquer, L., Landing, W., Lohan, M., Mendez, J., Milne, A., Obata, H., Ossiander, L., Plant, J., Sarthou, G., Sedwick, P., Smith, G.J., Sohst, B., Tanner, S., Van Den Berg, S., Wu, J., **2007**. Developing Standards for Dissolved Iron in seawater. *Eos Transactions American Geophysical Union* 88 (11), 131-132
- Journet, E., Desboeufs, K.V., Caquineau, S., Colin, J.L., **2008**. Mineralogy as a critical factor of dust iron solubility. *Geophysical Research Letters* 35 (7), 47-51.
- Kepkay, P.E., **1994**. Particle aggregation and the biological reactivity of colloids. *Marine Ecology Progress Series* 109 (2-3), 293-304.
- Kiefer, D.A., **1973**. Chlorophyll a fluorescence in marine centric diatoms: Responses of chloroplasts to light and nutrient stress. *Marine Biology* 23 (1), 39-46.
- Klatt, O., Fahrback, E., Hoppema, M., Rohardt, G., **2005**. The transport of the Weddell Gyre across the Prime Meridian. *Deep-Sea Research Part II* 52, 513-528.
- Klunder, M.B., Laan, P., Middag, R., De Baar, H.J.W., van Ooijen, J.C., **2011**. Dissolved Fe in the Southern Ocean (Atlantic sector). *Deep-Sea Research Part II*, doi:10.1016/j.dsr2.2010.10.042.

References

- Klunder, M.B., Bauch, D., Laan, P., De Baar, H.J.W., Van Heuven S., Ober, S.. Dissolved iron in the Arctic shelf seas and surface waters of the Central Arctic Ocean: Impact of Arctic river water and ice-melt. **Submitted** to Journal of Geophysical Research-Oceans (a).
- Klunder, M.B., Laan, P., Middag, R., De Baar, H.J.W.. Dissolved Fe in the Arctic Ocean: important role of hydrothermal sources, shelf input and scavenging removal. **Submitted** to Journal of Geophysical Research-Oceans (b).
- Klunder, M.B., Laan, P., De Baar, H.J.W., **in prep.** Dissolved Fe in the Weddell Sea and in the Drake Passage. Thesis in preparation.
- Kondo, Y., Takeda, S., Nishioka, J., Obata, H., Furuya, K., Johnson, W.K., Wong, C.S., **2008**. Organic iron (III) complexing ligands during an iron enrichment experiment in the western subarctic North Pacific. *Geophysical Research Letters* 35 (12), L12601.
- Kuma, K., Nishioka, J., Matsunaga, K., **1996**. Controls on iron(III) hydroxide solubility in seawater: The influence of pH and natural organic chelators. *Limnology and Oceanography* 41 (3), 396-407.
- Kuma, K., **2002**. Variation in iron(III) solubility and iron concentration in the northwestern North Pacific Ocean. *Limnology and Oceanography* 47(3), 885-892.
- Laës, A., Blain, S., Laan, P., Achterberg, E.P., Sarthou, G., De Baar, H.J.W., **2003**. Deep dissolved iron profiles in the eastern North Atlantic in relation to water masses. *Geophysical Research Letters* 30 (17), 1902.
- Laglera, L.M., Van Den Berg, C.M.G., **2007**. Wavelength dependence of the photochemical reduction of iron in Arctic seawater. *Environmental Sciences and Technology* 41 (7), 2296-2302.
- Lam, P.J., Bishop, J.K.B., Henning, C.C., Marcus, M.A., Waychunas, G.A., Fung, I.Y., **2006**. Wintertime phytoplankton bloom in the subarctic Pacific supported by continental margin iron. *Global Biogeochemical Cycles* 20 (1), GB106.
- Lam, P.J., Bishop, J.K.B., **2008**. The continental margin is a key source of iron to the HNLC North Pacific Ocean. *Geophysical Research Letters* 35 (7), L07608.
- Lannuzel, D., Schoemann, V., De Jong, J., Tison, J.L., Chou, L., **2007**. Distribution and biogeochemical behaviour of iron in the East Antarctic sea ice. *Marine Chemistry* 106 (1-2), 18-32.

References

- Lannuzel, D., Schoemann, V., De Jong, J., Chou, L., Delille, B., Becquevort, S., Tison, J.L., **2008**. Iron study during a time series in the western Weddell pack ice. *Marine Chemistry* 108 (1-2), 85-95.
- Lannuzel, D., Schoemann, V., De Jong, Pasquer, B., Van Der Merwe, P., Masson, F., Tison, J.-L., Bowie, A., **2010**. Distribution of dissolved iron in Antarctic sea ice: Spatial, seasonal, and inter-annual variability. *Journal of Geophysical Research* 115, G03022.
- Lewis, B.L., Holt, P.D., Taylor, S.W., Wilhelm, S.W., Trick, C.G., Butler, A., Luther III, G.W., **1995**. Voltammetric estimation of iron(III) thermodynamic stability constants for catecholate siderophores isolated from marine bacteria and cyanobacteria. *Marine Chemistry* 50 (1-4), 179-188.
- Liu, X. Millero, F.J., **2002**. The solubility of iron in seawater. *Marine Chemistry* 77 (1), 43-54.
- Logan, B.E., Passow, U., Alldredge, A.L., Grossart, H.-P., Simon, M., **1995**. Rapid formation and sedimentation of large aggregates is predictable from aggregation rates (half lives) of transparent exopolymer particles (TEP). *Deep-Sea Research Part II* 42 (1), 203-214.
- Lohan, M.C., Aguilar-Islas, A.M., Franks, R.P., Bruland, K.W., **2005**. Determination of iron and copper in seawater at pH 1.7 with a new commercially available chelating resin, NTA Superflow. *Analytica Chimica Acta* 530 (1), 121-129.
- Macrellis, H.M., Trick, C.G., Rue, E.L., Smith, G., Bruland, K.W., **2001**. Collection and detection of natural iron-binding ligands from seawater. *Marine Chemistry* 76 (3), 175-187.
- Maldonado, M.T., Strzepek, R.F., Sander, S., Boyd, P.W., **2005**. Acquisition of iron bound to strong organic complexes, with different Fe-binding groups and photochemical reactivities, by plankton communities in Fe-limited subantarctic waters. *Global Biogeochemical Cycles* 19 (4), GB4S23.
- Mantyla, A.W., Reid, J.L., **1983**. Abyssal Characteristics of the World Ocean Waters. *Deep-Sea Research Part A* 30 (8), 805-833.
- Martin, J.H., Gordon, R.M., **1988**. Northeast Pacific iron distributions in relation to phytoplankton productivity. *Deep-Sea Research Part A* 34 (2), 177-196.
- Martin, J.H., Gordon, R.M., Fitzwater, S.E., **1990**. Iron in Antarctic waters. *Nature* 345 (6271), 156-158.

References

- Martin, J.H., Gordon, R.M., Fitzwater, S.E., **1991**. The case for iron. *Limnology and Oceanography* 36 (8), 1793-1802.
- Martinez, J.S., Butler, A., **2007**. Marine amphiphilic siderophores: Marinobactin structure, uptake, and microbial partitioning. *Journal of Inorganic Biochemistry* 101 (11-12), 1692-1698.
- Measures, C.I., Yeats, P.A., Schmidt, D., **1995**. The hydrographic setting of the IOC base-line cruise to the eastern Atlantic 30-degrees-S to 35-degrees-N. *Marine Chemistry* 49 (4), 243-252.
- Measures, C.I., **1999**. The role of entrained sediments in sea ice in the distribution of aluminium and iron in the surface waters of the Arctic Ocean. *Marine Chemistry* 68 (1-2), 59-70.
- Measures, C.I., Landing, W.M., Brown, M.T., Buck, C.S., **2008**. High-resolution Al and Fe data from the Atlantic Ocean CLIVAR-CO2 repeat hydrography A16N transect: extensive linkages between atmospheric dust and upper ocean geochemistry. *Global Biogeochemical Cycles* 22 (1), GB1005.
- Meiners, K., Krembs, C., Gradinger, R., **2008**. Exopolymer particles: microbial hotspots of enhanced bacterial activity in Arctic fast ice (Chukchi Sea), *Aquatic Microbial Ecology* 52, 195-207.
- Middag, R., Klunder, M.B., Thuróczy, C.-E., Gerringa, L.J.A., De Baar, H.J.W., Timmermans, K.R., Laan, P. Aluminium, iron and manganese in relation to the Silicon cycle in the North East Atlantic Ocean. Personal communication.
- Middag, R., De Baar, H.J.W., Laan, P., Baker, K., **2009**. Dissolved aluminium and the silicon cycle in the Arctic Ocean. *Marine chemistry* 115 (3-4), 176-195.
- Middag, R., van Slooten, C., de Baar, H.J.W., Laan, P., **2011a**. Dissolved aluminium in the Southern Ocean. *Deep-Sea Research Part II*.
- Middag, R., De Baar, H.J.W., Laan, P., Cai, P., Van Ooijen, J.C., **2011b**. Dissolved Manganese in the Atlantic sector of the Southern Ocean. *Deep-Sea Research Part II*, doi:10.1016/j.dsr2.2010.10.043.
- Millero, F.J., Yao, W., Aicher, J., **1995**. The speciation of Fe(II) and Fe(III) in natural waters. *Marine Chemistry* 50 (1-4), 21-39.
- Millero, F.J., **1998**. Solubility of Fe(III) in seawater. *Earth and Planetary Science Letters* 154 (1-4), 323-329.

References

- Mills, M.M., Alderkamp, A.-C., Thuróczy, C.-E., van Dijken, G.L., Laan, P., De Baar, H.J.W., Arrigo, K.R., **submitted**. Phytoplankton biomass and pigment responses to Fe amendments in the Pine Island and Amundsen polynyas. Submitted to Deep-Sea Research Part II.
- Moore, J.K., Braucher, O., **2008**. Sedimentary and mineral dust sources of dissolved iron to the world ocean. *Biogeosciences* 5 (3), 631-656.
- Nishioka, J., Takeda, S., **2000**. Change in the concentrations of iron in different size fractions during growth of the oceanic diatom *Chaetoceros sp.*: importance of small colloidal iron. *Marine Biology* 137 (2), 231-238.
- Nishioka, J., Takeda, S., Wong, C.S., Johnson, W.K., **2001**. Sized-fractionated iron concentrations in the northeast Pacific Ocean: distribution of soluble and small colloidal iron. *Marine Chemistry* 74 (2-3), 157-179.
- Nishioka, J., Takeda, S., De Baar, H.J.W., Croot, P.L., Boye, M., Laan, P., Timmermans, K.R., **2005**. Changes in the concentration of iron in different size fractions during an iron enrichment experiment in the open Southern Ocean. *Marine Chemistry* 95 (1-2), 51-63.
- Nistche, F.O., Jacobs, S.S., Larter, R.D., Gohl, K., **2007**. Bathymetry of the Amundsen Sea continental shelf: Implications for geology, oceanography, and glaciology. *Geochemistry Geophysics Geosystems* 8, Q10009.
- Nolting, R.F., Gerringa, L.J.A., Swagerman, M.J.W., Timmermans, K.R., De Baar, H.J.W., **1998**. Fe(III) speciation in the high nutrient, low chlorophyll Pacific region of the Southern Ocean. *Marine Chemistry* 62 (3-4), 335-352.
- Orsi, A.H., Johnson, G.C., Bullister, J.L., **1999**. Circulation, mixing, and production of Antarctic Bottom Water. *Progress in Oceanography* 43, 55-109.
- Passow, U., **1991**. Species-specific sedimentation and sinking velocities of diatoms. *Marine Biology* 108 (3), 449-455.
- Pollard, R.T., Lucas, M.I., Read, J.F., **2002**. Physical controls on biogeochemical zonation in the Southern Ocean. *Deep-Sea Research Part II* 49 (16), 3289-3305.
- Powell, R.T., Donat, J.R., **2001**. Organic complexation and speciation of iron in the South and Equatorial Atlantic. *Deep-Sea Research Part II* 48 (13), 2877-2893.
- Pusceddu, A., Cattaneo-Vietti, R., Albertelli, G., Fabiano, M., **1999**. Origin, biochemical composition and vertical flux of particulate organic matter under

References

- the pack ice in Terra Nova Bay (Ross Sea, Antarctica) during late summer 1995. *Polar Biology* 22 (2), 124-132.
- Raiswell, R., Benning, L.G., Tranter, M., Tulaczyk, S., **2008**. Bioavailable iron in the Southern Ocean: the significance of the iceberg conveyor belt. *Geochemical Transactions* 9, 7.
- Reid, R.T., Live, D.H., Faulkner, D.J., Butler, A., **1993**. A siderophore from a marine bacterium with an exceptional ferric ion affinity constant. *Nature* 366 (6454), 455-458.
- Reinthalder, T., Van Aken, H., Veth, C., Aristegui, J., Robinson, C., Williams, P.J.Le.B., Lebaron P., Herndl, G., **2006**. Prokaryotic respiration and production in the meso- and bathypelagic realm of the eastern and western North Atlantic basin. *Limnology and Oceanography* 51 (3), 1262-1273.
- Riedel, A., Michel, C., Gosselin, M., LeBlanc, B., **2007**. Enrichment of nutrients, exopolymeric substances and microorganisms in newly formed sea ice on the Mackenzie shelf. *Marine Ecology Progress Series* 342, 55-67.
- Riedel, A., Michel, C., Gosselin, M., LeBlanc, B., **2008**. Winter-spring dynamics in sea ice carbon cycling in the coastal Arctic Ocean. *Journal of Marine Systems* 74(3-4), 918-932.
- Rignot, E., Bamber, J.L., Van Den Broek, M.R., Davis, C., Li, Y.H., Van De Berg, W.J., Van Meijgaard, E., **2008**. Recent Antarctic ice mass loss from radar interferometry and regional climate modelling. *Nature Geoscience* 1 (2), 106-110.
- Rijkenberg, M.J.A., Powell, C.F., Dall'Osto, M., Nielsdottir, M.C., Patey, M.D., Hill, P.G., Baker, A.R., Jickels, T.D., Harrison, R.M., Achterberg, E.P., **2008a**. Changes in iron speciation following a Saharan dust event in the tropical North Atlantic Ocean. *Marine Chemistry* 110 (1-2), 56-67.
- Rijkenberg, M.J.A., Gerringa, L.J.A., Timmermans, K.R., Fischer, A.C., Kroon, K.J., Buma, A.G.J., Wolterbeek, H.Th., De Baar, H.J.W., **2008b**. Enhancement of reactive iron pool by marine diatoms. *Marine Chemistry* 109 (1-2), 29-44.
- Rudels, B., Muench, R.D., Gunn, J., Schauer, U., Friedrich, H.J., **2000**. Evolution of the Arctic Ocean boundary current north of the Siberian Shelves. *Journal of Marine Systems* 25 (1), 77-99.
- Rue, E.L., Bruland, K.W., **1995**. Complexation of iron(III) by natural organic ligands in the Central North Pacific as determined by a new competitive ligand

References

- equilibration/adsorptive cathodic stripping voltammetric method. *Marine Chemistry* 50 (1-4), 117-138.
- Rue, E.L., Bruland, K.W., **1997**. The role of organic complexation on ambient iron chemistry in the equatorial Pacific Ocean and the response of a mesoscale iron addition experiment. *Limnology and Oceanography* 42 (5), 901-910.
- Saito, M.A., Sigman, D.M., Morel, F.M.M., **2003**. The bioinorganic chemistry of the ancient ocean: the co-evolution of cyanobacterial metal requirements and biogeochemical cycles at the Archean-Proterozoic boundary? *Inorganica Chimica Acta* 356, 308-318.
- Sarthou, G., Baker, A.R., Kramer, J., Laan, P., Laës, A., Ussher, S., Achterberg, E.P., De Baar, H.J.W., Timmermans, K.R., Blain, S., **2007**. Influence of atmospheric inputs on the iron distribution in the subtropical North-East Atlantic Ocean. *Marine Chemistry* 104 (3-4), 186-202.
- Sarthou, G., Vincent, D., Christaki, U., Obernosterer, I., Timmermans, K.R., Brussaard, C.P.D., **2008**. The fate of biogenic iron during a phytoplankton bloom induced by natural fertilisation: Impact of copepod grazing. *Deep-Sea Research Part II* 55 (5-7), 734-751.
- Sedwick, P.N., DiTullio, G.R., **1997**. Regulation of algal blooms in Antarctic shelf waters by release of iron from melting sea ice. *Geophysical Research Letters* 24 (20), 2515-2518.
- Sedwick, P.N., DiTullio, G.R., Mackey, D.J., **2000**. Iron and manganese in the Ross Sea, Antarctica: seasonal iron limitation in Antarctic shelf waters. *Journal of Geophysical Research* 105 (C5), 11 321-11 336.
- Sievers, H.A., Nowlin, W.D., **1984**. The stratification and water masses at Drake Passage. *Journal of Geophysical Research* 89 (NC6), 489-514.
- Sunda, W.G., Swift, D.G., Huntsman, S.A., **1991**. Low iron requirement for growth in oceanic phytoplankton. *Nature* 351 (6321), 55-57.
- Sunda, W.G., Huntsman, S.A., **1997**. Interrelated influence of iron, light and cell size on marine phytoplankton growth. *Nature* 390 (6658), 389-392.
- Sunda, W.G., **2001**. Bioavailability and Bioaccumulation of Iron in the Sea. Chapter 3 in: Turner, D.R., Hunter, K.A. (eds.). *The Biogeochemistry of Iron in Seawater*. Wiley and sons. 7, 41-84

References

- Takata H., Kuma, K., Isoda, Y., Ootosaka, S., Senjyu, T., Minagawa, M., **2008**. Iron in the Japan Sea and its implications for the physical processes in deep water. *Geophysical Research Letters* 35, L02606.
- Tani, H., Nishioka, J., Kuma, K., Takata, H., Yamashita, Y., Tanque, Y., Tanoue, E., Midorikawa, T., **2003**. Iron(III) hydroxide solubility and humic-type fluorescent organic matter in the deep water column of the Okhotsk Sea and the northwestern North Pacific Ocean. *Deep-Sea Research Part I* 50, 1063-1078.
- Taylor, S.R., **1964**. Abundance of chemical elements in the continental crust: a new table. *Geochimica et Cosmochimica Acta* 28 (8), 1273-1285.
- Tomas, D.N., Kennedy, H., Kattner, G., Gerdes, D., Gough, C., Dieckmann, G.S., **2001**. Biogeochemistry of platelet ice: its influence on particle flux under fast ice in the Weddell Sea, Antarctica. *Polar Biology* 24 (7), 486-496
- Tomczak, M., Godfrey, J.S., 2001. *Regional oceanography: An introduction*. First Edition (1994), Pergamon Edition.
<http://www.cmima.csic.es/mirror/mattom/regoc/pdfversion.html>.
- Thuróczy, C.-E., Boye, B., Losno, R., **2010a**. Dissolution of cobalt and zinc from natural and anthropogenic dusts in seawater. *Biogeosciences* 7 (6), 1927-1936.
- Thuróczy, C.-E., Gerringa, L.J.A., Klunder, M.B., Middag, R., Laan, P., Timmermans, K.R., De Baar, H.J.W., **2010b**. Speciation of Fe in the Eastern North Atlantic Ocean. *Deep-Sea Research Part I* 57 (11), 1444-1453.
- Thuróczy, C.-E., Gerringa, L.J.A., Klunder, M.B., Laan, P., De Baar, H.J.W., **2011a**. Observation of consistent trends in the organic complexation of dissolved iron in the Atlantic sector of the Southern Ocean. *Deep-Sea Research Part II*, in press.
- Thuróczy, C.-E., Gerringa, L.J.A., Klunder, M.B., Laan, P., Le Guitton, M., De Baar, H.J.W., **2011b**. Distinct trends in the speciation of iron between the shelf seas and the deep basins of the Arctic Ocean. *Journal of Geophysical Research-Oceans*, in press.
- Thuróczy, C.-E., Alderkamp, A.-C., Laan, P., Gerringa, L.J.A., M.M. Mills, G.L. Van Dijken, De Baar, H.J.W., Arrigo, K.R. Key role of organic complexation of iron in sustaining phytoplankton blooms in the Pine Island and Amundsen Polynyas (Southern Ocean). **Submitted** to *Deep-Sea Research Part II*.
- Timmermans, K.R., Gledhill, M., Nolting, R.F., Veldhuis, M.J.W., De Baar, H.J.W., Van Den Berg, C.M.G., **1998**. Responses of marine phytoplankton in

References

- iron enrichment experiments in the northern North Sea and northeast Atlantic Ocean. *Marine Chemistry* 61 (3-4), 229-242.
- Timmermans, K.R., Davey, M.S., Van Der Wagt, B., Snoek, J., Geider, R.J., Veldhuis, M.J.W., Gerringa, L.J.A., De Baar, H.J.W., **2001**. Co-limitation by iron and light of *Chaetoceros brevis*, *C. dicaeta* and *C. calcitrans* Bacillariophyceae. *Marine Ecology Progress Series* 217, 287-297.
- Timmermans, K.R., Van Der Wagt, B., De Baar, H.J.W., **2004**. Growth rates, half-saturation constants, and silicate, nitrate, and phosphate depletion in relation to iron availability of four large, open-ocean diatoms from the Southern Ocean. *Limnology and Oceanography* 49 (6), 2141-2151.
- Timmermans, K.R., Van Der Wagt, B., Veldhuis, M.J.W., Maatman, A., De Baar, H.J.W., **2005**. Physiological responses of three species of marine picoplankton to ammonium, phosphate, iron and light limitation. *Journal of Sea Research* 53 (1-2), 109-120.
- Tortell, P.D., Maldonado, M.T., Price, N.M., **1996**. The role of heterotrophic bacteria in iron-limited ocean ecosystems. *Nature* 383, (6598) 330-332.
- Tortell, P.D., Maldonado, M.T., Granger, J., Price, N.M., **1999**. Marine bacteria and biogeochemical cycling of iron in the oceans. *FEMS Microbiology and Ecology* 29 (1), 1-11.
- Turner, D.R., Hunter, K.A., De Baar, H.J.W., **2001**. Introduction in: Turner, D.R., Hunter, K.A. (eds.). *The Biogeochemistry of Iron in Seawater*. Wiley and sons. 7, 41-84.
- Turoczy, N.J., Sherwood, J.E., **1997**. Modification of the Van Den Berg/Ruzic method for the investigation of complexation parameters of natural waters. *Analytica Chimica Acta* 354 (1-3), 15-21.
- Ussher, S.J., Achterberg, E.P., Worsfold, P.J., **2004**. *Marine Biogeochemistry of Iron*. *Environmental Chemistry* 1, 67-80.
- Ussher, S.J., Worsfold, P.J., Achterberg, E.P., Laës, A., Blain, S., Laan, P., De Baar, H.J.W., **2007**. Distribution and redox speciation of dissolved iron on the European continental margin. *Limnology and Oceanography* 52 (6), 2530-2539.
- Van Aken, H.M., **2001**. The hydrography of the mid-latitude Northeast Atlantic Ocean-Part III: the subducted thermocline water mass. *Deep-Sea Research Part I* 48 (1), 237-267.

References

- Van Der Merwe, P., Lannuzel, D., Mancuso Nichols, C.A., Meiners, K., Heil, P., Norman, L., Thomas, D.N., Bowie, A.R., **2009**. Biogeochemical observations during the winter-spring transition in East Antarctic sea ice: Evidence of iron and exopolysaccharide controls. *Marine Chemistry* 115 (3-4), 163-175.
- Van Haren, H., Mills, D.K., Wetsteyn, L.P.M.J., **1998**. Detailed observations of the phytoplankton spring bloom in the stratifying central North Sea. *Journal of Marine Research* 56 (3), 655-680.
- Van Leeuwen, H.P., Jansen, S., **2005**. Dynamic aspects of metal speciation by competitive ligand exchange–adsorptive stripping voltammetry (CLE–AdSV). *Journal of Electroanalytical Chemistry* 579, 337–342
- Van Leeuwen, H.P., Raewyn, M.T., **2005**. Kinetic Limitations in Measuring Stabilities of Metal Complexes by Competitive Ligand Exchange-Adsorptive Stripping Voltammetry (CLE-AdSV). *Environmental Science and Technology* 39 (18), 7217-7225.
- Verdugo, P., Alldredge, A.L., Azam, F., Kirchman, D.L., Passow, U., Santschi, P.H., **2004**. The oceanic gel phase: a bridge in the DOM-POM continuum. *Marine Chemistry* 92, 67-85.
- Völker, C., Wolf-Gladrow, D.A., **1999**. Physical limits on iron uptake mediated by siderophores or surface reductases. *Marine Chemistry* 65 (3-4), 227-244.
- Vraspir, J.M., Butler, A., **2009**. Chemistry of marine ligands and siderophores. *Annual Review of Marine Science* 1, 43-63.
- Wells, M.L., Goldberg, E.D., **1993**. Colloid aggregation in seawater. *Marine Chemistry* 41 (4), 353-358.
- Wells, M.L., Goldberg, E.D., **1994**. The distribution of colloids in the North Atlantic and Southern Oceans. *Limnology and Oceanography* 39 (2), 286-302.
- Wells, M.L., Smith, G.J., Bruland, K.W., **2000**. The distribution of colloidal and particulate bioactive metals in Narragansett Bay, RI. *Marine Chemistry* 71 (1-2), 143-163.
- Whitworth III, T., Nolwin Jr., W.D., **1987**. Water masses and Currents of the Southern Ocean at the Greenwich Meridian. *Journal of Geophysical Research* 92 (C6), 6462-6476.
- Wilhelm, S.W., Trick, C.G., **1994**. Iron-limited growth of cyanobacteria: multiple siderophore production is a common response. *Limnology and Oceanography* 39 (8), 1979-1984.

References

- Wilhelm, S.W., **1995**. Ecology of iron-limited cyanobacteria: a review of physiological responses and implications for aquatic systems. *Aquatic Microbiology and Ecology* 9, 295-303.
- Wilhelm, S.W., Maxwell, D.P., Trick, C.G., **1996**. Response of the cyanobacterium *Synechococcus* PCC 7002 to iron-limitation: growth, iron requirements and siderophore production. *Limnology and Oceanography* 41, 89-97.
- Wilhelm, S.W., MacAuley, K., Trick, C.G., **1997**. Evidence for the importance of catechol-type siderophores in the iron-limited growth of a cyanobacterium. *Limnology and Oceanography* 43, 992-997.
- Witter, A.E., Luther III, G.W., **1998**. Variation in Fe-organic complexation with depth in the Northwestern Atlantic Ocean as determined using a kinetic approach. *Marine Chemistry* 62 (3-4), 241-258.
- Witter, A.E., Hutchins, D.A., Butler, A., Luther III, G.W., **2000**. Determination of conditional stability constants and kinetic constants for strong model Fe-binding ligands in seawater. *Marine Chemistry* 69 (1-2), 1-17.
- Wu, J., Luther III, G.W., **1995**. Complexation of Fe(III) by natural organic ligands in the Northwest Atlantic Ocean by a competitive ligand equilibration method and a kinetic approach. *Marine Chemistry* 50 (1-4), 159-177.
- Wu, J., Boyle, E., Sunda, W., Wen, L.-S., **2001**. Soluble and colloidal iron in the oligotrophic north Atlantic and north Pacific. *Science* 293 (5531), 847-849.
- Yamamoto-Kawai, M., Tanaka, N., Pivovarov, S., **2005**. Freshwater and brine behaviors in the Arctic Ocean deduced from historical data of $\delta^{18}\text{O}$ and alkalinity (1929-2002 A.D.). *Journal of Geophysical Research* 110 (C10), C10003.

