

University of Groningen

Delirium in older outpatients

Quispel-Aggenbach, Daisy

DOI:
[10.33612/diss.258169144](https://doi.org/10.33612/diss.258169144)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2022

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):
Quispel-Aggenbach, D. (2022). *Delirium in older outpatients: detection, prevalence and prognosis*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen.
<https://doi.org/10.33612/diss.258169144>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Stellingen promotie D.W.P. Quispel-Aggenbach 21-12-2022

1. Minstens een op de zes patiënten die voor psychogeriatrische zorg worden verwezen naar de polikliniek van een psychiatrische instelling heeft een delier (dit proefschrift).
2. Voor de diagnostiek van delier in de thuissituatie is de informatie van een mantelzorger of verzorgende noodzakelijk (dit proefschrift).
3. Gebruik van gevalideerde instrumenten voor delier diagnostiek in het kader van onderzoek leidt tot verbeterde herkenning van delier in het kader van zorg (dit proefschrift).
4. De observatie van het bewustzijnsniveau vormt een geschikt screeningsinstrument voor delier bij thuiswonende ouderen (dit proefschrift).
5. Een sub-syndroomaal delier moet gediagnosticeerd en behandeld worden als een waarschijnlijk delier.
6. Al zijn de luxerende factoren van delier bij ouderen thuis meestal behandelbaar, de patiënt herstelt slechts zelden volledig van het delier (dit proefschrift).
7. Voor de preventie van dementie zou de preventie van delier een belangrijker plek moeten innemen.
8. Confusion is a word we have invented for an order which is not yet understood (Henry Miller, December 26, 1891 – June 7, 1980).