

University of Groningen

Struggle for safety

van den Hout, Pieter Johannes

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2010

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

van den Hout, P. J. (2010). *Struggle for safety: Adaptive responses of wintering waders to their avian predators*. [Thesis fully internal (DIV), University of Groningen]. [s.n.].

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.



A grayscale photograph of a sandy beach. The foreground is filled with numerous footprints and tracks, some of which are quite deep. In the middle ground, there are several long, dark shadows cast across the sand, likely from people or objects out of frame. The background shows a wide expanse of sand leading to a line of water or a distant shore. The overall scene is a typical beach landscape.

References

A

- Abrahams, M.V. & Dill, L.M. (1989) A determination of the energetic equivalence of risk of predation. *Ecology*, **70**, 999-1007.
- Abrams, P.A. (1987) The functional responses of adaptive consumers of two resources. *Theoretical Population Biology* **32**, 262-288.
- Abrams, P.A. (1993) Why predation rate should not be proportional to predator density. *Ecology*, **74**, 726-733.
- Akaike, H. (1973) Information theory and an extension of the maximum likelihood principle. *International Symposium on Information Theory, 2nd edn* (eds. B.N. Petran & F. Csáki). pp. 267-281. Akadémiai Kiadó Budapest, Hungary.
- Akaike, H. (1974) New look at statistical model identification. *IEEE Transactions on Automatic Control*, **AC 19**, 716-723.
- Ale, S.B. & Whelan, C.J. (2008) Reappraisal of the role of big, fierce predators! *Biodiversity and Conservation*, **17**, 685-690.
- Alerstam, T. & Lindström, Å. (1990) Optimal bird migration: the relative importance of time, energy, and safety. *Bird Migration. Physiology and Ecology* (ed. E. Gwinner), pp. 331-351. Springer Verlag, Berlin.
- Ali, S. & Ripley, S.D. (1968) *Handbook of the Birds of India and Pakistan*. Oxford University Press, Bombay- London-New York, vol. 1.
- Ali, S. & Ripley, S.D. (1969) *Handbook of the Birds of India and Pakistan*. Oxford University Press, Bombay- London-New York, vol. 2.
- Altenburg, W., Engelmoer, M., Mes, R. & Piersma, T. (1982) *Wintering waders on the Banc d'Arguin, Mauritania*. Report of the Netherlands Ornithological Mauritanian Expedition 1980.
- Anholt, B.R. & Werner, E.E. (1995) Interaction between food availability and predation mortality mediated by adaptive behavior. *Ecology*, **76**, 2230-2234.
- Archer, S. N., Djamgoz, M.B.A., Loew, E., Partridge, J. C. & Vallerga, S. (1999) Adaptive mechanisms in the ecology of vision. Kluwer, Dordrecht.
- Arthur, A.D., Pech, R.P. & Dickman, C.R. (2004) Habitat structure mediates the non-lethal effects of predation on enclosed populations of house mice. *Journal of Animal Ecology*, **73**, 867-877.

B

- Barnard, C.J. & Thompson, D.B.A. (1985) *Gulls and Plovers*. Columbia University Press, New York.
- Barnett, C.A., Bateson, M., Rowe, C. (2007) State-dependent decision making: educated predators strategically trade off the costs and benefits of consuming aposematic prey. *Behavioral Ecology*, **18**, 645-651.
- Barter, M. & Rush, M. (1991) Leg-flagging in Australia - Why and How? *Stilt*, **20**, 23-26.
- Battley, P.F., Piersma, T. (2005) Adaptive interplay between feeding ecology and features of the digestive tract in birds. *Physiological and Ecological Adaptations to Feeding in Vertebrates* (eds. J. M. Starck & Wang, T.). Science Publishers, Enfield, New Hampshire.
- Bautista L.M., Alonso J.C. & Alonso J.A. (1995). A field test of ideal free distribution in flock-feeding Common Cranes. *Journal of Animal Ecology*, **64**, 747-757.
- Bednekoff, P.A. (2007) Prehistory: before foraging met danger. *Foraging - behavior and ecology* (eds. D. W. Stephens, J. S. Brown & R. C. Ydenberg). p. 305-329. University of Chicago Press, Chicago & London.
- Bensch, S. & Grahn, M. (1993) A new method for estimating individual speed of moult. *Condor*, **95**, 305-315.
- Biebach, H. (1998) Phenotypic organ flexibility in Garden Warblers *Sylvia borin* during long-distance migration. *Journal of Avian Biology*, **29**, 529-535.
- Bijlsma, R.G. (1990) Predation by large falcons on wintering waders on the Banc d'Arguin, Mauritania. *Ardea*, **78**, 75-82.
- Bijlsma, R.G., Hustings, F. & Camphuysen, C.J. (2001) *Algemene en Schaarse Vogels van Nederland* GMB Uitgeverij/KNNV Uitgeverij, Haarlem/Utrecht.
- Bischof, H.-J. (1988) The visual field and visually guided behavior in the zebra finch (*Taeniopygia guttata*). *Journal of Comparative Physiology A*, **163**, 329-337.

- Black, J.M., Prop J., Larsson K. (2007) *Wild Goose Dilemmas*. Branta Press, Groningen.
- Bloch, S., R. Jäger, M. Lemeignant, and C. Martinoya. (1988) Correlations between ocular saccades and head movements in walking pigeons. *Journal of Physiology*, **406**, 173.
- Bocher, P., Piersma, T., Dekinga, A., Kraan, C., Yates, M. G., Guyot, T., Folmer, E.O., Radenac, G. (2007) Site- and species-specific distribution patterns of molluscs at five intertidal soft-sediment areas in northwest Europe during a single winter. *Marine Biology*, **151**, 577-594.
- Brach, V. (1977) The functional significance of the avian pecten: a review. *Condor* 79: 321-327.
- Brodie, E.D. & Formanowicz, D.R. (1991) Predator avoidance and antipredator mechanisms - distinct pathways to survival. *Ethology Ecology and Evolution*, **3**, 73-77.
- Brown, J.S. (1988) Patch use as an indicator of habitat preference, predation risk, and competition. *Behavioral Ecology and Sociobiology*, **22**, 37-47.
- Brown, J.S. (1992) Patch use under predation risk. 1. Models and predictions. *Annales Zoologici Fennici*, **29**, 301-309.
- Brown, J.S. (1999) Vigilance, patch use and habitat selection: Foraging under predation risk. *Evolutionary Ecology Research*, **1**, 49-71.
- Brown, J.S. & Kotler, B.P. (2004) Hazardous duty pay and the foraging cost of predation. *Ecology Letters*, **7**, 999-1014.
- Brown, J.S. & Kotler, B.P. (2007) Foraging and the ecology of fear. *Foraging: behaviour and ecology* (eds D. W. Stephens, J. S. Brown & R. C. Ydenberg), pp. 437-480. University of Chicago Press, Chicago/London.
- Brown, J.S., Laundre, J.W. & Gurung, M. (1999) The ecology of fear: optimal foraging, game theory, and trophic interactions. *Journal of Mammalogy*, **80**, 385-399.
- Brownie, C., Hines, J.E., Nichols, J.D., Pollock, K.H. & Hestbeck, J.B. (1993) Capture-recapture studies for multiple strata including non-markovian transitions. *Biometrics*, **49**, 1173-1187.
- Buchanan, J.B. (1996) A comparison of behavior and success rates of Merlins and Peregrine Falcons when hunting Dunlins in two coastal habitats. *Journal of Raptor Research*, **30**, 93-98.
- Buchanan, J.B., Schick, C.T., Brennan, L.A. & Herman, S.G. (1988) Merlin predation on wintering Dunlins: hunting success and Dunlin escape tactics. *Wilson Bulletin* **100**, 108-118.
- Bulova, S.J. (1994) Ecological correlates of population and individual variation in antipredator behavior of two species of desert lizards. *Copeia*, **4**, 980-992.
- Burger, J. (1980). Age differences in foraging black-necked stilts in Texas. *Auk*, **97**, 633-636.
- Burnham, K. & Anderson, D. (2002). *Model selection and multi-model inference (2nd edition)*. Springer-Verlag.
- Burns, J.G. & Ydenberg, R.C. (2002) The effects of wing loading and gender on the escape flights of least sandpipers (*Calidris minutilla*) and western sandpipers (*Calidris mauri*). *Behavioural Ecology and Sociobiology*, **52**, 128-136.

C

- Caldow, R.W.G., Goss-Custard, J.D., Stillman, R.A., Durell, S., Swinfen, R. & Bregnballe, T. (1999) Individual variation in the competitive ability of interference-prone foragers: the relative importance of foraging efficiency and susceptibility to interference. *Journal of Animal Ecology*, **68**, 869-878.
- Caro, T. (2005) *Antipredator Defenses in Birds and Mammals*, University of Chicago Press, Chicago/London.
- Carrascal, L.M. & Polo, V. (1999) Coal tits, *Parus ater*, lose weight in response to chases by predators. *Animal Behaviour*, **58**, 281-285.
- Caughly, G. (1970) Liberation, dispersal and distribution of Himalayan Tahr in New Zealand. *New Zealand Journal of Science*, **13**, 220-239.
- Cavanagh, P.M. & Griffin, C.R. (1993) Responses of nesting Common Terns and Laughing Gulls to flyovers by large gulls. *Wilson Bulletin*, **105**, 333-338.
- Chase, A. (1987) *Playing God in Yellowstone. The Destruction of America's First National Park*, Harcourt Brace Jovanovich, San Diego.
- Chase, I.D., Tovey, C., Spangler-Martin, D. & Manfredonia, M. (2002) Individual differences versus social dynamics in the formation of animal dominance hierarchies. *Proceedings of the National Academy of Sciences of the United States of America*, **99**, 5744-5749.

- Choquet, R., Rouan, L. & Pradel, R. (2009) Program E-SURGE: A software application for fitting multi-event models. *Modeling demographic processes in marked populations* (eds. D. L. Thomson, E. G. Cooch & M. J. Conroy). Springer New York, pp. 845-865.
- Clark, C.W. (1994) Anti-predator behavior and the asset-protection principle. *Behavioral Ecology*, **5**, 159-170.
- Clark, J.A., Robinson, R.A., Clark, N.A. & Atkinson, P.W. (2004) Using the proportion of juvenile waders to measure recruitment. *Wader Study Group Bulletin*, **104**, 51–55.
- Cooper, W.E. (1998) Risk factors and emergence from refuge in the lizard *Eumeces laticeps*. *Behaviour*, **135**, 1065-1076.
- Cramp S. & Simmons K.E.L. (1980) *Handbook of the Birds of Europe, the Middle East and North Africa: the birds of the Western Palearctic*. Vol. 2. Oxford University Press, New York.
- Cramp, S., Simmons, K.E.L. (1983) *Handbook of the Birds of Europe, the Middle East and North Africa: the birds of the Western Palearctic*. Vol. 3, Oxford University Press, New York.
- Crawley M.J. (2007) *The R Book*, John Wiley & Sons Ltd., Chichester.
- Creel, S., Christianson, D., Liley, S. & Winnie Jr, J.A. (2007) Predation risk affects reproductive physiology and demography of Elk. *Science*, **315**, 960.
- Cresswell W. (1993) Escape responses by redshanks, *Tringa totanus*, on attack by avian predators. *Animal Behaviour*, **46**, 609-611.
- Cresswell, W. (1994a) Flocking is an effective anti-predation strategy in Redshanks, *Tringa totanus*. *Animal Behaviour*, **47**, 433–442.
- Cresswell, W. (1994b) Age-dependent choice of redshank (*Tringa totanus*) feeding location: profitability or risk? *Journal of Animal Ecology*, **63**, 589–600.
- Cresswell, W. (1996) Surprise as a winter hunting strategy in Sparrowhawks *Accipiter nisus*, Peregrines *Falco peregrines* and Merlins *F. columbarius*. *Ibis*, **138**, 684–692.
- Cresswell W. (2007). Ringing or colour-banding does not increase predation mortality in redshanks *Tringa totanus*. *Journal of Avian Biology*, **38**, 309-316.
- Cresswell, W. (2008) Non-lethal effects of predation in birds. *Ibis*, **150**, 3-17.
- Cresswell, W. & Quinn, J.L. (2004) Faced with a choice, sparrowhawks more often attack the more vulnerable prey group. *Oikos*, **104**, 71–75.
- Cresswell, W. & Whitfield, D. P. (1994) The effects of raptor predation on wintering wader populations at the Tynninghame estuary, southeast Scotland. *Ibis*, **136**, 223–232.
- Cresswell, W., Whitfield, D.P. (2008) How starvation risk in Redshanks *Tringa totanus* results in predation mortality from Sparrowhawks *Accipiter nisus*. *Ibis*, **150** (Suppl. 1), 209-218.
- Cresswell, W., Lind, J. & Quinn, J.L. (2010) Predator-hunting success and prey vulnerability: quantifying the spatial scale over which lethal and non-lethal effects of predation occur. *Journal of Animal Ecology*, **79**, 556-562.
- Cresswell, W., Lind, J., Quinn, J. L., Minderman, J. & Whitfield, D.P. (2007) Ringing or colour-banding does not increase predation mortality in Redshanks *Tringa totanus*. *Journal of Avian Biology*, **38**, 309–316.
- Cronin, T.W. (2008) Visual Ecology. *The Senses: A comprehensive reference, Vol. 1 Vision 1* (eds. A. I. Basbaum, A. Kaneko, G. M. Shepherd & G. Westheimer), pp. 211-245. Academic press, San Diego.
- Cunningham, S., Castro, I. & Alley, M. (2007) A new prey-detection mechanism for kiwi (*Apteryx* spp.) suggests convergent evolution between paleognathous and neognathous birds. *Journal of Anatomy*, **211**, 493-502.
- Cuthill, I.C. & Houston, A.I. (1997) Managing time and energie. *Behavioural Ecology: an evolutionary approach* (eds. C.J. Krebs & N.B. Davies) 4th ed. ,Blackwell Science Ltd., London.
- Curio, E. (1976) *The Ethology of Predation*. Springer-Verlag, Berlin-Heidelberg-New York.

D

- Daniel, J.C. (1983) *The Book of Indian Reptiles*. Bombay Natural History Society, Bombay.
- Davidson, N.C. & Stroud, D.A. (2006) African–Western Eurasian Flyways: current knowledge, population status and future challenges. *Waterbirds Around the World* (eds. G.C. Boere, C.A. Galbraith & D.A. Stroud), pp. 63-73. The Stationary Office, Edinburgh.

- Dawkins, M.S. (2002) What are birds looking at? Head movements and eye use in chickens. *Animal Behaviour*, **63**, 991-998.
- Dawkins, R. (1999) *The Extended Phenotype* (Revised edition), Oxford University Press, Oxford.
- Deecke, V.B., Slater, P.J.B. & Ford, J.K.B. (2002) Selective habituation shapes acoustic recognition in harbour seals. *Nature*, **420**, 171-173.
- Dekinga, A. & Piersma, T. (1993) Reconstructing diet composition on the basis of faeces in a mollusc-eating wader, the Knot *Calidris canutus*. *Bird Study*, **40**, 144-156.
- Dekker, D. (1980) Hunting success rates, foraging habits, and prey selection of peregrin falcons migrating through central Alberta. *Canadian Field-Naturalist*, **94**, 371-382.
- Dekker, D. (1985) Hunting behavior of golden eagles, *Aquila chrysaetos*, migrating in Southwestern Alberta. *Canadian Field-Naturalist*, **99**, 383-385.
- Dekker, D. (1988) Peregrine falcon and merlin predation on small shorebirds and passerines in Alberta. *Canadian Journal of Zoology—Revue Canadienne De Zoologie*, **66**, 925-928.
- Dekker, D. (1995) Prey capture by peregrin falcons wintering on southern Vancouver Island, British Columbia. *Journal of Raptor Research*, **29**, 26-29.
- Dekker, D. (1998) Over-ocean flocking by dunlins, *Calidris alpina*, and the effect of raptor predation at boundary bay, British Columbia. *Canadian Field-Naturalist*, **112**, 694-697.
- Dekker, D. (2003) Peregrine falcon predation on dunlins and ducks and kleptoparasitic interference from bald eagles wintering at Boundary Bay, British Columbia. *Journal of Raptor Research*, **37**, 91-97.
- Dekker, D. & Court, G. (2003) Gyrfalcon predation on Mallards and the interaction of Bald Eagles wintering in central Alberta. *Journal of Raptor Research*, **37**, 161-163.
- Dekker, D. & Lange, J. (2001) Hunting methods and success rates of Gyrfalcons, *Falco rusticolus*, and Prairie Falcons, *Falco mexicanus*, preying on feral pigeons (Rock Doves), *Columba livia*, in Edmonton, Alberta. *Canadian Field-Naturalist*, **115**, 395-401.
- Dekker, D. & Taylor, R. (2005) A change in foraging success and cooperative hunting by a breeding pair of Peregrine Falcons and their fledglings. *Journal of Raptor Research*, **39**, 394-403.
- Dekker, D. & Ydenberg, R. (2004) Raptor predation on wintering dunlins in relation to the tidal cycle. *Condor*, **106**, 415-419.
- del Hoyo, J., Elliot, A. & Sargatal, J. (eds) (1996) *Handbook of the Birds of the World*. Vol. 3, Hoatzin to Auks. Lynx Edicions, Barcelona.
- Dharmaretnam, M., Andrew, R.J. (1994) Age- and stimulus-specific use of right and left eyes by domestic chick. *Animal Behaviour*, **48**, 1395-1406.
- Dierschke, V. (2003) Predation hazard during stop-over: are light or heavy birds under risk? *Journal of Avian Biology*, **34**, 24-29.
- Dietz, M.W. & Piersma, T. (2007) Red Knots give up flight capacity and defend food processing capacity during winter starvation. *Functional Ecology*, **21**, 899-904.
- Dietz, M.W., Dekinga, A., Piersma, T. & Verhulst, S. (1999a) Estimating organ size in small migrating shorebirds with ultrasonography: an intercalibration exercise. *Physiological and Biochemical Zoology*, **72**, 28-37.
- Dietz, M.W., Piersma, T. & Dekinga, A. (1999b) Body-building without power training: endogenously regulated pectoral muscle hypertrophy in confined shorebirds. *Journal of Experimental Biology*, **202**, 2831-2837.
- Dietz, M.W., Hedenström, A., Piersma, T. & Brugge, M. (2007) Intraspecific variation in avian pectoral muscle mass: constraints on maintaining manoeuvrability with increasing body mass. *Functional Ecology*, **21**, 317-326.
- Dill, L.M. & Fraser, A.H.G. (1984) Risk of predation and the feeding behavior of juvenile Coho salmon (*Oncorhynchus kisutch*). *Behavioral Ecology and Sociobiology*, **16**, 65-71.
- Dill, L. M. & Gillett, J.F. (1991) The economic logic of barnacle *Balanus glandula* (Darwin) hiding behavior. *Journal of Experimental Marine Biology and Ecology*, **153**, 115-127.
- Durell, S.E.A. Le V. dit (2000) Individual feeding specialisation in shorebirds: population consequences and conservation implications. *Biological Reviews*, **75**, 503-518.
- Dusenbery, D.B. (1992) *Sensory Ecology: How Organisms Acquire and Respond to Information*. Freeman, New York.

E

- Edelaar, P. & Wright, J. (2006) Potential prey make excellent ornithologists: adaptive, flexible responses towards avian predation threat by Arabian Babblers *Turdoides squamiceps* living at a migratory hotspot. *Ibis*, **148**, 664-671.
- Ekman, J. (1987) Exposure and time use in Willow Tit flocks - the cost of subordination. *Animal Behaviour*, **35**, 445-452.
- Espin, P.M.J., Mather, R.M. & Adams, J. (1983) Age and foraging success in black-winged stilts *Himantopus himantopus*. *Ardea*, **71**, 225-228.
- Engelmoer, M., Piersma, T., Altenburg, W. & Mes, R. (1984) The Banc d'Arguin. *Coastal waders and wildfowl in winter* (eds. P.R. Evans, J.D. Goss-Custard & W.G. Hale), pp. 293-310, Cambridge University Press, Cambridge.
- Errington, P.L. (1946a) Predation and vertebrate populations. *Quarterly Review of Biology*, **21**, 144-177.
- Errington, P.L. (1946b) Predation and vertebrate populations. *Quarterly Review of Biology*, **21**, 221-245.
- Espin, P.M.J., Mather, R.M. & Adams, J. (1983) Age and foraging success in black-winged stilts *Himantopus himantopus*. *Ardea*, **71**, 225-228.
- Evans, P. R., Davidson, N. C., Uttley, J. D. & Evans, R. D. (1992) Premigratory hypertrophy of flight muscles: an ultrastructural study. *Ornis Scandinavica*, **23**, 238-243.

F

- Fernández-Juricic, E., Erichsen, J. T. & Kacelnik, A. (2004) Visual perception and social foraging in birds. *Trends in Ecology and Evolution*, **19**, 25-31.
- Forsman, D. (2007) *The Raptors of Europe and the Middle East - a Handbook of Field Identification*, A & C Black Publishers Ltd., London.
- Foster, W.A. & Treherne, J.E. (1981) Evidence for the dilution effect in the selfish herd from fish predation on a marine insect. *Nature*, **295**, 466-467.
- Fox, A.D. & Kahlert, J. (2005) Changes in body mass and organ size during wing moult in non-breeding greylag geese *Anser anser*. *Journal of Avian Biology*, **36**, 538-548.
- Fox, Z.G., Mihalik, J.P., Blackburn, J.T., Battaglini, C.L. & Guskiewicz, K.M. (2008) Return of postural control to baseline after anaerobic and aerobic exercise protocols. *Journal of Athletic Training*, **43**, 456-463.
- Fretwell, S.D. & Lucas, H.L. (1970) On territorial behaviour and other factors influencing habitat distribution in birds, I. Theoretical development. *Acta Biotheoretica*, **19**, 16-36.
- Fuller, R.A. (2003) Factors influencing foraging decisions in ruddy turnstones *Arenaria interpres* (L.). PhD. Thesis, University of Durham, Durham.
- Fuller, M.R., Seegar, W.S. & Schueck, L.S. (1998) Routes and travel rates of migrating Peregrine Falcons *Falco peregrines* and Swainson's Hawks *Buteo swainsonii* in the Western Hemisphere. *Journal of Avian Biology*, **29**, 433-440.

G

- Gaunt, A.S., Hikida, R.S., Jehl, J.R. & Fenbert, L. (1990) Rapid atrophy and hypertrophy of an avian flight muscle. *Auk*, **107**, 649-659.
- Gentle, L.K. & Gosler, A.G. (2001) Fat reserves and perceived predation risk in the Great Tit, *Parus major*. *Proceedings of the Royal Society B-Biological Sciences*, **268**, 487-491.
- George, I., Hara, E. & Hessler, N.A. (2006) Behavioral and neural lateralization of vision in courtship singing of the zebra finch. *Journal of Neurobiology*, **66**, 1164-1173.
- Gibbons, D.W., Reid, J. B. & Chapman, R. A. (1993) *The New Atlas of Breeding Birds in Britain and Ireland: 1988-1991*. Poyser, London.
- Ginn, H.D. & Melville, D.S. (1983) *Moult in Birds*, BTO, Tring.
- Giraldeau, L.A. (1997) The ecology of information use. *Behavioural ecology: an evolutionary approach* (eds. J.R. Krebs & N.B. Davies), pp. 42-68. Blackwell Scientific Publications, Oxford.
- Glutz von Blotzheim, U.N., Bauer, K.M. & Bezzel, E. (1973) *Handbuch der Vögel Mitteleuropas. Bd. 5, Galliformes und Gruiformes*. Akademische Verlagsgesellschaft, Frankfurt am Main.
- Godin, J.-G. J. (1986) Risk of predation and foraging behaviour in shoaling banded killifish (*Fundulus diaphanous*). *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, **64**, 1675-1678.

- Gosler, A.G., Greenwood, J.J.D. & Perrins, C.M. (1995) Predation risk and the cost of being fat. *Nature*, **377**, 621-623.
- Goss-Custard, J.D. (1980) Competition for food and interference amongst waders. *Ardea* **68**, 31-52.
- Goss-Custard, J.D. & Durell, S.E.A. le V. dit (1983) Individual differences and age-differences in the feeding ecology of oystercatchers *Haematopus ostralegus* wintering on the Exe estuary, Devon. *Ibis*, **125**, 155-171.
- Goss-Custard, J.D. & Durell, S.E.A. le V. dit (1987a). Age-related effects in Oystercatchers *Haematopus ostralegus*, feeding on mussels *Mytilus edulis*. 1. Foraging efficiency and interference. *Journal of Animal Ecology*, **56**, 521-536.
- Goss-Custard, J.D. & Durell, S.E.A. le V. dit (1987b) Age-related effects in Oystercatchers *Haematopus ostralegus*, feeding on mussels *Mytilus edulis*. 2. Aggression. *Journal of Animal Ecology*, **56**, 537-548.
- Goss-Custard, J.D., Jones, R.E. & Newbery, P.E. (1977) Ecology of Wash I. Distribution and diet of wading birds (Charadrii). *Journal of Applied Ecology*, **14**, 681-700.
- Gotceitas, V. & Colgan, P. (1989) Predator foraging success and habitat complexity - quantitative test of the threshold hypothesis. *Oecologia*, **80**, 158-166.
- Gotceitas, V. & Godin, J.-G. J. 1991. Foraging under the risk of predation in juvenile Atlantic salmon (*Salmo salar*). *Behavioral Ecology and Sociobiology*, **29**, 255-261.
- Groves, S. (1978) Age-related differences in ruddy turnstone foraging and aggressive behavior, *Auk*, **95**, 95-103.
- Guillemain, M., Martin, G.R. & Fritz, H. (2002) Feeding methods, visual fields and vigilance in dabbling ducks. *Functional Ecology*, **16**, 522-529.

H

- Hambly, C., Pinshow, B., Wiersma, P., Verhulst, S., Piertney, S.B., Harper, E.J. & Speakman, J.R. (2004) Comparison of the cost of short flights in a nectarivorous and a non-nectarivorous bird. *Journal of Experimental Biology*, **207**, 3959-3968.
- Hamilton, W.D. (1971) Geometry of the selfish herd. *Journal of Theoretical Biology*, **31**, 295-311.
- Harris L.A., Buckley, B., Nixon, S.W. & Allen, B.T. (2004) Experimental studies of predation by bluefish *Pomatomus saltatrix* in varying densities of seagrass and macroalgae. *Marine Ecology Progress Series*, **281**, 233-239.
- Hatch, J.J. (1970) Predation and piracy by gulls at a ternery in Maine. *Auk*, **87**, 244-254.
- Hedenström, A. & Ålerstam, T. (1992) Climbing performance of migratory birds as a basis for estimating limits for fuel carrying capacity and muscle work. *Journal of Experimental Biology*, **164**, 19-38.
- Hedenström, A. & Rosén, M. (2001) Predator versus prey: on aerial hunting and escape strategies in birds. *Behavioural Ecology*, **12**, 150-156.
- Hedenström, A. & Sunada, S. (1999) On the aerodynamics of moult gaps in birds. *Journal of Experimental Biology*, **202**, 67-76.
- Heithaus, M.R., Frid, A., Wirsing, A.J., Dill, L. M., Fourqurean, J.W., Burkholder, D., Thomson, J. & Bejder, L. (2007) State dependent risk-taking by green turtles mediates top down effects of tiger shark intimidation in a marine ecosystem. *Journal of Animal Ecology*, **76**, 837-844.
- Helfman, G.S. (1989) Threat-sensitive predator avoidance in damselfish-trumpetfish interaction. *Behavioral Ecology and Sociobiology*, **24**, 47-58.
- Helfman, G.S. & Winkelman, D.L. (1997) Threat sensitivity in bicolor damselfish: Effects of sociality and body size. *Ethology*, **103**, 369-383.
- Hestbeck, J.B., Nichols J.D. & Malecki R.A. (1991) Estimates of movement and site fidelity using mark resight data of wintering Canada geese. *Ecology*, **72**, 523-533.
- Hik, D.S. (1995) Does risk of predation influence population dynamics - evidence from the cyclic decline of snowshoe hares. *Wildlife Research*, **22**, 115-129.
- Hilton, G.M., Cresswell, W. & Ruxton, G.D. (1999a) Intraflock variation in the speed of escape-flight response on attack by an avian predator. *Behavioral Ecology*, **10**, 391-395.
- Hilton, G.M., Houston, D.C., Barton, N.W.H., Furness, R.W., Ruxton, G.D. (1999b) Ecological constraints on digestive physiology in carnivorous and piscivorous birds. *Journal of Experimental Zoology*, **283**, 365-376

- Holling, C.S. (1959a) The components of predation as revealed by a study of small mammal predation of the European Pine Sawfly. *Canadian Entomologist*, **91**, 234-261.
- Holling, C.S. (1959b) Some characteristics of simple types of predation and parasitism. *Canadian Entomologist*, **91**, 385-398.
- Holling, C.S. (1966) The functional response of invertebrate predators to prey density. *Memoirs of the Entomological Society of Canada*, **48**, 1-86.
- Holt, R.D. (1977) Predation, apparent competition, and structure of prey communities. *Theoretical Population Biology*, **12**, 197-229.
- Honkoop, P.J.C., Berghuis, E. M., Holthuijsen S., Lavaleye, M. S. S. & Piersma, T. (2008) Molluscan assemblages of seagrass-covered and bare intertidal flats on the Banc d'Arguin, Mauritania, in relation to characteristics of sediment and organic matter. *Journal of Sea Research*, **60**, 255-263.
- Horinouchi, M., Mizuno, N., Jo, Y., Fujita, M., Sano, M. & Suzuki, Y. (2009) Seagrass habitat complexity does not always decrease foraging efficiencies of piscivorous fishes. *Marine Ecology Progress Series*, **377**, 43-49.
- Houston, A.I. & McNamara, J.M. (1993) A theoretical investigation of the fat reserves and mortality of small birds in winter. *Ornis Scandinavica*, **24**, 205-219.
- Houston, A.I. & McNamara, J.M. (1999) *Models of Adaptive Behaviour*. Cambridge University Press, Cambridge.
- Houston, A.I., McNamara, J.M. & Hutchinson, J.M.C. (1993) General results concerning the trade-off between gaining energy and avoiding predation. *Philosophical Transactions of the Royal Society of London series B-Biological Sciences*, **341**, 375-397.
- Howland, H.C. (1974) Optimal strategies for predator avoidance - relative importance of speed and maneuverability. *Journal of Theoretical Biology*, **47**, 333-350.
- Hugie, D.M. & Dill, L.M. (1994) Fish and game - a game-theoretic approach to habitat selection by predators and prey. *Journal of Fish Biology*, **45**, 151-169.

I

- Irwin, S. & O'Halloran, J. (1997) The wintering behavior of Coot *Fulica atra* L. at Cork Lough, South-West Ireland. *Biology and Environment: Proceedings of the Royal Irish Academy*, **97b(2)**, 157-162.
- Isenmann, P. (2006) *The birds of the Banc d'Arguin*, Fondation Internationale du Banc d'Arguin, Arles.

J

- Jaschke, K. (1996) Habicht (*Accipiter gentilis*) schlägt Bläßhuhn (*Fulica atra*) and schwimmt zum Ufer. *Vogelkundliche Berichten Niedersachsens*, **17**, 52.
- Jehl, J.R. Jr. (1997) Cyclical changes in body composition in the annual cycle and migration of the eared grebe (*Podiceps nigricollis*). *Journal of Avian Biology*, **28**, 132-142.
- Jeschke, J.M., Kopp, M. & Tollrian, R. (2002) Predator functional responses: discriminating between handling and digesting prey. *Ecological Monographs*, **72**, 95-112.

K

- Karasov, W.H. & del Rio, C.M. (2007) *Physiological Ecology: How Animals Process Energy, Nutrients, and Toxins*. Princeton University Press, Princeton/Oxford.
- Karels, T. J., Byrom, A.E., Boonstra, R. & Krebs, C.J. (2000) The interactive effects of food and predators on reproduction and overwinter survival of arctic ground squirrels. *Journal of Animal Ecology*, **69**, 235-247.
- Kats, L.B. & Dill, L.M. (1998) The scent of death: chemosensory assessment of predation risk by prey animals. *Ecoscience*, **5**, 361-394.
- Kleindorfer, S., Fessl, B. & Hoi, H. (2005) Avian nest defence behaviour: assessment in relation to predator distance and type, and nest height. *Animal Behaviour*, **69**, 307-313.
- Koboroff, A., Kaplan, G. & Rogers, L. J. (2008) Hemispheric specialization in Australian magpies (*Gymnorhina tibicen*) shown as eye preferences during response to a predator. *Brain Research Bulletin*, **76**, 304-306.
- Koolhaas, A., Dekinga, A. & Piersma, T. (1993) Disturbance of foraging Knots by aircraft in the Dutch Wadden Sea in August-October 1992. *Wader Study Group Bulletin*, **68**, 20-22.

- Kotler, B.P. (1984) Risk of predation and the structure of desert rodent communities. *Ecology*, **65**, 689-701.
- Kotler, B.P. & Brown, J.S. (2007) Community Ecology. *Foraging - behaviour and ecology* (eds. D.W. Stephens, J.S. Brown & R.C. Ydenberg), pp. 397-434. University of Chicago Press, Chicago & London.
- Kotler, B.P., Brown, J., Mukherjee, S., Berger-Tal, O. & Bouskila, A. (2010) Moonlight avoidance in gerbils reveals a sophisticated interplay among time allocation, vigilance and state-dependent foraging. *Proceedings of the Royal Society of London B-Biological Sciences*, **277**, 1469-1474.
- Krause, J. & Ruxton, G.D. (2002) *Living in Groups*. Oxford University Press, Oxford.
- Kraan, C., van der Meer, J., Dekinga, A. & Piersma, T. (2009) Patchiness of macrobenthic invertebrates in homogenized intertidal habitats: hidden spatial structure at a landscape scale. *Marine Ecology Progress Series*, **383**, 211-224.
- Krause, J. & Ruxton, G.D. (2002) *Living in Groups*, Oxford University Press, Oxford.
- Kullberg, C. & Lafrenz, M. (2007) Escape take-off strategies in birds: the significance of protective cover. *Behavioral Ecology and Sociobiology*, **61**, 1555-1560.
- Kullberg, C., Jakobsson, S. & Fransson, T. (1998) Predator-induced take-off strategy in great tits (*Parus major*). *Proceedings of the Royal Society B-Biological Sciences*, **265**, 1659-1664.
- Kullberg, C., Houston, D.C. & Metcalfe, N.B. (2002) Impaired flight ability - a cost of reproduction in female blue tits. *Behavioral Ecology*, **13**, 575-579.
- Kullberg, C., Jakobsson, S., Kaby, U., Lind, J. (2005) Impaired flight ability prior to egg-laying: a cost of being a capital breeder. *Functional Ecology*, **19**, 98-101.
- Kumagai, K., Abe, T., Brechue, W.F., Ryushi, T., Takano, S. & Mizuno, M. (2000) Sprint performance is related to muscle fascicle length in male 100-m sprinters. *Journal of Applied Physiology*, **88**, 811-816.
- Kus, B.E., Ashman, P., Page, G.W. & Stenzel, L.E. (1984) Age-related mortality in a wintering population of Dunlin. *Auk*, **101**, 69-73.

L

- Lack, D. (1954) Cyclic mortality. *Journal of Wildlife Management*, **18**, 25-37.
- Lank, D.B. & Ydenberg, R.C. (2003) Death and danger at migratory stopovers: problems with "predation risk". *Journal of Avian Biology*, **34**, 225-228.
- Lank, D.B., Butler, R.W., Ireland, J. & Ydenberg, R.C. (2003) Effects of predation danger on migration strategies of sandpipers. *Oikos*, **103**, 303-319.
- Laurila, A., Kujasalo, J. & Ranta, E. (1997) Different antipredator behaviour in two anuran tadpoles: effects of predator diet. *Behavioral Ecology and Sociobiology*, **40**, 329-336.
- Lazarus, J. & Symonds, M. (1992) Contrasting effects of protective and obstructive cover on avian vigilance. *Animal Behaviour*, **43**, 519-521.
- Lebreton, J.D. & Pradel, R. (2002). Multistate recapture models: modelling incomplete individual histories. *Journal of Applied Statistics*, **29**, 353-369.
- Lessells, C.M. & Boag, P.T. (1987) Unrepeatable repeatabilities: a common mistake. *Auk*, **104**, 116-121.
- Leopold, A. (1943) Deer interruptions. *Wisconsin Academy of Sciences, Arts, and Letters*, **35**, 351-366.
- Leopold, A., SOWLS, L.K. & Spencer, D.L. (1947) A survey of over-populated deer ranges in the United States. *Journal of Wildlife Management*, **11**, 162-183.
- Leyrer, J., Pruijsma, S. & Piersma, T. (2009) On 4 June 2008 Siberian Red Knots at Elbe Mouth kissed the canonical evening migration departure rule goodbye. *Ardea*, **97**, 71-79.
- Leyrer, J., Bocher, P., Robin, F., Delaporte, P., Goulevant, C., Joyeux, E., Meunier, F. & Piersma, T. (2009) Northward migration of Afro-Siberian Knots *Calidris canutus canutus*: high variability in Red Knot numbers visiting staging sites on the French Atlantic coast, 1979-2009. *Wader Study Group Bulletin*, **116(3)**, 145-151.
- Leyrer, J., Spaans, B., Camara, M. & Piersma, T. (2006) Small home ranges and high site fidelity in Red Knots (*Calidris c. canutus*) wintering on the Banc d'Arguin, Mauritania. *Journal of Ornithology*, **147**, 376-384.
- Lilliendahl, K. (1997) The effect of predator presence on body mass in captive greenfinches. *Animal Behaviour*, **53**, 75-81.
- Lilliendahl, K. (1998) Yellowhammers get fatter in the presence of a predator. *Animal Behaviour*, **55**, 1335-1340.

- Lilliendahl, K. (2000) Daily accumulation of body reserves under increased predation risk in captive greenfinches *Carduelis chloris*. *Ibis*, **142**, 587-595.
- Lima, S.L. (1986) Predation risk and unpredictable feeding conditions: determinants of body mass in birds. *Ecology*, **67**, 377-385.
- Lima, S.L. (1990) The influence of models on the interpretation of vigilance. *Interpretation and Explanation in the Study of Animals Behavior: vol. 2. Explanation, Evolution and Adaptation* (eds. M. Bekoff, & D. Jamieson), pp. 246-267. Westview Press, Boulder, Colorado.
- Lima, S.L. (1993) Ecological and evolutionary perspectives on escape from predatory attack: a survey of North American birds. *Wilson Bulletin*, **105**, 1-47.
- Lima, S.L. (1995) Collective detection of predatory attack by social foragers: fraught with ambiguity? *Animal Behaviour*, **50**, 1097-1108.
- Lima, S.L. (1998) Stress and decision making under the risk of predation: recent developments from behavioral, reproductive, and ecological perspectives. *Advances in the Study of Behavior*, **27**, 215-219.
- Lima, S.L. (2002) Putting predators back into behavioral predator-prey interactions. *Trends in Ecology and Evolution*, **17**, 70-75.
- Lima, S. L. & Bednekoff, P. A. (1999a) Back to the basics of antipredatory vigilance: can nonvigilant animal detect attack? *Animal Behaviour*, **58**, 537-543.
- Lima, S.L. & Bednekoff, P.A. (1999b) Temporal variation in danger drives antipredator behavior: The predation risk allocation hypothesis. *American Naturalist*, **153**, 649-659.
- Lima, S.L. & Valone, T.J. (1986) Influence of predation risk on diet selections - a simple example in the grey squirrel. *Animal Behaviour*, **34**, 536-544.
- Lima, S.L. & Dill, L.M. (1990) Behavioral decisions made under the risk of predation: A review and prospectus. *Canadian Journal of Zoology—Revue Canadienne De Zoologie*, **68**, 619-640.
- Lima, S.L., Valone, T.J. & Caraco, T. (1985) Foraging efficiency predation risk trade-off in the grey squirrel. *Animal Behaviour*, **33**, 155-165.
- Lind, J. (2001) Escape flight in moulting tree sparrows (*Passer montanus*). *Functional Ecology*, **15**, 29-35.
- Lind, J. (2004) What determines probability of surviving predator attacks in bird migration?: the relative importance of vigilance and fuel load. *Journal of Theoretical Biology*, **231**, 223-227.
- Lind, J. & Jakobsson, S. (2001) Body building and concurrent mass loss: flight adaptations in tree sparrows. *Proceedings of the Royal Society B-Biological Sciences*, **268**, 1915-1919.
- Lind, J. & Cresswell, W. (2005) Determining the fitness consequences of antipredation behaviour. *Behavioral Ecology*, **16**, 945-956.
- Lind, J., Hollén, L., Kaby, U. & Jakobsson, S. (2004) Predation risk and regulation of body composition in tree sparrows: the effect of group size.
- Lindström, Å. (1989) Finch flock size and risk of hawk predation at a migratory stopover site. *Auk*, **106**, 225-232.
- Lindström, Å., Klaassen, M., Piersma, T. & Holmgren, N. (2002) Fuel storage of juvenile waders on autumn migration in high arctic Canada. *Ardea*, **90**, 93-101.
- Lindström, Å., Kvist, A., Piersma, T., Dekinga, A. & Dietz, M. W. (2000) Avian pectoral muscle size rapidly tracks body mass changes during flight, fasting and fuelling. *Journal of Experimental Biology*, **203**, 913-919.
- Lockwood, R., Swaddle, J.P. & Rayner, J.M.V. (1998) Avian wingtip shape reconsidered: wingtip shape indices and morphological adaptations to migration. *Journal of Avian Biology*, **29**, 273-292.
- Littell, R.C., Freund, R.J. & Spector, P.C. (1991) *SAS System for Linear Models* (third edition), SAS Institute Inc. Cary, North Carolina.
- LWVT/SOVON. (2002) *Vogeltrek over Nederland*. Schuyt & Co, Haarlem.
- Lythgoe, J. N. 1979. *The Ecology of Vision*. Clarendon Press, Oxford.

M

- MacLeod, R., Barnett, P., Clark, J.A. & Cresswell, W. (2005a) Body mass change strategies in blackbirds *Turdus merula*: the starvation-predation risk trade-off. *Journal of Animal Ecology*, **74**, 292-302.
- MacLeod, R., Clark, J. & Cresswell, W. (2008) The starvation-predation risk trade-off, body mass and population status in the Common Starling *Sturnus vulgaris*. *Ibis*, **150**, 199-208.

- MacLeod, R., Gosler, A.G. & Cresswell, W. (2005b) Diurnal mass gain strategies and perceived predation risk in the great tit *Parus major*. *Journal of Animal Ecology*, **74**, 956-964.
- MacLeod, R., Lind, J., Clark, J. & Cresswell, W. (2007) Mass regulation in response to predation risk can indicate population declines. *Ecology Letters*, **10**, 945-955.
- Mann, I.C. (1924) The function of the pecten. *British Journal of Ophthalmology*, **8**, 209-226.
- Marsh, R.L. (1984) Adaptations of the gray catbird *Dumetella carolinensis* to long-distance migration: flight muscle hypertrophy associated with elevated body mass. *Journal of Physiology and Zoology*, **57**, 105-117.
- Marchetti, K., Price, T. & Richman, A. (1995) Correlates of wing morphology with foraging behavior and migration distance in the genus *Phylloscopus*. *Journal of Avian Biology*, **26**, 177-181.
- Martin, G.R. (1985) *Eye. Form and function in birds* (eds. A.S. King & J. McLelland), pp. 311-373. Academic Press, London.
- Martin, G.R. (1986) The eye of a passeriform bird, the European starling (*Sturnus vulgaris*): eye movement amplitude, visual fields and schematic optics. *Journal of Comparative Physiology*, **159**, 545-557.
- Martin, G.R. (1994) Visual fields in woodcocks *Scolopax rusticola* (Scolopacidae; Charadriiformes). *Journal of Comparative Physiology A*, **174**, 787-793.
- Martin, G.R. (2007) Visual fields and their functions in birds. *Journal of Ornithology*, **148 (Suppl 2)**, 547-562.
- Martin, G.R. (2009) What is binocular vision for? A birds' eye view. *Journal of Vision*, **9(11)**, 14, 1-19
- Martin, G.R. & Katzir, G. (2000) Sun shades and eye size in birds. *Brain Behavior and Evolution*, **56**, 340-344.
- Martin, G.R., Coetzee, H.C. (2004) Visual Fields in Hornbills: Precision-Grasping and Sunshades. *Ibis*, **146**, 18-26.
- Martin, G.R. & Piersma, T. (2009) Vision and touch in relation to foraging and predator detection: insightful contrasts between a plover and a sandpiper. *Proceedings of the Royal Society B*, **276**, 437-445.
- Martin, P. & Bateson, P. (1993) *Measuring behaviour: an introductory guide*. Cambridge University Press, Cambridge.
- Martín, J. & López, P. (2005) Wall lizards modulate refuge use through continuous assessment of predation risk level. *Ethology*, **111**, 207-219.
- Mathot, K.J., van den Hout, P.J. & Piersma, T. (2009) Differential responses of Red Knots, *Calidris canutus*, to perching and flying sparrowhawk, *Accipiter nisus*, models. *Animal Behaviour*, **77**, 1179-1185.
- McCaffery, B.J., Handel, C.M., Gill Jr, R.E. & Ruthrauff, D.R. (2006) The blind men and the elephant: about the use of juvenile proportion data. *Stilt*, **50**, 194-204.
- McGowan, A., Cresswell, W. & Ruxton, G.D. (2002) The effects of daily weather variation on foraging responsiveness to disturbance in overwintering Red Knot *Calidris canutus*. *Ardea*, **90**, 229-237.
- McGrady, M.J., Maechtle, T.L., Vargas, J.J., Seegar, W.S. & Porras Peñas, M.C. (2002) Migration and ranging of Peregrine Falcons wintering on the Gulf of Mexico coast, Tamaulipas, Mexico. *Condor*, **104**, 39-48.
- McNamara, J.M. & Houston, A.I. (1990) The value of fat reserves and the trade-off between starvation and predation. *Acta Biotheoretica*, **38**, 37-61.
- McNamara, J.M. & Houston, A.I. (1994) The effect of a change in foraging options on intake rate and predation rate. *American Naturalist*, **144**, 978-1000.
- McNamara, J.M., Barta, Z., Houston, A.I. & Race P. (2005) A theoretical investigation of the effect of predators on foraging behaviour and energy reserves. *Proceedings of the Royal Society of London Series B-Biological Sciences*, **272**, 929-934.
- Metcalfe, N. (1984) The effects of habitat on the vigilance of shorebirds: is visibility important? *Animal Behaviour*, **32**, 981-985.
- Metcalfe, N.B. (1986) Variation in winter flocking associations and dispersion patterns in the turnstone *Arenaria interpres*. *Journal of Zoology*, **209**, 385-403.
- Metcalfe, N.B. & Furness, R.W. 1984. Changing priorities: the effect of pre-migratory fattening on the trade-off between foraging and vigilance. *Behavioral Ecology*, **15**, 203-206.

- Middleton, B.A. (1992) Habitat and food preferences of Greylag and Barheaded Geese wintering in the Keoladeo National Park, India. *Journal of Tropical Ecology*, **8**, 181–193.
- Minderman, J., Lind, J. & Cresswell, W. (2006). Behaviourally mediated indirect effects: interference competition increases predation mortality in foraging redshanks. *Journal of Animal Ecology*, **75**, 713-723.
- Møller, A.P. & Nielsen, J.T. (2007) Malaria and risk of predation: a comparative study of birds. *Ecology*, **88**, 871–881.
- Monkkonen, M. (1995) Do migrant birds have more pointed wings - a comparative study. *Evolutionary Ecology*, **9**, 520-528.
- Montgomerie, R., Weatherhead, P.J. (1997) How do robins find worms? *Animal Behaviour*, **54**, 143-151.
- Montgomery, D.C. (2001) Design and Analysis of Experiments. John Wiley & Sons Inc., New York
- Moody, A.L., Houston, A.I., McNamara, J.M. (1996) Ideal free distributions under predation risk. *Behavioral Ecology and Sociobiology*, **38**,131-143.
- Moore, F.R. (1994) Resumption of feeding under risk of predation: Effect of migratory condition. *Animal Behaviour*, **48**, 975-977.
- Myers, J. P. (1983) Space, time and the patterns of individual associations in a group-living species - Sanderlings have no friends. *Behavioral Ecology and Sociobiology*, **12**, 129-134.

N

- Nakaoka, M. (2000) Nonlethal effects of predators on prey populations: predator-mediated change in bivalve growth. *Ecology*, **81**, 1031–1045.
- Nebel, S. & Ydenberg, R.C. (2005) Differential predator escape performance contributes to a latitudinal sex ratio cline in a migratory shorebird. *Behavioral Ecology and Sociobiology*, **59**, 44-50.
- Nebel, S., Piersma, T., Van Gils, J., Dekinga, A. & Spaans, B. (2000) Length of stopover, fuel storage and a sex-bias in the occurrence of two subspecies of Red Knots *Calidris c. canutus* and *C. c. islandica* in the Dutch Wadden Sea during southward migration. *Ardea*, **88**, 165-176.
- Neil, S. R. & Cullen, J. M. (1974) Experiments on whether schooling of prey affects hunting behaviour of cephalods and fish predators. *Journal of Zoology*, **172**, 549–569.
- Nevitt, G.A. (1999) Olfactory foraging in Antarctic seabirds: A species-specific attraction to krill odors. *Marine Ecology-Progress Series*, **177**, 235-241.
- Nevitt, G.A. (2010) Sensory ecology on the high seas: The odor world of the procellariiform seabirds. *Journal of Experimental Biology*, **211**, 1706-1713.
- Newton, I. (1998) *Population Limitation in Birds*, Academic Press, San Diego.
- Nichols, J.D., Hines, J.E., Pollock, K.H., Hinz, R.L. & Link, W.A. (1994) Estimating breeding proportions and testing hypotheses about costs of reproduction with capture-recapture data. *Ecology*, **75**, 2052-2065.
- Nielsen, O.K. (1999) Gyrfalcon predation on ptarmigan: numerical and functional responses. *Journal of Animal Ecology*, **68**, 1034-1050.
- Nonacs, P. (1993) Is satiating an alternative to optimal foraging theory? *Oikos*, **67**, 371-375.
- Norberg, U.M. (1989) *Vertebrate Flight, Mechanisc, Physiology, Morphology, Ecology and Evolution*, Springer Verlag, Berlin.

O

- Olsson, O., Brown, J.S. & Helf, K.L. (2008) A guide to central place effects in foraging. *Theoretical Population Biology*, **74**, 22-33.

P

- Page, G. & Whitacre, D.F. (1975) Raptor predation on wintering shorebirds. *Condor*, **77**, 73–83.
- Parker, G.A. & Sutherland, W.J. (1986) Ideal free distributions when individuals differ in competitive ability - phenotype-limited ideal free models. *Animal Behaviour*, **34**, 1222-1242.
- Pearson, O.P. & Pearson, A.K. (1947) Owl predation in Pennsylvania, with notes on the small mammals of Delaware County. *Journal of Mammalogy*, **28**, 137-147.
- Pennisi, E. (2005) The dynamic gut. *Science*, **307**, 1896-1899.

- Persons, M.H. & Rypstra, A.L. (2001) Wolf spiders show graded antipredator behavior in the presence of chemical cues from different sized predators. *Journal of Chemical Ecology*, **27**, 2493-2504.
- Pienkowski, M.W. & Dick, W.J. A. (1976) Some biases in cannon and mist-netted samples of wader populations. *Ringing & Migration*, **1**: 105–107.
- Piersma, T. (1987) Hink, stap of sprong? Reisbeperkingen van arctische steltlopers door voedsel-zoeken, vetopbouw en vliegsnelheid. *Limosa*, **60**, 185-194.
- Piersma, T. (1988) Breast muscle atrophy and constraints on foraging during the flightless period of wing moulting great crested grebes. *Ardea*, **76**, 96-106.
- Piersma, T. (2006) Understanding the numbers and distribution of waders and other animals in a changing world: habitat choice as the lock and the key. *Stilt*, **50**, 3-14.
- Piersma, T. (2007) Using the power of comparison to explain habitat use and migration strategies of shorebirds worldwide. *Journal of Ornithology*, **148**, S45-S59.
- Piersma, T. & van Brederode, N. E. (1990) The estimation of fat reserves in coastal waders before their departure from northwest Africa in Spring. *Ardea*, **78**, 221-236.
- Piersma, T. & Lindstrom, A. (1997) Rapid reversible changes in organ size as a component of adaptive behaviour. *Trends in Ecology & Evolution*, **12**, 134-138.
- Piersma, T. & Drent, J. (2003) Phenotypic flexibility and the evolution of organismal design. *Trends in Ecology and Evolution*, **18**, 228-233.
- Piersma, T. & Spaans, B. (2004). Inzicht uit vergelijkingen: ecologisch onderzoek aan wadvogels wereldwijd. *Limosa*, **77**, 43-54
- Piersma, T., Prokosch, P. & Bredin, D. (1992) The migration system of Afro-Siberian Knots *Calidris canutus canutus*. *Wader Study Group Bulletin*, **64**, 52–63.
- Piersma, T., Gudmundsson, G.A. & Lilliendahl, K. (1999) Rapid changes in the size of different functional organ and muscle groups during refueling in an long-distance migrating shorebird. *Physiological and Biochemical Zoology*, **72**, 405-415.
- Piersma, T., Koolhaas, A. & Jukema, J. (2001) Seasonal body mass changes in Eurasian Golden Plovers *Pluvialis apricaria* staging in The Netherlands: decline in winter mass peak correlates with increase in raptor numbers. *Ibis*, **145**, 565-571.
- Piersma, T, van Gils, J.A., de Goeij, P., van der Meer, J. (1995) Hollings functional response model as a tool to link the food-finding mechanism of a probing shorebird with its spatial distribution. *Journal of Animal Ecology*, **64**, 493-504.
- Piersma, T., van Gils, J.A. & Wiersma, P. (1996) Family Scolopacidae (sandpipers, snipes and phalaropes). *Handbook of the Birds of the World*, Vol. 3. Hoatzin to Auks (eds. J. del Hoyo, A. Elliott, & J. Sargatal), pp. 444-533. Lynx Edicions, Barcelona."
- Piersma, T., van Aelst, R., Kurk, K., Berkhoudt, H. & Maas, L.R.M. (1998) A new pressure sensory mechanism for prey detection in birds: the use of principles of seabed dynamics? *Proceedings of the Royal Society of London Series B-Biological Sciences*, **265**, 1377-1383.
- Piersma, T., Hoekstra, R., Dekinga, A., Koolhaas, A., Wolf, P., Battley, P. & Wiersma, P. (1993) Scale and intensity of intertidal habitat use by knots *Calidris canutus* in the western Wadden Sea in relation to food, friends and foes. *Netherlands Journal of Sea Research*, **31**, 331-357.
- Piersma, T., Rogers, D.I., Gonzalez, P.M., Zwarts, L., Niles, L.J., de Lima Serrano do Nascimento, I., Minton, C.D.T. & Baker, A.J. (2005) Fuel storage rates before northward flights of Red Knots worldwide. *Birds of Two Worlds: the ecology and evolution of migration* (eds. R. Greenberg & P.P. Marra), pp. 262-273. John Hopkins University Press, Baltimore.
- Pinheiro, J.C. & Bates, D.M. (2000) *Mixed-effects models in S and S-PLUS*. Springer Verlag, New York.
- Pomeroy, A.C. (2006) Tradeoffs between food abundance and predation danger in spatial usage of a stopover site by western sandpipers, *Calidris mauri*. *Oikos*, **112**, 629-637.
- Pomeroy, A.C., Butler, R.W. & Ydenberg, R.C. (2006) Experimental evidence that migrants adjust usage at a stopover site to trade off food and danger. *Behavioral Ecology*, **17**, 1041-1045.
- Portugal, S.J., Thorpe, S.K.S., Green, J.A., Myatt, J.P. & Butler, P.J. (2009) Testing the use/disuse hypothesis: pectoral and leg muscle changes in captive barnacle geese *Branta leucopsis* during wing moult. *Journal of Experimental Biology*, **212**, 2403-2410.
- Potts, W.K. (1984) The chorus-line hypothesis of manoeuvre coordination in avian flocks. *Nature*, **309**, 344-345.

- Prater, A.J., Marchant, J.H. & Vuorinen, J. (1977) *Guide to the Identification and Ageing of Holarctic Waders*. BTO Guide 17. British Trust for Ornithology, Tring.
- Prater, S.H. 1990. *The Book of Indian Animals* (3rd impr.). Bombay Natural History Society, Bombay.
- Pravosudov, V.V. & Grubb, T.C. (1998) Management of fat reserves in tufted titmice *Baelophus bicolor* in relation to risk of predation. *Animal Behaviour*, **56**, 49-54.
- Preisser, E.L., Bolnick, D.I. & Benard, M.F. (2005) Scared to death? The effects of intimidation and consumption in predator-prey interactions. *Ecology*, **86**, 501-509.
- Prins, H.H.Th., Ydenberg, R.C. & Drent, R.H. (1980) The interaction of brent geese *Branta bernicla* and sea plantain *Plantago maritima* during spring staging: field observations and experiments. *Acta Botanica Neerlandica*, **29**, 585-596.
- Prop, J. & Loonen, M.J.J.E. (1989) Goose flocks and food exploitation: the importance of being first. *Proceedings XIX of the International Ornithological Congress, Ottawa, 1878-1887*.

Q

- Quinn, J.L. & Cresswell, W. (2004) Predator hunting behavior and prey vulnerability. *Journal of Animal Ecology* **73**, 143-154.

R

- Randler, C. (2005) Vigilance during preening in Coots *Fulica atra*. *Ethology*, **111**, 169-178.
- Rappole, J. (1995) *The Ecology of Migrant Birds: a Neotropical Perspective*. Smithsonian Institution Press, Washington/London.
- Ratcliffe, D. (1993) *The Peregrine Falcon*. Poyser, London.
- Rayner, J.M.V. (1993) On aerodynamics and the energetics of vertebrate flapping flight. *Fluid dynamics in biology* (eds. A.Y. Cheer & C.P. van Dam), pp. 351-400. American Mathematical Society, Providence.
- Real, L. & Caraco, T. (1986) Risk and foraging in stochastic environments. *Annual Review of Ecology and Systematics*, **17**, 371-390.
- Releya, R.A. & Auld, J.R. (2004) Having the guts to compete: how intestinal plasticity explains costs of inducible defences. *Ecology Letters*, **7**, 869-875.
- Ripple, W.J. & Beschta, R.L. (2005) Linking wolves and plants: Aldo Leopold on trophic cascades. *Bioscience*, **55**, 613-621.
- Robinson, S.R. (1980) Antipredator behaviour and predator recognition in Belding's ground squirrels. *Animal Behaviour*, **28**, 840-852.
- Rogers, D.I., Battley, P.F., Piersma, T., van Gils, J.A. & Rogers, K.G. (2006) High-tide habitat choice: insights from modeling roost selection by shorebirds around a tropical bay. *Animal Behaviour*, **72**, 563-575.
- Rogers, L.J. (2008) Development and function of lateralization in the avian brain. *Brain Research Bulletin*, **76**, 235-244.
- Rosser, B.W.C. & George, J.C. (1986) The avian pectoralis - histochemical characterization and distribution of muscle-fiber types. *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, **64**, 1174-1185.
- Rudebeck, G. (1950-1951) The choice of prey and modes of hunting of predatory birds with special reference to their selective effect. *Oikos*, **2-3**, 65-88;200-231.

S

- Sandercock, B.K. (2003) Estimation of survival rates for wader populations: a review of mark-recapture methods. *Wader Study Group Bulletin*, **100**, 163-174.
- Selman, R.G. & Houston, D.C. (1996) A technique for measuring lean pectoral muscle mass in live small birds. *Ibis*, **138**, 348-350.
- Sheriff, M.J., Krebs, C.J. & Boonstra, R. (2009) The sensitive hare: sublethal effects of predator stress on reproduction in snowshoe hares. *Journal of Animal Ecology*, **78**, 1249-1258.
- Sih, A., Englund, G. & Wooster, D. (1998) Emergent impacts of multiple predators on prey. *Trends in Ecology and Evolution*, **13**, 350-355.

- Sih, A., Crowley, P., McPeck, M., Petranksa, J. & Strohmeier, K. 1985. Predation, competition, and prey communities: a review of field experiments. *Annual Review of Ecology and Systematics*, **16**, 269–311.
- Singh, G.R. (2000) Ganges soft-shell turtle *Aspideretus gangeticus* predating on nilgai *Boselaphus tragocamelus* in Keoladeo National Park, Bharatpur, Rajasthan. *Journal of the Bombay Natural History Society*, **97** (2), 285.
- Smit, C. & Piersma, T. (1989) Numbers, midwinter distribution, and migration of wader populations using the East Atlantic flyway. *IWRB Special Publication* (eds. H. Boyd & J.-Y. Piroot), pp. 24–63. Flyways and Reserve Networks for Waterbirds, Slimbridge.
- Solomon, M.E. (1949) The natural control of animal populations. *Journal of Animal Ecology*, **18**, 1-35.
- Stankowich, T. (2008) Ungulate flight responses to human disturbance: A review and meta-analysis. *Biological Conservation*, **141**, 2159-2173.
- Stankowich, T. & Coss, R.G. (2007) Effects of risk assessment, predator behavior, and habitat on escape behavior in Columbian black-tailed deer. *Behavioral Ecology*, **18**, 358-367.
- Starck, J.M. (2003) Shaping up: how vertebrates adjust their digestive system to changing environmental conditions. *Animal Biology*, **53**, 245-257.
- Starck, J.M. (2005) Structural flexibility of the digestive system of tetrapods – patterns and processes at the cellular and tissue level. *Physiological and ecological adaptations to feeding in vertebrates* (eds. J.M. Starck & T. Wang), pp. 175-200. Science Publishers, Enfield, New Hampshire.
- Starck, J.M. & Rahmaan, G.H.A. (2003) Phenotypic flexibility of structure and function of the digestive system of Japanese quail. *Journal of Experimental Biology*, **206**, 1887-1897.
- Stephens, D.W. & Krebs, J.R. (1986) *Foraging Theory*, Princeton University Press, New Jersey.
- Stolzenberg, W. (2008) *Where the Wild things Were: Life, Death, and Ecological Wreckage in a Land of Vanishing Predators*. Bloomsbury Publishing PLC, Bloomsbury.
- Swaddle, J.P. & Lockwood, R. (1998) Morphological adaptations to predation risk in passerines. *Journal of Avian Biology*, **29**, 172-176.
- Swaddle, J.P. & Biewener, A. A. (2000) Exercise and reduced muscle mass in starlings. *Nature*, **406**, 585-586.
- Swaddle, J. P., Williams, E. V. & Rayner, J. M. V. (1999) The effect of simulated flight feather moult on escape take-off performance in starlings. *Journal of Avian Biology*, **30**, 351-358.
- Swaigood, R.R., Rowe, M.P. & Owings, D.H. (1999) Assessment of rattlesnake dangerousness by California ground squirrels: exploitation of cues from rattling sounds. *Animal Behaviour*, **57**, 1201-1210.
- Swennen, C. 1984. Differences in quality of roosting flocks of oystercatchers. *Coastal waders and wildfowl in winter* (eds. P.R. Evans, J.D. Goss-Custard & W.G. Hale), p. 177-189. Cambridge University Press, Cambridge.

T

- Taylor, A.R. & Knight, R.L. (2003) Behavioral responses of wildlife to human activity: terminology and methods. *Wildlife Society Bulletin*, **31**, 1263-1271.
- Thirgood, S.J., Redpath, S.M., Campbell, S., Smith, A. (2000) Do habitat characteristics influence predation on red grouse? *Journal of Applied Ecology*, **39**, 217-225.
- Thirgood, S.J., Redpath, S.M., Rothery, P., Aebischer, N.J. (2002) Raptor predation and population limitation in red grouse. *Journal of Animal Ecology*, **69**, 504-516.
- Tinbergen, L. (1946) De sperwer als roofvijand van zangvogels. *Ardea*, **34**, 3-213.
- Treherne, J.E. & Foster, W.A. (1982) Group size and antipredator strategies in a marine insect. *Animal Behaviour*, **32**, 536–542.
- Trussell, G.C., Ewanchuk, P.J. & Matassa, C.M. (2006) The fear of being eaten reduces energy transfer in a simple food chain. *Ecology*, **87**, 2979-2984.
- Tucker, V.A. (2000) The deep fovea, sideways vision and spiral flight paths in raptors. *Journal of Experimental Biology*, **203**, 3745-3754.
- Tucker, V.A., Tucker, A. E., Akers, K. & Enderson, H. J. (2000) Curved flight paths and sideways vision in peregrine falcons (*Falco peregrinus*). *Journal of Experimental Biology*, **203**, 3755-3763.

V

- Vahl, W.K., van der Meer, J., Weissing, F.J., van Dullemen, D. & Piersma, T. (2005) The mechanisms of interference competition: two experiments on foraging waders. *Behavioral Ecology*, **16**, 845–855.
- van de Kam, J., Ens, B., Piersma, T. & Zwarts, L. (2004). *Shorebirds. An illustrated behavioural ecology*. KNNV Publishers, Utrecht.
- van den Brink B. (2003) Havik *Accipiter gentilis* slaat Meerkoet *Fulica atra* op open water. *Takkeling*, **11**, 132.
- van den Hout, P. J. (2009) Mortaliteit in het topje van een ijsberg van angst - Over Slechtvalken en steltlopers in de Waddenzee. *Limosa*, **82**, 122-133.
- van den Hout, P. J., Spaans, B. & Piersma, T. (2008) Differential mortality of wintering shorebirds on the Banc d'Arguin, Mauritania, due to predation by large falcons. *Ibis*, **150 (Suppl.1)**, 219-230.
- van den Hout, P.J., Piersma, T., Dekinga, A., Lubbe, S.K. & Visser, G.H. (2006) Ruddy turnstones *Arenaria interpres* rapidly build pectoral muscle after raptor scares. *Journal of Avian Biology*, **37**, 425-430.
- van der Have, T.M., Nieboer, E. & Boere, G.C. (1984) Age-related distribution of Dunlin in the Dutch Wadden Sea. *Coastal Waders and Wildfowl in Winter* (eds. P.R. Evans, J.D. Goss-Custard & W.G Hale), pp. 160–176. Cambridge University Press, Cambridge.
- van der Meer, J. & Ens, B.J. (1997) Models of interference and their consequences for the spatial distribution of ideal and free predators. *Journal of Animal Ecology*, **66**, 846-858.
- van der Veen, I.T. (2002) Seeing is believing: information about predators influences yellowhammer behavior. *Behavioral Ecology and Sociobiology*, **51**, 466-471.
- van der Veen, I.T. & Lindström, K.M. (2000) Escape flights of yellowhammers and greenfinches: more than just physics. *Animal Behaviour*, **59**, 593-601.
- van Dijk, A.J., de Roder, F.E., Marteiijn, E.C.L., Spiekman, H. (1990) Summering waders on the Banc d'Arguin, Mauritania – a census in June 1988. *Ardea*, **78**, 145-156.
- van Duivendijk, N. (2002) *Dutch Birding Kenmerkengids*, Dutch Birding Association, Amsterdam.
- van Gils, J.A. & Piersma, T. (2004) Digestively constrained predators evade the cost of interference competition. *Journal Animal Ecology*, **73**, 386–398.
- van Gils, J.A., Piersma, T., Dekinga, A. & Dietz, M.W. (2003) Cost-benefit analysis of mollusc-eating in a shorebird II. Optimizing gizzard size in the face of seasonal demands. *Journal of Experimental Biology*, **206**, 3369-3380.
- van Gils, J.A., Edelaar, P., Escudero, G. & Piersma, T. (2004) Carrying capacity models should not use fixed prey density thresholds: a plea for using more tools of behavioural ecology. *Oikos*, **104**, 197–204.
- van Gils, J.A., Battley, P.F., Piersma, T. & Drent, R. (2005a) Reinterpretation of gizzard sizes of red knots world-wide emphasises overriding importance of prey quality at migratory stopover sites. *Proceedings of the Royal Society B-Biological Sciences*, **272**, 2609-2618.
- van Gils, J.A., de Rooij, S.R., van Belle, J., van der Meer, J., Dekinga, A., Piersma, T. & Drent, R.H. (2005b). Digestive bottleneck affects foraging decisions in red knots *Calidris canutus*. I. Prey choice. *Journal of Animal Ecology*, **74**, 105-119.
- van Gils, J.A., Dekinga, A., Spaans, B., Vahl, W.K., Piersma, T. (2005c) Digestive bottleneck affects foraging decisions in red knots *Calidris canutus*. II. Patch choice and length of working day. *Journal of Animal Ecology*, **74**, 120-130.
- van Gils, J.A., Spaans, B., Dekinga, A. & Piersma, T. (2006a) Foraging in a tidally structured environment by red knots (*Calidris canutus*): Ideal, but not free. *Ecology*, **87**, 1189-1202.
- van Gils, J.A., Piersma, T., Dekinga, A., Spaans, B. & Kraan, C. (2006b) Shellfish dredging pushes a flexible avian top predator out of a marine protected area. *Plos Biology*, **4**, 2399-2404.
- van Hattem, D. (2002) Havik *Accipiter gentilis* vangt Meerkoet *Fulica atra*, en hoe! *Takkeling*, **10**, 150–151.
- Vermeij, G.J. (1982) Unsuccessful predation and evolution. *American Naturalist*, **120**, 701-720.
- Vézina, F., Jalvingh, K.M., Dekinga, A. & Piersma, T. (2006) Acclimation to different thermal conditions in a northerly wintering shorebird is driven by body mass-related changes in organ size. *Journal of Experimental Biology*, **209**, 3141-3154.
- Videler, J. J. (2005) *Avian Flight*, Oxford University Press, Oxford.

Visser, G.H., Dekinga, A., Achterkamp, B., Piersma, T. (2000) Ingested water equilibrates isotopically with the body water pool of a shorebird with unrivaled water fluxes. *American Journal of Physiology*, **279**, R1795-R1804.

W

- Walls, G.L. (1942) *The vertebrate eye and its adaptive radiation*. Cranbrook Institute of Science, Michigan.
- Warrick, D.R. (1998) The turning- and linear-maneuvering performance of birds: the cost of efficiency for courting insectivores. *Canadian Journal of Zoology—Revue Canadienne De Zoologie*, **76**, 1063-1079.
- Warrick, D.R. & Dial, K.P. (1998) Kinematic, aerodynamic and anatomical mechanisms in the slow, maneuvering flight of pigeons. *Journal of Experimental Biology*, **201**, 655-762.
- Warrick, D.R., Dial, K.P. & Biewener, A.A. (1998) Asymmetrical force production in the maneuvering flight of pigeons. *Auk*, **115**, 916-928.
- Welbergen, J.A. & Davies, N.B. (2008) Reed warblers discriminate cuckoos from sparrowhawks with graded alarm signals that attract mates and neighbours. *Animal Behaviour*, **76**, 811-822.
- Werner, E.E. & Gilliam, J.F. (1984) The ontogenetic niche and species interactions in size structured populations. *Annual Review of Ecology and Systematics*, **15**, 393-425.
- Werner, E.E. & Peacor, S.D. (2003) A review of trait-mediated indirect interactions in ecological communities. *Ecology*, **84**, 1083-1100.
- White, C.R., Day, N., Butler, P. J., & Martin, G.R. (2007) Vision and Foraging in Cormorants: more like Herons than Hawks? *PLoSOne* **2(7)**, 1-6
- White, C.R., Butler, P.J., Gremillet, D. & Martin, G.R. (2008) Behavioural strategies of cormorants (Phalacrocoracidae) foraging under challenging light conditions. *Ibis* 150 (Suppl. 1), 231-239.
- White, G.C. & Burnham, K.P. (1999) Program MARK: survival estimation from populations of marked animals. *Bird Study*, **46**, S120-139.
- Whitfield, D.P. (1985) Raptor predation on wintering waders in southeast Scotland. *Ibis*, **127**, 544-558.
- Whitfield, D.P. (1990) Individual feeding specialisations of wintering Turnstones *Arenaria interpres*. *Journal of Animal Ecology*, **59**, 193-211.
- Whitfield, D.P. (2003a) Predation by Eurasian sparrowhawks produces density-dependent mortality of wintering redshanks. *Journal of Animal Ecology*, **72**, 27-35.
- Whitfield, D.P. (2003b) Density-dependent mortality of wintering Dunlins *Calidris alpina* through predation by Eurasian Sparrowhawks *Accipiter nisus*. *Ibis*, **145**, 432-438.
- Whitfield, D.P., Evans, A.D. & Whitfield, P.A. (1988) The impact of raptor predation on wintering waders. *Acta Congressus Internationalis Ornithologici*, **19**, 674-687.
- Wiersma, P. & Piersma, T. (1994) Effects of microhabitat, flocking, climate and migratory goal on energy expenditure in the annual cycle of Red Knots. *Condor*, **96**, 257-279.
- Wiersma, P. & Piersma, T. (1995) Scoring abdominal profiles to characterize migratory cohorts of shorebirds: an example with red knots. *Journal of Field Ornithology*, **66**, 88-98.
- Witter, M.S. & Cuthill, I.C. (1993) The ecological costs of avian fat storage. *Philosophical Transactions of the Royal Society of London, B-Biological Sciences*, **340**, 73-92.
- Witter, M.S., Cuthill, I.C. & Bonser, R.H.C. (1994) Experimental investigations of mass-dependant predation risk in the European Starling, *Sturnus vulgaris*. *Animal Behaviour*, **48**, 201-222.
- Witter, M.S., Swaddle, J.P. & Cuthill, I.C. (1995) Periodic food availability and strategic regulation of body mass in the European starling, *Sturnus vulgaris*. *Functional Ecology*, **9**, 568-574.
- Wolff, W.J. & Smit, C.J. (1990) The Banc d'Arguin, Mauritania, as an environment for coastal birds. *Ardea*, **78**, 17-38.
- Wunderle, J.M. (1991) Age-specific foraging proficiency in birds. Current Ornithology (Ed. D.M. Power), pp. 273-324. Plenum Press, New York & London.

Y

- Yates, M.G., Stillman, R.A. & Goss-Custard, J.D. (2000) Contrasting interference functions and foraging dispersion in two species of shorebird (Charadrii). *Journal of Animal Ecology*, **69**, 314-322.

- Ydenberg, R.C. & Dill, L.M. (1986) The economics of fleeing from predators. *Advances in the Study of Behavior*, **16**, 229-249.
- Ydenberg, R.C., Niehaus, A.C. & Lank, D.B. (2005) Interannual differences in the relative timing of southward migration of male and female western sandpipers (*Calidris mauri*). *Naturwissenschaften*, **92**, 332-335.
- Ydenberg, R.C., Butler, R.W. & Lank, D.B. (2007) Effects of predator landscapes on the evolutionary ecology of routing, timing and molt by long-distance migrants. *Journal of Avian Biology*, **38**, 523-529.
- Ydenberg, R.C., Butler, R.W., Lank, D.B., Guglielmo, C.G. & Lemon, M. (2002). Trade-offs, condition dependence and stopover site selection by migrating sandpipers. *Journal of Avian Biology*, **33**, 47-55.
- Ydenberg, R.C., Butler, R.W., Lank, D.B., Smith, B.D. & Ireland, J. (2004) Western sandpipers have altered migration tactics as peregrine falcon populations have recovered. *Proceedings of the Royal Society of London, Series B*, **271**, 1263-1269.
- Yodzis, P. (1989) *Introduction to Theoretical Ecology*, Harper & Row Publishers, Inc., New York.

Z

- Zar, J.H. (1999) *Biostatistical Analysis*, 4th edn. Prentice Hall, New Jersey.
- Zwarts, L. (1988) Numbers and distribution of coastal waders in Guinea-Bissau. *Ardea*, **76**, 42-55.
- Zwarts, L. (1990) Increased prey availability drives premigration hyperphagia in Whimbrels and allows them to leave the Banc d'Arguin, Mauritania, in time. *Ardea* **78**, 279-300.
- Zwarts, L. & Blomert, A.-M. (1990) Selectivity of Whimbrel feeding on Fiddler Crabs explained by component specific digestibilities. *Ardea* **78**, 193-208.
- Zwarts, L. & Dirksen, S. (1990) Digestive bottleneck limits the increase in food intake of Whimbrels preparing their departure from the Banc d'Arguin, Mauritania, in spring. *Ardea* **78**: 257- 278.
- Zwarts, L. & Blomert, A.-M. (1992) Why knot *Calidris canutus* take medium-sized *Macoma balthica* when 6 prey species are available. *Marine Ecology Progress Series*, **83**, 113-128.
- Zwarts, L. & Wanink, J.H. (1993) How the food-supply harvestable by waders in the Wadden Sea depends on the variation in energy density, body weight, biomass, burying depth and behavior of tidal-flat invertebrates. *Netherlands Journal of Sea Research*, **31**, 441-476.
- Zwarts, L., van der Kamp, J., Overdijk, O., van Spanje, T., Veldkamp, R., West, R. & Wright, M. (1998a) Wader count on the Banc d'Arguin, Mauritania, in January/February 1997. *Wader Study Group Bulletin*, **86**, 53-69.
- Zwarts, L., van der Kamp, J., Overdijk, O., Spanje, T., Veldkamp, R., West, R. & Wright, M. (1998b) Wader count of the Baie d'Arguin, Mauritania, in February 1997. *Wader Study Group Bulletin*, **86**, 70-73.
- Zweers, G.A. & Gerritsen, A.F.C. (1997) Transitions from pecking to probing mechanisms in waders. *Netherlands Journal of Zoology*, **47**, 161-208.

